

Terence G Langdon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8876525/terence-g-langdon-publications-by-year.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,019
papers

59,115
citations

116
h-index

205
g-index

1,039
ext. papers

63,534
ext. citations

4.2
avg, IF

8.17
L-index

#	Paper	IF	Citations
1019	Using Plane Strain Compression Test to Evaluate the Mechanical Behavior of Magnesium Processed by HPT. <i>Metals</i> , 2022 , 12, 125	2.3	2
1018	Effect of creep parameters on the steady-state flow stress of pure metals processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 835, 142666	5.3	2
1017	Exploiting tube high-pressure shearing to prepare a microstructure in Pb-Sn alloys for unprecedented superplasticity. <i>Scripta Materialia</i> , 2022 , 209, 114390	5.6	1
1016	Texture evolution in high-pressure torsion processing. <i>Progress in Materials Science</i> , 2022 , 125, 100886	42.2	6
1015	Microstructure and mechanical properties of an Fe-Mn-Al lightweight steel after dynamic plastic deformation processing and subsequent aging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 833, 142566	5.3	0
1014	Fabrication of hybrid nanocrystalline Al-Mg alloys by mechanical bonding through high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 833, 142549	5.3	3
1013	Effect of grain size on strength and strain rate sensitivity in metals. <i>Journal of Materials Science</i> , 2022 , 57, 5210-5229	4.3	3
1012	Nanomaterials by severe plastic deformation: review of historical developments and recent advances. <i>Materials Research Letters</i> , 2022 , 10, 163-256	7.4	26
1011	Achieving an excellent combination of strength and plasticity in a low carbon steel through dynamic plastic deformation and subsequent annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 842, 143051	5.3	0
1010	Relationship between strength and uniform elongation of metals based on an exponential hardening law. <i>Acta Materialia</i> , 2022 , 231, 117866	8.4	1
1009	A general physics-based hardening law for single phase metals. <i>Acta Materialia</i> , 2022 , 231, 117877	8.4	1
1008	Examining the effect of the aging state on strength and plasticity of wrought aluminum alloys. <i>Journal of Materials Science and Technology</i> , 2022 , 122, 54-67	9.1	2
1007	Formation of ultrafine grains and twins in the β phase during superplastic deformation of two-phase brasses. <i>Scripta Materialia</i> , 2022 , 218, 114804	5.6	1
1006	Study on the Surface Modification of Nanostructured Ti Alloys and Coarse-Grained Ti Alloys. <i>Metals</i> , 2022 , 12, 948	2.3	0
1005	Creep behavior of metals processed by equal-channel angular pressing. <i>Metallic Materials</i> , 2021 , 49, 75-83	9	9
1004	Effect of crystallographic texture and twinning on the corrosion behavior of Mg alloys: A review. <i>Journal of Magnesium and Alloys</i> , 2021 ,	8.8	4
1003	Microstructural Evolution and Tensile Testing of a Bi-Sn (57/43) Alloy Processed by Tube High-Pressure Shearing. <i>Crystals</i> , 2021 , 11, 1229	2.3	1

1002	In situ TEM observations of thickness effect on grain growth in pure titanium thin films. <i>Materials Characterization</i> , 2021 , 173, 110929	3.9	1
1001	An examination of microstructural evolution and homogeneity in a magnesium AZ80 alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 806, 140832	5.3	7
1000	Abnormal grain growth in a Zn-0.8Ag alloy after processing by high-pressure torsion. <i>Acta Materialia</i> , 2021 , 207, 116667	8.4	11
999	Advanced Materials for Mechanical Engineering: Ultrafine-Grained Alloys with Multilayer Coatings. <i>Advanced Engineering Materials</i> , 2021 , 23, 2100145	3.5	6
998	Micro-mechanical response of ultrafine grain and nanocrystalline tantalum. <i>Journal of Materials Research and Technology</i> , 2021 , 12, 1804-1815	5.5	3
997	Evidence for a phase transition in an AlCrFe ₂ Ni ₂ high entropy alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2021 , 867, 159063	5.7	5
996	Using high-pressure torsion to fabricate an AlTi hybrid system with exceptional mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 799, 140114	5.3	7
995	Evaluating the paradox of strength and ductility in ultrafine-grained oxygen-free copper processed by ECAP at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140546	5.3	9
994	Phase evolution and mechanical properties of an intercritically-annealed Fe ₇₀ Ni ₁₀ Mn ₂₀ (wt. %) martensitic steel severely deformed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 804, 140519	5.3	3
993	The effect of high-pressure torsion on the microstructure and outstanding pseudoelasticity of a ternary Fe ₅₀ Ni ₂₀ Mn ₃₀ shape memory alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140647	5.3	2
992	An examination of microstructural evolution in a PbSn eutectic alloy processed by high-pressure torsion and subsequent self-annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140653	5.3	3
991	A stored energy analysis of grains with shear texture orientations in Cu-Ni-Si and Fe-Ni alloys processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2021 , 864, 158142	5.7	2
990	Engineering mechanical properties by controlling the microstructure of an Fe ₇₀ Ni ₁₀ Mn ₂₀ martensitic steel through pre-cold rolling and subsequent heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 804, 140760	5.3	1
989	Effect of grain size and crystallographic structure on the corrosion and tribocorrosion behaviour of a CoCrMo biomedical grade alloy in simulated body fluid. <i>Wear</i> , 2021 , 478-479, 203884	3.5	3
988	A multiscale experimental analysis of mechanical properties and deformation behavior of sintered copper/silicon carbide composites enhanced by high-pressure torsion. <i>Archives of Civil and Mechanical Engineering</i> , 2021 , 21, 1	3.4	1
987	The nature of the maximum microhardness and thickness of the gradient layer in surface-strengthened Cu-Al alloys. <i>Acta Materialia</i> , 2021 , 215, 117073	8.4	0
986	Deformation mechanisms in ultrafine-grained metals with an emphasis on the Hall-Petch relationship and strain rate sensitivity. <i>Journal of Materials Research and Technology</i> , 2021 , 14, 137-159	5.5	11
985	An examination of strain weakening and self-annealing in a Bi-Sn alloy processed by high-pressure torsion. <i>Materials Letters</i> , 2021 , 301, 130321	3.3	1

984	Effect of post-deformation annealing on the microstructure and mechanical behavior of an Fe-Ni-Mn steel processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2021 , 15, 1537-1546	5.5	0
983	The mechanics and physics of gradient nanomaterials: Dedicated to the memory of Alexander Zhilyaev (1959-2020). <i>Materials Letters</i> , 2021 , 302, 130369	3.3	
982	Numerical Investigation of Plastic Strain Homogeneity during Equal-Channel Angular Pressing of a Cu-Zr Alloy. <i>Crystals</i> , 2021 , 11, 1505	2.3	0
981	Microstructural and Hardness Evolution in a Duplex Stainless Steel Processed by High-Pressure Torsion. <i>Crystals</i> , 2020 , 10, 1138	2.3	2
980	Analysis of the creep behavior of fine-grained AZ31 magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 787, 139489	5.3	8
979	Recrystallization in an Mg-Nd alloy processed by high-pressure torsion: a calorimetric analysis. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 3047-3054	5.5	1
978	Microstructural Evolution and Mechanical Properties of Ultrafine-Grained Ti Fabricated by Cryorolling and Subsequent Annealing. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901463	3.5	2
977	The fabrication of high strength Zr/Nb nanocomposites using high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 790, 139693	5.3	5
976	Using High-Pressure Torsion to Achieve Superplasticity in an AZ91 Magnesium Alloy. <i>Metals</i> , 2020 , 10, 681	2.3	7
975	Effect of dynamic plastic deformation on the microstructure and mechanical properties of an Al-Ni-Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 784, 139287	5.3	10
974	Enhanced Creep Resistance of an Ultrafine-Grained Ti-6Al-4V Alloy with Modified Surface by Ion Implantation and (Ti + V)N Coating. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901219	3.5	5
973	Microstructural Evolution and Microhardness Variations in Pure Titanium Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901462	3.5	7
972	An Investigation of Strain-Softening Phenomenon in Al-0.1% Mg Alloy during High-Pressure Torsion Processing. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901578	3.5	
971	Interface structures in Al-Nb ₂ O ₅ nanocomposites processed by high-pressure torsion at room temperature. <i>Materials Characterization</i> , 2020 , 162, 110222	3.9	5
970	An investigation by EXAFS of local atomic structure in an Mg-Nd alloy after processing by high-pressure torsion and ageing. <i>Materials Letters</i> , 2020 , 264, 127379	3.3	2
969	Characteristics of grain refinement in oxygen-free copper processed by equal-channel angular pressing and dynamic testing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 775, 138985	5.3	13
968	A Novel High-Strength Zn-3Ag-0.5Mg Alloy Processed by Hot Extrusion, Cold Rolling, or High-Pressure Torsion. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020 , 51, 3335-3348	2.3	11
967	Microstructure and mechanical properties of a Zn-0.5Cu alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 776, 139047	5.3	14

966	The Stability of Oxygen-Free Copper Processed by High-Pressure Torsion after Room Temperature Storage for 12 Months. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901015	3.5	0
965	A Comparison of Warm and Combined Warm and Low-Temperature Processing Routes for the Equal-Channel Angular Pressing of Pure Titanium. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900698	3.5	3
964	An Evaluation of the Microstructure and Microhardness in an Al ₇₀ Zn ₃₀ Mg Alloy Processed by ECAP and Post-ECAP Heat Treatments. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901040	3.5	2
963	An investigation of the stored energy and thermal stability in a Cu ₃₁ Ni ₆₉ Bi alloy processed by high-pressure torsion. <i>Philosophical Magazine</i> , 2020 , 100, 688-712	1.6	6
962	Microstructural Evolution and Mechanical Behavior of Cu/Nb Multilayer Composites Processed by Accumulative Roll Bonding. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900702	3.5	10
961	Synthesis of Hybrid Nanocrystalline Alloys by Mechanical Bonding through High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901289	3.5	17
960	The significance of strain weakening and self-annealing in a superplastic Bi ₅₈ Sn eutectic alloy processed by high-pressure torsion. <i>Acta Materialia</i> , 2020 , 185, 245-256	8.4	12
959	Microstructure and Microhardness Evolution in Pure Molybdenum Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901022	3.5	1
958	Development of an Al 7050-10 vol.% alumina nanocomposite through cold consolidation of particles by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 12626-12633	5.5	0
957	Corrosion Behavior in Hank's Solution of a Magnesium-Hydroxyapatite Composite Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020 , 22, 2000765	3.5	4
956	The Background to Superplastic Forming and Opportunities Arising from New Developments. <i>Solid State Phenomena</i> , 2020 , 306, 1-8	0.4	3
955	Superior strength of tri-layered Al ₇₀ Cu ₃₀ Al nano-composites processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2020 , 846, 156380	5.7	11
954	Mechanical properties and structural stability of a bulk nanostructured metastable aluminum-magnesium system. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 796, 140050	5.3	11
953	On the Heterogeneity of Local Shear Strain Induced by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900477	3.5	15
952	Inverse Hall-Petch Behaviour in an AZ91 Alloy and in an AZ91/Al ₂ O ₃ Composite Consolidated by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900894	3.5	12
951	Effect of Cu on Amorphization of a TiNi Alloy during HPT and Shape Memory Effect after Post-Deformation Annealing. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900387	3.5	3
950	Effect of Numbers of Turns of High-Pressure Torsion on the Development of Exceptional Ductility in Pure Magnesium. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900565	3.5	2
949	A Lifetime of Research in Creep, Superplasticity, and Ultrafine-Grained Materials. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900442	3.5	5

948	Fabrication and characterization of nanostructured immiscible Cu ₃ Al alloys processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2020 , 832, 155007	5.7	13
947	Magnesium-Based Bioactive Composites Processed at Room Temperature. <i>Materials</i> , 2019 , 12,	3.5	8
946	The Characteristics of Creep in Metallic Materials Processed by Severe Plastic Deformation. <i>Materials Transactions</i> , 2019 , 60, 1506-1517	1.3	13
945	Effect of spark plasma sintering and high-pressure torsion on the microstructural and mechanical properties of a Cu ₃ BiC composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 766, 138350	5.3	9
944	On the microstructure and mechanical properties of an Fe-10Ni-7Mn martensitic steel processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 749, 27-34	5.3	10
943	A possible stabilizing effect of work hardening on the tensile performance of superplastic materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 759, 448-454	5.3	5
942	Bulk-State Reactions and Improving the Mechanical Properties of Metals through High-Pressure Torsion. <i>Materials Transactions</i> , 2019 , 60, 1131-1138	1.3	26
941	The Contribution of Severe Plastic Deformation to Research on Superplasticity. <i>Materials Transactions</i> , 2019 , 60, 1123-1130	1.3	10
940	Electrochemical behavior of a magnesium ZK60 alloy processed by high-pressure torsion. <i>Corrosion Science</i> , 2019 , 154, 90-100	6.8	34
939	Strain rate dependence of compressive behavior in an Al-Zn-Mg alloy processed by ECAP. <i>Journal of Alloys and Compounds</i> , 2019 , 791, 1079-1087	5.7	14
938	An investigation of the thermal stability of an Mg Dy alloy after processing by high-pressure torsion. <i>Materials Characterization</i> , 2019 , 151, 519-529	3.9	12
937	Micro-Embossing Formability of a Superlight Dual-Phase Mg ₂ Al Alloy Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2019 , 21, 1800961	3.5	6
936	Cytotoxicity and Corrosion Behavior of Magnesium and Magnesium Alloys in Hank's Solution after Processing by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2019 , 21, 1900391	3.5	17
935	A magnesium-aluminium composite produced by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2019 , 804, 421-426	5.7	23
934	Thermal Stability of an Mg ₂ Al Alloy Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2019 , 21, 1900801	3.5	9
933	Developing magnesium-based composites through high-pressure torsion. <i>Letters on Materials</i> , 2019 , 9, 541-545	0.9	5
932	Effect of Long-Term Storage on Microstructure and Microhardness Stability in OFHC Copper Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2019 , 21, 1801300	3.5	8
931	Synthesis of a bulk nanostructured metastable Al alloy with extreme supersaturation of Mg. <i>Scientific Reports</i> , 2019 , 9, 17186	4.9	20

930	Thirty years of collaboration and research from 1989 to 2019: a tribute to Ruslan Z. Valiev. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 672, 012001	0.4	
929	Processing Magnesium and Its Alloys by High-Pressure Torsion: An Overview. <i>Advanced Engineering Materials</i> , 2019 , 21, 1801039	3.5	35
928	Evaluating the textural and mechanical properties of an Mg-Dy alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2019 , 778, 61-71	5.7	25
927	The Effect of High-Pressure Torsion on Microstructure, Hardness and Corrosion Behavior for Pure Magnesium and Different Magnesium Alloys. <i>Advanced Engineering Materials</i> , 2019 , 21, 1801081	3.5	26
926	Processing of CP-Ti by high-pressure torsion and the effect of surface modification using a post-HPT laser treatment. <i>Journal of Alloys and Compounds</i> , 2019 , 784, 653-659	5.7	9
925	The fabrication of graphene-reinforced Al-based nanocomposites using high-pressure torsion. <i>Acta Materialia</i> , 2019 , 164, 499-511	8.4	72
924	Development of a magnesium-alumina composite through cold consolidation of machining chips by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2019 , 780, 422-427	5.7	32
923	High-pressure torsion and equal-channel angular pressing 2019 , 3-19		2
922	The influence of chemical heterogeneities on the local mechanical behavior of a high-entropy alloy: A micropillar compression study. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 721, 165-167	5.3	6
921	Effect of a minor titanium addition on the superplastic properties of a CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 718, 468-476	5.3	31
920	Factors influencing superplasticity in the Ti-6Al-4V alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 718, 198-206	5.3	20
919	An EBSD analysis of Fe-36%Ni alloy processed by HPT at ambient and a warm temperature. <i>Journal of Alloys and Compounds</i> , 2018 , 753, 46-53	5.7	13
918	Texture and microhardness of Mg-Rare Earth (Nd and Ce) alloys processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 724, 477-485	5.3	26
917	Effect of Ti on phase stability and strengthening mechanisms of a nanocrystalline CoCrFeMnNi high-entropy alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 725, 196-206	5.3	34
916	Fracture toughness at cryogenic temperatures of ultrafine-grained Ti-6Al-4V alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 716, 260-267	5.3	31
915	Effect of temperature rise on microstructural evolution during high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 714, 167-171	5.3	50
914	Features of Duplex Microstructural Evolution and Mechanical Behavior in the Titanium Alloy Processed by Equal-Channel Angular Pressing. <i>Advanced Engineering Materials</i> , 2018 , 20, 1700813	3.5	10
913	Effect of heat treatments on the microstructures and tensile properties of an ultrafine-grained Al-Zn-Mg alloy processed by ECAP. <i>Journal of Alloys and Compounds</i> , 2018 , 749, 567-574	5.7	17

912	Using Post-Deformation Annealing to Optimize the Properties of a ZK60 Magnesium Alloy Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2018 , 20, 1700703	3.5	10
911	Effect of Initial Annealing Temperature on Microstructural Development and Microhardness in High-Purity Copper Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2018 , 20, 1700503	3.5	6
910	Thirty Years of Superplastic Ultrafine-Grained Materials: Examining the Legacy of Oscar Kaibyshev. <i>Defect and Diffusion Forum</i> , 2018 , 385, 3-8	0.7	3
909	Low Temperature Superplasticity in Ultrafine-Grained AZ31 Alloy. <i>Defect and Diffusion Forum</i> , 2018 , 385, 59-64	0.7	3
908	Superplastic Flow and Micro-Mechanical Response of Ultrafine-Grained Materials. <i>Defect and Diffusion Forum</i> , 2018 , 385, 9-14	0.7	1
907	Effect of Different Initial Lamellar Plate Thicknesses on Grain Refinement and Superplastic Behaviour in HPT-Processed Ti-6Al-4V Alloy. <i>Defect and Diffusion Forum</i> , 2018 , 385, 182-188	0.7	
906	Shape memory characteristics of a nanocrystalline TiNi alloy processed by HPT followed by post-deformation annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 734, 445-452	5.3	11
905	Influence of Inhomogeneity on Mechanical Properties of Commercially Pure Titanium Processed by HPT. <i>Defect and Diffusion Forum</i> , 2018 , 385, 284-289	0.7	2
904	Spall strength dependence on grain size and strain rate in tantalum. <i>Acta Materialia</i> , 2018 , 158, 313-329	8.4	57
903	Mechanical properties of an Al-Zn-Mg alloy processed by ECAP and heat treatments. <i>Journal of Alloys and Compounds</i> , 2018 , 769, 631-639	5.7	27
902	Effect of high-pressure torsion on microstructure, mechanical properties and corrosion resistance of cast pure Mg. <i>Journal of Materials Science</i> , 2018 , 53, 16585-16597	4.3	26
901	Fabrication of nanocomposites through diffusion bonding under high-pressure torsion. <i>Journal of Materials Research</i> , 2018 , 33, 2700-2710	2.5	29
900	Direct Bonding of Aluminum-Copper Metals through High-Pressure Torsion Processing. <i>Advanced Engineering Materials</i> , 2018 , 20, 1800642	3.5	26
899	Fabrication of High Strength Hybrid Materials through the Application of High-Pressure Torsion. <i>Acta Physica Polonica A</i> , 2018 , 134, 615-623	0.6	3
898	Characterization of precipitates in an Al-Zn-Mg alloy processed by ECAP and subsequent annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 146-156	5.3	23
897	Exceptionally high strength and good ductility in an ultrafine-grained 316L steel processed by severe plastic deformation and subsequent annealing. <i>Materials Letters</i> , 2018 , 214, 240-242	3.3	19
896	Enhanced grain refinement and microhardness by hybrid processing using hydrostatic extrusion and high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 513-520	5.3	21
895	An investigation of the limits of grain refinement after processing by a combination of severe plastic deformation techniques: A comparison of Al and Mg alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 373-379	5.3	19

894	Studies on the Superplasticity Effect in UFA: History and Development (In Memory of Prof. O.A. Kaibyshev). <i>Reviews on Advanced Materials Science</i> , 2018 , 54, 14-24	4.8	2
893	Superplasticity in Ultrafine-Grained Materials.. <i>Reviews on Advanced Materials Science</i> , 2018 , 54, 46-55	4.8	21
892	Consolidation of Magnesium and Magnesium Alloy Machine Chips Using High-Pressure Torsion. <i>Materials Science Forum</i> , 2018 , 941, 851-856	0.4	10
891	Microstructure evolution of Al-7wt%Si-2wt%Fe alloy processed by high-pressure torsion. <i>MATEC Web of Conferences</i> , 2018 , 192, 02068	0.3	
890	Developing Superplasticity in High-Entropy Alloys Processed by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2018 , 941, 1059-1064	0.4	1
889	Micro-Scale Mechanical Behavior of Ultrafine-Grained Materials Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2018 , 941, 1495-1500	0.4	
888	Effect of carbon content and annealing on structure and hardness of CrFe2NiMnV0.25 high-entropy alloys processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2018 , 53, 11813-11822	4.3	12
887	Annealing-Induced Hardening in Ultrafine-Grained NiMo Alloys. <i>Advanced Engineering Materials</i> , 2018 , 20, 1800184	3.5	12
886	Grain refinement and superplastic flow in a fully lamellar Ti-6Al-4V alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 732, 398-405	5.3	19
885	Evidence for superplasticity in a CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 685, 342-348	5.3	67
884	Influence of grain size on the flow properties of an Al-Mg-Sc alloy over seven orders of magnitude of strain rate. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 685, 367-376	5.3	48
883	Effect of severe plastic deformation on the biocompatibility and corrosion rate of pure magnesium. <i>Journal of Materials Science</i> , 2017 , 52, 5992-6003	4.3	55
882	Effect of Mo addition on the microstructure and hardness of ultrafine-grained Ni alloys processed by a combination of cryorolling and high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 688, 92-100	5.3	21
881	Mechanical behavior and microstructure properties of titanium powder consolidated by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 688, 498-504	5.3	33
880	Applying Conventional Creep Mechanisms to Ultrafine-Grained Materials. <i>Minerals, Metals and Materials Series</i> , 2017 , 117-131	0.3	1
879	The Influence of Plastic Deformation on Lattice Defect Structure and Mechanical Properties of 316L Austenitic Stainless Steel. <i>Materials Science Forum</i> , 2017 , 885, 13-18	0.4	4
878	Investigation of Lattice Defects in a Plastically Deformed High-Entropy Alloy. <i>Materials Science Forum</i> , 2017 , 885, 74-79	0.4	3
877	Mechanical behavior and impact toughness of the ultrafine-grained Grade 5 Ti alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 696, 166-173	5.3	24

876	The sequence and kinetics of pre-precipitation in Mg-Nd alloys after HPT processing: A synchrotron and DSC study. <i>Journal of Alloys and Compounds</i> , 2017 , 719, 236-241	5.7	10
875	Evolution of the microstructure during annealing of ultrafine-grained Ni with different Mo contents. <i>Materials Characterization</i> , 2017 , 130, 56-63	3.9	10
874	Hardening and thermal stability of a nanocrystalline CoCrFeNiMnTi0.1 high-entropy alloy processed by high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012017	0.4	9
873	Microstructural evolution during hot shear deformation of an extruded fine-grained Mg ₉₂ Zn ₈ alloy. <i>Journal of Materials Science</i> , 2017 , 52, 7843-7857	4.3	24
872	Defect structure and hardness in nanocrystalline CoCrFeMnNi High-Entropy Alloy processed by High-Pressure Torsion. <i>Journal of Alloys and Compounds</i> , 2017 , 711, 143-154	5.7	73
871	Orientation imaging microscopy and microhardness in a ZK60 magnesium alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2017 , 712, 185-193	5.7	36
870	Microstructural Evolution and Properties of a Hot Extruded and HPT-Processed Resorbable Magnesium WE43 Alloy . <i>Advanced Engineering Materials</i> , 2017 , 19, 1600698	3.5	9
869	Effect of ECAP processing on microstructure evolution and dynamic compressive behavior at different temperatures in an Al-Zn-Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 684, 617-625	5.3	26
868	Influence of grain boundary misorientations on the mechanical behavior of a near- β -Ti-6Al-7Nb alloy processed by ECAP. <i>Materials Letters</i> , 2017 , 190, 256-259	3.3	13
867	Micro-mechanical and tribological properties of aluminum-magnesium nanocomposites processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 684, 318-327	5.3	51
866	The potential for achieving superplasticity in high-entropy alloys processed by severe plastic deformation. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012040	0.4	4
865	High-pressure torsion-induced phase transformations and grain refinement in Al/Ti composites. <i>Journal of Materials Science</i> , 2017 , 52, 12170-12184	4.3	18
864	Evaluating the flow properties of a magnesium ZK60 alloy processed by high-pressure torsion: A comparison of two different miniature testing techniques. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 708, 432-439	5.3	17
863	Thermal stability and superplastic behaviour of an Al-Mg-Sc alloy processed by ECAP and HPT at different temperatures. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012013	0.4	6
862	Fabrication of hybrid metal systems through the application of high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012002	0.4	4
861	Microstructure and Hardness Evolution in Magnesium Processed by HPT. <i>Materials Research</i> , 2017 , 20, 2-7	1.5	14
860	Examining the Thermal Stability of an Al-Mg-Sc Alloy Processed by High-Pressure Torsion. <i>Materials Research</i> , 2017 , 20, 39-45	1.5	6
859	Using Severe Plastic Deformation to Fabricate Strong Metal Matrix Composites. <i>Materials Research</i> , 2017 , 20, 46-52	1.5	15

858	Microstructure and properties of a CoCrFeNiMn high-entropy alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 705, 411-419	5.3	80
857	Comparisons of self-annealing behaviour of HPT-processed high purity Cu and a PbSn alloy. <i>Journal of Materials Research and Technology</i> , 2017 , 6, 390-395	5.5	8
856	Annealing effect on plastic flow in nanocrystalline CoCrFeMnNi high-entropy alloy: A nanomechanical analysis. <i>Acta Materialia</i> , 2017 , 140, 443-451	8.4	48
855	Using heat treatments, high-pressure torsion and post-deformation annealing to optimize the properties of Ti-6Al-4V alloys. <i>Acta Materialia</i> , 2017 , 141, 419-426	8.4	37
854	Effect of equal-channel angular pressing on the mechanical behavior of a Bi-Sn eutectic alloy. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012042	0.4	1
853	Bulk Nanostructured Materials. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017 , 48, 5181-5199	2.3	32
852	Effects on hardness and microstructure of AISI 1020 low-carbon steel processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2017 , 6, 355-360	5.5	18
851	Thermal stability and mechanical properties of HPT-processed CP-Ti. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012012	0.4	6
850	An examination of the superplastic characteristics of AlMgSc alloys after processing. <i>Journal of Materials Research</i> , 2017 , 32, 4541-4553	2.5	12
849	Effect of cold rolling on the structure and hydrogen properties of AZ91 and AM60D magnesium alloys processed by ECAP. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 21822-21831	6.7	13
848	An evaluation of the hexagonal close-packed to face-centered cubic phase transformation in a Ti-6Al-4V alloy during high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 704, 212-217	5.3	22
847	Examining the microhardness evolution and thermal stability of an AlMgSc alloy processed by high-pressure torsion at a high temperature. <i>Journal of Materials Research and Technology</i> , 2017 , 6, 348-354	5.5	9
846	Stored energy in ultrafine-grained 316L stainless steel processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2017 , 6, 339-347	5.5	21
845	Influence of Mo alloying on the thermal stability and hardness of ultrafine-grained Ni processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2017 , 6, 361-368	5.5	5
844	Hardness evolution of AZ80 magnesium alloy processed by HPT at different temperatures. <i>Journal of Materials Research and Technology</i> , 2017 , 6, 378-384	5.5	11
843	The effect of high-pressure torsion on the microstructure and properties of magnesium. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012039	0.4	5
842	Direct influence of recovery behaviour on mechanical properties in oxygen-free copper processed using different SPD techniques: HPT and ECAP. <i>Journal of Materials Research and Technology</i> , 2017 , 6, 369-377	5.5	27
841	Nano- and Micro-Mechanical Properties of Ultrafine-Grained Materials Processed by Severe Plastic Deformation Techniques. <i>Advanced Engineering Materials</i> , 2017 , 19, 1600578	3.5	33

840	Evidence for exceptional low temperature ductility in polycrystalline magnesium processed by severe plastic deformation. <i>Acta Materialia</i> , 2017 , 122, 322-331	8.4	101
839	Wear resistance and electroconductivity in a Cu _{0.3} Cr _{0.5} Zr alloy processed by ECAP. <i>Journal of Materials Science</i> , 2017 , 52, 305-313	4.3	24
838	Achieving superplastic properties in a ZK10 magnesium alloy processed by equal-channel angular pressing. <i>Journal of Materials Research and Technology</i> , 2017 , 6, 129-135	5.5	23
837	Influence of Zn content on the microstructure and mechanical performance of ultrafine-grained Al ₇₀ Ni alloys processed by high-pressure torsion. <i>Materials Letters</i> , 2017 , 186, 334-337	3.3	22
836	Controlling the high temperature mechanical behavior of Al alloys by precipitation and severe straining. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 679, 36-47	5.3	4
835	High temperature thermal stability of nanocrystalline 316L stainless steel processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 682, 323-331	5.3	22
834	Microstructural evolution and superplasticity in an Mg _{0.5} Zr alloy after processing by different SPD techniques. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 682, 577-585	5.3	36
833	Developments in Processing by Severe Plastic Deformation at the 3rd Pan American Materials Congress. <i>Jom</i> , 2017 , 69, 2022-2023	2.1	
832	The 7th International Conference on Nanomaterials by Severe Plastic Deformation: a report of the International NanoSPD Steering Committee. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 194, 012001	0.4	1
831	Fundamentals of Superior Properties in Bulk NanoSPD Materials. <i>Materials Research Letters</i> , 2016 , 4, 1-21	7.4	230
830	Review: Overcoming the paradox of strength and ductility in ultrafine-grained materials at low temperatures. <i>Journal of Materials Science</i> , 2016 , 51, 7-18	4.3	72
829	Review: achieving superplastic properties in ultrafine-grained materials at high temperatures. <i>Journal of Materials Science</i> , 2016 , 51, 19-32	4.3	75
828	Effect of annealing on mechanical properties of a nanocrystalline CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 676, 294-303	5.3	167
827	Evolution of Microstructure, Phase Composition and Hardness in 316L Stainless Steel Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2016 , 879, 502-507	0.4	4
826	Recovery or Non-Recovery in Al-0.1% Mg and Al-1% Mg Alloy during High-Pressure Torsion Processing. <i>Materials Science Forum</i> , 2016 , 879, 773-778	0.4	1
825	Influence of High-Pressure Torsion on the Microstructure and the Hardness of a Ti-Rich High-Entropy Alloy. <i>Materials Science Forum</i> , 2016 , 879, 732-737	0.4	1
824	Resolving the Strength-Ductility Paradox through Severe Plastic Deformation of a Cast Al-7% Si Alloy. <i>Materials Science Forum</i> , 2016 , 879, 1043-1048	0.4	0
823	Effect of applied pressure on microstructure development and homogeneity in an aluminium alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2016 , 688, 736-745	5.7	15

822	Micro-Mechanical Responses of Ultrafine-Grained Materials Processed through High-Pressure Torsion. <i>Materials Science Forum</i> , 2016 , 879, 42-47	0.4	1
821	Mechanical Properties and Microstructural Behavior of a Metal Matrix Composite Processed by Severe Plastic Deformation Techniques. <i>MRS Advances</i> , 2016 , 1, 3865-3870	0.7	1
820	An Unusual Extrusion Texture in Mg ₉₂ Zn ₈ Alloys . <i>Advanced Engineering Materials</i> , 2016 , 18, 1044-1049	3.5	40
819	Microstructural Evolution and Micro-Compression in High-Purity Copper Processed by High-Pressure Torsion . <i>Advanced Engineering Materials</i> , 2016 , 18, 241-250	3.5	11
818	High-Cycle Fatigue Behavior of an Ultrafine-Grained Ti ₆₀ Al ₄₀ V Alloy Processed by ECAP and Extrusion . <i>Advanced Engineering Materials</i> , 2016 , 18, 2057-2062	3.5	30
817	Characteristics of the allotropic phase transformation in titanium processed by high-pressure torsion using different rotation speeds. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 667, 293-299	5.3	26
816	Mechanical properties and microstructural evolution of nanocrystalline titanium at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 669, 358-366	5.3	14
815	Microstructure and microhardness of an Al-6061 metal matrix composite processed by high-pressure torsion. <i>Materials Characterization</i> , 2016 , 118, 270-278	3.9	28
814	Forty-Five Years of Superplastic Research: Recent Developments and Future Prospects. <i>Materials Science Forum</i> , 2016 , 838-839, 3-12	0.4	11
813	Microtextural Changes and Superplasticity in an Al-7075 Alloy Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2016 , 838-839, 445-450	0.4	4
812	Description of the Superplastic Flow Process by Deformation Mechanism Maps in Ultrafine-Grained Materials. <i>Materials Science Forum</i> , 2016 , 838-839, 51-58	0.4	1
811	Microstructure, phase composition and hardness evolution in 316L stainless steel processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 657, 215-223	5.3	51
810	The significance of self-annealing at room temperature in high purity copper processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 656, 55-66	5.3	54
809	Evidence for an early softening behavior in pure copper processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2016 , 51, 1923-1930	4.3	11
808	The influence of grain size and strain rate on the mechanical behavior of pure magnesium. <i>Journal of Materials Science</i> , 2016 , 51, 3013-3024	4.3	50
807	An investigation into the effect of substrate on the load-bearing capacity of thin hard coatings. <i>Journal of Materials Science</i> , 2016 , 51, 4390-4398	4.3	9
806	Principle of one-step synthesis for multilayered structures using tube high-pressure shearing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 658, 367-375	5.3	8
805	Producing Bulk Ultrafine-Grained Materials by Severe Plastic Deformation: Ten Years Later. <i>Jom</i> , 2016 , 68, 1216-1226	2.1	268

804	Spherical nanoindentation creep behavior of nanocrystalline and coarse-grained CoCrFeMnNi high-entropy alloys. <i>Acta Materialia</i> , 2016 , 109, 314-322	8.4	122
803	Achieving superior grain refinement and mechanical properties in vanadium through high-pressure torsion and subsequent short-term annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 655, 60-69	5.3	21
802	Developing superplasticity in an aluminum matrix composite processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 655, 36-43	5.3	34
801	Superplasticity of a nano-grained Mg ₉₂ Zr alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 651, 786-794	5.3	68
800	Strengthening and weakening in the processing of ultrafine-grained metals. <i>Metallic Materials</i> , 2016 , 53, 213-219	1.3	4
799	Development of an β Phase in Grade 2 Titanium Processed by HPT at High Hydrostatic Pressure. <i>Materials Research</i> , 2016 , 19, 1144-1148	1.5	3
798	Significance of grain refinement on microstructure and mechanical properties of an Al-3% Mg alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2016 , 686, 998-1007	5.7	46
797	Micro-Mechanical Behavior of an Exceptionally Strong Metal Matrix Nanocomposite Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2016 , 18, 1001-1008	3.5	30
796	Investigating Anvil Alignment and Anvil Roughness on Flow Pattern Development in High-Pressure Torsion. <i>Materials Research Society Symposia Proceedings</i> , 2016 , 1818, 1		
795	Mechanical Behavior of a Metal Matrix Nanocomposite Synthesized by High-Pressure Torsion via Diffusion Bonding. <i>Materials Science Forum</i> , 2016 , 879, 1068-1073	0.4	
794	Influence of Initial Heat Treatment on the Microhardness Evolution of an Al-Mg-Sc Alloy Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2016 , 879, 1471-1476	0.4	3
793	Using high-pressure torsion to process an aluminum-magnesium nanocomposite through diffusion bonding. <i>Journal of Materials Research</i> , 2016 , 31, 88-99	2.5	56
792	Synchrotron X-ray microbeam diffraction measurements of full elastic long range internal strain and stress tensors in commercial-purity aluminum processed by multiple passes of equal-channel angular pressing. <i>Acta Materialia</i> , 2016 , 112, 231-241	8.4	15
791	The effect of grain size on the annealing-induced phase transformation in an Al _{0.3} CoCrFeNi high entropy alloy. <i>Materials and Design</i> , 2016 , 105, 381-385	8.1	51
790	Evolution of microstructure and hardness in an AZ80 magnesium alloy processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2016 , 5, 152-158	5.5	30
789	Self-annealing in a two-phase Pb-Sn alloy after processing by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 666, 350-359	5.3	16
788	The Strength-Grain Size Relationship in Ultrafine-Grained Metals. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016 , 47, 5827-5838	2.3	46
787	Evidence for a transition in deformation mechanism in nanocrystalline pure titanium processed by high-pressure torsion. <i>Philosophical Magazine</i> , 2016 , 96, 1632-1642	1.6	4

786	A comparison of repetitive corrugation and straightening and high-pressure torsion using an Al-Mg-Sc alloy. <i>Journal of Materials Research and Technology</i> , 2016 , 5, 353-359	5.5	18
785	Microstructure, Texture, and Superplasticity of a Fine-Grained Mg-Gd-Zr Alloy Processed by Equal-Channel Angular Pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016 , 47, 6056-6069	2.3	30
784	The Requirements for Superplasticity with an Emphasis on Magnesium Alloys. <i>Advanced Engineering Materials</i> , 2016 , 18, 127-131	3.5	18
783	Evaluating the Room Temperature ECAP Processing of a NiTi Alloy via Simulation and Experiments. <i>Advanced Engineering Materials</i> , 2015 , 17, 532-538	3.5	7
782	Temperature and strain rate dependence of microstructural evolution and dynamic mechanical behavior in nanocrystalline Ti. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 641, 29-36	5.3	10
781	Effect of temperature on microstructural stabilization and mechanical properties in the dynamic testing of nanocrystalline pure Ti. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 634, 64-70	5.3	12
780	Grain size and microhardness evolution during annealing of a magnesium alloy processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2015 , 4, 14-17	5.5	19
779	Rapid synthesis of an extra hard metal matrix nanocomposite at ambient temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 635, 109-117	5.3	56
778	Evolution in hardness and microstructure of ZK60A magnesium alloy processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2015 , 4, 18-25	5.5	25
777	Microstructural evolution and microhardness variations in a Cu ₃ Zn ₂ Pb alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2015 , 50, 1535-1543	4.3	3
776	The contribution of grain boundary sliding in tensile deformation of an ultrafine-grained aluminum alloy having high strength and high ductility. <i>Journal of Materials Science</i> , 2015 , 50, 3549-3561	4.3	31
775	Hardening of an Al _{0.3} CoCrFeNi high entropy alloy via high-pressure torsion and thermal annealing. <i>Materials Letters</i> , 2015 , 151, 126-129	3.3	106
774	The microstructure length scale of strain rate sensitivity in ultrafine-grained aluminum. <i>Journal of Materials Research</i> , 2015 , 30, 981-992	2.5	4
773	Superplasticity and superplastic-like flow in cubic zirconia with silica. <i>Journal of Materials Science</i> , 2015 , 50, 3716-3726	4.3	2
772	An evaluation of the saturation hardness in an ultrafine-grained aluminum 7075 alloy processed using different techniques. <i>Journal of Materials Science</i> , 2015 , 50, 4357-4365	4.3	33
771	Using dilatometry to study martensitic stabilization and recrystallization kinetics in a severely deformed NiTi alloy. <i>Journal of Materials Science</i> , 2015 , 50, 4003-4011	4.3	11
770	An examination of the elastic distortions of anvils in high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 631, 201-208	5.3	19
769	Two-Step SPD Processing of a Trimodal Al-Based Nano-Composite. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 5877-5886	2.3	22

768	Effect of grain size and specimen dimensions on micro-forming of high purity aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 646, 207-217	5.3	41
767	An X-ray absorption spectroscopy investigation of the local atomic structure in CuNiSi alloy after severe plastic deformation and ageing. <i>Philosophical Magazine</i> , 2015 , 95, 2482-2490	1.6	2
766	Effect of grain size on compressive behaviour of titanium at different strain rates. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 645, 311-317	5.3	18
765	Microhardness, microstructure and tensile behavior of an AZ31 magnesium alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2015 , 50, 7424-7436	4.3	43
764	Microstructural homogeneity and superplastic behavior in an aluminum-copper eutectic alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2015 , 50, 6700-6712	4.3	1
763	Shape memory effect in nanocrystalline NiTi alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 626, 203-206	5.3	34
762	Enhancement of strain-rate sensitivity and shear yield strength of a magnesium alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2015 , 94, 44-47	5.6	52
761	Enhancement in mechanical properties of a titanium alloy by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2015 , 4, 79-83	5.5	25
760	Formation of epsilon martensite by high-pressure torsion in a TRIP steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 625, 114-118	5.3	20
759	Nanomechanical behavior and structural stability of a nanocrystalline CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. <i>Journal of Materials Research</i> , 2015 , 30, 2804-2815	2.5	87
758	Grain boundary character distribution of CuNiSi and FeNi alloys processed by severe plastic deformation. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015 , 82, 012076	0.4	5
757	Developing ultrafine-grained materials with high strength and good ductility for micro-forming applications. <i>MATEC Web of Conferences</i> , 2015 , 21, 07002	0.3	1
756	An evaluation of formability using micro-embossing on an ultrafine-grained magnesium AZ31 alloy processed by high-pressure torsion. <i>MATEC Web of Conferences</i> , 2015 , 21, 09005	0.3	1
755	Micro-deformation behavior in micro-compression with high-purity aluminum processed by ECAP. <i>Manufacturing Review</i> , 2015 , 2, 1	1.4	42
754	Microstructure and microhardness of OFHC copper processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 641, 21-28	5.3	25
753	Microstructural stability and grain growth kinetics in an extruded fine-grained MgZnZr alloy. <i>Journal of Materials Science</i> , 2015 , 50, 4940-4951	4.3	41
752	Microstructure and texture evolution in a CuNiSi alloy processed by equal-channel angular pressing. <i>Journal of Alloys and Compounds</i> , 2015 , 638, 88-94	5.7	23
751	A critical examination of pure tantalum processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 638, 174-182	5.3	41

750	Effects of equal-channel angular pressing and accumulative roll-bonding on hydrogen storage properties of a commercial ZK60 magnesium alloy. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 16971-16976	6.7	32
749	Influence of phase volume fraction on the grain refining of a Ti-6Al-4V alloy by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2015 , 4, 2-7	5.5	20
748	Micro-Forming Using Ultrafine-Grained Aluminum Processed by Equal-Channel Angular Pressing. <i>Advanced Engineering Materials</i> , 2015 , 17, 1022-1033	3.5	18
747	Structural impact on the Hall-Petch relationship in an AlMg alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 626, 9-15	5.3	60
746	Anneal hardening of a nanostructured CuAl alloy processed by high-pressure torsion and rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 628, 207-215	5.3	21
745	Annealing behavior and shape memory effect in NiTi alloy processed by equal-channel angular pressing at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 629, 16-22	5.3	24
744	Grain boundary formation by remnant dislocations from the de-twinning of thin nano-twins. <i>Scripta Materialia</i> , 2015 , 100, 98-101	5.6	51
743	Evolution in hardness and texture of a ZK60A magnesium alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 630, 90-98	5.3	59
742	Wear resistance of an ultrafine-grained Cu-Zr alloy processed by equal-channel angular pressing. <i>Wear</i> , 2015 , 326-327, 10-19	3.5	50
741	Grain refining of a Ti-6Al-4V alloy by high-pressure torsion and low temperature superplasticity. <i>Letters on Materials</i> , 2015 , 5, 281-286	0.9	11
740	Microstructural properties, thermal stability and superplasticity of a ZK60 Mg alloy processed by high-pressure torsion. <i>Letters on Materials</i> , 2015 , 5, 287-293	0.9	9
739	Examining the mechanical properties and superplastic behaviour in an Al-Mg-Sc alloy after processing by HPT. <i>Letters on Materials</i> , 2015 , 5, 294-300	0.9	7
738	Microstructural saturation, hardness stability and superplasticity in ultrafine-grained metals processed by a combination of severe plastic deformation techniques. <i>Letters on Materials</i> , 2015 , 5, 335-340	0.9	2
737	Evolution of microstructure and hardness in NiTi shape memory alloys processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 2998-3009	4.3	29
736	An in situ synchrotron X-ray diffraction study of precipitation kinetics in a severely deformed CuNiBi alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 597, 288-294	5.3	33
735	The corrosion behaviour of commercial purity titanium processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 2824-2831	4.3	63
734	Effect of anvil roughness on the flow patterns and hardness development in high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 6517-6528	4.3	9
733	Dynamic compressive behavior of ultrafine-grained pure Ti at elevated temperatures after processing by ECAP. <i>Journal of Materials Science</i> , 2014 , 49, 6640-6647	4.3	14

732	Microstructural evolution and mechanical properties in a ZnAl eutectoid alloy processed by high-pressure torsion. <i>Acta Materialia</i> , 2014 , 72, 67-79	8.4	47
731	Evolution of plasticity, strain-rate sensitivity and the underlying deformation mechanism in Zn22% Al during high-pressure torsion. <i>Scripta Materialia</i> , 2014 , 75, 102-105	5.6	49
730	An evaluation of the shearing patterns introduced by different anvil alignments in high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 3146-3157	4.3	17
729	Effect of annealing on wear resistance and electroconductivity of copper processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 2270-2278	4.3	14
728	Concurrent microstructural evolution of ferrite and austenite in a duplex stainless steel processed by high-pressure torsion. <i>Acta Materialia</i> , 2014 , 63, 16-29	8.4	66
727	Properties of a ZK60 magnesium alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2014 , 613, 357-363	5.7	80
726	Electron backscatter diffraction (EBSD) microstructure evolution in HPT copper annealed at a low temperature. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 338-343	5.5	20
725	Microstructural evolution of cryomilled Ti/Al mixture during high-pressure torsion. <i>Journal of Materials Research</i> , 2014 , 29, 578-585	2.5	8
724	Microhardness evolution and mechanical characteristics of commercial purity titanium processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 614, 223-231	5.3	60
723	Evolution of hardness in ultrafine-grained metals processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 311-318	5.5	23
722	Improving the fatigue behavior of dental implants through processing commercial purity titanium by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 619, 312-318	5.3	38
721	Review: achieving superplasticity in metals processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 6487-6496	4.3	51
720	Long-term self-annealing of copper and aluminium processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 6529-6535	4.3	9
719	Microstructural evolution in ultrafine-grained titanium processed by high-pressure torsion under different pressures. <i>Journal of Materials Science</i> , 2014 , 49, 6558-6564	4.3	35
718	Mechanical properties and microstructure evolution in an aluminum 6082 alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 6597-6607	4.3	17
717	Effect of short-term annealing on the microstructures and flow properties of an Al1% Mg alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 615, 231-239	5.3	60
716	Evaluating a New Core-Sheath Procedure for Processing Hard Metals by Equal-Channel Angular Pressing. <i>Advanced Engineering Materials</i> , 2014 , 16, 918-926	3.5	6
715	Superplasticity of a fine-grained Mg9Gd4Y0.4Zr alloy evaluated using shear punch testing. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 228-232	5.5	34

714	Microstructural Evolution and Grain Refinement in a Cu-Zr Alloy Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2014 , 783-786, 2635-2640	0.4	8
713	High-cycle fatigue behavior of Zn22% Al alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 618, 37-40	5.3	9
712	Modeling the temperature rise in high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 593, 185-188	5.3	58
711	Interpretation of hardness evolution in metals processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014 , 49, 6586-6596	4.3	54
710	Microstructures and mechanical properties of pure tantalum processed by high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012100	0.4	6
709	Producing ultrafine-grained materials through severe plastic deformation. <i>Emerging Materials Research</i> , 2014 , 3, 252-260	1.4	4
708	Report of International NanoSPD Steering Committee and statistics on recent NanoSPD activities. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 011002	0.4	4
707	Mechanical property evaluation of an Al-2024 alloy subjected to HPT processing. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012085	0.4	7
706	The characteristics of two-phase Al-Cu and Zn-Al alloys processed by high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012106	0.4	1
705	The significance of self-annealing in two-phase alloys processed by high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012126	0.4	8
704	High-Pressure Torsion of Ti: Synchrotron characterization of phase volume fraction and domain sizes. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012147	0.4	3
703	Evolution of hardness, microstructure, and strain rate sensitivity in a Zn-22% Al eutectoid alloy processed by high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012101	0.4	2
702	Characteristics of a Zirconia-Spinel Composite Processed by a Current-Activated Pressure-Assisted Densification Method. <i>Ceramic Engineering and Science Proceedings</i> , 2014 , 151-159	0.1	1
701	Microstructural evolution and microhardness in a low carbon steel processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 344-348	5.5	9
700	An overview of flow patterns development on disc lower surfaces when processing by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 303-310	5.5	6
699	Strain weakening and superplasticity in a Bi-Sn eutectic alloy processed by high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012107	0.4	4
698	Analysis of Plastic Deformation and Sample Geometry during the Compression Stage in High-Pressure Torsion. <i>Advanced Materials Research</i> , 2014 , 922, 592-597	0.5	3
697	Mechanical Properties of ZK60 Magnesium Alloy Processed by High-Pressure Torsion. <i>Advanced Materials Research</i> , 2014 , 922, 767-772	0.5	14

696	Processing magnesium alloys by severe plastic deformation. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012171	0.4	12
695	An examination of the saturation microstructures achieved in ultrafine-grained metals processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 319-326	5.5	13
694	Shape memory effect of NiTi alloy processed by equal-channel angular pressing followed by post deformation annealing. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012111	0.4	8
693	Martensitic Phase Transformation and Deformation Behavior of FeMnAl Twinning-Induced Plasticity Steel during High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2014 , 16, 927-932	3.5	9
692	Strain-induced martensite to austenite reverse transformation in an ultrafine-grained FeNiMn martensitic steel. <i>Philosophical Magazine</i> , 2014 , 94, 1493-1507	1.6	8
691	Grain Boundary Phenomena in an Ultrafine-Grained AlZn Alloy with Improved Mechanical Behavior for Micro-Devices. <i>Advanced Engineering Materials</i> , 2014 , 16, 1000-1009	3.5	80
690	Fatigue Life and Failure Characteristics of an Ultrafine-Grained TiAlV Alloy Processed by ECAP and Extrusion. <i>Advanced Engineering Materials</i> , 2014 , 16, 1038-1043	3.5	25
689	Using finite element modelling to examine the flow process and temperature evolution in HPT under different constraining conditions. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012041	0.4	8
688	An Investigation of Mechanical Properties and Microstructural Evolution in an Aluminum Alloy Processed by Severe Plastic Deformation. <i>Advanced Materials Research</i> , 2014 , 922, 610-615	0.5	3
687	The effect of microstructure heterogeneity on the microscale deformation of ultrafine-grained aluminum. <i>Journal of Materials Research</i> , 2014 , 29, 1664-1674	2.5	10
686	Microstructure Development and Superplasticity in a Zn-22% Al Eutectoid Alloy Processed by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2014 , 783-786, 2647-2652	0.4	2
685	A critical examination of the paradox of strength and ductility in ultrafine-grained metals. <i>Journal of Materials Research</i> , 2014 , 29, 2534-2546	2.5	26
684	An Investigation of Hardness Homogeneity and Microstructure in Pure Titanium Processed by High Pressure Torsion. <i>Materials Science Forum</i> , 2014 , 783-786, 2701-2706	0.4	10
683	Factors Influencing the Shearing Patterns in High-Pressure Torsion. <i>Materials Science Forum</i> , 2014 , 783-786, 45-50	0.4	1
682	Processing Different Magnesium Alloys through HPT. <i>Materials Science Forum</i> , 2014 , 783-786, 2617-2622	0.4	4
681	Development of Homogeneity in an Al-6061 Alloy Processed by ECAP and ECAP-Conform. <i>Materials Science Forum</i> , 2014 , 783-786, 294-299	0.4	1
680	The Flow Behavior of Ultrafine-Grained Materials. <i>Advanced Materials Research</i> , 2014 , 1013, 7-14	0.5	
679	Micro-Tensile Behavior at a High Temperature in an AZ31 Magnesium Alloy Processed by ECAP. <i>Materials Science Forum</i> , 2014 , 783-786, 2726-2731	0.4	3

678	Reassessment of temperature increase and equivalent strain calculation during high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012052	0.4	8
677	Characterization of stress-strain relationships in Al over a wide range of testing temperatures. <i>International Journal of Plasticity</i> , 2014 , 54, 178-192	7.6	12
676	Correlation between hydrogen storage properties and textures induced in magnesium through ECAP and cold rolling. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 3810-3821	6.7	49
675	Processing of commercial purity titanium by ECAP using a 90 degrees die at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 607, 482-489	5.3	42
674	Evaluating the Superplastic Flow of a Magnesium AZ31 Alloy Processed by Equal-Channel Angular Pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014 , 45, 3197-3204	2.3	13
673	A critical evaluation of the processing of an aluminum 7075 alloy using a combination of ECAP and HPT. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 596, 52-58	5.3	48
672	The flow characteristics of superplasticity. <i>Letters on Materials</i> , 2014 , 4, 78-83	0.9	3
671	A comparison of microstructures and mechanical properties in a Cu-Zr alloy processed using different SPD techniques. <i>Journal of Materials Science</i> , 2013 , 48, 4653-4660	4.3	98
670	Effect of heat treatment on microstructure and microhardness evolution in a Ti-B-Al-V alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2013 , 48, 4646-4652	4.3	44
669	Inhomogeneous softening during annealing of ultrafine-grained silver processed by HPT. <i>Journal of Materials Science</i> , 2013 , 48, 7384-7391	4.3	5
668	Recent developments in modelling of microhardness saturation during SPD processing of metals and alloys. <i>Journal of Materials Science</i> , 2013 , 48, 4461-4466	4.3	19
667	An analytical approach and experimental confirmation of dislocation-grain boundary interactions in titanium. <i>Journal of Materials Science</i> , 2013 , 48, 4476-4483	4.3	20
666	Microstructure and microtexture evolution with aging treatment in an Al-Mg-Si alloy severely deformed by HPT. <i>Journal of Materials Science</i> , 2013 , 48, 4573-4581	4.3	7
665	Microstructural evolution in two-phase alloys processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2013 , 48, 4582-4591	4.3	41
664	Achieving homogeneity in a two-phase Cu-Ag composite during high-pressure torsion. <i>Journal of Materials Science</i> , 2013 , 48, 4606-4612	4.3	14
663	Evolution of a martensitic structure in a Cu-Al alloy during processing by high-pressure torsion. <i>Journal of Materials Science</i> , 2013 , 48, 4613-4619	4.3	7
662	Stability of the ultrafine-grained microstructure in silver processed by ECAP and HPT. <i>Journal of Materials Science</i> , 2013 , 48, 4637-4645	4.3	16
661	Structural and hardness inhomogeneities in Mg-Al-Zn alloys processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2013 , 48, 4661-4670	4.3	32

660	Tribology testing of ultrafine-grained Ti processed by high-pressure torsion with subsequent coating. <i>Journal of Materials Science</i> , 2013 , 48, 4742-4748	4.3	31
659	Using ball indentation to determine the mechanical properties of an Al-7475 alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2013 , 48, 4773-4779	4.3	9
658	Dry sliding wear of an AZ31 magnesium alloy processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2013 , 48, 4117-4127	4.3	30
657	Hardness homogeneity and micro-tensile behavior in a magnesium AZ31 alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 586, 108-114	5.3	42
656	Evolution of microhardness and microstructure in a cast Al α % Si alloy during high-pressure torsion. <i>Journal of Materials Science</i> , 2013 , 48, 4671-4680	4.3	20
655	A characterization of microstructure and microhardness on longitudinal planes of an AlMgSi alloy processed by ECAP. <i>Materials Characterization</i> , 2013 , 84, 126-133	3.9	24
654	An investigation of hydrogen storage in a magnesium-based alloy processed by equal-channel angular pressing. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 8306-8312	6.7	81
653	Achieving superplasticity in ultrafine-grained metals. <i>Mechanics of Materials</i> , 2013 , 67, 2-8	3.3	38
652	The significance of grain boundary sliding in the superplastic Zn α 2 % Al alloy processed by ECAP. <i>Journal of Materials Science</i> , 2013 , 48, 4730-4741	4.3	23
651	Laser compression of nanocrystalline tantalum. <i>Acta Materialia</i> , 2013 , 61, 7767-7780	8.4	41
650	Twenty-five years of ultrafine-grained materials: Achieving exceptional properties through grain refinement. <i>Acta Materialia</i> , 2013 , 61, 7035-7059	8.4	549
649	Development of Processing Using Equal-Channel Angular Pressing 2013 , 191-214		
648	High temperature thermal stability of ultrafine-grained silver processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2013 , 48, 1675-1684	4.3	14
647	Using X-ray microbeam diffraction to study the long-range internal stresses in aluminum processed by ECAP. <i>Acta Materialia</i> , 2013 , 61, 7741-7748	8.4	13
646	Microstructures and textures of a CuNiSi alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2013 , 574, 361-367	5.7	56
645	De-twinning via secondary twinning in face-centered cubic alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 578, 110-114	5.3	28
644	Using an AlCu binary alloy to compare processing by multi-axial compression and high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 588, 280-287	5.3	23
643	An examination of microstructural evolution in a CuNiSi alloy processed by HPT and ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 576, 149-155	5.3	38

642 Analysis of Principal and Equivalent Strains in Equal Channel Angular Deformation **2013**, 575-584

641 An investigation of flow patterns and hardness distributions using different anvil alignments in high-pressure torsion. *Journal of Materials Science*, **2013**, 48, 4533-4542 4.3 28

640 The processing of NiTi shape memory alloys by equal-channel angular pressing at room temperature. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2013**, 576, 178-184 5.3 39

639 Advances in ultrafine-grained materials. *Materials Today*, **2013**, 16, 85-93 21.8 108

638 On the relation between the microstructure and the mechanical behavior of pure Zn processed by high pressure torsion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2013**, 562, 196-202 5.3 50

637 Creep mechanisms in an Mg₃Zn alloy in the as-cast and aged conditions. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2013**, 564, 423-430 5.3 18

636 Indentation and scratch testing of DLC-Zr coatings on ultrafine-grained titanium processed by high-pressure torsion. *Wear*, **2013**, 306, 304-310 3.5 40

635 Microstructural evolution in a Cu₃Zr alloy processed by a combination of ECAP and HPT. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2013**, 579, 126-135 5.3 36

634 Wear resistance and electroconductivity in copper processed by severe plastic deformation. *Wear*, **2013**, 305, 89-99 3.5 70

633 Adiabatic heating and the saturation of grain refinement during SPD of metals and alloys: experimental assessment and computer modeling. *Journal of Materials Science*, **2013**, 48, 4626-4636 4.3 21

632 Three-dimensional analysis of plastic flow during high-pressure torsion. *Journal of Materials Science*, **2013**, 48, 4524-4532 4.3 26

631 Microstructure and microtexture in pure copper processed by high-pressure torsion. *Journal of Materials Science*, **2013**, 48, 4563-4572 4.3 26

630 Processing of an ultrafine-grained titanium by high-pressure torsion: an evaluation of the wear properties with and without a TiN coating. *Journal of the Mechanical Behavior of Biomedical Materials*, **2013**, 17, 166-75 4.1 54

629 Influence of phase volume fractions on the processing of a Ti₆Al₄V alloy by high-pressure torsion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2013**, 559, 861-867 5.3 39

628 Development of hardness homogeneity and superplastic behavior in an aluminum-copper eutectic alloy processed by high-pressure torsion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2013**, 561, 118-125 5.3 36

627 Evaluating the Flow Properties of Ultrafine-Grained Materials. *Advanced Materials Research*, **2013**, 829, 3-9 0.5

626 Innovation Potential of Bulk Nanostructured Materials **2013**, 415-433

625 Functional and Multifunctional Properties of Bulk Nanostructured Materials **2013**, 387-413 0

624	Mechanical Properties of BNM at Ambient Temperature 2013 , 331-356		0
623	New Approaches to HPT Processing 2013 , 152-189		
622	HPT Processing of Metals, Alloys, and Composites 2013 , 88-151		
621	Principles and Technical Parameters of High-Pressure Torsion 2013 , 23-87		
620	Mechanical Properties at High Temperatures 2013 , 357-386		
619	Recrystallization and Grain Growth due to Annealing of an Ultrafine-Grained Al Alloy. <i>Materials Science Forum</i> , 2013 , 753, 303-306	0.4	
618	Influence of annealing on ductility of ultrafine-grained titanium processed by equal-channel angular pressing conform and drawing. <i>MRS Communications</i> , 2013 , 3, 249-253	2.7	32
617	Influence of Anvil Alignment on Shearing Patterns in High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2013 , 15, 747-755	3.5	32
616	Grain Refinement in Metallic Systems Processed by ECAP 2013 , 239-288		
615	Fundamental Parameters and Experimental Factors in ECAP 2013 , 215-238		1
614	The many facets of deformation mechanism mapping and the application to nanostructured materials. <i>Journal of Materials Research</i> , 2013 , 28, 1827-1834	2.5	14
613	Description of Severe Plastic Deformation (SPD) 2013 , 6-21		1
612	Grain Refinement and Phase Transformations in Al and Fe Based Alloys During Severe Plastic Deformation 2013 , 183-192		1
611	A New Severe Plastic Deformation Method: Twist Extrusion 2013 , 297-304		23
610	Heterogeneous flow during high-pressure torsion. <i>Materials Research</i> , 2013 , 16, 571-576	1.5	4
609	Strength and Ductility of Ultrafine Grained Metallic Materials 2013 , 557-566		
608	Grain Refinement and Superplasticity in Magnesium Alloys 2013 , 469-478		2
607	Evaluating the flow processes in ultrafine-grained materials at elevated temperatures. <i>Materials Research</i> , 2013 , 16, 565-570	1.5	1

606	Microhardness and EBSD microstructure mapping in partially-pressed al and cu through 90° ECAP die. <i>Materials Research</i> , 2013 , 16, 586-591	1.5	4
605	Influence of Processing Route on Microstructure and Grain Boundary Development During Equal-Channel Angular Pressing of Pure Aluminum 2013 , 15-24		1
604	Microstructure and texture evolution in a magnesium alloy during processing by high-pressure torsion. <i>Materials Research</i> , 2013 , 16, 577-585	1.5	28
603	Microstructural Evolution of Titanium Under Twist Extrusion 2013 , 43-46		7
602	Recent Advances in the Processing and Properties of Ultrafine-Grained Metals Prepared Using Severe Plastic Deformation. <i>Advanced Structured Materials</i> , 2013 , 241-250	0.6	
601	Enhanced strength-ductility synergy in nanostructured Cu and CuAl alloys processed by high-pressure torsion and subsequent annealing. <i>Scripta Materialia</i> , 2012 , 66, 227-230	5.6	109
600	Ultrafine grains and the Hall-Petch relationship in an AlMgSi alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 532, 139-145	5.3	106
599	A theoretical and experimental evaluation of repetitive corrugation and straightening: Application to AlCu and AlCuSc alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 534, 282-287	5.3	29
598	Strain rate sensitivity studies in an ultrafine-grained Al0wt.% Zn alloy using micro- and nanoindentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 543, 117-120	5.3	71
597	Effect of grain size on the micro-tribological behavior of pure titanium processed by high-pressure torsion. <i>Wear</i> , 2012 , 280-281, 28-35	3.5	84
596	Microstructural evolution and electro-resistivity in HPT nickel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 556, 437-445	5.3	32
595	The development of hardness homogeneity in a CuZr alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 556, 526-532	5.3	35
594	Microstructure of low stacking fault energy silver processed by different routes of severe plastic deformation. <i>Journal of Alloys and Compounds</i> , 2012 , 536, S190-S193	5.7	17
593	Fabricating Ultrafine-Grained Materials through the Application of Severe Plastic Deformation: a Review of Developments in Brazil. <i>Journal of Materials Research and Technology</i> , 2012 , 1, 55-62	5.5	27
592	Preface to the special issue on ultrafine-grained materials. <i>Journal of Materials Science</i> , 2012 , 47, 7717-7718	4.9	1
591	Twenty-five years of severe plastic deformation: recent developments in evaluating the degree of homogeneity through the thickness of disks processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012 , 47, 7719-7725	4.3	45
590	Using deformation mechanism maps to depict flow processes in superplastic ultrafine-grained materials. <i>Journal of Materials Science</i> , 2012 , 47, 7726-7734	4.3	8
589	Microstructural evolution and the mechanical properties of an aluminum alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012 , 47, 7789-7795	4.3	67

588	Effect of temperature on the processing of a magnesium alloy by high-pressure torsion. <i>Journal of Materials Science</i> , 2012 , 47, 7796-7806	4.3	31
587	Analysis of plastic flow during high-pressure torsion. <i>Journal of Materials Science</i> , 2012 , 47, 7807-7814	4.3	48
586	Effect of aging on microstructural development in an AlMgSi alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012 , 47, 7815-7820	4.3	44
585	Microstructure and tensile strength of grade 2 titanium processed by equal-channel angular pressing and by rolling. <i>Journal of Materials Science</i> , 2012 , 47, 7870-7876	4.3	55
584	Microstructure and microtexture evolution in pure metals after ultra-high straining. <i>Journal of Materials Science</i> , 2012 , 47, 7888-7893	4.3	10
583	Processing a twinning-induced plasticity steel by high-pressure torsion. <i>Scripta Materialia</i> , 2012 , 67, 649-652	4.3	38
582	Principles of severe plastic deformation using tube high-pressure shearing. <i>Scripta Materialia</i> , 2012 , 67, 810-813	5.6	51
581	Optimizing strength and ductility of CuZn alloys through severe plastic deformation. <i>Scripta Materialia</i> , 2012 , 67, 871-874	5.6	58
580	Influence of rolling direction on flow and cavitation in a superplastic magnesium alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 556, 211-220	5.3	12
579	Factors influencing creep flow and ductility in ultrafine-grained metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 558, 403-411	5.3	15
578	Bulk Nanostructured Metals for Innovative Applications. <i>Jom</i> , 2012 , 64, 1134-1142	2.1	96
577	Influence of Pressing Temperature on Microstructure Evolution and Mechanical Behavior of Ultrafine-Grained Cu Processed by Equal-Channel Angular Pressing. <i>Advanced Engineering Materials</i> , 2012 , 14, 185-194	3.5	21
576	Evolution of Strength and Homogeneity in a Magnesium AZ31 Alloy Processed by High-Pressure Torsion at Different Temperatures. <i>Advanced Engineering Materials</i> , 2012 , 14, 1018-1026	3.5	65
575	Achieving homogeneity in a CuZr alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012 , 47, 7782-7788	4.3	56
574	Tribological properties of ultrafine-grained materials processed by severe plastic deformation. <i>Journal of Materials Science</i> , 2012 , 47, 4779-4797	4.3	79
573	Microstructural heterogeneity in hexagonal close-packed pure Ti processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012 , 47, 4838-4844	4.3	15
572	Introducing a strain-hardening capability to improve the ductility of bulk metallic glasses via severe plastic deformation. <i>Acta Materialia</i> , 2012 , 60, 253-260	8.4	61
571	Microstructures, strengthening mechanisms and fracture behavior of CuAg alloys processed by high-pressure torsion. <i>Acta Materialia</i> , 2012 , 60, 269-281	8.4	59

570	The effect of dislocation density on the interactions between dislocations and twin boundaries in nanocrystalline materials. <i>Acta Materialia</i> , 2012 , 60, 3181-3189	8.4	101
569	Using finite element modeling to examine the temperature distribution in quasi-constrained high-pressure torsion. <i>Acta Materialia</i> , 2012 , 60, 3190-3198	8.4	251
568	The Influence of Impurity Content on Thermal Stability of Low Stacking Fault Energy Silver Processed by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2012 , 729, 222-227	0.4	4
567	Observations of unique plastic behavior in micro-pillars of an ultrafine-grained alloy. <i>MRS Communications</i> , 2012 , 2, 75-78	2.7	31
566	Developing Hardness and Microstructural Homogeneity in High-Pressure Torsion. <i>Materials Science Forum</i> , 2012 , 706-709, 1805-1810	0.4	
565	Applied stress controls the production of nano-twins in coarse-grained metals. <i>Applied Physics Letters</i> , 2012 , 101, 231903	3.4	23
564	Possible self-organized criticality in the Portevin-Le Chatelier effect during decomposition of solid solution alloys. <i>MRS Communications</i> , 2012 , 2, 1-4	2.7	9
563	THE PROPERTIES OF BULK ULTRAFINE-GRAINED METALS PROCESSED THROUGH THE APPLICATION OF SEVERE PLASTIC DEFORMATION. <i>International Journal of Modern Physics Conference Series</i> , 2012 , 05, 299-306	0.7	1
562	An Investigation of Cavity Development during Superplastic Flow in a Zinc–Aluminum Alloy Processed Using Severe Plastic Deformation. <i>Materials Transactions</i> , 2012 , 53, 87-95	1.3	16
561	An Evaluation of Homogeneity and Heterogeneity in Metals Processed by High-Pressure Torsion. <i>Acta Physica Polonica A</i> , 2012 , 122, 425-429	0.6	18
560	Macroscopic and Microscopic Descriptions of the Plastic Deformation of Fcc Metals over a Wide Range of Strain and Temperature. <i>Acta Physica Polonica A</i> , 2012 , 122, 630-633	0.6	1
559	Using finite element modeling to examine the flow processes in quasi-constrained high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 8198-8204	5.3	250
558	The effect of impurity level on ultrafine-grained microstructures and their stability in low stacking fault energy silver. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 8694-8699	5.3	20
557	The development of hardness homogeneity in pure aluminum and aluminum alloy disks processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 529, 345-351	5.3	74
556	Formation of fivefold deformation twins in an ultrafine-grained copper alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2011 , 64, 249-252	5.6	39
555	Grain growth and dislocation density evolution in a nanocrystalline NiBe alloy induced by high-pressure torsion. <i>Scripta Materialia</i> , 2011 , 64, 327-330	5.6	79
554	The influence of stacking fault energy on the mechanical properties of nanostructured Cu and CuAl alloys processed by high-pressure torsion. <i>Scripta Materialia</i> , 2011 , 64, 954-957	5.6	103
553	Texture evolution during room temperature ageing of silver processed by equal-channel angular pressing. <i>Scripta Materialia</i> , 2011 , 64, 1007-1010	5.6	5

552	Strain hardening behavior of a two-phase Cu ₃ Ag alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2011 , 65, 477-480	5.6	22
551	A convergent-beam electron diffraction study of strain homogeneity in severely strained aluminum processed by equal-channel angular pressing. <i>Acta Materialia</i> , 2011 , 59, 7388-7395	8.4	12
550	Wear behavior of an aluminum alloy processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2011 , 46, 123-130	4.3	45
549	Achieving superplastic properties in a Pb ₃ Sn eutectic alloy processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2011 , 46, 155-160	4.3	30
548	Influence of scandium on an Al ₂ % Si alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1702-1706	5.3	25
547	Influence of strain rate on the characteristics of a magnesium alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3601-3608	5.3	58
546	Microstructural evolution in an aluminum solid solution alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6059-6065	5.3	58
545	Developing superplasticity and a deformation mechanism map for the Zn ₃ Al eutectoid alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6140-6145	5.3	65
544	Structure and mechanical properties of commercial purity titanium processed by ECAP at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 7708-7714	5.3	58
543	Microstructural evolution and mechanical properties of a Cu ₃ Zr alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 7715-7722	5.3	58
542	Segregation of solute elements at grain boundaries in an ultrafine grained Al-Zn-Mg-Cu alloy. <i>Ultramicroscopy</i> , 2011 , 111, 500-5	3.1	81
541	Achieving Exceptional Grain Refinement through Severe Plastic Deformation: New Approaches for Improving the Processing Technology. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011 , 42, 2942-2951	2.3	69
540	Deformation Heterogeneity on the Cross-Sectional Planes of a Magnesium Alloy Processed by High-Pressure Torsion. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011 , 42, 3013-3021	2.3	41
539	Intrinsically Ductile Failure in a Nanocrystalline Beta Titanium Alloy. <i>Advanced Engineering Materials</i> , 2011 , 13, 1108-1113	3.5	3
538	Significance of stacking fault energy on microstructural evolution in Cu and Cu ₃ Al alloys processed by high-pressure torsion. <i>Philosophical Magazine</i> , 2011 , 91, 3307-3326	1.6	73
537	An investigation of hardness homogeneity throughout disks processed by high-pressure torsion. <i>Acta Materialia</i> , 2011 , 59, 308-316	8.4	164
536	Plastic behavior of fcc metals over a wide range of strain: Macroscopic and microscopic descriptions and their relationship. <i>Acta Materialia</i> , 2011 , 59, 2385-2391	8.4	28
535	Microstructural evolution and mechanical properties of a two-phase Cu ₃ Ag alloy processed by high-pressure torsion to ultrahigh strains. <i>Acta Materialia</i> , 2011 , 59, 2783-2796	8.4	102

534	Three-dimensional shear-strain patterns induced by high-pressure torsion and their impact on hardness evolution. <i>Acta Materialia</i> , 2011 , 59, 3903-3914	8.4	92
533	Comparison of microstructures and mechanical properties of a CuAg alloy processed using different severe plastic deformation modes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4331-4336	5.3	45
532	Hardness homogeneity on longitudinal and transverse sections of an aluminum alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3833-3840	5.3	64
531	Development of structural heterogeneities in a magnesium alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4500-4506	5.3	74
530	Elemental redistribution in a nanocrystalline NiBe alloy induced by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 7500-7505	5.3	8
529	Strain hardening and softening in a nanocrystalline NiBe alloy induced by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3398-3403	5.3	41
528	An experimental evaluation of a special ECAP die containing two equal arcs of curvature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4173-4179	5.3	16
527	Strain softening in nanocrystalline NiBe alloy induced by large HPT revolutions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4807-4817	5.3	14
526	Flow mechanisms in ultrafine-grained metals with an emphasis on superplasticity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6624-6629	5.3	45
525	Stability of Ultrafine-Grained Microstructure in Fcc Metals Processed by Severe Plastic Deformation. <i>Key Engineering Materials</i> , 2011 , 465, 195-198	0.4	12
524	Enhanced Mechanical Properties of Nanostructured Metals Produced by SPD Techniques 2011 , 31-59		
523	Mechanical Properties of Al-6061 and an Al-6061 Metal Matrix Composite Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2010 , 667-669, 689-694	0.4	1
522	The Effect of Grain Boundary Sliding and Strain Rate Sensitivity on the Ductility of Ultrafine-Grained Materials. <i>Materials Science Forum</i> , 2010 , 667-669, 677-682	0.4	15
521	Microstructural Evolution in an Al-6061 Alloy Processed by High-Pressure Torsion and Rapid Annealing. <i>Materials Science Forum</i> , 2010 , 667-669, 223-228	0.4	4
520	Unique Features of Ultrafine-Grained Microstructures in Materials Having Low Stacking Fault Energy. <i>Materials Science Forum</i> , 2010 , 659, 171-176	0.4	1
519	Grain Size Effect on Deformation Twinning and De-Twinning in a Nanocrystalline Ni-Fe Alloy. <i>Materials Science Forum</i> , 2010 , 667-669, 181-186	0.4	2
518	Developing the Technique of Severe Plastic Deformation Processing through High-Pressure Torsion. <i>Materials Science Forum</i> , 2010 , 667-669, 397-402	0.4	1
517	Effect of a Special ECAP Die Configuration on Microhardness Distributions in Pure Aluminum. <i>Materials Science Forum</i> , 2010 , 667-669, 69-74	0.4	1

516	Decomposition of Nanostructured Martensite in Cu-Al Alloys Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2010 , 667-669, 469-474	0.4	
515	The Evolution of Homogeneity during Processing of Aluminium Alloys by HPT. <i>Materials Science Forum</i> , 2010 , 667-669, 277-282	0.4	3
514	Effect of Equal-Channel Angular Pressing on the Creep Resistance of Precipitation-Strengthened Alloys. <i>Materials Science Forum</i> , 2010 , 667-669, 897-902	0.4	7
513	Application of High-Pressure Torsion to Al-Si Alloys with and without Scandium Additions. <i>Materials Science Forum</i> , 2010 , 667-669, 743-748	0.4	1
512	Mechanical Characteristics of Zn-22% Al and Al-3% Mg Alloys Processed to High Strains by ECAP. <i>Materials Science Forum</i> , 2010 , 667-669, 695-700	0.4	
511	Wear Behaviour of Al-1050 Alloy Processed by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2010 , 667-669, 1101-1106	0.4	10
510	Microstructures of Aluminum and Copper Single Crystals Processed by Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2010 , 638-642, 1946-1951	0.4	4
509	Characteristics of High Temperature Creep in Pure Aluminum Processed by Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2010 , 638-642, 1965-1970	0.4	7
508	Microstructural Evolution of Mg-4Nd Alloy Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2010 , 667-669, 391-396	0.4	4
507	Seventy-Five Years of Superplastic Research: An Overall Perspective for the Superplasticity Conferences. <i>Key Engineering Materials</i> , 2010 , 433, 3-8	0.4	3
506	Monitoring of Self-Annealing in Ultrafine-Grained Silver Using Nanoindentation. <i>Nanoscience and Nanotechnology Letters</i> , 2010 , 2, 294-297	0.8	6
505	Processing of nanostructured metals and alloys via plastic deformation. <i>MRS Bulletin</i> , 2010 , 35, 977-981	3.2	76
504	Structural Evolution on the Cross-Section of an AZ31 Magnesium Alloy Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2010 , 667-669, 247-252	0.4	4
503	Microstructural Evolution in Pure Aluminum in the Early Stages of Processing by High-Pressure Torsion. <i>Materials Transactions</i> , 2010 , 51, 2-7	1.3	65
502	Characterization of a Potential Superplastic Zirconia/Spinel Nanocomposite Processed by Spark Plasma Sintering. <i>Ceramic Engineering and Science Proceedings</i> , 2010 , 31-36	0.1	2
501	Principles of ECAP to conform as a continuous process for achieving grain refinement: Application to an aluminum alloy. <i>Acta Materialia</i> , 2010 , 58, 1379-1386	8.4	118
500	Influence of grain size on the density of deformation twins in Cu ₃₀ Zn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 3942-3948	5.3	33
499	The role of stacking faults and twin boundaries in grain refinement of a Cu ₃₀ Zn alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4959-4966	5.3	111

498	Significance of strain reversals in a two-phase alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7008-7016	5.3	74
497	Developing Processing Routes for the Equal-Channel Angular Pressing of Age-Hardenable Aluminum Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010 , 41, 802-809	2.3	32
496	Stable and Unstable Flow in Materials Processed by Equal-Channel Angular Pressing with an Emphasis on Magnesium Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010 , 41, 778-786	2.3	46
495	An evaluation of creep behavior in ultrafine-grained aluminum alloys processed by ECAP. <i>Journal of Materials Science</i> , 2010 , 45, 271-274	4.3	19
494	A visualization of shear strain in processing by high-pressure torsion. <i>Journal of Materials Science</i> , 2010 , 45, 765-770	4.3	61
493	Avoiding cracks and inhomogeneities in billets processed by ECAP. <i>Journal of Materials Science</i> , 2010 , 45, 4561-4570	4.3	53
492	Influence of high-pressure torsion on microstructural evolution in an Al ₇₀ Mg ₂₀ Cu alloy. <i>Journal of Materials Science</i> , 2010 , 45, 4621-4630	4.3	45
491	Effect of strain reversals on the processing of high-purity aluminum by high-pressure torsion. <i>Journal of Materials Science</i> , 2010 , 45, 4583-4593	4.3	58
490	Unusual macroscopic shearing patterns observed in metals processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2010 , 45, 4545-4553	4.3	60
489	Unusual super-ductility at room temperature in an ultrafine-grained aluminum alloy. <i>Journal of Materials Science</i> , 2010 , 45, 4718-4724	4.3	102
488	Grain refinement and mechanical behavior of a magnesium alloy processed by ECAP. <i>Journal of Materials Science</i> , 2010 , 45, 4827-4836	4.3	150
487	Preface to the Special Issue on Ultrafine Grained Materials. <i>Journal of Materials Science</i> , 2010 , 45, 4543-4544	4.3	2
486	Direct observations of microstructural evolution in a two-phase Cu ₄₀ Ag alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2010 , 63, 65-68	5.6	52
485	Significance of twinning in the anisotropic behavior of a magnesium alloy processed by equal-channel angular pressing. <i>Scripta Materialia</i> , 2010 , 63, 504-507	5.6	50
484	Evolution of microstructural homogeneity in copper processed by high-pressure torsion. <i>Scripta Materialia</i> , 2010 , 63, 560-563	5.6	124
483	The Art and Science of Tailoring Materials by Nanostructuring for Advanced Properties Using SPD Techniques. <i>Advanced Engineering Materials</i> , 2010 , 12, 677-691	3.5	62
482	Principles of self-annealing in silver processed by equal-channel angular pressing: The significance of a very low stacking fault energy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 752-760	5.3	70
481	The characteristics of aluminum-cadmium alloys processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1448-1452	5.3	9

480	Microstructural evolution of Fe-rich particles in an Al ₂ NiMgCu alloy during equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4742-4749	5.3	35
479	The processing of pure titanium through multiple passes of ECAP at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6335-6339	5.3	99
478	Evolution of texture in a magnesium alloy processed by ECAP through dies with different angles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1709-1718	5.3	34
477	Microstructural evolution in an Al-6061 alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4864-4869	5.3	108
476	The contributions of grain size, dislocation density and twinning to the strength of a magnesium alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 528, 533-538	5.3	69
475	Microstructural evolution in a two-phase alloy processed by high-pressure torsion. <i>Acta Materialia</i> , 2010 , 58, 919-930	8.4	122
474	Plastic behavior of face-centered-cubic metals over a wide range of strain. <i>Acta Materialia</i> , 2010 , 58, 5015-5021	8.4	26
473	Using X-ray microtomography to evaluate cavity formation in a superplastic magnesium alloy processed by equal-channel angular pressing. <i>Acta Materialia</i> , 2010 , 58, 5737-5748	8.4	25
472	An atom probe characterisation of grain boundaries in an aluminium alloy processed by equal-channel angular pressing. <i>International Journal of Materials Research</i> , 2009 , 100, 1674-1678	0.5	22
471	Processing by severe plastic deformation: an ancient skill adapted for the modern world. <i>International Journal of Materials Research</i> , 2009 , 100, 1623-1631	0.5	5
470	The characteristics of superplastic flow in a magnesium alloy processed by ECAP. <i>International Journal of Materials Research</i> , 2009 , 100, 843-846	0.5	9
469	Factors Influencing Ductility in Ultrafine-Grained Metals Processed by Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2009 , 633-634, 341-352	0.4	2
468	The nature of grain refinement in equal-channel angular pressing: a comparison of representative fcc and hcp metals. <i>International Journal of Materials Research</i> , 2009 , 100, 1638-1646	0.5	25
467	Processing Age-Hardenable Alloys by Equal-Channel Angular Pressing at Room Temperature: Strategies and Advantages. <i>Materials Science Forum</i> , 2009 , 633-634, 527-534	0.4	3
466	Influence of stacking fault energy on deformation mechanism and dislocation storage capacity in ultrafine-grained materials. <i>Scripta Materialia</i> , 2009 , 60, 52-55	5.6	116
465	The significance of slippage in processing by high-pressure torsion. <i>Scripta Materialia</i> , 2009 , 60, 9-12	5.6	91
464	Strategies for achieving high strain rate superplasticity in magnesium alloys processed by equal-channel angular pressing. <i>Scripta Materialia</i> , 2009 , 61, 84-87	5.6	64
463	Constructing a deformation mechanism map for a superplastic Pb-Bi alloy processed by equal-channel angular pressing. <i>Scripta Materialia</i> , 2009 , 61, 963-966	5.6	39

462	Factors influencing superplastic behavior in a magnesium ZK60 alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 141-144	5-3	32
461	Three-dimensional representations of hardness distributions after processing by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 71-74	5-3	51
460	Principles of grain refinement and superplastic flow in magnesium alloys processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 501, 105-114	5-3	154
459	Dynamic testing at high strain rates of an ultrafine-grained magnesium alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 517, 24-29	5-3	86
458	Developing a strategy for the processing of age-hardenable alloys by ECAP at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 516, 248-252	5-3	58
457	The evolution of damage in perfect-plastic and strain hardening materials processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 518, 124-131	5-3	36
456	Twinning and dislocation activity in silver processed by severe plastic deformation. <i>Journal of Materials Science</i> , 2009 , 44, 1656-1660	4-3	16
455	Influence of strain rate on strength and ductility in an aluminum alloy processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2009 , 44, 3913-3916	4-3	13
454	Principles of grain refinement in magnesium alloys processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2009 , 44, 4758-4762	4-3	121
453	Seventy-five years of superplasticity: historic developments and new opportunities. <i>Journal of Materials Science</i> , 2009 , 44, 5998-6010	4-3	288
452	Principles of deformation in single crystals of two different orientations processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 21-27	5-3	7
451	Superplastic flow in a nanostructured aluminum alloy produced using high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 500, 170-175	5-3	40
450	Effect of stacking fault energy on strength and ductility of nanostructured alloys: An evaluation with minimum solution hardening. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 525, 83-86	5-3	66
449	Processing of a magnesium alloy by equal-channel angular pressing using a back-pressure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 527, 205-211	5-3	49
448	Research on bulk nanostructured materials in Ufa: Twenty years of scientific achievements. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 6-9	5-3	18
447	Flow behavior of a superplastic Zn2% Al alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 48-51	5-3	18
446	New observations on high-temperature creep at very low stresses. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 510-511, 20-24	5-3	8
445	Influence of specimen dimensions and strain measurement methods on tensile stress-strain curves. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 525, 68-77	5-3	167

444	Microstructural evolution in high purity aluminum processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 524, 143-150	5.3	193
443	Using ring samples to evaluate the processing characteristics in high-pressure torsion. <i>Acta Materialia</i> , 2009 , 57, 1147-1153	8.4	59
442	Influence of equal-channel angular pressing on precipitation in an AlZnMgCu alloy. <i>Acta Materialia</i> , 2009 , 57, 3123-3132	8.4	213
441	Using differential scanning calorimetry as an analytical tool for ultrafine grained metals processed by severe plastic deformation. <i>Materials Science and Technology</i> , 2009 , 25, 687-698	1.5	45
440	Correlation between microstructure and mechanical properties of severely deformed metals. <i>Journal of Alloys and Compounds</i> , 2009 , 483, 271-274	5.7	80
439	Achieving Microstructural Refinement in Magnesium Alloys through Severe Plastic Deformation. <i>Materials Transactions</i> , 2009 , 50, 111-116	1.3	3
438	Using Severe Plastic Deformation for the Processing of Advanced Engineering Materials. <i>Materials Transactions</i> , 2009 , 50, 1613-1619	1.3	26
437	Nanocrystalline body-centred cubic beta-titanium alloy processed by high-pressure torsion. <i>International Journal of Materials Research</i> , 2009 , 100, 1662-1667	0.5	16
436	The high-temperature creep properties of materials processed using severe plastic deformation. <i>International Journal of Materials Research</i> , 2009 , 100, 750-756	0.5	7
435	Stability of microstructure in silver processed by severe plastic deformation. <i>International Journal of Materials Research</i> , 2009 , 100, 884-887	0.5	1
434	Achieving exceptional superplasticity in a bulk aluminum alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2008 , 58, 1029-1032	5.6	77
433	Microstructure and properties of pure titanium processed by equal-channel angular pressing at room temperature. <i>Scripta Materialia</i> , 2008 , 59, 542-545	5.6	135
432	Influence of specimen dimensions on the tensile behavior of ultrafine-grained Cu. <i>Scripta Materialia</i> , 2008 , 59, 627-630	5.6	199
431	Microstructural and Mechanical Characteristics of AZ61 Magnesium Alloy Processed by High-Pressure Torsion. <i>Materials Transactions</i> , 2008 , 49, 76-83	1.3	93
430	Superplastic Behavior in Ultrafine-Grained Materials Produced by Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2008 , 579, 29-40	0.4	3
429	Effect of Pre-Aging on the Microstructure and Strength of Supersaturated AlZnMg Alloys Processed by ECAP. <i>Materials Science Forum</i> , 2008 , 584-586, 501-506	0.4	4
428	Tougher ultrafine grain Cu via high-angle grain boundaries and low dislocation density. <i>Applied Physics Letters</i> , 2008 , 92, 081903	3.4	135
427	Grain Boundary Sliding in a Superplastic Zinc-Aluminum Alloy Processed Using Severe Plastic Deformation. <i>Materials Transactions</i> , 2008 , 49, 84-89	1.3	44

426	Achieving superplastic behavior in fcc and hcp metals processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 104-110	5.3	32
425	On the feasibility of using a continuous processing technique incorporating a limited strain imposed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 485, 476-480	5.3	15
424	Microstructural characteristics of nickel processed to ultrahigh strains by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 489, 207-212	5.3	34
423	Developing grain refinement and superplasticity in a magnesium alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 488, 117-124	5.3	154
422	Evaluating the influence of pressure and torsional strain on processing by high-pressure torsion. <i>Journal of Materials Science</i> , 2008 , 43, 7286-7292	4.3	60
421	The role of HarperDorn creep at high temperatures and very low stresses. <i>Journal of Materials Science</i> , 2008 , 43, 4801-4810	4.3	9
420	An evaluation of microstructure and microhardness in copper subjected to ultra-high strains. <i>Journal of Materials Science</i> , 2008 , 43, 7451-7456	4.3	39
419	The development of internal cavitation in a superplastic zincAluminum alloy processed by ECAP. <i>Journal of Materials Science</i> , 2008 , 43, 7360-7365	4.3	15
418	Delayed microstructural recovery in silver processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2008 , 43, 5672-5676	4.3	15
417	Developing superplasticity in a magnesium AZ31 alloy by ECAP. <i>Journal of Materials Science</i> , 2008 , 43, 7366-7371	4.3	82
416	Mechanical Properties of Bulk Nanocrystalline Aluminum-Tungsten Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2008 , 39, 2528-2534	2.3	38
415	Using high-pressure torsion for metal processing: Fundamentals and applications. <i>Progress in Materials Science</i> , 2008 , 53, 893-979	42.2	2224
414	Evolution of defect structures during cold rolling of ultrafine-grained Cu and CuZn alloys: Influence of stacking fault energy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 474, 342-347	5.3	124
413	The significance of strain reversals during processing by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 498, 341-348	5.3	144
412	Influence of stacking-fault energy on microstructural characteristics of ultrafine-grain copper and copperZinc alloys. <i>Acta Materialia</i> , 2008 , 56, 809-820	8.4	219
411	Characterization of creep properties and creep textures in pure aluminum processed by equal-channel angular pressing. <i>Acta Materialia</i> , 2008 , 56, 2307-2317	8.4	40
410	Texture evolution by shear on two planes during ECAP of a high-strength aluminum alloy. <i>Acta Materialia</i> , 2008 , 56, 3800-3809	8.4	32
409	The evolution of homogeneity in an aluminum alloy processed using high-pressure torsion. <i>Acta Materialia</i> , 2008 , 56, 5168-5176	8.4	153

408	Texture evolution in an aluminum alloy processed by ECAP with concurrent precipitate fragmentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 473, 219-225	5.3	28
407	The evolution of homogeneity on longitudinal sections during processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 480, 449-455	5.3	59
406	Using high-pressure torsion for the cold-consolidation of copper chips produced by machining. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 486, 123-126	5.3	83
405	Determining the optimal stacking fault energy for achieving high ductility in ultrafine-grained CuZn alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 123-129	5.3	146
404	Evaluating plastic anisotropy in two aluminum alloys processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 206-211	5.3	41
403	The Innovation Potential of Bulk Nanostructured Materials. <i>Advanced Engineering Materials</i> , 2007 , 9, 527-533	3.5	163
402	The evolution of homogeneity in processing by high-pressure torsion. <i>Acta Materialia</i> , 2007 , 55, 203-212	8.4	306
401	Influence of preliminary extrusion conditions on the superplastic properties of a magnesium alloy processed by ECAP. <i>Acta Materialia</i> , 2007 , 55, 1083-1091	8.4	108
400	The role of back pressure in the processing of pure aluminum by equal-channel angular pressing. <i>Acta Materialia</i> , 2007 , 55, 2351-2360	8.4	67
399	The processing of difficult-to-work alloys by ECAP with an emphasis on magnesium alloys. <i>Acta Materialia</i> , 2007 , 55, 4769-4779	8.4	160
398	The principles of grain refinement in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 462, 3-11	5.3	264
397	A finite element analysis of the superplastic forming of an aluminum alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 456, 236-242	5.3	10
396	Microstructure and strength of severely deformed fcc metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 462, 86-90	5.3	79
395	Using X-ray microdiffraction to determine grain sizes at selected positions in disks processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 444, 153-156	5.3	53
394	Influence of stacking fault energy on the minimum grain size achieved in severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 463, 22-26	5.3	101
393	The effect of severe plastic deformation on precipitation in supersaturated AlZnMg alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 460-461, 77-85	5.3	156
392	Particle and grain growth in an AlBi alloy during high-pressure torsion. <i>Scripta Materialia</i> , 2007 , 57, 763-765	5.3	70
391	The evolution of delta-phase in a superplastic Inconel 718 alloy. <i>Journal of Materials Science</i> , 2007 , 42, 421-427	4.3	67

390	Evolution of microstructure and microtexture in fcc metals during high-pressure torsion. <i>Journal of Materials Science</i> , 2007 , 42, 1517-1528	4.3	102
389	Influence of crystal orientation on the processing of copper single crystals by ECAP. <i>Journal of Materials Science</i> , 2007 , 42, 1501-1511	4.3	24
388	Fifty years of HarperDorn creep: a viable creep mechanism or a Californian artifact?. <i>Journal of Materials Science</i> , 2007 , 42, 409-420	4.3	20
387	The development of hardness homogeneity in aluminum and an aluminum alloy processed by ECAP. <i>Journal of Materials Science</i> , 2007 , 42, 1542-1550	4.3	68
386	Characteristics of face-centered cubic metals processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2007 , 42, 1594-1605	4.3	71
385	Principles of superplasticity in ultrafine-grained materials. <i>Journal of Materials Science</i> , 2007 , 42, 1782-1796	4.3	193
384	The processing of ultrafine-grained materials through the application of severe plastic deformation. <i>Journal of Materials Science</i> , 2007 , 42, 3388-3397	4.3	45
383	Developing Superplastic Ductilities in Ultrafine-Grained Metals. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2007 , 38, 1891-1898	2.3	25
382	Superplastic Deformation of a Mg-8% Li Alloy Processed at Room Temperature by ECAP. <i>Materials Science Forum</i> , 2007 , 539-543, 2940-2946	0.4	2
381	Ultrafine-grained materials: a personal perspective. <i>International Journal of Materials Research</i> , 2007 , 98, 251-254	0.5	13
380	Application of Equal-Channel Angular Pressing to Aluminum and Copper Single Crystals. <i>Materials Science Forum</i> , 2007 , 539-543, 2853-2858	0.4	9
379	Mechanical Properties of a Spray-Cast Aluminum Alloy Processed by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2007 , 539-543, 141-148	0.4	1
378	Microstructural Evolution in the Processing of Bulk Samples Using High-Pressure Torsion. <i>Materials Science Forum</i> , 2007 , 539-543, 80-85	0.4	
377	The Processing of Ultrafine-Grained Materials Using High-Pressure Torsion. <i>Materials Science Forum</i> , 2007 , 558-559, 1283-1294	0.4	1
376	Extending Creep and Superplasticity to Materials with Submicrometer Grain Sizes. <i>Key Engineering Materials</i> , 2007 , 345-346, 539-544	0.4	
375	Principles of equal-channel angular pressing as a processing tool for grain refinement. <i>Progress in Materials Science</i> , 2006 , 51, 881-981	42.2	3270
374	Producing bulk ultrafine-grained materials by severe plastic deformation. <i>Jom</i> , 2006 , 58, 33-39	2.1	1192
373	Strain-path effects on the evolution of microstructure and texture during the severe-plastic deformation of aluminum. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2006 , 37, 2879-2891	2.3	42

372	Experimental Evidence for Grain-Boundary Sliding in Ultrafine-Grained Aluminum Processed by Severe Plastic Deformation. <i>Advanced Materials</i> , 2006 , 18, 34-39	24	154
371	An Investigation of Cavitation in the Tensile Testing of a Spray-Cast Aluminum Alloy Processed by ECAP. <i>Materials Science Forum</i> , 2006 , 503-504, 83-90	0.4	2
370	Evolution of Microstructure and Precipitation in Heat-Treatable Aluminium Alloys during ECA Pressing and Subsequent Heat Treatment. <i>Materials Science Forum</i> , 2006 , 503-504, 275-280	0.4	19
369	Creep and Mechanical Properties of a Commercial Aluminum Alloy Processed by ECAP. <i>Materials Science Forum</i> , 2006 , 503-504, 77-82	0.4	4
368	An Investigation of Deformation in Copper Single Crystals Using Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2006 , 503-504, 113-118	0.4	13
367	Developing a Model for Grain Refinement in Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2006 , 503-504, 19-24	0.4	6
366	The Effect of Equal-Channel Angular Pressing on Structure-Phase Changes and Superplastic Properties of Al-Mg-Li Alloy. <i>Materials Science Forum</i> , 2006 , 503-504, 983-988	0.4	6
365	Processing of Aluminium Alloys by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2006 , 519-521, 45-54	0.4	3
364	Tailoring stacking fault energy for high ductility and high strength in ultrafine grained Cu and its alloy. <i>Applied Physics Letters</i> , 2006 , 89, 121906	3.4	258
363	Flow Mechanisms in Creep of an AZ 91 Magnesium-based Composite 2006 , 246-251		2
362	Superplasticity in a Mg-8 mass%Li Two-Phase Alloy Processed by an ECAP Method. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2006 , 70, 729-734	0.4	6
361	Microstructural Evolution of a Mg-8 mass%Li Alloy Processed by ECAP during Superplastic Deformation. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2006 , 70, 775-779	0.4	2
360	Influence of crystal orientation on ECAP of aluminum single crystals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 420, 79-86	5.3	54
359	Microtexture and microstructure evolution during processing of pure aluminum by repetitive ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 429, 137-148	5.3	88
358	Flow and cavitation in a quasi-superplastic two-phase magnesium-lithium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 429, 334-340	5.3	44
357	Mechanical characteristics of a Zn2% Al alloy processed to very high strains by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 429, 324-328	5.3	51
356	The development of superplastic ductilities and microstructural homogeneity in a magnesium ZK60 alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 430, 151-156	5.3	102
355	Flow processes at low temperatures in ultrafine-grained aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 434, 326-334	5.3	63

354	The aging characteristics of an AlMg alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 437, 240-247	5-3	34
353	An overview: Fatigue behaviour of ultrafine-grained metals and alloys. <i>International Journal of Fatigue</i> , 2006 , 28, 1001-1010	5	172
352	Exceptional superplasticity in an AZ61 magnesium alloy processed by extrusion and ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 420, 240-244	5-3	118
351	Using ball-indentation to evaluate the properties of an ultrafine-grained Al ₂₀ % Si alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 427, 188-194	5-3	17
350	Grain boundary sliding revisited: Developments in sliding over four decades. <i>Journal of Materials Science</i> , 2006 , 41, 597-609	4-3	275
349	The Deformation Characteristics of Pure Aluminum Processed by Equal-Channel Angular Pressing 2006 , 201-208		
348	Microstructures after Processing by Aging and ECAP for Al-Mg ₂ Si Alloys Containing Excess Si or Mg. <i>Materials Science Forum</i> , 2005 , 475-479, 4047-4050	0-4	2
347	An Analysis of Flow Mechanisms in High Temperature Creep and Superplasticity. <i>Materials Transactions</i> , 2005 , 46, 1951-1956	1-3	47
346	Microstructural evolution in commercial purity aluminum during high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 277-280	5-3	180
345	Achieving enhanced tensile ductility in an Al-6061 composite processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 430-434	5-3	26
344	Creep and superplasticity in a spray-cast aluminum alloy processed by ECA pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 398-401	5-3	18
343	Improving the high-temperature mechanical properties of a magnesium alloy by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 435-438	5-3	20
342	An analysis of superplastic flow after processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 476-479	5-3	20
341	Microstructure and properties of a low-carbon steel processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 312-315	5-3	41
340	Improving the superplastic properties of a two-phase Mg ₈ % Li alloy through processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 439-442	5-3	89
339	The microstructural characteristics of ultrafine-grained nickel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 391, 377-389	5-3	177
338	Grain refinement and superplasticity in an aluminum alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 393, 344-351	5-3	302
337	The evolution of homogeneity and grain refinement during equal-channel angular pressing: A model for grain refinement in ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 398, 66-76	5-3	218

336	Relationship between texture and low temperature superplasticity in an extruded AZ31 Mg alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 402, 250-257	5.3	231
335	Developing high-pressure torsion for use with bulk samples. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 406, 268-273	5.3	146
334	Flow processes in superplastic yttria-stabilized zirconia: A Deformation Limit Diagram. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 409, 46-51	5.3	11
333	Grain refinement and superplastic flow in an aluminum alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 408, 141-146	5.3	70
332	A quantitative study of cavity development in the tensile testing of an aluminum metal matrix composite processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 402-407	5.3	29
331	Influence of stacking fault energy on nanostructure formation under high pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 188-193	5.3	156
330	Microstructural evolution in a spray-cast aluminum alloy during equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 303-307	5.3	20
329	An investigation of the deformation process during equal-channel angular pressing of an aluminum single crystal. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 194-200	5.3	30
328	Using the stress-strain relationships to propose regions of low and high temperature plastic deformation in aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 234-238	5.3	20
327	The significance of grain boundary sliding in the superplastic Zn-2% Al alloy after processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 447-450	5.3	42
326	Cavitation and failure in a fine-grained Inconel 718 alloy having potential superplastic properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 130-133	5.3	16
325	Mechanical behavior of a 6061 Al alloy and an Al ₂ O ₃ /6061 Al composite after equal-channel angular processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 472-475	5.3	8
324	Microstructures and microhardness of an aluminum alloy and pure copper after processing by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 422-425	5.3	155
323	An analysis of the shear zone for metals deformed by equal-channel angular processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 239-242	5.3	29
322	Influence of ECAP on precipitate distributions in a spray-cast aluminum alloy. <i>Acta Materialia</i> , 2005 , 53, 749-758	8.4	140
321	An investigation of cavity growth in a superplastic aluminum alloy processed by ECAP. <i>Acta Materialia</i> , 2005 , 53, 5353-5364	8.4	38
320	Achieving High Strength and High Ductility in Precipitation-Hardened Alloys. <i>Advanced Materials</i> , 2005 , 17, 1599-1602	24	246
319	Influence of grain size on deformation mechanisms: An extension to nanocrystalline materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 409, 234-242	5.3	87

318	Grain refinement and superplasticity in a magnesium alloy processed by equal-channel angular pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2005 , 36, 1705-1711	2.3	57
317	Processing by equal-channel angular pressing: Applications to grain boundary engineering. <i>Journal of Materials Science</i> , 2005 , 40, 909-917	4.3	29
316	Grain Refinement and Microstructural Evolution in Nickel during High-Pressure Torsion 2005 , 387-392		1
315	Developing High Strain Rate Superplasticity in Aluminum Alloys. <i>Materials Science Forum</i> , 2005 , 475-479, 2949-2954	0.4	1
314	Effect of Microstructures on Tensile Properties of AZ31 Mg Alloy Processed by ECAP. <i>Materials Science Forum</i> , 2005 , 488-489, 473-476	0.4	1
313	Identifying creep mechanisms in plastic flow. <i>International Journal of Materials Research</i> , 2005 , 96, 522-531		36
312	Microstructure and Properties of a Low Carbon Steel after Equal Channel Angular Pressing 2005 , 829-834		
311	Performance and applications of nanostructured materials produced by severe plastic deformation. <i>Scripta Materialia</i> , 2004 , 51, 825-830	5.6	257
310	Using equal-channel angular pressing for the production of superplastic aluminum and magnesium alloys. <i>Journal of Materials Engineering and Performance</i> , 2004 , 13, 683-690	1.6	29
309	Creep properties of a fiber-reinforced magnesium alloy. <i>Journal of Materials Science</i> , 2004 , 39, 1647-1652	2.3	8
308	Effect of Mg addition on microstructure and mechanical properties of aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 387-389, 55-59	5.3	116
307	The fundamentals of nanostructured materials processed by severe plastic deformation. <i>Jom</i> , 2004 , 56, 58-63	2.1	150
306	Achieving enhanced ductility in a dilute magnesium alloy through severe plastic deformation. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2004 , 35, 1735-1744	2.3	52
305	Using grain boundary engineering to evaluate the diffusion characteristics in ultrafine-grained AlMg and AlZn alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 371, 241-250	5.3	71
304	The application of equal-channel angular pressing to an aluminum single crystal. <i>Acta Materialia</i> , 2004 , 52, 1387-1395	8.4	95
303	Microstructural development in equal-channel angular pressing using a 60° die. <i>Acta Materialia</i> , 2004 , 52, 2497-2507	8.4	76
302	A new constitutive relationship for the homogeneous deformation of metals over a wide range of strain. <i>Acta Materialia</i> , 2004 , 52, 3555-3563	8.4	113
301	Superplasticity of a Cu-Zn-Sn Alloy Processed by Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2004 , 447-448, 483-488	0.4	0

300	Severe plastic deformation as a processing tool for developing superplastic metals. <i>Journal of Alloys and Compounds</i> , 2004 , 378, 27-34	5.7	57
299	An Evaluation of Superplastic Anisotropy after Processing by Equal-Channel Angular Pressing. <i>Materials Transactions</i> , 2004 , 45, 3079-3081	1.3	18
298	Achieving Superplasticity of Al-1%Mg-0.2%Sc Alloy in Plate Samples Processed by Equal-channel Angular Pressing. <i>Materials Transactions</i> , 2004 , 45, 2521-2524	1.3	11
297	Factors influencing microstructural development in equal-channel angular pressing. <i>Metals and Materials International</i> , 2003 , 9, 141-149	2.4	37
296	The creep behavior of discontinuously reinforced metal-matrix composites. <i>Jom</i> , 2003 , 55, 15-20	2.1	23
295	Influence of a round corner die on flow homogeneity in ECA pressing. <i>Scripta Materialia</i> , 2003 , 48, 1-4	5.6	93
294	Comment on the role of intragranular dislocations in superplastic yttria-stabilized zirconia. <i>Scripta Materialia</i> , 2003 , 48, 599-604	5.6	21
293	Characteristics of superplasticity in an ultrafine-grained aluminum alloy processed by ECA pressing. <i>Scripta Materialia</i> , 2003 , 49, 467-472	5.6	71
292	Achieving a Superplastic Forming Capability through Severe Plastic Deformation. <i>Advanced Engineering Materials</i> , 2003 , 5, 359-364	3.5	33
291	Developing a superplastic forming capability in a commercial aluminum alloy without scandium or zirconium additions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 342, 294-301	5.3	42
290	A model investigation of the shearing characteristics in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 347, 223-230	5.3	31
289	Achieving superplasticity in ultrafine-grained copper: influence of Zn and Zr additions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 352, 129-135	5.3	54
288	Using atomic force microscopy to evaluate the development of mesoscopic shear planes in materials processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 358, 114-121	5.3	38
287	Equal-channel angular pressing using plate samples. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 361, 258-266	5.3	78
286	Experimental parameters influencing grain refinement and microstructural evolution during high-pressure torsion. <i>Acta Materialia</i> , 2003 , 51, 753-765	8.4	643
285	Using ECAP to achieve grain refinement, precipitate fragmentation and high strain rate superplasticity in a spray-cast aluminum alloy. <i>Acta Materialia</i> , 2003 , 51, 6139-6149	8.4	198
284	Developing superplasticity in a magnesium alloy through a combination of extrusion and ECAP. <i>Acta Materialia</i> , 2003 , 51, 3073-3084	8.4	321
283	Developing superplasticity in a spray-cast aluminum 7034 alloy through equal-channel angular pressing. <i>Materials Letters</i> , 2003 , 57, 3588-3592	3.3	25

282	Processing and Properties of Bulk Ultrafine-Grained Materials Produced through Severe Plastic Deformation. <i>Solid State Phenomena</i> , 2003 , 94, 3-12	0.4	1
281	Orientation imaging microscopy of ultrafine-grained nickel. <i>Scripta Materialia</i> , 2002 , 46, 575-580	5.6	199
280	A two-step processing route for achieving a superplastic forming capability in dilute magnesium alloys. <i>Scripta Materialia</i> , 2002 , 47, 255-260	5.6	119
279	An investigation of microstructure and grain-boundary evolution during ECA pressing of pure aluminum. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002 , 33, 2173-2184	2.3	194
278	Creep at low stresses: An evaluation of diffusion creep and Harper-Dorn creep as viable creep mechanisms. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002 , 33, 249-259	2.3	67
277	Creep processes in magnesium alloys and their composites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002 , 33, 883-889	2.3	31
276	Thermal stability and microstructural evolution in ultrafine-grained nickel after equal-channel angular pressing (ECAP). <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002 , 33, 1865-1868	2.3	46
275	Factors contributing to creep strengthening in discontinuously-reinforced materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 322, 73-78	5.3	16
274	The role of matrix microstructure in the creep behaviour of discontinuous fiber-reinforced AZ 91 magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 324, 151-156	5.3	19
273	Creep properties of an Al-2024 composite reinforced with SiC particulates. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 328, 39-47	5.3	36
272	Factors influencing the shearing patterns in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 332, 97-109	5.3	214
271	An evaluation of the creep characteristics of an AZ91 magnesium alloy composite using acoustic emission. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 338, 1-7	5.3	10
270	Influence of scandium and zirconium on grain stability and superplastic ductilities in ultrafine-grained AlMg alloys. <i>Acta Materialia</i> , 2002 , 50, 553-564	8.4	285
269	Processing of a low-carbon steel by equal-channel angular pressing. <i>Acta Materialia</i> , 2002 , 50, 1359-1368	8.4	189
268	The use of severe plastic deformation for microstructural control. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 324, 82-89	5.3	132
267	Grain refinement of pure nickel using equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 325, 54-58	5.3	118
266	Characteristics of thermal cycling in a magnesium alloy composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 325, 320-323	5.3	12
265	Characterization of deformation processes in a Zn-22% Al alloy using atomic force microscopy. <i>Journal of Materials Science</i> , 2002 , 37, 4993-4998	4.3	34

264	Characteristics of diffusion in Al-Mg alloys with ultrafine grain sizes. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 2002 , 82, 2249-2262		71
263	Diffusion in Fine-Grained Al Alloys Having Low and High Angle Grain Boundaries. <i>Materials Science Forum</i> , 2002 , 396-402, 1061-1066	0.4	5
262	Microstructural Control of an Al-Mg-Si Alloy Using Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2002 , 396-402, 333-338	0.4	42
261	Réalisation de superplasticité à grande vitesse dans des alliages Al-Mg-Sc-Zr par utilisation de l'extrusion dans des canaux d'écoulement. <i>Annales De Chimie: Science Des Matériaux</i> , 2002 , 27, 99-109	2.1	21
260	Creep processes in magnesium alloys and their composites 2002 , 33, 883		21
259	An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2001 , 32, 707-716	2.3	22
258	An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2001 , 32, 707-716	2.3	44
257	Influence of magnesium on grain refinement and ductility in a dilute Al-Sc alloy. <i>Acta Materialia</i> , 2001 , 49, 3829-3838	8.4	115
256	Optimizing the procedure of equal-channel angular pressing for maximum superplasticity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 297, 111-118	5.3	119
255	Improving the mechanical properties of magnesium and a magnesium alloy through severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 300, 142-147	5.3	530
254	The potential for scaling ECAP: effect of sample size on grain refinement and mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 318, 34-41	5.3	203
253	Improvement of mechanical properties for Al alloys using equal-channel angular pressing. <i>Journal of Materials Processing Technology</i> , 2001 , 117, 288-292	5.3	211
252	Strengthening of a commercial Al-5754 alloy using equal-channel angular pressing. <i>Journal of Materials Science Letters</i> , 2001 , 20, 1601-1603		5
251	Review: Processing of metals by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2001 , 36, 2835-2843	4.3	340
250	Low-temperature superplasticity in a Cu ₃ ZnSn alloy processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 307, 23-28	5.3	54
249	Deformation heating and its effect on grain size evolution during equal channel angular extrusion. <i>Scripta Materialia</i> , 2001 , 44, 135-140	5.6	53
248	Estimating the equivalent strain in equal-channel angular pressing. <i>Scripta Materialia</i> , 2001 , 44, 575-579	5.6	56
247	Influence of rolling on the superplastic behavior of an Al-Mg-Sc alloy after ECAP. <i>Scripta Materialia</i> , 2001 , 44, 759-764	5.6	105

246	Microhardness and microstructural evolution in pure nickel during high-pressure torsion. <i>Scripta Materialia</i> , 2001 , 44, 2753-2758	5.6	257
245	Achieving superplasticity in a Cu β 0%Zn alloy through severe plastic deformation. <i>Scripta Materialia</i> , 2001 , 45, 965-970	5.6	54
244	High Strain Rate Superplasticity in a Zn - 22% Al Alloy after Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2001 , 357-359, 321-326	0.4	25
243	Grain boundary structure in AlMg and AlMgSc alloys after equal-channel angular pressing. <i>Journal of Materials Research</i> , 2001 , 16, 583-589	2.5	60
242	Superplasticity of ultrafine-grained Al-3%Mg-0.2%Sc alloy produced by equal-channel angular pressing.. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2000 , 50, 376-380	0.3	4
241	Achieving superplasticity at high strain rates using equal channel angular pressing. <i>Materials Science and Technology</i> , 2000 , 16, 1330-1333	1.5	10
240	Achieving Superplasticity and Superplastic Forming through Severe Plastic Deformation. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 634, 851		1
239	Influence of pressing temperature on microstructural development in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 287, 100-106	5.3	180
238	Development of a multi-pass facility for equal-channel angular pressing to high total strains. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 281, 82-87	5.3	214
237	Superplastic forming at high strain rates after severe plastic deformation. <i>Acta Materialia</i> , 2000 , 48, 3633-3640	2.6	268
236	Identifying creep mechanisms at low stresses. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 283, 266-273	5.3	110
235	Using equal-channel angular pressing for refining grain size. <i>Jom</i> , 2000 , 52, 30-33	2.1	179
234	Equal-channel angular pressing of commercial aluminum alloys: Grain refinement, thermal stability and tensile properties. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2000 , 31, 691-701	2.3	359
233	Influence of scandium on superplastic ductilities in an AlMgSc alloy. <i>Journal of Materials Research</i> , 2000 , 15, 2571-2576	2.5	40
232	Development of fine grained structures using severe plastic deformation. <i>Materials Science and Technology</i> , 2000 , 16, 1239-1245	1.5	108
231	Equal-channel angular pressing of an Al-6061 metal matrix composite. <i>Journal of Materials Science</i> , 2000 , 35, 1201-1204	4.3	49
230	Characteristics of creep deformation in discontinuously reinforced metal matrix composites. <i>Materials Science and Technology</i> , 1999 , 15, 357-365	1.5	11
229	Fabrication and thermal stability of a nanocrystalline NiAlCr alloy: Comparison with pure Cu and Ni. <i>Journal of Materials Research</i> , 1999 , 14, 4200-4207	2.5	43

228	Creep Behavior of Ceramics and Geological Materials at Low Stress Levels. <i>Key Engineering Materials</i> , 1999 , 166, 81-86	0.4	
227	Influence of stacking fault energy on microstructural development in equal-channel angular pressing. <i>Journal of Materials Research</i> , 1999 , 14, 4044-4050	2.5	161
226	An examination of the flow process in superplastic yttria-stabilized tetragonal zirconia. <i>Acta Materialia</i> , 1999 , 47, 2485-2495	8.4	65
225	A unified interpretation of threshold stresses in the creep and high strain rate superplasticity of metal matrix composites. <i>Acta Materialia</i> , 1999 , 47, 3395-3403	8.4	71
224	An examination of a substructure-invariant model for the creep of metal matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 265, 276-284	5.3	29
223	Thermal stability of ultrafine-grained aluminum in the presence of Mg and Zr additions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 265, 188-196	5.3	159
222	Developing superplastic properties in an aluminum alloy through severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 272, 63-72	5.3	87
221	Influence of pressing speed on microstructural development in equal-channel angular pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1999 , 30, 1989-1997	2.3	134
220	Creep behavior of an AZ91 magnesium alloy reinforced with alumina fibers. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1999 , 30, 2059-2066	2.3	33
219	Fundamental aspects of creep in metal matrix composites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1999 , 30, 315-324	2.3	30
218	Significance of adiabatic heating in equal-channel angular pressing. <i>Scripta Materialia</i> , 1999 , 41, 791-796	5.6	99
217	Metallographic investigation of reinforcement damage in creep of an AZ 91 matrix composite. <i>Materials Letters</i> , 1999 , 39, 179-183	3.3	11
216	A Discussion of Flow Mechanisms in Superplastic Yttria-Stabilized Tetragonal Zirconia. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 601, 105		
215	Creep Behavior of a Superplastic Y-TZP/Al ₂ O ₃ Composite: An Examination of the Possibility for Diffusion Creep. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 601, 111		1
214	An Examination of the Deformation Process in Equal-Channel Angular Pressing. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 601, 347		
213	Superplastic Properties of an Aluminum-Based Alloy After Equal-Channel Angular Pressing. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 601, 353		
212	Influence of Equal-Channel Angular Pressing on the Superplastic Properties of Commercial Aluminum Alloys. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 601, 359		8
211	Processing by Equal-Channel Angular Pressing: Potential for Achieving Superplasticity. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 601, 365		

210	Recent Developments in High Strain Rate Superplasticity. <i>Materials Transactions, JIM</i> , 1999 , 40, 716-722		24
209	An Evaluation of Superplasticity in Aluminum-Scandium Alloys Processed by Equal-Channel Angular Pressing. <i>Materials Transactions, JIM</i> , 1999 , 40, 772-778		68
208	Creep behavior of a reinforced Al-7005 alloy: Implications for the creep processes in metal matrix composites. <i>Acta Materialia</i> , 1998 , 46, 1143-1155	8.4	65
207	High strain rate superplasticity in an Al-Mg alloy containing scandium. <i>Scripta Materialia</i> , 1998 , 38, 1851-1856	3.8	106
206	Strengthening and grain refinement in an Al-6061 metal matrix composite through intense plastic straining. <i>Scripta Materialia</i> , 1998 , 40, 117-122	5.6	78
205	Equal-channel angular pressing: A novel tool for microstructural control. <i>Metals and Materials International</i> , 1998 , 4, 1181-1190		78
204	Optimizing the rotation conditions for grain refinement in equal-channel angular pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998 , 29, 2011-2013	2.3	206
203	Fabrication of bulk ultrafine-grained materials through intense plastic straining. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998 , 29, 2237-2243	2.3	109
202	Microstructural characteristics of ultrafine-grained aluminum produced using equal-channel angular pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998 , 29, 2245-2252	2.3	241
201	Age hardening and the potential for superplasticity in a fine-grained Al-Mg-Li-Zr alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998 , 29, 169-177	2.3	35
200	Factors influencing the equilibrium grain size in equal-channel angular pressing: Role of Mg additions to aluminum. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998 , 29, 2503-2510	2.3	251
199	A comparison of the creep properties of an Al-6092 composite and the unreinforced matrix alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998 , 29, 2523-2531	2.3	54
198	Using intense plastic straining for high-strain-rate superplasticity. <i>Jom</i> , 1998 , 50, 41-45	2.1	35
197	Microstructural characteristics and superplastic ductility in a Zn-22% Al alloy with submicrometer grain size. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 241, 122-128	5.3	129
196	An examination of the effect of processing procedure on the creep of metal matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 245, 1-9	5.3	32
195	The characteristics of microcavitation in high strain rate superplasticity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 246, 117-123	5.3	6
194	The shearing characteristics associated with equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 257, 328-332	5.3	827
193	Influence of channel angle on the development of ultrafine grains in equal-channel angular pressing. <i>Acta Materialia</i> , 1998 , 46, 1589-1599	8.4	365

192	The process of grain refinement in equal-channel angular pressing. <i>Acta Materialia</i> , 1998 , 46, 3317-3331	8.4	1057
191	High strain rate superplasticity in metal matrix composites: the role of load transfer. <i>Acta Materialia</i> , 1998 , 46, 3937-3948	8.4	49
190	Requirements for achieving high-strain-rate superplasticity in cast aluminium alloys. <i>Philosophical Magazine Letters</i> , 1998 , 78, 313-316	1	62
189	Observations of grain boundary structure in submicrometer-grained Cu and Ni using high-resolution electron microscopy. <i>Journal of Materials Research</i> , 1998 , 13, 446-450	2.5	138
188	Factors influencing the flow and hardness of materials with ultrafine grain sizes. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1998 , 78, 203-216		70
187	Factors influencing the flow and hardness of materials with ultrafine grain sizes. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1998 , 78, 203-215		14
186	OBSERVATIONS OF HIGH STRAIN RATE SUPERPLASTICITY IN COMMERCIAL ALUMINUM ALLOYS WITH ULTRAFINE GRAIN SIZES. <i>Scripta Materialia</i> , 1997 , 37, 1945-1950	5.6	268
185	A new miniature mechanical testing procedure: Application to intermetallics. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1997 , 28, 2577-2582	2.3	7
184	An examination of creep data for an Al-Mg composite. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1997 , 28, 1271-1273	2.3	21
183	Creep behavior of an aluminum 2024 alloy produced by powder metallurgy. <i>Acta Materialia</i> , 1997 , 45, 529-540	8.4	62
182	An investigation of microstructural evolution during equal-channel angular pressing. <i>Acta Materialia</i> , 1997 , 45, 4733-4741	8.4	720
181	Structural evolution and the Hall-Petch relationship in an Al ₂ Mg ₃ Li ₂ Zr alloy with ultra-fine grain size. <i>Acta Materialia</i> , 1997 , 45, 4751-4757	8.4	126
180	Creep behavior of an Al-6061 metal matrix composite reinforced with alumina particulates. <i>Acta Materialia</i> , 1997 , 45, 4797-4806	8.4	86
179	Characteristics of grain boundary migration and sliding during fatigue of high purity lead. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 222, 9-13	5.3	1
178	Creep behavior of an Al-6061 metal matrix composite produced by liquid metallurgy processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 230, 183-187	5.3	18
177	Process Modeling the Superplastic Forming Behavior of Inconel Alloy 718SPF 1997 ,		4
176	A simple technique for the preparation of tensile specimens of yttria-stabilized zirconia. <i>Materials Letters</i> , 1996 , 27, 211-214	3.3	5
175	Principle of equal-channel angular pressing for the processing of ultra-fine grained materials. <i>Scripta Materialia</i> , 1996 , 35, 143-146	5.6	1522

174	A method of distinguishing between diffusion creep and Harper-Dorn creep at low stress levels. <i>Scripta Materialia</i> , 1996 , 35, 733-737	5.6	23
173	An investigation of grain boundaries in submicrometer-grained Al-Mg solid solution alloys using high-resolution electron microscopy. <i>Journal of Materials Research</i> , 1996 , 11, 1880-1890	2.5	291
172	High-Strain-Rate Superplasticity in Metallic Materials and the Potential for Ceramic Materials.. <i>ISIJ International</i> , 1996 , 36, 1423-1438	1.7	110
171	Miniaturized Double-Shear Testing Procedure for Evaluation of High Temperature Deformation in Al and Mg Solid Solution Alloy. <i>Materials Transactions, JIM</i> , 1996 , 37, 349-352		
170	Significance of Microstructural Control for Superplastic Deformation and Forming. <i>Materials Transactions, JIM</i> , 1996 , 37, 336-339		76
169	Transitions in Creep Behavior. <i>Materials Transactions, JIM</i> , 1996 , 37, 359-362		13
168	An evaluation of the creep properties of two Al-Si alloys produced by rapid solidification processing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1996 , 27, 3871-3879	2.3	16
167	The characteristics of cavitation in superplastic metals and ceramics. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1996 , 27, 873-878	2.3	12
166	The inter-relationship between grain boundary sliding and cavitation during creep of polycrystalline copper. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1996 , 27, 901-907	2.3	16
165	A model study of cavity growth in superplasticity using single premachined holes. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1996 , 27, 2532-2539	2.3	10
164	Microstructural characteristics of an ultrafine grain metal processed with equal-channel angular pressing. <i>Materials Characterization</i> , 1996 , 37, 277-283	3.9	35
163	Evolution of grain boundary structure in submicrometer-grained Al-Mg alloy. <i>Materials Characterization</i> , 1996 , 37, 285-294	3.9	28
162	The development of cavitation in superplastic aluminum composites reinforced with Si ₃ N ₄ . <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996 , 208, 116-121	5.3	21
161	Low stress creep behavior: An examination of Nabarro-Herring and Harper-Dorn creep. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996 , 216, 20-29	5.3	26
160	Enhanced grain growth in an Al-Mg alloy with ultrafine grain size. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996 , 216, 41-46	5.3	80
159	Significance of continuous precipitation during creep of a powder metallurgy aluminum alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996 , 216, 161-168	5.3	16
158	An investigation of microstructural stability in an AlMg alloy with submicrometer grain size. <i>Acta Materialia</i> , 1996 , 44, 2973-2982	8.4	273
157	Microhardness measurements and the Hall-Petch relationship in an AlMg alloy with submicrometer grain size. <i>Acta Materialia</i> , 1996 , 44, 4619-4629	8.4	370

156	An examination of creep behaviour at low stresses in non-metallic materials. <i>Journal of Materials Science Letters</i> , 1996 , 15, 1664-1666		4
155	Fracture behaviour at elevated temperatures of alumina matrix composites reinforced with silicon carbide whiskers. <i>Journal of Materials Science</i> , 1996 , 31, 5487-5492	4.3	2
154	A quantitative analysis of cavitation in AlCuMg metal matrix composites exhibiting high strain rate superplasticity. <i>Journal of Materials Research</i> , 1996 , 11, 1755-1764	2.5	28
153	The Variation of Strain Rate with Stress in Superplastic Zirconia. <i>Materials Science Forum</i> , 1996 , 243-245, 357-362	0.4	13
152	Fabrication of submicrometer-grained Zn2% Al by torsion straining. <i>Journal of Materials Research</i> , 1996 , 11, 2128-2130	2.5	49
151	An Investigation of the Role of Processing in the High Temperature Creep of Whisker-Reinforced Alumina Composites. <i>Materials and Manufacturing Processes</i> , 1996 , 11, 589-604	4.1	
150	Examination of fracture surfaces of SiC whisker-reinforced alumina after high temperature creep deformation. <i>Journal of Materials Science Letters</i> , 1995 , 14, 188-189		2
149	Influence of whisker volume fraction on the creep behavior of alumina composites reinforced with silicon carbide. <i>Journal of Materials Research</i> , 1995 , 10, 2925-2932	2.5	5
148	Microstructural examination of a superplastic yttria-stabilized zirconia: Implications for the superplasticity mechanism. <i>Acta Metallurgica Et Materialia</i> , 1995 , 43, 1211-1218		50
147	High temperature deformation of an alumina composite reinforced with silicon carbide whiskers. <i>Acta Metallurgica Et Materialia</i> , 1995 , 43, 1421-1427		11
146	Yield stress measurements on an Al-1.5% Mg alloy with submicron grain size using a miniature bending procedure. <i>Materials Letters</i> , 1995 , 23, 283-287	3.3	9
145	Processing and superplastic properties of fine grained Si3N4/AlMgBi composites. <i>Materials Science and Technology</i> , 1995 , 11, 1295-1300	1.5	13
144	A quantitative measure of internal cavitation in superplastic alloys using photoacoustic analysis. <i>Journal of Materials Research</i> , 1994 , 9, 2238-2243	2.5	3
143	An investigation of grain rotation and grain elongation in a superplastic alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994 , 187, 161-165	5.3	13
142	An evaluation of the strain contributed by grain boundary sliding in superplasticity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994 , 174, 225-230	5.3	212
141	Factors Influencing the Exceptional Ductility of a Superplastic Pb-62 pct Sn alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1994 , 25, 2309-2311	2.3	37
140	Evidence for Anelastic Creep Recovery in Silicon Carbide-Whisker-Reinforced Alumina. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 1679-1681	3.8	17
139	A critical assessment of flow and cavity formation in a superplastic yttria-stabilized zirconia. <i>Acta Metallurgica Et Materialia</i> , 1994 , 42, 2753-2761		58

138	An investigation of the role of a liquid phase in Al ₂ Cu ₃ Mg metal matrix composites exhibiting high strain rate superplasticity. <i>Acta Metallurgica Et Materialia</i> , 1994 , 42, 1739-1745		108
137	A unified approach to grain boundary sliding in creep and superplasticity. <i>Acta Metallurgica Et Materialia</i> , 1994 , 42, 2437-2443		428
136	An evaluation of the rate-controlling flow process in Harper-Dorn creep. <i>Acta Metallurgica Et Materialia</i> , 1994 , 42, 2487-2492		29
135	An investigation of the role of intragranular dislocation strain in the superplastic Pb-62% Sn eutectic alloy. <i>Acta Metallurgica Et Materialia</i> , 1993 , 41, 949-954		142
134	Observations on the use of a fractal model to predict superplastic ductility. <i>Scripta Metallurgica Et Materialia</i> , 1993 , 28, 241-246		3
133	An investigation of ductility and microstructural evolution in an Al ₈ % Mg alloy with submicron grain size. <i>Journal of Materials Research</i> , 1993 , 8, 2810-2818	2.5	181
132	Structural Evolution and Deformation in an Aluminum-Based Solid Solution Alloy with Submicron Grain Size. <i>Materials Research Society Symposia Proceedings</i> , 1993 , 319, 293		1
131	Superplastic-like flow in ceramics: Recent developments and potentials applications. <i>Ceramics International</i> , 1993 , 19, 279-286	5.1	7
130	The role of grain boundaries in high temperature deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993 , 166, 67-79	5.3	59
129	Future research directions for interface engineering in high temperature plasticity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993 , 166, 237-241	5.3	15
128	An examination of the implications of void growth in submicrometer and nanocrystalline structures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993 , 168, 225-230	5.3	20
127	Observations on diffusional cavity growth in superplastic materials. <i>Scripta Metallurgica Et Materialia</i> , 1992 , 26, 1239-1244		4
126	A first report on the use of a non-destructive technique to investigate cavitation in a superplastic aluminum alloy. <i>Scripta Metallurgica Et Materialia</i> , 1992 , 26, 423-428		5
125	An examination of the metals deforming by Harper-Dorn creep at high homologous temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1992 , 151, 147-151	5.3	12
124	A New Analytical Procedure for the Identification of High Temperature Deformation Mechanisms Using the Strain Rate Change Test. <i>Materials Transactions, JIM</i> , 1991 , 32, 339-344		
123	The physics of superplastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991 , 137, 1-11	5.3	124
122	Characteristics of creep deformation in ceramics. <i>Materials Science and Technology</i> , 1991 , 7, 577-584	1.5	64
121	The Significance of Diffusion Creep in Simple and Multicomponent Ceramics. <i>Defect and Diffusion Forum</i> , 1991 , 75, 89-106	0.7	3

120	Creep behavior of copper at intermediate temperaturesIII. A comparison with theory. <i>Acta Metallurgica Et Materialia</i> , 1991 , 39, 1823-1832		22
119	Creep behavior of copper at intermediate temperaturesII. Surface microstructural observations. <i>Acta Metallurgica Et Materialia</i> , 1991 , 39, 1817-1822		17
118	A Re-Appraisal of Cavity Growth Processes in Superplasticity. <i>Materials Research Society Symposia Proceedings</i> , 1990 , 196, 39		3
117	A Quantitative Study of Cavity Evolution in An Al-Cu-Zr Alloy. <i>Materials Research Society Symposia Proceedings</i> , 1990 , 196, 215		
116	An Investigation of the Mechanical Behavior of a Superplastic Yttria-Stabilized Zirconia. <i>Materials Research Society Symposia Proceedings</i> , 1990 , 196, 325		2
115	Superplasticity in ceramics. <i>Journal of Materials Science</i> , 1990 , 25, 2275-2286	4.3	116
114	Superplasticity of steels and ferrous alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1990 , 128, 1-13	5.3	31
113	The nucleation and growth of cavities in a superplastic quasi-single phase copper alloy. <i>Acta Metallurgica Et Materialia</i> , 1990 , 38, 867-877		45
112	Cyclic grain boundary migration and sliding in pure aluminum. <i>Acta Metallurgica Et Materialia</i> , 1990 , 38, 497-507		4
111	The influence of rolling direction on the mechanical behavior and formation of cavity stringers in the superplastic Zn-22% Al alloy. <i>Acta Metallurgica</i> , 1989 , 37, 715-723		51
110	Creep behavior of copper at intermediate temperaturesII Mechanical characteristics. <i>Acta Metallurgica</i> , 1989 , 37, 843-852		99
109	A determination of the structural dependence of cyclic migration in polycrystalline aluminum using electron channeling pattern analysis. <i>Acta Metallurgica</i> , 1989 , 37, 705-714		16
108	An examination of cyclic grain boundary migration and cavitation in an Al-3% Mg solid solution alloy. <i>Acta Metallurgica</i> , 1989 , 37, 725-737		11
107	Superplasticity in Al ₃ Cu eutectic alloy in as extruded condition. <i>Materials Science and Technology</i> , 1989 , 5, 435-442	1.5	3
106	Creep of ceramics. <i>Journal of Materials Science</i> , 1988 , 23, 1-20	4.3	215
105	An investigation of grain boundary sliding in superplasticity at high elongations. <i>Journal of Materials Science</i> , 1988 , 23, 2712-2722	4.3	76
104	The mechanical properties of the superplastic Al- 33 Pct Cu eutectic alloy. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1988 , 19, 2487-2496		27
103	Principles of superplastic diffusion bonding. <i>Materials Science and Technology</i> , 1988 , 4, 669-674	1.5	21

102	The Mechanical Properties at High Temperatures of SiC Whisker-Reinforced Alumina. <i>Materials Research Society Symposia Proceedings</i> , 1988 , 120, 265	11
101	The activation energy for superplastic deformation in the Al-33% Cu eutectic alloy. <i>Scripta Metallurgica</i> , 1987 , 21, 1669-1673	10
100	A model for diffusional cavity growth in superplasticity. <i>Acta Metallurgica</i> , 1987 , 35, 1089-1101	103
99	The role of matrix dislocations in the superplastic deformation of a copper alloy. <i>Acta Metallurgica</i> , 1986 , 34, 1203-1214	59
98	High Temperature Creep of Al-Mg Alloys 1985 , 797-802	8
97	The deviation from creep by viscous glide in solid solution alloys at high stresses□ Characteristics of the dragging stress. <i>Acta Metallurgica</i> , 1984 , 32, 1991-1999	46
96	Cavitation in high purity aluminium during fatigue at elevated temperatures. <i>Journal of Materials Science Letters</i> , 1983 , 2, 522-524	8
95	Ductility of the superplastic Pb-Sn eutectic at room temperature. <i>Journal of Materials Science Letters</i> , 1983 , 2, 59-62	24
94	The effect of grain size on ductility in the superplastic Pb-Sn eutectic. <i>Journal of Materials Science Letters</i> , 1983 , 2, 337-340	12
93	Observations of cyclic grain boundary migration in aluminium after large numbers of fatigue cycles. <i>Journal of Materials Science Letters</i> , 1983 , 2, 180-182	12
92	Grain boundary sliding at high temperatures in torsional fatigue. <i>Journal of Materials Science Letters</i> , 1983 , 2, 25-27	8
91	Creep of ceramics. <i>Journal of Materials Science</i> , 1983 , 18, 1-50	4.3 304
90	Cyclic grain boundary migration during high temperature fatigue□ Microstructural observations. <i>Acta Metallurgica</i> , 1983 , 31, 927-938	40
89	An examination of grain boundary migration during high temperature fatigue of aluminum□ Microstructural observations. <i>Acta Metallurgica</i> , 1983 , 31, 1595-1603	25
88	An examination of grain boundary migration during high temperature fatigue of aluminum□. Measurements of migration. <i>Acta Metallurgica</i> , 1983 , 31, 1605-1610	9
87	A detailed appraisal of steady state flow data for the superplastic Zn-22% Al Alloy. <i>Materials Science and Engineering</i> , 1983 , 57, 55-65	14
86	Simple reverse bending machine for low cycle fatigue at elevated temperatures. <i>Review of Scientific Instruments</i> , 1983 , 54, 353-356	1.7 10
85	On the possibility of Harper-Dorn creep in non-metallic crystals. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1983 , 47, L29-L33	30

84	Cyclic grain boundary migration during high temperature fatigue. Measurements of grain boundary sliding. <i>Acta Metallurgica</i> , 1983 , 31, 939-946		16
83	Fracture processes in superplastic flow. <i>Metal Science</i> , 1982 , 16, 175-183		121
82	The mechanical properties of superplastic materials. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1982 , 13, 689-701		370
81	Deformation mechanisms in h.c.p. metals at elevated temperatures. Creep behavior of a Mg-0.8% Al solid solution alloy. <i>Acta Metallurgica</i> , 1982 , 30, 1157-1170		199
80	An investigation of harper-dorn creep. Mechanical and microstructural characteristics. <i>Acta Metallurgica</i> , 1982 , 30, 871-879		87
79	An evaluation of the roles of intercrystalline and interphase boundary sliding in two-phase superplastic alloys. <i>Acta Metallurgica</i> , 1982 , 30, 285-296		100
78	An investigation of Harper-Dorn creep. The flow process. <i>Acta Metallurgica</i> , 1982 , 30, 881-887		63
77	An examination of the breakdown in creep by viscous glide in solid solution alloys at high stress levels. <i>Acta Metallurgica</i> , 1982 , 30, 2181-2196		240
76	A Constant Stress Tensile Creep Machine for Very Low Stresses. <i>Journal of Testing and Evaluation</i> , 1982 , 10, 174	1	6
75	Deformation of Olivine, and the Application to Lunar and Planetary Interiors 1982 , 757-762		4
74	Observations on the differences reported in region I for the superplastic Zn-22% Al eutectoid. <i>Scripta Metallurgica</i> , 1981 , 15, 229-236		25
73	Deformation mechanisms in h.c.p. metals at elevated temperatures. Creep behavior of magnesium. <i>Acta Metallurgica</i> , 1981 , 29, 1969-1982		248
72	Flow localization and neck formation in a superplastic metal. <i>Acta Metallurgica</i> , 1981 , 29, 911-920		55
71	Creep and substructure formation in an Al-5% Mg solid solution alloy. <i>Acta Metallurgica</i> , 1981 , 29, 1495-1507		184
70	Observations on the magnitude of grain boundary sliding in Region 1 of superplasticity. <i>Journal of Materials Science</i> , 1981 , 16, 2613-2616	4-3	26
69	Cavitation in a Superplastic Al-Zn-Mg Alloy. <i>Transactions of the Japan Institute of Metals</i> , 1980 , 21, 123-126		35
68	Deformation mechanism maps for applications at high temperatures. <i>Ceramurgia International</i> , 1980 , 6, 11-18		9
67	An analysis of cavitation failure incorporating cavity nucleation with strain. <i>Materials Science and Engineering</i> , 1979 , 40, 159-166		16

66	Further comments on theories of structural superplasticity. <i>Materials Science and Engineering</i> , 1979 , 40, 293-295		10
65	Neck formation and cavitation in the superplastic Zn-22% Al eutectoid. <i>Journal of Materials Science</i> , 1979 , 14, 2913-2918	4-3	53
64	Creep fracture maps for 316 stainless steel. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1979 , 10, 1635-1641		40
63	An analysis of cavity growth during superplasticity. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1979 , 10, 1869-1874		59
62	A Microscopic Examination Of Void Formation In Superplastic Materials. <i>Journal of Microscopy</i> , 1979 , 116, 47-54	1.9	8
61	An investigation of intercrystalline and interphase boundary sliding in the superplastic Pb-62% Sn eutectic. <i>Acta Metallurgica</i> , 1979 , 27, 251-257		123
60	The incorporation of ambipolar diffusion in deformation mechanism maps for ceramics. <i>Journal of Materials Science</i> , 1978 , 13, 473-482	4-3	30
59	A new type of deformation mechanism map for high-temperature creep. <i>Materials Science and Engineering</i> , 1978 , 32, 103-112		67
58	Comments on theories of structural superplasticity. <i>Materials Science and Engineering</i> , 1978 , 36, 27-33		40
57	Evidence for cavitation in superplastic Zn-22 pct Al of very high purity. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1978 , 9, 1688-1690		39
56	The mechanical properties of a superplastic quasi-single phase copper alloy. <i>Acta Metallurgica</i> , 1978 , 26, 639-646		60
55	The activation energies for plastic flow in a superplastic copper alloy. <i>Acta Metallurgica</i> , 1978 , 26, 1153-1158		24
54	The activation energies for superplasticity. <i>Scripta Metallurgica</i> , 1977 , 11, 575-579		32
53	The relationship between strain rate sensitivity and ductility in superplastic materials. <i>Scripta Metallurgica</i> , 1977 , 11, 997-1000		31
52	Exceptional ductility in the superplastic Pb-62 Pct Sn eutectic. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1977 , 8, 1832-1833		73
51	Factors influencing ductility in the superplastic Zn-22 Pct Al eutectoid. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1977 , 8, 933-938		182
50	Evidence for cavitation in the superplastic Zn-22 Pct Al eutectoid. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1977 , 8, 523-525		73
49	Deformation mechanism maps for superplastic materials. <i>Scripta Metallurgica</i> , 1976 , 10, 759-762		101

- 48 Structural ceramics. *Progress in Materials Science*, **1976**, 21, 171-285 42.2 103
- 47 Discussion: "A Constitutive Equation for High-Temperature Flow" (Paton, N., 1975, ASME J. Eng. Mater. Technol., 97, pp. 313-15). *Journal of Engineering Materials and Technology, Transactions of the ASME*, **1976**, 98, 190-190 1.8
- 46 The determination of the activation energy for superplastic flow. *Physica Status Solidi A*, **1976**, 33, 375-381 39
- 45 Structural ceramics. *Progress in Materials Science*, **1976**, 21, 171-425 42.2 129
- 44 Deformation Mechanism Maps: Their Use in Predicting Creep Behavior. *Journal of Engineering Materials and Technology, Transactions of the ASME*, **1976**, 98, 125-130 1.8 16
- 43 Closure to "Discussion of Deformation Mechanism Maps: Their Use in Predicting Creep Behavior" (1976, ASME J. Eng. Mater. Technol., 98, p. 130). *Journal of Engineering Materials and Technology, Transactions of the ASME*, **1976**, 98, 130-131 1.8
- 42 Grain-Boundary Sliding and Axial Strain during Diffusional Creep. *Metal Science*, **1975**, 9, 141-144 19
- 41 Creep at low stress levels in the superplastic Zn-22% Al eutectoid. *Acta Metallurgica*, **1975**, 23, 117-124 160
- 40 The activation energies associated with superplastic flow. *Acta Metallurgica*, **1975**, 23, 1443-1450 137
- 39 Grain-Boundary Sliding During Creep of MgO. *Journal of the American Ceramic Society*, **1975**, 58, 92-93 3.8 14
- 38 The influence of strain rate on ductility in the superplastic Zn-2% Al eutectoid. *Philosophical Magazine and Journal*, **1975**, 32, 1269-1271 105
- 37 Creep behaviour in the superplastic Pb-2% Sn eutectic. *Philosophical Magazine and Journal*, **1975**, 32, 697-709 143
- 36 Deformation mechanism maps for solid solution alloys. *Scripta Metallurgica*, **1975**, 9, 137-140 22
- 35 Deformation mechanism maps based on grain size. *Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science*, **1974**, 5, 2339-2345 230
- 34 Low-temperature deformation and dislocation mobility in pure and Mg-doped LiF crystals. *Philosophical Magazine and Journal*, **1974**, 30, 145-160 34
- 33 The significance of grain boundaries in high-temperature creep. *Canadian Metallurgical Quarterly*, **1974**, 13, 223-228 0.9 8
- 32 Method of estimating stacking-fault energies in alkali halide crystals using creep data. *Journal of Applied Physics*, **1974**, 45, 1965-1967 2.5 52
- 31 Evidence for Coble creep in the relaxation of surface-compressive stresses in tempered polycrystalline aluminum oxide. *Journal of Applied Physics*, **1974**, 45, 3729-3731 2.5 8

30	The transition from dislocation climb to viscous glide in creep of solid solution alloys. <i>Acta Metallurgica</i> , 1974 , 22, 779-788		444
29	The portevin-le chatelier effect in Cu ₃ Au. <i>Acta Metallurgica</i> , 1974 , 22, 325-332		35
28	The planar distribution of grain size in a polycrystalline ceramic. <i>Metallography</i> , 1973 , 6, 9-15		10
27	The strain dependence of vacancy creation and dislocation density during serrated yielding. <i>Scripta Metallurgica</i> , 1973 , 7, 1199-1203		7
26	Activation Energies for Creep of Pyrolytic and Glassy Carbon. <i>Nature: Physical Science</i> , 1972 , 236, 60-60		4
25	Grain-Boundary Sliding in Ceramics. <i>Journal of the American Ceramic Society</i> , 1972 , 55, 430-430	3.8	7
24	Dependence of Creep Rate on Porosity. <i>Journal of the American Ceramic Society</i> , 1972 , 55, 630-631	3.8	31
23	The effect of surface configuration on grain boundary sliding. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 1972 , 3, 797-801	2.5	90
22	Effect of Microstructure on Deformation of Polycrystalline MgO. <i>Journal of the American Ceramic Society</i> , 1971 , 54, 240-246	3.8	20
21	The significance of grain boundary dislocations in mechanical behavior. <i>Materials Science and Engineering</i> , 1971 , 7, 117-118		7
20	Creep mechanisms in stoichiometric uranium dioxide. <i>Journal of Nuclear Materials</i> , 1971 , 38, 88-92	3.3	13
19	The mechanism of creep in polycrystalline magnesium oxide. <i>Acta Metallurgica</i> , 1970 , 18, 505-510		53
18	On the nature of superplastic deformation in the Mg [?] Al eutectic. <i>Scripta Metallurgica</i> , 1970 , 4, 337-339		3
17	Grain boundary displacements due to diffusional creep. <i>Scripta Metallurgica</i> , 1970 , 4, 563-566		33
16	The variation in secondary creep rate at large grain sizes. <i>Scripta Metallurgica</i> , 1970 , 4, 693-695		17
15	Grain boundary sliding as a deformation mechanism during creep. <i>Philosophical Magazine and Journal</i> , 1970 , 22, 689-700		261
14	The distribution of grain diameters in polycrystalline magnesium oxide. <i>Metallography</i> , 1969 , 1, 333-340		45
13	The shape of grains in a polycrystal. <i>Metallography</i> , 1969 , 2, 171-178		55

12	Creep of polycrystalline lithium fluoride. <i>Philosophical Magazine and Journal</i> , 1968 , 18, 1181-1192		45
11	Low temperature dislocation mechanisms in ordered and disordered Cu ₃ Au. <i>Philosophical Magazine and Journal</i> , 1968 , 17, 999-1015		16
10	The dependence of grain-boundary sliding on shear stress. <i>Journal of Materials Science</i> , 1968 , 3, 306-313	4.3	44
9	Thinning of Polycrystalline MgO for Transmission Electron Microscopy. <i>Review of Scientific Instruments</i> , 1967 , 38, 125-127	1.7	4
8	An investigation of grain-boundary sliding during creep. <i>Journal of Materials Science</i> , 1967 , 2, 313-323	4.3	107
7	A method of printing grids on to metal surfaces for deformation studies. <i>Journal of Scientific Instruments</i> , 1965 , 42, 896-896		5
6	Achieving Superplasticity in Fine-Grained Al-Mg-Sc Alloys. <i>Materials Science Forum</i> , 1016, 11-17	0.4	
5	Recent Developments in the Processing of Advanced Materials Using Severe Plastic Deformation. <i>Materials Science Forum</i> , 1016, 3-8	0.4	0
4	Thermal Stability of Ultrafine-Grained Pure Titanium Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 1016, 338-344	0.4	0
3	The Influence of HPT on Microstructure and Wear Resistance of Al-7wt%Si-2wt%Fe Alloy. <i>Materials Science Forum</i> , 1016, 1618-1623	0.4	
2	Hardness Development of Mechanically-Bonded Hybrid Nanostructured Alloys through High-Pressure Torsion. <i>Materials Science Forum</i> , 1016, 177-182	0.4	0
1	Superplasticity of Bulk Nanostructured Materials	455-468	3