Valeriane Leroy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8876977/publications.pdf

Version: 2024-02-01

249

all docs

229 9,769 49
papers citations h-index

249

docs citations

h-index g-index

249
7296
times ranked citing authors

54771

88

#	Article	IF	Citations
1	In utero exposure to antiretroviral drugs and pregnancy outcomes: Analysis of the French ANRS pharmacovigilance database. British Journal of Clinical Pharmacology, 2022, 88, 942-964.	1.1	3
2	Growth and CD4 patterns of adolescents living with perinatally acquired HIV worldwide, a CIPHER cohort collaboration analysis. Journal of the International AIDS Society, 2022, 25, e25871.	1.2	8
3	Surveillance of ARV safety in pregnancy and breastfeeding: towards a new framework. Journal of the International AIDS Society, 2022, 25, .	1.2	8
4	How do we improve adolescent diet and physical activity in India and sub-Saharan Africa? Findings from the Transforming Adolescent Lives through Nutrition (TALENT) consortium. Public Health Nutrition, 2021, 24, 5309-5317.	1.1	4
5	Human papilloma viruses infection among adolescent females perinatally infected with HIV in Côte d'lvoire. Sexually Transmitted Infections, 2021, 97, 238-243.	0.8	2
6	24-Month Clinical, Immuno-Virological Outcomes, and HIV Status Disclosure in Adolescents Living With Perinatally-Acquired HIV in the IeDEA-COHADO Cohort in Togo and Côte d'Ivoire, 2015–2017. Frontiers in Pediatrics, 2021, 9, 582883.	0.9	4
7	Age-specific mortality rate ratios in adolescents and youth aged 10–24 years living with perinatally versus nonperinatally acquired HIV. Aids, 2021, 35, 625-632.	1.0	5
8	High nevirapine levels in breast milk and consequences in HIV-infected child when initiated on antiretroviral therapy. Aids, 2021, 35, 2409-2410.	1.0	1
9	Comparison of three galenic forms of lamivudine in young West African children living with Human Immunodeficiency Virus. Antiviral Therapy, 2021, 26, 135965352110582.	0.6	O
10	Assessment of dietary diversity and nutritional support for children living with HIV in the IeDEA pediatric West African cohort: a non-comparative, feasibility study. BMC Nutrition, 2021, 7, 83.	0.6	1
11	Timeâ€varying age―and CD4â€stratified rates of mortality and WHO stage 3 and stage 4 events in children, adolescents and youth 0 to 24 years living with perinatally acquired HIV, before and after antiretroviral therapy initiation in the paediatric leDEA Global Cohort Consortium. Journal of the International AIDS Society, 2020, 23, e25617.	1.2	8
12	Adolescent nutrition and physical activity in low-income suburbs of Abidjan, Côte d'lvoire: the gap between knowledge, aspirations and possibilities. Public Health Nutrition, 2020, 24, 1-11.	1.1	3
13	A scoping review of literature describing the nutritional status and diets of adolescents in CÃ′te d'lvoire. Public Health Nutrition, 2020, 24, 1-16.	1.1	O
14	Association between depressive symptoms and adherence among adolescents living with HIV in the Republic of Congo. Medicine (United States), 2020, 99, e21606.	0.4	11
15	Prevalence and factors associated with severe depressive symptoms in older west African people living with HIV. BMC Psychiatry, 2020, 20, 442.	1.1	9
16	Weight-for-age distributions among children with HIV on antiretroviral therapy in the International epidemiology Databases to Evaluate AIDS (IeDEA) multiregional consortium. BMC Research Notes, 2020, 13, 249.	0.6	3
17	Outcomes of secondâ€line antiretroviral therapy among children living with HIV: a global cohort analysis. Journal of the International AIDS Society, 2020, 23, e25477.	1.2	5
18	Implementation of "Treatâ€all―at adult <scp>HIV</scp> care and treatment sites in the Global le <scp>DEA</scp> Consortium: results from the Site Assessment Survey. Journal of the International AIDS Society, 2019, 22, e25331.	1.2	32

#	Article	IF	CITATIONS
19	Using longitudinal targeted maximum likelihood estimation in complex settings with dynamic interventions. Statistics in Medicine, 2019, 38, 4888-4911.	0.8	19
20	Cost-Effectiveness of Preemptive Switching to Efavirenz-Based Antiretroviral Therapy for Children With Human Immunodeficiency Virus. Open Forum Infectious Diseases, 2019, 6, ofz276.	0.4	2
21	Stunting and growth velocity of adolescents with perinatally acquired HIV: differential evolution for males and females. A multiregional analysis from the IeDEA global paediatric collaboration. Journal of the International AIDS Society, 2019, 22, e25412.	1.2	21
22	Diagnosis and clinical outcomes of extrapulmonary tuberculosis in antiretroviral therapy programmes in low―and middle―ncome countries: a multicohort study. Journal of the International AIDS Society, 2019, 22, e25392.	1.2	24
23	Research priorities to inform "Treat All―policy implementation for people living with <scp>HIV</scp> in subâ€Saharan Africa: a consensus statement from the International epidemiology Databases to Evaluate <scp>AIDS</scp> (le <scp>DEA</scp>). Journal of the International AIDS Society, 2019, 22, e25218.	1.2	32
24	Effect of in utero exposure to HIV and antiretroviral drugs on growth in HIV-exposed uninfected children: a systematic review and meta-analysis protocol. BMJ Open, 2019, 9, e023937.	0.8	6
25	Growth in the first 5Âyears after antiretroviral therapy initiation among HIVâ€infected children in the leDEA West African Pediatric Cohort. Tropical Medicine and International Health, 2019, 24, 775-785.	1.0	12
26	Incidence of switching to second-line antiretroviral therapy and associated factors in children with HIV: an international cohort collaboration. Lancet HIV,the, 2019, 6, e105-e115.	2.1	22
27	P109 Prevalence and factors associated with any depressive symptom among HIV-infected adolescents in the republic of congo. , 2019, , .		0
28	Temporal Trends in Co-trimoxazole Use Among Children on Antiretroviral Therapy and the Impact of Co-trimoxazole on Mortality Rates in Children Without Severe Immunodeficiency. Journal of the Pediatric Infectious Diseases Society, 2019, 8, 450-460.	0.6	3
29	The challenges of timely and safe HIV disclosure among perinatally HIV-infected adolescents in sub-Saharan Africa. Current Opinion in HIV and AIDS, 2018, 13, 220-229.	1.5	22
30	Time to First-Line ART Failure and Time to Second-Line ART Switch in the leDEA Pediatric Cohort. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 221-230.	0.9	20
31	Optimal breastfeeding durations for HIVâ€exposed infants: the impact of maternal <scp>ART</scp> use, infant mortality and replacement feeding risk. Journal of the International AIDS Society, 2018, 21, e25107.	1.2	10
32	Inequality in outcomes for adolescents living with perinatally acquired ⟨scp⟩HIV⟨ scp⟩ in subâ€Saharan Africa: a Collaborative Initiative for Paediatric ⟨scp⟩HIV⟨ scp⟩ Education and Research (⟨scp⟩CIPHER⟨ scp⟩) Cohort Collaboration analysis. Journal of the International AIDS Society, 2018, 21, e25044.	1.2	24
33	Malnutrition, Growth Response and Metabolic Changes Within the First 24 Months After ART Initiation in HIV-infected Children Treated Before the Age of 2 Years in West Africa. Pediatric Infectious Disease Journal, 2018, 37, 781-787.	1.1	10
34	Contribution of Maternal Antiretroviral Therapy and Breastfeeding to 24-Month Survival in Human Immunodeficiency Virus-Exposed Uninfected Children: An Individual Pooled Analysis of African and Asian Studies. Clinical Infectious Diseases, 2018, 66, 1668-1677.	2.9	28
35	Using Observational Data to Inform HIV Policy Change for Children and Youth. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, S22-S26.	0.9	7
36	Diagnostic accuracy in field conditions of the sickle SCAN® rapid test for sickle cell disease among children and adults in two West African settings: the DREPATEST study. BMC Hematology, 2018, 18, 26.	2.6	25

#	Article	IF	CITATIONS
37	leDEA–WHO Research-Policy Collaboration: contributing real-world evidence to HIV progress reporting and guideline development. Journal of Virus Eradication, 2018, 4, 9-15.	0.3	16
38	Traversing the cascade: urgent research priorities for implementing the †treat all†the strategy for children and adolescents living with HIV in sub-Saharan Africa. Journal of Virus Eradication, 2018, 4, 40-46.	0.3	44
39	Global temporal changes in the proportion of children with advanced disease at the start of combination antiretroviral therapy in an era of changing criteria for treatment initiation. Journal of the International AIDS Society, 2018, 21, e25200.	1.2	6
40	Mortality and losses to followâ€up among adolescents living with HIV in the Ie DEA global cohort collaboration. Journal of the International AIDS Society, 2018, 21, e25215.	1.2	56
41	Models of support for disclosure of <scp>HIV</scp> status to <scp>HIV</scp> â€infected children and adolescents in resourceâ€imited settings. Journal of the International AIDS Society, 2018, 21, e25157.	1.2	11
42	Surviving and Thrivingâ€"Shifting the Public Health Response to HIV-Exposed Uninfected Children: Report of the 3rd HIV-Exposed Uninfected Child Workshop. Frontiers in Pediatrics, 2018, 6, 157.	0.9	26
43	Access to antiretroviral therapy in HIV-infected children aged 0–19 years in the International Epidemiology Databases to Evaluate AIDS (IeDEA) Global Cohort Consortium, 2004–2015: A prospective cohort study. PLoS Medicine, 2018, 15, e1002565.	3.9	33
44	The epidemiology of adolescents living with perinatally acquired HIV: A cross-region global cohort analysis. PLoS Medicine, 2018, 15, e1002514.	3.9	98
45	Traversing the cascade: urgent research priorities for implementing the 'treat all' strategy for children and adolescents living with HIV in sub-Saharan Africa. Journal of Virus Eradication, 2018, 4, 40-46.	0.3	27
46	leDEA-WHO Research-Policy Collaboration: contributing real-world evidence to HIV progress reporting and guideline development. Journal of Virus Eradication, 2018, 4, 9-15.	0.3	15
47	Optimal timing of antiretroviral treatment initiation in HIV-positive children and adolescents: a multiregional analysis from Southern Africa, West Africa and Europe. International Journal of Epidemiology, 2017, 46, dyw097.	0.9	30
48	Pharmacokinetics of Efavirenz at a High Dose of 25 Milligrams per Kilogram per Day in Children 2 to 3 Years Old. Antimicrobial Agents and Chemotherapy, 2017, 61 , .	1.4	3
49	Brief Report: Pediatric Cancer Burden and Treatment Resources Within the Pediatric leDEA Consortium. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, 60-64.	0.9	3
50	Evaluation of a Nutritional Support Intervention in Malnourished HIV-Infected Children in Bamako, Mali. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, 149-157.	0.9	14
51	Challenges and perspectives of compliance with pediatric antiretroviral therapy in Sub-Saharan Africa. Médecine Et Maladies Infectieuses, 2017, 47, 511-518.	5.1	2
52	Has the phasing out of stavudine in accordance with changes in WHO guidelines led to a decrease in single-drug substitutions in first-line antiretroviral therapy for HIV in sub-Saharan Africa?. Aids, 2017, 31, 147-157.	1.0	12
53	Suboptimal cotrimoxazole prophylactic concentrations in HIVâ€infected children according to the WHO guidelines. British Journal of Clinical Pharmacology, 2017, 83, 2729-2740.	1.1	4
54	Efavirenz-based simplification after successful early lopinavir-boosted-ritonavir-based therapy in HIV-infected children in Burkina Faso and Côte d'lvoire: the MONOD ANRS 12206 non-inferiority randomised trial. BMC Medicine, 2017, 15, 85.	2.3	9

#	Article	IF	Citations
55	Transition from paediatric to adult care of adolescents living with HIV in subâ€Saharan Africa: challenges, youthâ€friendly models, and outcomes. Journal of the International AIDS Society, 2017, 20, 21528.	1.2	100
56	Virological response and resistances over 12 months among HIVâ€infected children less than two years receiving firstâ€ine lopinavir/ritonavirâ€based antiretroviral therapy in Cote d'lvoire and Burkina Faso: the MONOD ANRS 12206 cohort. Journal of the International AIDS Society, 2017, 20, 21362.	1.2	12
57	Taking a critical look at the UNAIDS global estimates on paediatric and adolescent HIV survival and death. Journal of the International AIDS Society, 2017, 20, 21952.	1.2	12
58	The value of confirmatory testing in early infant HIV diagnosis programmes in South Africa: A cost-effectiveness analysis. PLoS Medicine, 2017, 14, e1002446.	3.9	30
59	Missed opportunities of inclusion in a cohort of HIVâ€infected children to initiate antiretroviral treatment before the age of two in West Africa, 2011 to 2013. Journal of the International AIDS Society, 2016, 19, 20601.	1.2	17
60	Immunologic response in treatmentâ€naÃ⁻ve HIVâ€2â€infected patients: the IeDEA West Africa cohort. Journal of the International AIDS Society, 2016, 19, 20044.	1.2	13
61	Pregnancy incidence and associated factors among HIV-infected female adolescents in HIV care in urban Cà te d'Ivoire, 2009–2013. Global Health Action, 2016, 9, 31622.	0.7	8
62	Kaposi Sarcoma Risk in HIV-Infected Children and Adolescents on Combination Antiretroviral Therapy From Sub-Saharan Africa, Europe, and Asia. Clinical Infectious Diseases, 2016, 63, ciw519.	2.9	20
63	Clinical Impact and Cost-effectiveness of Diagnosing HIV Infection During Early Infancy in South Africa: Test Timing and Frequency. Journal of Infectious Diseases, 2016, 214, 1319-1328.	1.9	52
64	Health and survival of HIV perinatally exposed but uninfected children born to HIV-infected mothers. Current Opinion in HIV and AIDS, 2016, 11, 465-476.	1.5	40
65	Prevention and care of paediatric HIV infection in Ouagadougou, Burkina Faso: knowledge, attitudes and practices of the caregivers. BMC Pediatrics, 2016, 16, 33.	0.7	5
66	Adverse events associated with abacavir use in HIV-infected children and adolescents: a systematic review and meta-analysis. Lancet HIV,the, 2016, 3, e64-e75.	2.1	20
67	Herpes simplex virus type 2 (HSV-2) genital shedding in HSV-2-/HIV-1-co-infected women receiving effective combination antiretroviral therapy. International Journal of STD and AIDS, 2016, 27, 178-185.	0.5	6
68	Costs of Care of HIV-Infected Children Initiating Lopinavir/Ritonavir-Based Antiretroviral Therapy before the Age of Two in Cote d'Ivoire. PLoS ONE, 2016, 11, e0166466.	1.1	4
69	Growth and Mortality Outcomes for Different Antiretroviral Therapy Initiation Criteria in Children aged 1-5 Years. Epidemiology, 2015, 27, 1.	1.2	19
70	Estimating mother-to-child HIV transmission rates in Cameroon in 2011: a computer simulation approach. BMC Infectious Diseases, 2015, 16, 11.	1.3	11
71	Effect of Age at Antiretroviral Therapy Initiation on Catch-up Growth Within the First 24 Months Among HIV-infected Children in the IeDEA West African Pediatric Cohort. Pediatric Infectious Disease Journal, 2015, 34, e159-e168.	1.1	38
72	Determinants of durability of first-line antiretroviral therapy regimen and time from first-line failure to second-line antiretroviral therapy initiation. Aids, 2015, 29, 1527-1536.	1.0	19

#	Article	IF	CITATIONS
73	Authors' Reply. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, e71-e72.	0.9	О
74	Mortality in migrants living with HIV in western Europe (1997–2013): a collaborative cohort study. Lancet HIV,the, 2015, 2, e540-e549.	2.1	19
75	Monitoring and switching of first-line antiretroviral therapy in adult treatment cohorts in sub-Saharan Africa: collaborative analysis. Lancet HIV,the, 2015, 2, e271-e278.	2.1	98
76	Age-specific and sex-specific weight gain norms to monitor antiretroviral therapy in children in low-income and middle-income countries. Aids, 2015, 29, 101-109.	1.0	8
77	Immunodeficiency in Children Starting Antiretroviral Therapy in Low-, Middle-, and High-Income Countries. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 68, 62-72.	0.9	49
78	Challenges of malnutrition care among HIV-infected children on antiretroviral treatment in Africa. Médecine Et Maladies Infectieuses, 2015, 45, 149-156.	5.1	35
79	Effect of cotrimoxazole prophylaxis on the incidence of malaria in HIV-infected children in 2012, in Abidjan, CÃ'te d'lvoire: a prospective cohort study. BMC Infectious Diseases, 2015, 15, 317.	1.3	5
80	Prevalence of malnutrition among HIV-infected children in Central and West-African HIV-care programmes supported by the Growing Up Programme in 2011: a cross-sectional study. BMC Infectious Diseases, 2015, 15, 216.	1.3	47
81	Tuberculosis in Pediatric Antiretroviral Therapy Programs in Low- and Middle-Income Countries: Diagnosis and Screening Practices. Journal of the Pediatric Infectious Diseases Society, 2015, 4, 30-38.	0.6	14
82	Late presentation for HIV care across Europe: update from the Collaboration of Observational HIV Epidemiological Research Europe (COHERE) study, 2010 to 2013. Eurosurveillance, 2015, 20, .	3.9	70
83	Risk Factors for Cervical Intraepithelial Neoplasia in HIV-Infected Women on Antiretroviral Treatment in CÃte d'Ivoire, West Africa. PLoS ONE, 2014, 9, e90625.	1.1	11
84	Missed Opportunities for Early Access to Care of HIV-Infected Infants in Burkina Faso. PLoS ONE, 2014, 9, e111240.	1.1	17
85	Reasons for hospitalization in HIVâ€infected children in West Africa. Journal of the International AIDS Society, 2014, 17, 18818.	1.2	12
86	Characteristics and comprehensiveness of adult HIV care and treatment programmes in Asiaâ€Pacific, subâ€Saharan Africa and the Americas: results of a site assessment conducted by the International epidemiologic Databases to Evaluate AIDS (leDEA) Collaboration. Journal of the International AIDS Society, 2014, 17, 19045.	1.2	45
87	Disease patterns and causes of death of hospitalized HIVâ€positive adults in West Africa: a multicountry survey in the antiretroviral treatment era. Journal of the International AIDS Society, 2014, 17, 18797.	1.2	50
88	Antiretroviral treatment response of HIVâ€infected children after prevention of motherâ€toâ€child transmission in West Africa. Journal of the International AIDS Society, 2014, 17, 18737.	1.2	2
89	Detection and management of drug-resistant tuberculosis in HIV-infected patients in lower-income countries. International Journal of Tuberculosis and Lung Disease, 2014, 18, 1327-1336.	0.6	11
90	Individualizing the WHO HIV and infant feeding guidelines. Aids, 2014, 28, S287-S299.	1.0	7

#	Article	IF	CITATIONS
91	Incidence of Pregnancy After Antiretroviral Therapy Initiation and Associated Factors in 8 West African Countries. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, e45-e54.	0.9	13
92	Association between age at antiretroviral therapy initiation and 24-month immune response in West-African HIV-infected children. Aids, 2014, 28, 1645-1655.	1.0	13
93	Intimate partner sexual and physical violence among women in Togo, West Africa: Prevalence, associated factors, and the specific role of HIV infection. Global Health Action, 2014, 7, 23456.	0.7	39
94	Morbidity and Health care Resource Utilization in HIV-Infected Children After Antiretroviral Therapy Initiation in Côte d'Ivoire, 2004–2009. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, e95-e103.	0.9	4
95	Is early detection of abused children possible?: a systematic review of the diagnostic accuracy of the identification of abused children. BMC Pediatrics, 2013, 13, 202.	0.7	63
96	Evaluation of dried blood spot diagnosis using HIV1-DNA and HIV1-RNA Biocentric assays in infants in Abidjan, Cà te d'Ivoire. The Pedi-Test DBS ANRS 12183 Study. Journal of Virological Methods, 2013, 193, 439-445.	1.0	11
97	Pulmonary outcome and its correlates in school-aged children born with a gestational ageÂâ‰Â32 weeks. Respiratory Medicine, 2013, 107, 1966-1976.	1.3	24
98	Health Care Resource Utilization in Untreated HIV-Infected Children in A Pediatric Programme, Abidjan, CÃ'te d'Ivoire, 2004–2009. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, e14-e21.	0.9	3
99	A survey of paediatric HIV programmatic and clinical management practices in Asia and subâ€6aharan Africa—the International epidemiologic Databases to Evaluate AIDS (leDEA). Journal of the International AIDS Society, 2013, 16, 17998.	1.2	37
100	Outcomes of Antiretroviral Therapy in Children in Asia and Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, 208-219.	0.9	81
101	Morbidity After Antiretroviral Therapy Initiation in HIV-1–Infected Children in West Africa. Pediatric Infectious Disease Journal, 2013, 32, 354-360.	1.1	8
102	Anaemia and zidovudineâ€containing antiretroviral therapy in paediatric antiretroviral programmes in the IeDEA Paediatric West African Database to evaluate AIDS. Journal of the International AIDS Society, 2013, 16, 18024.	1.2	19
103	Notification of HIV status disclosure and its related factors in HIVâ€infected adolescents in 2009 in the Aconda program (CePReF, CHU Yopougon) in Abidjan, Côte d'Ivoire, The PRADO I Study. Journal of the International AIDS Society, 2013, 16, 18569.	1.2	15
104	Universal HIV Screening at Postnatal Points of Care: Which Public Health Approach for Early Infant Diagnosis in CÃte d'Ivoire?. PLoS ONE, 2013, 8, e67996.	1.1	18
105	Characteristics of HIV-2 and HIV-1/HIV-2 Dually Seropositive Adults in West Africa Presenting for Care and Antiretroviral Therapy: The leDEA-West Africa HIV-2 Cohort Study. PLoS ONE, 2013, 8, e66135.	1.1	32
106	Validation and Calibration of a Computer Simulation Model of Pediatric HIV Infection. PLoS ONE, 2013, 8, e83389.	1.1	29
107	Altered Vaginal Microbiota Are Associated With Perinatal Mother-to-Child Transmission of HIV in African Women From Burkina Faso. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 299-306.	0.9	42
108	Effect of age on immunological response in the first year of antiretroviral therapy in HIV-1-infected adults in West Africa. Aids, 2012, 26, 951-957.	1.0	36

#	Article	lF	CITATIONS
109	When should therapy begin for children infected with HIV?. Lancet Infectious Diseases, The, 2012, 12, 900-902.	4.6	2
110	Cranial ultrasonography and transfontanellar Doppler in premature neonates (24–32 weeks of) Tj ETQq0 0 0 hospital discharge in the Aquitaine cohort, 2003–2005. European Journal of Radiology, 2012, 81, 2396-2402.	rgBT /Ovei 1.2	lock 10 Tf 50 5
111	Children Who Acquire HIV Infection Perinatally Are at Higher Risk of Early Death than Those Acquiring Infection through Breastmilk: A Meta-Analysis. PLoS ONE, 2012, 7, e28510.	1.1	98
112	HIV Status Disclosure and Retention in Care in HIV-Infected Adolescents on Antiretroviral Therapy (ART) in West Africa. PLoS ONE, 2012, 7, e33690.	1.1	94
113	Influencing Factors Of Pulmonary Outcome For School Aged Children Prematurely Born Before 32 Weeks Of Gestation., 2011,,.		O
114	Pregnancy Outcomes in Women Exposed to Efavirenz and Nevirapine: An Appraisal of the leDEA West Africa and ANRS Databases, Abidjan, CÃ te d'Ivoire. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 56, 183-187.	0.9	79
115	Residual HIV-1 RNA and HIV-1 Dna Production in the Genital Tract Reservoir of Women Treated with Haart: The Prospective Anrs Ep24 Gynodyn Study. Antiviral Therapy, 2011, 16, 843-852.	0.6	36
116	Severe morbidity and mortality in untreated HIV-infected children in a paediatric care programme in Abidjan, CÃ te d'Ivoire, 2004-2009. BMC Infectious Diseases, 2011, 11, 182.	1.3	34
117	12-month mortality and loss-to-program in antiretroviral-treated children: The IeDEA pediatric West African Database to evaluate AIDS (pWADA), 2000-2008. BMC Public Health, 2011, 11, 519.	1.2	52
118	Early infant HIV-1 diagnosis programs in resource-limited settings: opportunities for improved outcomes and more cost-effective interventions. BMC Medicine, 2011, 9, 59.	2.3	158
119	Net survival of perinatally and postnatally HIV-infected children: a pooled analysis of individual data from sub-Saharan Africa. International Journal of Epidemiology, 2011, 40, 385-396.	0.9	135
120	Attitudes and Practices of Health Care Workers Toward Routine HIV Testing of Infants in Côte d'Ivoire: The PEDI-TEST ANRS 12165 Project. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, S16-S21.	0.9	12
121	Immunological response to highly active antiretroviral therapy following treatment for prevention of mother to child transmission of HIVâ€1: a study in Cà te d'Ivoire. Journal of the International AIDS Society, 2010, 13, 28-28.	1.2	3
122	Low retention of HIVâ€infected patients on antiretroviral therapy in 11 clinical centres in West Africa. Tropical Medicine and International Health, 2010, 15, 34-42.	1.0	80
123	Scaling up antiretroviral therapy for HIV-infected children in Côte d'lvoire: determinants of survival and loss to programme. Bulletin of the World Health Organization, 2010, 88, 490-499.	1.5	65
124	Duration, Pattern of Breastfeeding and Postnatal Transmission of HIV: Pooled Analysis of Individual Data from West and South African Cohorts. PLoS ONE, 2009, 4, e7397.	1.1	61
125	Universal Antiretroviral Therapy for Pregnant and Breastâ€Feeding HIVâ€1–Infected Women: Towards the Elimination of Motherâ€toâ€Child Transmission of HIVâ€1 in Resourceâ€Limited Settings. Clinical Infectious Diseases, 2009, 49, 1936-1945.	2.9	80
126	Tolerance and viral resistance after single-dose nevirapine with tenofovir and emtricitabine to prevent vertical transmission of HIV-1. Aids, 2009, 23, 825-833.	1.0	29

#	Article	IF	CITATIONS
127	From prenatal HIV testing of the mother to prevention of sexual HIV transmission within the couple. Social Science and Medicine, 2009, 69, 892-899.	1.8	46
128	Couples, PMTCT programs and infant feeding decision-making in Ivory Coast. Social Science and Medicine, 2009, 69, 830-837.	1.8	33
129	Beneficial Effects of Offering Prenatal HIV Counselling and Testing on Developing a HIV Preventive Attitude among Couples. Abidjan, 2002–2005. AIDS and Behavior, 2009, 13, 348-355.	1.4	44
130	Implementing familyâ€focused HIV care and treatment: the first 2â€∫years' experience of the motherâ€toâ€ch transmission â€plus program in Abidjan, Côte d'Ivoire. Tropical Medicine and International Health, 2009, 14, 204-212.	hild 1.0	66
131	Pediatric adherence to antiretroviral therapy in resource-poor settings: challenges and future perspectives. HIV Therapy, 2009, 3, 213-219.	0.6	1
132	Breastfeeding with maternal antiretroviral therapy or formula feeding to prevent HIV postnatal mother-to-child transmission in Rwanda. Aids, 2009, 23, 2415-2423.	1.0	102
133	18-month occurrence of severe events among early diagnosed HIV-infected children before antiretroviral therapy in Abidjan, Côte d'Ivoire: A cohort study. BMC Public Health, 2008, 8, 169.	1.2	10
134	Early mixed feeding and breastfeeding beyond 6 months increase the risk of postnatal HIV transmission: ANRS 1201/1202 Ditrame Plus, Abidjan, CÃ te d'Ivoire. Preventive Medicine, 2008, 47, 27-33.	1.6	59
135	Effectiveness of health education on Toxoplasma-related knowledge, behaviour, and risk of seroconversion in pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 136, 137-145.	0.5	62
136	Maternal 12-Month Response to Antiretroviral Therapy following Prevention of Mother-to-Child Transmission of HIV Type 1, Ivory Coast, 2003-2006. Clinical Infectious Diseases, 2008, 46, 611-621.	2.9	43
137	Low Risk of Death, but Substantial Program Attrition, in Pediatric HIV Treatment Cohorts in Sub-Saharan Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 49, 523-531.	0.9	106
138	Sexual prevention of HIV within the couple after prenatal HIV-testing in West Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2008, 20, 413-418.	0.6	10
139	Cohort Profile: The Paediatric Antiretroviral Treatment Programmes in Lower-Income Countries (KIDS-ART-LINC) Collaboration. International Journal of Epidemiology, 2008, 37, 474-480.	0.9	30
140	Children and HIV/AIDS: from research to policy and action in resource-limited settings. Aids, 2008, 22, 797-805.	1.0	41
141	Antiretroviral therapy in pregnant women with advanced HIV disease and pregnancy outcomes in Abidjan, CÃ te d'Ivoire. Aids, 2008, 22, 1815-1820.	1.0	110
142	18-Month Effectiveness of Short-Course Antiretroviral Regimens Combined with Alternatives to Breastfeeding to Prevent HIV Mother-to-Child Transmission. PLoS ONE, 2008, 3, e1645.	1.1	36
143	Variation of CD4 Count and Percentage during Pregnancy and after Delivery: Implications for HAART Initiation in Resource-Limited Settings. AIDS Research and Human Retroviruses, 2007, 23, 1469-1474.	0.5	37
144	Two-Year Morbidity–Mortality and Alternatives to Prolonged Breast-Feeding among Children Born to HIV-Infected Mothers in CÃte d'Ivoire. PLoS Medicine, 2007, 4, e17.	3.9	89

#	Article	IF	CITATIONS
145	Acceptability of Formula-Feeding to Prevent HIV Postnatal Transmission, Abidjan, Côte d'Ivoire. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 77-86.	0.9	30
146	Prevalence of resistance to nevirapine in mothers and children after single-dose exposure to prevent vertical transmission of HIV-1: a meta-analysisâ€. International Journal of Epidemiology, 2007, 36, 1009-1021.	0.9	207
147	Impact of Nevirapine (NVP) Plasma Concentration on Selection of Resistant Virus in Mothers Who Received Single-Dose NVP To Prevent Perinatal Human Immunodeficiency Virus Type 1 Transmission and Persistence of Resistant Virus in Their Infected Children. Antimicrobial Agents and Chemotherapy, 2007. 51. 896-901.	1.4	34
148	Transmission Rates in Consecutive Pregnancies Exposed to Single-Dose Nevirapine in Soweto, South Africa and Abidjan, CÃ te d'Ivoire. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 45, 206-209.	0.9	29
149	Antiretroviral Treatment and Prevention of Peripartum and Postnatal HIV Transmission in West Africa: Evaluation of a Two-Tiered Approach. PLoS Medicine, 2007, 4, e257.	3.9	118
150	When Do HIV-Infected Women Disclose Their HIV Status to Their Male Partner and Why? A Study in a PMTCT Programme, Abidjan. PLoS Medicine, 2007, 4, e342.	3.9	88
151	Estimating incidence of HIV infection in childbearing age African women using serial prevalence data from antenatal clinics. Statistics in Medicine, 2007, 26, 320-335.	0.8	18
152	Prenatal screening and diagnosis of congenital toxoplasmosis: a review of safety issues and psychological consequences for women who undergo screening. Prenatal Diagnosis, 2007, 27, 395-403.	1.1	26
153	Biases in observational studies of the effect of prenatal treatment for congenital toxoplasmosis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 124, 3-9.	0.5	26
154	CD4 Percentages and Total Lymphocyte Counts as Early Surrogate Markers for Pediatric HIV-1 Infection in Resource-Limited Settings. Journal of Tropical Pediatrics, 2006, 52, 346-354.	0.7	14
155	Complementary Feeding Adequacy in Relation to Nutritional Status Among Early Weaned Breastfed Children Who Are Born to HIV-Infected Mothers: ANRS 1201/1202 Ditrame Plus, Abidjan, Cote d'Ivoire. Pediatrics, 2006, 117, e701-e710.	1.0	49
156	Decrease of human immunodeficiency virus prevalence in antenatal clinics in Abidjan, Cà te d'Ivoire, 1995–2002. International Journal of STD and AIDS, 2006, 17, 57-60.	0.5	16
157	Serum Lactate Levels in Infants Exposed Peripartum to Antiretroviral Agents to Prevent Mother-to-Child Transmission of HIV: Agence Nationale de Recherches Sur le SIDA et les Hepatites Virales 1209 Study, Abidjan, Ivory Coast. Pediatrics, 2006, 118, e1071-e1077.	1.0	29
158	Low Risk of Nevirapine Resistance Mutations in the Prevention of Motherâ€toâ€Child Transmission of HIVâ€1: Agence Nationale de Recherches sur le SIDA Ditrame Plus, Abidjan, Cà te d'Ivoire. Journal of Infectious Diseases, 2006, 193, 482-487.	1.9	68
159	Acceptability of Exclusive Breast-Feeding With Early Cessation to Prevent HIV Transmission Through Breast Milk, ANRS 1201/1202 Ditrame Plus, Abidjan, CÃ'te d'Ivoire. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 40, 600-608.	0.9	40
160	Knowledge, Attitudes, and Beliefs of Health Care Workers Regarding Alternatives to Prolonged Breast-Feeding (ANRS 1201/1202, Ditrame Plus, Abidjan, CÃ te d'Ivoire). Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 40, 102-105.	0.9	11
161	HIV and infant feeding: a complex issue in resource-limited settings. Aids, 2005, 19, 1717-1718.	1.0	1
162	Transfer and Evaluation of an Automated, Low-Cost Real-Time Reverse Transcription-PCR Test for Diagnosis and Monitoring of Human Immunodeficiency Virus Type 1 Infection in a West African Resource-Limited Setting. Journal of Clinical Microbiology, 2005, 43, 2709-2717.	1.8	221

#	Article	IF	CITATIONS
163	Is there a difference in the efficacy of peripartum antiretroviral regimens in reducing mother-to-child transmission of HIV in Africa?. Aids, 2005, 19, 1865-1875.	1.0	72
164	Infant Feeding Practices Before Implementing Alternatives to Prolonged Breastfeeding to Reduce HIV Transmission Through Breastmilk in Abidjan, CÃ te d'Ivoire. Journal of Tropical Pediatrics, 2005, 51, 351-355.	0.7	13
165	Decreasing incidence of pregnancy by decreasing CD4 cell count in HIV-infected women in Côte d'Ivoire: a 7-year cohort study. Aids, 2005, 19, 443-445.	1.0	24
166	Field efficacy of zidovudine, lamivudine and single-dose nevirapine to prevent peripartum HIV transmission. Aids, 2005, 19, 309-18.	1.0	143
167	Field Evaluation of a Rapid Human Immunodeficiency Virus (HIV) Serial Serologic Testing Algorithm for Diagnosis and Differentiation of HIV Type 1 (HIV-1), HIV-2, and Dual HIV-1-HIV-2 Infections in West African Pregnant Women. Journal of Clinical Microbiology, 2004, 42, 4147-4153.	1.8	63
168	Effect of Perinatal Zidovudine Prophylaxis on the Evolution of Cellâ€Free HIVâ€1 RNA in Breast Milk and on Postnatal Transmission. Journal of Infectious Diseases, 2004, 190, 1422-1428.	1.9	42
169	Late Postnatal Transmission of HIVâ€1 in Breastâ€Fed Children: An Individual Patient Data Metaâ€Analysis. Journal of Infectious Diseases, 2004, 189, 2154-2166.	1.9	442
170	Acceptability and uptake of a package to prevent mother-to-child transmission using rapid HIV testing in Abidjan, CÃ te d'Ivoire. Aids, 2004, 18, 697-700.	1.0	46
171	Immune Status and Uptake of Antiretroviral Interventions to Prevent Mother-to-Child Transmission of HIV-1 in Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 36, 755-757.	0.9	6
172	HBV and HCV prevalence and viraemia in HIV-positive and HIV-negative pregnant women in Abidjan, Côte d'Ivoire: The ANRS 1236 study. Journal of Medical Virology, 2004, 74, 34-40.	2.5	117
173	Obtaining informed consent from HIV-infected pregnant women, Abidjan, Côte d'Ivoire. Aids, 2004, 18, 1486-1488.	1.0	15
174	Preventing Postnatal Transmission of HIV-1 Through Breast-feeding: Modifying Infant Feeding Practices. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 35, 188-195.	0.9	74
175	Breastfeeding, atopy, and asthma. Lancet, The, 2003, 361, 174.	6.3	6
176	Estimating the Efficacy of Interventions to Prevent Mother-to-Child Transmission of Human Immunodeficiency Virus in Breastfeeding Populations: Comparing Statistical Methods. American Journal of Epidemiology, 2003, 158, 596-605.	1.6	34
177	Pediatric Viral Human Immunodeficiency Virus Type 1 RNA Levels, Timing of Infection, and Disease Progression in African HIV-1-Infected Children. Pediatrics, 2003, 112, e289-e289.	1.0	65
178	Postnatal transmission of HIV-1 after a maternal short-course zidovudine peripartum regimen in West Africa. Aids, 2003, 17, 1493-1501.	1.0	65
179	Malaria, HIV and pregnancy. Aids, 2003, 17, 275-276.	1.0	14
180	Primary HIV-1 infection in African children infected through breastfeeding. Aids, 2002, 16, 2303-2309.	1.0	15

#	Article	IF	CITATIONS
181	Field acceptability and effectiveness of the routine utilization of zidovudine to reduce mother-to-child transmission of HIV-1 in West Africa. Aids, 2002, 16, 2323-2328.	1.0	43
182	Twenty-four month efficacy of a maternal short-course zidovudine regimen to prevent mother-to-child transmission of HIV-1 in West Africa. Aids, 2002, 16, 631-641.	1.0	143
183	15 Month follow up of African children following vaginal cleansing with benzalkonium chloride of their HIV infected mothers during late pregnancy and delivery. Sexually Transmitted Infections, 2002, 78, 267-270.	0.8	38
184	Hepatitis B and HIV type 1 co-infection in pregnant African women. MÃ \odot decine Et Maladies Infectieuses, 2002, 32, 396-397.	5.1	1
185	Improving child health: the role of research. BMJ: British Medical Journal, 2002, 324, 1444-1447.	2.4	12
186	Short-course antiretroviral treatment may reduce mother-to-child HIV-1 transmission during delivery. Evidence-Based Healthcare and Public Health, 2002, 6, 165-166.	0.0	0
187	HIV infection, malaria, and pregnancy: a prospective cohort study in Kigali, Rwanda American Journal of Tropical Medicine and Hygiene, 2002, 66, 56-60.	0.6	45
188	Maternal plasma viral load, zidovudine and mother-to-child transmission of HIV-1 in Africa: DITRAME ANRS 049a trial. Aids, 2001, 15, 517-522.	1.0	33
189	Vaginal disinfection with benzalkonium chloride and vertical transmission of HIV-1 in West Africa: diatrame ANRS 049b trial. Aids, 2001, 15, S71-S72.	1.0	2
190	18-Month mortality and perinatal exposure to zidovudine in West Africa. Aids, 2001, 15, 771-779.	1.0	64
191	Sexual and Reproductive Life of Women Informed of Their HIV Seropositivity: A Prospective Cohort Study in Burkina Faso. Journal of Acquired Immune Deficiency Syndromes (1999), 2001, 28, 367-372.	0.9	122
192	Estimating the efficacy of interventions to prevent mother-to-child transmission of HIV in breast-feeding populations: development of a consensus methodology. Statistics in Medicine, 2001, 20, 3539-3556.	0.8	63
193	Early diagnosis of paediatric HIV-1 infection among African breast-fed children using a quantitative plasma HIV RNA assay. Aids, 2001, 15, 1849-1856.	1.0	64
194	Sexual and Reproductive Life of Women Informed of Their HIV Seropositivity: A Prospective Cohort Study in Burkina Faso. Journal of Acquired Immune Deficiency Syndromes (1999), 2001, 28, 367-372.	0.9	1
195	Preventing mother-to-child transmission of HIV-1 in Africa in the year 2000. Aids, 2000, 14, 1017-1026.	1.0	42
196	Prevention of mother-to-child transmission of HIV in developing countries: recommendations for practice. Health Policy and Planning, 2000, 15, 34-42.	1.0	39
197	Streptococcus equinus Endocarditis in a Woman With Pulmonary Histiocytosis. JAMA - Journal of the American Medical Association, 2000, 283, 1005.	3.8	4
198	Medical care costs of children born to HIV-infected mothers, in Abidjan, Cà te d'Ivoire 1996–1997. Aids, 2000, 14, 1076.	1.0	3

#	Article	IF	Citations
199	Natural History of Human Immunodefiency Virus Type 1 Infection in Children: A Five-Year Prospective Study in Rwanda. Pediatrics, 1999, 104, e56-e56.	1.0	205
200	Cervical dysplasia and HIV type 1 infection in African pregnant women: a cross sectional study, Kigali, Rwanda. The Pregnancy and HIV Study Group (EGE). Sexually Transmitted Infections, 1999, 75, 103-106.	0.8	24
201	Low birthweight in infants born to African HIV-infected women: relationship with maternal body weight during pregnancy. Journal of Tropical Pediatrics, 1999, 45, 152-157.	0.7	35
202	Safety and acceptability of vaginal disinfection with benzalkonium chloride in HIV infected pregnant women in west Africa: ANRS 049b phase II randomized, double blinded placebo controlled trial. DITRAME Study Group. Sexually Transmitted Infections, 1999, 75, 420-425.	0.8	33
203	6-month efficacy, tolerance, and acceptability of a short regimen of oral zidovudine to reduce vertical transmission of HIV in breastfed children in CÃte d'Ivoire and Burkina Faso: a double-blind placebo-controlled multicentre trial. Lancet, The, 1999, 353, 786-792.	6.3	491
204	15-month efficacy of maternal oral zidovudine to decrease vertical transmission of HIV-1 in breastfed African children. Lancet, The, 1999, 354, 2050-2051.	6.3	52
205	Short-term follow up of cervical squamous intraepithelial lesions associated with HIV and human papillomavirus infections in Africa. International Journal of STD and AIDS, 1999, 10, 363-368.	0.5	21
206	Zidovudine and reduction of vertical transmission of HIV in Africa. ANRS 049 Trial Group American Journal of Public Health, 1999, 89, 947-948.	1.5	5
207	Cervical dysplasia and human immunodeficiency virus infection in women: prevalence and associated factors. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1998, 81, 69-76.	0.5	19
208	Late postnatal mother-to-child transmission of HIV-1. Lancet, The, 1998, 352, 1630.	6.3	1
209	Late postnatal mother-to-child transmission of HIV-1. Lancet, The, 1998, 352, 1630.	6.3	3
210	Vitamin A supplementation and HIV-1 mother-to-child transmission in Africa. Lancet, The, 1998, 352, 653-654.	6.3	5
211	International multicentre pooled analysis of late postnatal mother-to-child transmission of HIV-1 infection. Lancet, The, 1998, 352, 597-600.	6.3	238
212	Pregnancy, body weight and human immunodeficiency virus infection in African women: a prospective cohort study in Kigali (Rwanda), 1992- 1994. Pregnancy and HIV Study Group (EGE). International Journal of Epidemiology, 1998, 27, 1072-1077.	0.9	13
213	Lowering blood homocysteine with folic acid based supplements: meta-analysis of randomised trials. BMJ: British Medical Journal, 1998, 316, 894-898.	2.4	904
214	Chorioamnionitis and Pregnancy Outcome in HIV-Infected African Women. Journal of Acquired Immune Deficiency Syndromes, 1998, 18, 293-298.	0.3	34
215	Attitude of pregnant women towards HIV testing in Abidjan, Côte dÊ $^1\!\!/$ Ivoire and Bobo-Dioulasso, Burkina Faso. Aids, 1998, 12, 2337-2344.	1.0	70
216	Effect of Gender, Age, Transmission Category, and Antiretroviral Therapy on the Progression of Human Immunodeficiency Virus Infection Using Multistate Markov Models. Epidemiology, 1998, 9, 605-612.	1.2	47

#	Article	IF	Citations
217	Effect of HIV-1 infection on pregnancy outcome in women in Kigali, Rwanda, 1992–1994. Aids, 1998, 12, 643-650.	1.0	91
218	Etude internationale de la transmission postnatale tardive de l'infection par le VIH-1 : une méta-analyse Medecine/Sciences, 1998, 14, 1446.	0.0	0
219	Evolution of Case Management of Patients With HIV Infection in France, 1995-1996. JAMA - Journal of the American Medical Association, 1998, 279, 276-276.	3.8	O
220	Zidovudine and Breast-Feeding. AIDS Patient Care and STDs, 1997, 11, 4-5.	1.1	5
221	Progression of Human Immunodeficiency Virus Infection in Patients with Tuberculosis Disease: A Cohort Study in Bordeaux, France, 1988-1994. American Journal of Epidemiology, 1997, 145, 293-300.	1.6	50
222	Late postnatal transmission of HIV-1 and early weaning. Lancet, The, 1997, 350, 221.	6.3	8
223	Post-partum blues and mild depressive symptomatology at days three and five after delivery. Journal of Affective Disorders, 1997, 44, 1-4.	2.0	27
224	Health Informatics: Handle with Caution. Methods of Information in Medicine, 1997, 36, 79-81.	0.7	0
225	Safety of Haemophilus influenzae conjugate vaccine in children born to HIV-1 infected mothers: Kigali (Rwanda), 1992–1994. Vaccine, 1996, 14, 177-178.	1.7	2
226	A cohort study of factors associated with failure to return for HIV post-test counselling in pregnant women. Aids, 1996, 10, 69-76.	1.0	44
227	Tuberculosis and HIV infection. Aids, 1995, 9, 577-584.	1.0	21
228	HIV prevalence among pregnant women in Kigali, Rwanda. Lancet, The, 1995, 346, 1488-1489.	6.3	20
229	Seroincidence of HIV-1 infection in African women of reproductive age. Aids, 1994, 8, 983-986.	1.0	56