Joseph Nelson Siewe Fodjo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8877579/publications.pdf

Version: 2024-02-01

90 papers 2,014 citations

218677 26 h-index 315739 38 g-index

94 all docs 94
docs citations

94 times ranked 1730 citing authors

#	Article	IF	CITATIONS
1	Factors Affecting COVID-19 Vaccine Acceptance: An International Survey among Low- and Middle-Income Countries. Vaccines, 2021, 9, 515.	4.4	207
2	COVID-19 Vaccine Acceptance in the Democratic Republic of Congo: A Cross-Sectional Survey. Vaccines, 2021, 9, 153.	4.4	102
3	Onchocerciasis-Associated Epilepsy, an Additional Reason for Strengthening Onchocerciasis Elimination Programs. Trends in Parasitology, 2018, 34, 208-216.	3.3	71
4	Preventive behavior of Vietnamese people in response to the COVID-19 pandemic. PLoS ONE, 2020, 15, e0238830.	2.5	71
5	Onchocerca volvulus and epilepsy: A comprehensive review using the Bradford Hill criteria for causation. PLoS Neglected Tropical Diseases, 2021, 15, e0008965.	3.0	55
6	Factors associated with adherence to COVID-19 prevention measures in the Democratic Republic of the Congo (DRC): results of an online survey. BMJ Open, 2021, 11, e043356.	1.9	53
7	Epidemiology of onchocerciasis-associated epilepsy in the Mbam and Sanaga river valleys of Cameroon: impact of more than 13Âyears of ivermectin. Infectious Diseases of Poverty, 2018, 7, 114.	3.7	52
8	Prevalence and incidence of nodding syndrome and other forms of epilepsy in onchocerciasis-endemic areas in northern Uganda after the implementation of onchocerciasis control measures. Infectious Diseases of Poverty, 2020, 9, 12.	3.7	52
9	Clinical characteristics of onchocerciasis-associated epilepsy in villages in Maridi County, Republic of South Sudan. Seizure: the Journal of the British Epilepsy Association, 2018, 62, 108-115.	2.0	51
10	COVID-19 Vaccine Acceptability and Its Determinants in Mozambique: An Online Survey. Vaccines, 2021, 9, 828.	4.4	51
11	COVID-19 Vaccine Acceptability and Adherence to Preventive Measures in Somalia: Results of an Online Survey. Vaccines, 2021, 9, 543.	4.4	49
12	COVID-19 outbreak in Brazil: adherence to national preventive measures and impact on people's lives, an online survey. BMC Public Health, 2021, 21, 152.	2.9	49
13	Access to healthcare and prevalence of anxiety and depression in persons with epilepsy during the COVID-19 pandemic: A multicountry online survey. Epilepsy and Behavior, 2020, 112, 107350.	1.7	48
14	From river blindness to river epilepsy: Implications for onchocerciasis elimination programmes. PLoS Neglected Tropical Diseases, 2019, 13, e0007407.	3.0	47
15	Onchocerciasis-associated epilepsy in the Democratic Republic of Congo: Clinical description and relationship with microfilarial density. PLoS Neglected Tropical Diseases, 2019, 13, e0007300.	3.0	47
16	Level and Determinants of Adherence to COVID-19 Preventive Measures in the First Stage of the Outbreak in Uganda. International Journal of Environmental Research and Public Health, 2020, 17, 8810.	2.6	44
17	High prevalence of epilepsy in an onchocerciasis endemic health zone in the Democratic Republic of the Congo, despite 14 years of community-directed treatment with ivermectin: A mixed-method assessment. International Journal of Infectious Diseases, 2019, 79, 187-194.	3.3	41
18	Clinical presentations of onchocerciasis-associated epilepsy (OAE) in Cameroon. Epilepsy and Behavior, 2019, 90, 70-78.	1.7	40

#	Article	IF	CITATIONS
19	Impact of the COVID-19 Pandemic on the Medical Follow-up and Psychosocial Well-Being of People Living With HIV: A Cross-Sectional Survey. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 257-262.	2.1	35
20	Burden of onchocerciasis-associated epilepsy: first estimates and research priorities. Infectious Diseases of Poverty, 2018, 7, 101.	3.7	34
21	COVID-19 in Somalia: Adherence to Preventive Measures and Evolution of the Disease Burden. Pathogens, 2020, 9, 735.	2.8	33
22	Changes in epilepsy burden after onchocerciasis elimination in a hyperendemic focus of western Uganda: a comparison of two population-based, cross-sectional studies. Lancet Infectious Diseases, The, 2020, 20, 1315-1323.	9.1	33
23	Violence and discrimination among Ugandan residents during the COVID-19 lockdown. BMC Public Health, 2021, 21, 467.	2.9	33
24	Mass masking as a way to contain COVID-19 and exit lockdown in low- and middle-income countries. Journal of Infection, 2020, 81, e1-e5.	3.3	31
25	The Role of the Maridi Dam in Causing an Onchocerciasis-Associated Epilepsy Epidemic in Maridi, South Sudan: An Epidemiological, Sociological, and Entomological Study. Pathogens, 2020, 9, 315.	2.8	31
26	Onchocerca volvulus is not detected in the cerebrospinal fluid of persons with onchocerciasis-associated epilepsy. International Journal of Infectious Diseases, 2020, 91, 119-123.	3.3	30
27	Persons with onchocerciasisâ€associated epilepsy and nodding seizures have a more severe form of epilepsy with more cognitive impairment and higher levels of <i>Onchocerca volvulus</i> infection. Epileptic Disorders, 2020, 22, 301-308.	1.3	29
28	Stigma and epilepsy in onchocerciasis-endemic regions in Africa: a review and recommendations from the onchocerciasis-associated epilepsy working group. Infectious Diseases of Poverty, 2019, 8, 34.	3.7	28
29	Adherence to COVID-19 Preventive Measures in Mozambique: Two Consecutive Online Surveys. International Journal of Environmental Research and Public Health, 2021, 18, 1091.	2.6	28
30	Impact of 19Âyears of mass drug administration with ivermectin on epilepsy burden in a hyperendemic onchocerciasis area in Cameroon. Parasites and Vectors, 2019, 12, 114.	2.5	22
31	Low prevalence of epilepsy and onchocerciasis after more than 20 years of ivermectin treatment in the Imo River Basin in Nigeria. Infectious Diseases of Poverty, 2019, 8, 8.	3.7	22
32	Adults' Acceptance of COVID-19 Vaccine for Children in Selected Lower- and Middle-Income Countries. Vaccines, 2022, 10, 11.	4.4	22
33	Meta-analysis of epilepsy prevalence in West Africa and its relationship with onchocerciasis endemicity and control. International Health, 2020, 12, 192-202.	2.0	20
34	Ivermectin as an adjuvant to anti-epileptic treatment in persons with onchocerciasis-associated epilepsy: AÂrandomized proof-of-concept clinical trial. PLoS Neglected Tropical Diseases, 2020, 14, e0007966.	3.0	19
35	COVID-19 Preventive Behaviours in Cameroon: A Six-Month Online National Survey. International Journal of Environmental Research and Public Health, 2021, 18, 2554.	2.6	18
36	Community perceptions of epilepsy and its treatment in an onchocerciasis endemic region in Ituri, Democratic Republic of Congo. Infectious Diseases of Poverty, 2018, 7, 115.	3.7	17

#	Article	IF	CITATIONS
37	Comprehensive management of epilepsy in onchocerciasis-endemic areas: lessons learnt from community-based surveys. Infectious Diseases of Poverty, 2019, 8, 11.	3.7	17
38	Evidence for significant COVID-19 community transmission in Somalia using a clinical case definition. International Journal of Infectious Diseases, 2020, 98, 206-207.	3.3	16
39	Single versus Multiple Dose Ivermectin Regimen in Onchocerciasis-Infected Persons with Epilepsy Treated with Phenobarbital: A Randomized Clinical Trial in the Democratic Republic of Congo. Pathogens, 2020, 9, 205.	2.8	16
40	Impact of COVID-19 on the lives and psychosocial well-being of persons with epilepsy during the third trimester of the pandemic: Results from an international, online survey. Epilepsy and Behavior, 2021, 116, 107800.	1.7	16
41	"Slash and Clearâ€, a Community-Based Vector Control Method to Reduce Onchocerciasis Transmission by Simulium sirbanum in Maridi, South Sudan: A Prospective Study. Pathogens, 2021, 10, 1329.	2.8	16
42	Women with epilepsy in sub–Saharan Africa: A review of the reproductive health challenges and perspectives for management. Seizure: the Journal of the British Epilepsy Association, 2019, 71, 312-317.	2.0	15
43	Comparison of Diagnostic Tests for Onchocerca volvulus in the Democratic Republic of Congo. Pathogens, 2020, 9, 435.	2.8	15
44	Follow-Up Survey of the Impact of COVID-19 on People Living with HIV during the Second Semester of the Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 4635.	2.6	15
45	The Interplay Between Neuroinfections, the Immune System and Neurological Disorders: A Focus on Africa. Frontiers in Immunology, 2021, 12, 803475.	4.8	15
46	Adherence to COVID-19 Prevention Measures in the Democratic Republic of the Congo, Results of Two Consecutive Online Surveys. International Journal of Environmental Research and Public Health, 2021, 18, 2525.	2.6	14
47	Impact of COVID-19 on Healthcare Workers in Brazil between August and November 2020: A Cross-Sectional Survey. International Journal of Environmental Research and Public Health, 2021, 18, 6511.	2.6	14
48	Stress and Associated Factors among Frontline Healthcare Workers in the COVID-19 Epicenter of Da Nang City, Vietnam. International Journal of Environmental Research and Public Health, 2021, 18, 7378.	2.6	14
49	Economic Burden of Epilepsy in Rural Ituri, Democratic Republic of Congo. EClinicalMedicine, 2019, 9, 60-66.	7.1	13
50	Well-Being of Healthcare Workers and the General Public during the COVID-19 Pandemic in Vietnam: An Online Survey. International Journal of Environmental Research and Public Health, 2021, 18, 4737.	2.6	13
51	Elimination of onchocerciasis in Africa by 2025: an ambitious target requires ambitious interventions. Infectious Diseases of Poverty, 2019, 8, 83.	3.7	11
52	Intimate Partners Violence against Women during a COVID-19 Lockdown Period: Results of an Online Survey in 7 Provinces of the Democratic Republic of Congo. International Journal of Environmental Research and Public Health, 2021, 18, 5108.	2.6	11
53	Ivermectin Treatment Response in Onchocerca Volvulus Infected Persons with Epilepsy: A Three-Country Short Cohort Study. Pathogens, 2020, 9, 617.	2.8	9
54	Onchocerciasis-associated epilepsy in the Democratic Republic of Congo: Clinical description and relationship with microfilarial density. IBRO Reports, 2019, 6, S506.	0.3	8

#	Article	IF	CITATIONS
55	Low ivermectin use among 5- to 6-year-old children: observations from door-to-door surveys in onchocerciasis-endemic regions in Africa. International Health, 2020, 12, 72-75.	2.0	8
56	Epilepsy-related stigma and cost in two onchocerciasis-endemic areas in South Sudan: A pilot descriptive study. Seizure: the Journal of the British Epilepsy Association, 2020, 81, 151-156.	2.0	8
57	Urinary N-acetyltyramine-O, \hat{l}^2 -glucuronide in Persons with Onchocerciasis-Associated Epilepsy. Pathogens, 2020, 9, 191.	2.8	8
58	First description of Nodding Syndrome in the Central African Republic. PLoS Neglected Tropical Diseases, 2021, 15, e0009430.	3.0	8
59	Using Andersen's model of health care utilization to assess factors associated with COVID-19 testing among adults in nine low-and middle-income countries: an online survey. BMC Health Services Research, 2022, 22, 265.	2.2	8
60	Onchocerciasis-associated epilepsy: another piece in the puzzle from the Mahenge mountains, southern Tanzania. Infectious Diseases of Poverty, 2019, 8, 35.	3.7	7
61	A call for strengthened evidence on targeted, non-pharmaceutical interventions against COVID-19 for the protection of vulnerable individuals in sub-Saharan Africa. International Journal of Infectious Diseases, 2020, 99, 482-484.	3.3	7
62	Focus of Ongoing Onchocerciasis Transmission Close to Bangui, Central African Republic. Pathogens, 2020, 9, 337.	2.8	7
63	Community perceptions and attitudes regarding epilepsy and disease cost after implementation of a community-based epilepsy treatment program in onchocerciasis-endemic communities in the Democratic Republic of Congo. Epilepsy and Behavior, 2021, 116, 107773.	1.7	7
64	A peer support group intervention to decrease epilepsy-related stigma in an onchocerciasis-endemic area in Mahenge, Tanzania: A pilot study. Epilepsy and Behavior, 2021, 124, 108372.	1.7	7
65	Effect of Ivermectin Treatment on the Frequency of Seizures in Persons with Epilepsy Infected with Onchocerca volvulus. Pathogens, 2021, 10, 21.	2.8	7
66	â€~Slash and clear' vector control for onchocerciasis elimination and epilepsy prevention: a protocol of a cluster randomised trial in Cameroonian villages. BMJ Open, 2021, 11, e050341.	1.9	7
67	Epilepsy in the Sanagaâ€Mbam valley, an onchocerciasisâ€endemic region in Cameroon: electroclinical and neuropsychological findings. Epilepsia Open, 2021, 6, 513-527.	2.4	6
68	Association Between Ov16 Seropositivity and Neurocognitive Performance Among Children in Rural Cameroon: a Pilot Study. Journal of Pediatric Neuropsychology, 2021, 7, 192-202.	0.6	6
69	Reducing onchocerciasis-associated morbidity in onchocerciasis-endemic foci with high ongoing transmission: a focus on the children International Journal of Infectious Diseases, 2022, 116, 302-305.	3.3	6
70	Epidemiological evidence concerning the association between onchocerciasis and epilepsy. International Journal of Infectious Diseases, 2019, 82, 77-78.	3.3	5
71	Assessment of adherence to public health measures and their impact on the COVID-19 outbreak in Benin Republic, West Africa. Pan African Medical Journal, 2021, 38, 293.	0.8	5
72	Surveillance for Onchocerciasis-Associated Epilepsy and OV16 IgG4 Testing of Children 6–10 Years Old Should Be Used to Identify Areas Where Onchocerciasis Elimination Programs Need Strengthening. Pathogens, 2022, 11, 281.	2.8	5

#	Article	IF	CITATIONS
73	From nodding syndrome to onchocerciasis-associated epilepsy. Revue Neurologique, 2020, 176, 405-406.	1.5	3
74	Potential Parasitic Causes of Epilepsy in an Onchocerciasis Endemic Area in the Ituri Province, Democratic Republic of Congo. Pathogens, 2021, 10, 359.	2.8	3
75	Serotonin Levels in the Serum of Persons with Onchocerciasis-Associated Epilepsy: A Case-Control Study. Pathogens, 2021, 10, 720.	2.8	3
76	Community perception of epilepsy and its treatment in onchocerciasis-endemic villages of Maridi county, western equatoria state, South Sudan. Epilepsy and Behavior, 2022, 127, 108537.	1.7	3
77	Nodding syndrome research, lessons learned from the NSETHIO project. Global Mental Health (Cambridge, England), 2019, 6, e26.	2.5	2
78	Would ivermectin for malaria control be beneficial in onchocerciasis-endemic regions?. Infectious Diseases of Poverty, 2019, 8, 77.	3.7	2
79	Epilepsy prevention. Lancet, The, 2019, 394, 2072.	13.7	2
80	OV16 Seroprevalence among Persons with Epilepsy in Onchocerciasis Endemic Regions: A Multi-Country Study. Pathogens, 2020, 9, 847.	2.8	2
81	Safety of ivermectin during pregnancy. The Lancet Global Health, 2020, 8, e338.	6.3	2
82	'Slash and clear' vector control for onchocerciasis elimination and epilepsy prevention: a protocol of a cluster randomised trial in Cameroonian villages. BMJ Open, 2021, 11, e050341.	1.9	2
83	Analysis of the RIMDAMAL trial. Lancet, The, 2019, 394, 1006.	13.7	1
84	Definition, Classification, and Burden of Epilepsy. , 0, , .		1
85	Psychosocial Factors Associated With Adherence to COVID-19 Preventive Measures in Low-Middle-Income Countries, December 2020 to February 2021. International Journal of Public Health, 0, 67, .	2.3	1
86	Increased costâ€benefit of strengthening onchocerciasis elimination efforts in areas with high onchocerciasisâ€associated epilepsy. Tropical Medicine and International Health, 2019, 24, 1259-1259.	2.3	0
87	Preventive behavior of Vietnamese people in response to the COVID-19 pandemic., 2020, 15, e0238830.		0
88	Preventive behavior of Vietnamese people in response to the COVID-19 pandemic., 2020, 15, e0238830.		0
89	Preventive behavior of Vietnamese people in response to the COVID-19 pandemic., 2020, 15, e0238830.		0
90	Preventive behavior of Vietnamese people in response to the COVID-19 pandemic., 2020, 15, e0238830.		0