

Alfred Iing Yoong Tok

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8878839/alfred-iing-yoong-tok-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

6,157
citations

35
h-index

74
g-index

178
ext. papers

6,835
ext. citations

6
avg, IF

5.78
L-index

#	Paper	IF	Citations
170	Effect of chromium on erosion-corrosion properties of ZrO ₂ -Al ₂ O ₃ particles reinforced Fe-based composites in artificial seawater slurries. <i>Corrosion Science</i> , 2022 , 198, 110138	6.8	2
169	Enhancing interfacial bonding of oxide ceramic particles/high manganese steel-based composites by NiCr alloy coating. <i>Materials Today Communications</i> , 2022 , 31, 103257	2.5	
168	Fabrication and wear property of NiCo coated ZrO ₂ /Al ₂ O ₃ ceramic particles reinforced high manganese steel-based composites. <i>Wear</i> , 2022 , 492-493, 204235	3.5	1
167	Interfacial characterization and erosive wear performance of zirconia toughened alumina ceramics particles reinforced high chromium white cast irons composites. <i>Tribology International</i> , 2022 , 165, 107262	4.9	7
166	Noble metal alloy thin films by atomic layer deposition and rapid Joule heating.. <i>Scientific Reports</i> , 2022 , 12, 2522	4.9	4
165	Development of Core-Shell Rh@Pt and Rh@Ir Nanoparticle Thin Film Using Atomic Layer Deposition for HER Electrocatalysis Applications. <i>Processes</i> , 2022 , 10, 1008	2.9	2
164	Mechanically Durable Memristor Arrays Based on a Discrete Structure Design. <i>Advanced Materials</i> , 2021 , e2106212	24	5
163	Atomic layer deposition of palladium thin film from palladium (II) hexafluoroacetylacetonate and ozone reactant. <i>Thin Solid Films</i> , 2021 , 738, 138955	2.2	2
162	Development of biaxial stretchable nonwoven paddings using novel polymeric fibers. <i>Polymers for Advanced Technologies</i> , 2021 , 32, 2887-2898	3.2	
161	Blood biomarkers to detect new-onset atrial fibrillation and cardioembolism in ischemic stroke patients. <i>Heart Rhythm</i> , 2021 , 18, 855-861	6.7	2
160	Novel Nd/Mo co-doped SnO ₂ /WO ₃ electrochromic materials (ECs) for enhanced smart window performance. <i>Ceramics International</i> , 2021 , 47, 18433-18442	5.1	6
159	Nd-Nb Co-doped SnO ₂ /WO ₃ Electrochromic Materials: Enhanced Stability and Switching Properties. <i>ACS Omega</i> , 2021 , 6, 26251-26261	3.9	4
158	Point of care testing of sports biomarkers: Potential applications, recent advances and future outlook. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 142, 116327	14.6	6
157	Interfacial characteristics and wear performances of iron matrix composites reinforced with zirconia-toughened alumina ceramic particles. <i>Ceramics International</i> , 2021 , 48, 1293-1293	5.1	5
156	Atomic layer deposition of rhodium and palladium thin film using low-concentration ozone.. <i>RSC Advances</i> , 2021 , 11, 22773-22779	3.7	4
155	Adsorption and Reaction Mechanisms of Direct Palladium Synthesis by ALD Using Pd(hfac) ₂ and Ozone on Si (100) Surface. <i>Processes</i> , 2021 , 9, 2246	2.9	
154	Gold nanoparticle conjugated magnetic beads for extraction and nucleation based signal amplification in lateral flow assaying. <i>Sensors and Actuators B: Chemical</i> , 2020 , 312, 127959	8.5	8

153	Enhanced Colorimetric Signal for Accurate Signal Detection in Paper-Based Biosensors. <i>Diagnostics</i> , 2020 , 10,	3.8	8
152	Functionalized silicon dioxide self-referenced plasmonic chip as point-of-care biosensor for stroke biomarkers NT-proBNP and S100 β <i>Talanta</i> , 2020 , 212, 120792	6.2	19
151	Fabrication and characterization of graphene quantum dots thin film for reducing cross-sectional heat transfer through smart window. <i>Materials Research Bulletin</i> , 2020 , 127, 110861	5.1	5
150	Periodic FTO IOs/CdS NRs/CdSe Clusters with Superior Light Scattering Ability for Improved Photoelectrochemical Performance. <i>Small</i> , 2020 , 16, e1905826	11	11
149	Membrane type comparison and modification to modulate sample flow in paper diagnostics. <i>Biochemical Engineering Journal</i> , 2020 , 155, 107483	4.2	4
148	Blood-Based Biomarkers Are Associated with Different Ischemic Stroke Mechanisms and Enable Rapid Classification between Cardioembolic and Atherosclerosis Etiologies. <i>Diagnostics</i> , 2020 , 10,	3.8	9
147	Electrochromic smart glass coating on functional nano-frameworks for effective building energy conservation. <i>Materials Today Energy</i> , 2020 , 18, 100496	7	13
146	Inorganic Photonic Microspheres with Localized Concentric Ordering for Deep Pattern Encoding and Triple Sensory Microsensor. <i>Small</i> , 2020 , 16, e2003638	11	5
145	B-Type Natriuretic Peptide as a Significant Brain Biomarker for Stroke Triaging Using a Bedside Point-of-Care Monitoring Biosensor. <i>Biosensors</i> , 2020 , 10,	5.9	5
144	Atomic-Layer-Deposited Amorphous MoS ₂ for Durable and Flexible LiO ₂ Batteries. <i>Small Methods</i> , 2020 , 4, 1900274	12.8	34
143	Magnetic field assisted preconcentration of biomolecules for lateral flow assaying. <i>Sensors and Actuators B: Chemical</i> , 2019 , 285, 431-437	8.5	25
142	Development of High-Performance Bismuth Sulfide Nanobelts Humidity Sensor and Effect of Humid Environment on its Transport Properties. <i>ACS Omega</i> , 2019 , 4, 2030-2039	3.9	8
141	Efficient Near Infrared Modulation with High Visible Transparency Using SnO ₂ /WO ₃ Nanostructure for Advanced Smart Windows. <i>Advanced Optical Materials</i> , 2019 , 7, 1801389	8.1	30
140	Amorphous TiO ₂ coated hierarchical WO ₃ Nanosheet/CdS Nanorod arrays for improved photoelectrochemical performance. <i>Applied Surface Science</i> , 2019 , 490, 411-419	6.7	18
139	Point-of-Care Surface Plasmon Resonance Biosensor for Stroke Biomarkers NT-proBNP and S100 β Using a Functionalized Gold Chip with Specific Antibody. <i>Sensors</i> , 2019 , 19,	3.8	19
138	Humidity and selective oxygen detection by Ag ₂ S nanoparticles gas sensor. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 10117-10127	2.1	1
137	Electrophoretic deposition of reduced graphene oxide thin films for reduction of cross-sectional heat diffusion in glass windows. <i>Journal of Science: Advanced Materials and Devices</i> , 2019 , 4, 252-259	4.2	8
136	Electrochromic Materials: Efficient Near Infrared Modulation with High Visible Transparency Using SnO ₂ /WO ₃ Nanostructure for Advanced Smart Windows (Advanced Optical Materials 8/2019). <i>Advanced Optical Materials</i> , 2019 , 7, 1970031	8.1	1

135	Nanostructured metallic transition metal carbides, nitrides, phosphides, and borides for energy storage and conversion. <i>Nano Today</i> , 2019 , 25, 99-121	17.9	173
134	A Source of Error in Photoanode Evaluation. <i>Joule</i> , 2019 , 3, 305-310	27.8	1
133	Multicolored Photonic Crystal Carbon Fiber Yarns and Fabrics with Mechanical Robustness for Thermal Management. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 32261-32268	9.5	14
132	Electrodeposition of amorphous WO ₃ on SnO ₂ @TiO ₂ inverse opal nano-framework for highly transparent, effective and stable electrochromic smart window. <i>RSC Advances</i> , 2019 , 9, 16730-16737	3.7	11
131	Additive-Free Electrophoretic Deposition of Graphene Quantum Dots Thin Films. <i>Chemistry - A European Journal</i> , 2019 , 25, 16573	4.8	7
130	Dissolvable Polyvinyl-Alcohol Film, a Time-Barrier to Modulate Sample Flow in a 3D-Printed Holder for Capillary Flow Paper Diagnostics. <i>Materials</i> , 2019 , 12,	3.5	14
129	Self-Assembled VO Mesh Film-Based Resistance Switches with High Transparency and Abrupt ON/OFF Ratio. <i>ACS Omega</i> , 2019 , 4, 19635-19640	3.9	3
128	Highly porous SnO ₂ nanosheet arrays sandwiched within TiO ₂ and CdS quantum dots for efficient photoelectrochemical water splitting. <i>Applied Surface Science</i> , 2019 , 470, 800-806	6.7	29
127	Ordered Array of Metal Particles on Semishell Separated with Ultrathin Oxide: Fabrication and SERS Properties. <i>Coatings</i> , 2019 , 9, 20	2.9	1
126	Supercompressible Coaxial Carbon Nanotube@Graphene Arrays with Invariant Viscoelasticity over -100 to 500 °C in Ambient Air. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 9688-9695	9.5	8
125	3D FTO/FTO-Nanocrystal/TiO Composite Inverse Opal Photoanode for Efficient Photoelectrochemical Water Splitting. <i>Small</i> , 2018 , 14, e1800395	11	28
124	Novel moisture management test of polyethylene terephthalate and nylon fabric under stretching and surface patterning. <i>Textile Reseach Journal</i> , 2018 , 88, 69-79	1.7	5
123	Photoinducible silane diazirine as an effective crosslinker in the construction of a chemiluminescent immunosensor targeting a model E. coli analyte. <i>Sensors and Actuators B: Chemical</i> , 2018 , 256, 234-242	8.5	3
122	TiO ₂ @WO ₃ core-shell inverse opal structure with enhanced electrochromic performance in NIR region. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 8488-8494	7.1	25
121	Wafer-Scale Vertically Aligned Carbon Nanotubes Locked by In Situ Hydrogelation toward Strengthening Static and Dynamic Compressive Responses. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1800024	3.9	4
120	Measuring Artificial Sweeteners Toxicity Using a Bioluminescent Bacterial Panel. <i>Molecules</i> , 2018 , 23,	4.8	28
119	Thermal Conductivity Enhancement of Coaxial Carbon@Boron Nitride Nanotube Arrays. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 14555-14560	9.5	27
118	Two-dimensional SnS nanoflakes: synthesis and application to acetone and alcohol sensors. <i>RSC Advances</i> , 2017 , 7, 21556-21566	3.7	56

117	Development of a chemiluminescent DNA fibre optic genosensor to Hepatitis A Virus (HAV). <i>Talanta</i> , 2017 , 174, 401-408	6.2	8
116	Body temperature-responsive two-way and moisture-responsive one-way shape memory behaviors of poly(ethylene glycol)-based networks. <i>Polymer Chemistry</i> , 2017 , 8, 3833-3840	4.9	36
115	A pressure tuned stop-flow atomic layer deposition process for MoS ₂ on high porous nanostructure and fabrication of TiO ₂ /MoS ₂ core/shell inverse opal structure. <i>Applied Surface Science</i> , 2017 , 422, 536-543	6.7	27
114	Biocompatible Hydroxylated Boron Nitride Nanosheets/Poly(vinyl alcohol) Interpenetrating Hydrogels with Enhanced Mechanical and Thermal Responses. <i>ACS Nano</i> , 2017 , 11, 3742-3751	16.7	136
113	Electrochemical impedimetric detection of stroke biomarker NT-proBNP using disposable screen-printed gold electrodes. <i>The EuroBiotech Journal</i> , 2017 , 1, 165-176	1.5	9
112	Point-of-Care-Testing in Acute Stroke Management: An Unmet Need Ripe for Technological Harvest. <i>Biosensors</i> , 2017 , 7,	5.9	26
111	Two-Dimensional SiO ₂ /VO Photonic Crystals with Statically Visible and Dynamically Infrared Modulated for Smart Window Deployment. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 33112-33120	9.5	111
110	Detection of Matrilysin Activity Using Polypeptide Functionalized Reduced Graphene Oxide Field-Effect Transistor Sensor. <i>Analytical Chemistry</i> , 2016 , 88, 2994-8	7.8	35
109	A review on electronic bio-sensing approaches based on non-antibody recognition elements. <i>Analyst</i> , 2016 , 141, 2335-46	5	28
108	Horizontally Aligned Carbon Nanotube Based Biosensors for Protein Detection. <i>Bioengineering</i> , 2016 , 3,	5.3	15
107	Improved synthesis and growth of graphene oxide for field effect transistor biosensors. <i>Biomedical Microdevices</i> , 2016 , 18, 61	3.7	5
106	Label-free electronic detection of interleukin-6 using horizontally aligned carbon nanotubes. <i>Materials and Design</i> , 2016 , 90, 852-857	8.1	34
105	Physical and electrical properties of bilayer CeO ₂ /TiO ₂ gate dielectric stack. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2016 , 210, 57-63	3.1	7
104	Room and high temperature flexural failure of spark plasma sintered boron carbide. <i>Ceramics International</i> , 2016 , 42, 7001-7013	5.1	23
103	Coaxial carbon@boron nitride nanotube arrays with enhanced thermal stability and compressive mechanical properties. <i>Nanoscale</i> , 2016 , 8, 11114-22	7.7	25
102	Highly ordered nano-scale structure in nacre of green-lipped mussel <i>Perna canaliculus</i> . <i>CrystEngComm</i> , 2016 , 18, 7501-7505	3.3	2
101	Ceramic tape casting: A review of current methods and trends with emphasis on rheological behaviour and flow analysis. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2016 , 212, 39-61	3.1	88
100	Novel felt pseudocapacitor based on carbon nanotube/metal oxides. <i>Journal of Materials Science</i> , 2015 , 50, 6578-6585	4.3	7

99	Highly manufacturable graphene oxide biosensor for sensitive Interleukin-6 detection. <i>RSC Advances</i> , 2015 , 5, 39245-39251	3.7	35
98	NaYF ₄ :Yb,Er-MoS ₂ : from synthesis and surface ligand stripping to negative infrared photoresponse. <i>Chemical Communications</i> , 2015 , 51, 9030-3	5.8	14
97	Optical and electro-optic anisotropy of epitaxial PZT thin films. <i>Applied Physics Letters</i> , 2015 , 107, 031903.4	3.4	20
96	Reporter-encapsulated liposomes on graphene field effect transistors for signal enhanced detection of physiological enzymes. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 3451-6	3.6	7
95	Cyclic formation of boron suboxide crystallites into star-shaped nanoplates. <i>Scripta Materialia</i> , 2015 , 99, 69-72	5.6	6
94	Applications of atomic layer deposition in solar cells. <i>Nanotechnology</i> , 2015 , 26, 064001	3.4	73
93	The detection and measurement of interleukin-6 in venous and capillary blood samples, and in sweat collected at rest and during exercise. <i>European Journal of Applied Physiology</i> , 2014 , 114, 1207-16	3.4	24
92	3-Dimensional photonic crystal surface enhanced upconversion emission for improved near-infrared photoresponse. <i>Nanoscale</i> , 2014 , 6, 817-24	7.7	62
91	The mechanism of graphene oxide as a growth template for complete reduced graphene oxide coverage on an SiO ₂ substrate. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 109-114	7.1	15
90	Surfactant-thermal syntheses, structures, and magnetic properties of Mn-Ge-sulfides/selenides. <i>Inorganic Chemistry</i> , 2014 , 53, 10248-56	5.1	39
89	Spray pyrolysis of CuIn(S,Se) ₂ solar cells with 5.9% efficiency: a method to prevent Mo oxidation in ambient atmosphere. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 6638-43	9.5	35
88	Toughness control of boron carbide obtained by spark plasma sintering in nitrogen atmosphere. <i>Ceramics International</i> , 2014 , 40, 3053-3061	5.1	32
87	Photophysical investigation of charge recombination in CdS/ZnO layers of CuIn(S,Se) ₂ solar cell. <i>RSC Advances</i> , 2014 , 4, 58372-58376	3.7	3
86	Synergetically enhanced near-infrared photoresponse of reduced graphene oxide by upconversion and gold plasmon. <i>Small</i> , 2014 , 10, 3637-43	11	25
85	Growth of Reduced Graphene Oxide. <i>Materials Research Society Symposia Proceedings</i> , 2014 , 1702, 1		
84	Multicolor tunability and upconversion enhancement of fluoride nanoparticles by oxygen dopant. <i>Nanoscale</i> , 2013 , 5, 8164-71	7.7	19
83	Bio-inspired structured boron carbide-boron nitride composite by reactive spark plasma sintering. <i>Virtual and Physical Prototyping</i> , 2013 , 8, 253-258	10.1	0
82	Photon upconversion in hetero-nanostructured photoanodes for enhanced near-infrared light harvesting. <i>Advanced Materials</i> , 2013 , 25, 1603-7	24	119

81	Improved mechanical and thermomechanical properties of alumina substrate via iron doping. <i>Scripta Materialia</i> , 2013 , 68, 869-872	5.6	1
80	Nanosize stabilization of cubic and tetragonal phases in reactive plasma synthesized zirconia powders. <i>Materials Chemistry and Physics</i> , 2013 , 140, 176-182	4.4	31
79	Kinetically controlling phase transformations of crystalline mercury selenidostannates through surfactant media. <i>Inorganic Chemistry</i> , 2013 , 52, 4148-50	5.1	115
78	Atomic Layer Deposition of Inverse Opals for Solar Cell Applications. <i>Advanced Materials Research</i> , 2013 , 789, 3-7	0.5	4
77	Light Harvesting: Photon Upconversion in Hetero-nanostructured Photoanodes for Enhanced Near-Infrared Light Harvesting (Adv. Mater. 11/2013). <i>Advanced Materials</i> , 2013 , 25, 1656-1656	24	
76	A carbon monoxide gas sensor using oxygen plasma modified carbon nanotubes. <i>Nanotechnology</i> , 2012 , 23, 425502	3.4	26
75	Optical and Electrical Properties of Wurtzite Copper Indium Sulfide Nanoflakes. <i>Materials Express</i> , 2012 , 2, 344-350	1.3	7
74	Inverse opals coupled with nanowires as photoelectrochemical anode. <i>Nano Energy</i> , 2012 , 1, 322-327	17.1	48
73	An improved synthesis route to graphene for molecular sensor applications. <i>Materials Chemistry and Physics</i> , 2012 , 136, 304-308	4.4	26
72	One stone kills four birds: a novel diazaperinone 12H-pyrazino[2',3':3,4]pyrrolo[1,2-a]perimidin-12-one recognizes four different metal ions. <i>Tetrahedron Letters</i> , 2012 , 53, 6044-6047	2	9
71	Homogeneous photosensitization of complex TiO ₂ nanostructures for efficient solar energy conversion. <i>Scientific Reports</i> , 2012 , 2, 451	4.9	76
70	Fabrication of single- and multilayer MoS ₂ film-based field-effect transistors for sensing NO at room temperature. <i>Small</i> , 2012 , 8, 63-7	11	1213
69	Quantum-dot-sensitized TiO ₂ inverse opals for photoelectrochemical hydrogen generation. <i>Small</i> , 2012 , 8, 37-42	11	196
68	Inverse Opals: Quantum-Dot-Sensitized TiO ₂ Inverse Opals for Photoelectrochemical Hydrogen Generation (Small 1/2012). <i>Small</i> , 2012 , 8, 36-36	11	4
67	Layered Nanomaterials: Fabrication of Single- and Multilayer MoS ₂ Film-Based Field-Effect Transistors for Sensing NO at Room Temperature (Small 1/2012). <i>Small</i> , 2012 , 8, 2-2	11	4
66	Atomic layer deposition for nanofabrication and interface engineering. <i>Nanoscale</i> , 2012 , 4, 1522-8	7.7	65
65	A novel photoanode with three-dimensionally, hierarchically ordered nanobushes for highly efficient photoelectrochemical cells. <i>Advanced Materials</i> , 2012 , 24, 4157-62	24	89
64	Nitrogen-doped carbon nanotube-based bilayer thin film as transparent counter electrode for dye-sensitized solar cells (DSSCs). <i>Chemistry - an Asian Journal</i> , 2012 , 7, 541-5	4.5	40

63	Lanthanide-doped Na(x)ScF(3+x) nanocrystals: crystal structure evolution and multicolor tuning. <i>Journal of the American Chemical Society</i> , 2012 , 134, 8340-3	16.4	286
62	High hardness BaC _b -(B _x O _y /BN) composites with 3D mesh-like fine grain-boundary structure by reactive spark plasma sintering. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 959-65	1.3	22
61	Non-catalytic facile synthesis of superhard phase of boron carbide (B ₁₃ C ₂) nanoflakes and nanoparticles. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 596-603	1.3	13
60	A novel non-catalytic synthesis method for zero- and two-dimensional B ₁₃ C ₂ nanostructures. <i>CrystEngComm</i> , 2011 , 13, 1299-1303	3.3	12
59	Twin step synthesis of mullite and mullite/zirconia composite in low power transferred arc plasma (TAP) torch. <i>Materials Characterization</i> , 2011 , 62, 419-424	3.9	8
58	Electrochromic photonic crystal displays with versatile color tunability. <i>Electrochemistry Communications</i> , 2011 , 13, 1163-1165	5.1	25
57	Characterization of nano-crystalline ZrO ₂ synthesized via reactive plasma processing. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2011 , 176, 894-899	3.1	62
56	High index, reactive facet-controlled synthesis of one-dimensional single crystalline rare earth hydroxide nanobelts. <i>CrystEngComm</i> , 2011 , 13, 5367	3.3	3
55	TiO ₂ inverse-opal electrode fabricated by atomic layer deposition for dye-sensitized solar cell applications. <i>Energy and Environmental Science</i> , 2011 , 4, 209-215	35.4	110
54	Gradient inverse opal photonic crystals via spatially controlled template replication of self-assembled opals. <i>Nanoscale</i> , 2011 , 3, 4951	7.7	17
53	A review on technological aspects influencing commercialization of carbon nanotube sensors. <i>Sensors and Actuators B: Chemical</i> , 2011 , 157, 1-7	8.5	111
52	Single-Crystalline InVO ₄ Nanotubes by Self-Template-Directed Fabrication. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 596-600	3.8	5
51	Synthesis and Crystal Structure Characterization of Silicate Apatite Sr ₂ Y ₈ (SiO ₄) ₆ O ₂ . <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1176-1182	3.8	34
50	Development of Translucent Oxyapatite Ceramics by Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 3060-3063	3.8	5
49	Study of the cation distributions in Eu doped Sr ₂ Y ₈ (SiO ₄) ₆ O ₂ by X-ray diffraction and photoluminescent spectra. <i>Journal of Solid State Chemistry</i> , 2010 , 183, 3093-3099	3.3	33
48	Characterization of Mullite-Zirconia Composite Processed by Non-Transferred and Transferred Arc Plasma. <i>Plasma Science and Technology</i> , 2009 , 11, 200-205	1.5	3
47	Nanoblast synthesis and consolidation of (La _{0.8} Sr _{0.2})(Ga _{0.9} Mg _{0.1})O _(3-δ) under Spark plasma sintering conditions. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 141-9	1.3	5
46	Phase characterization of Sm ^{III} mixed oxide powders prepared by sintering and radio frequency plasma spraying. <i>Zeitschrift für Kristallographie</i> , 2009 , 224, 198-206		1

45	Selective sensing of hydrogen sulphide using silver nanoparticle decorated carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2009 , 138, 189-192	8.5	60
44	Mono-distributed single-walled carbon nanotube channel in field effect transistors (FETs) using electrostatic atomization deposition. <i>Journal of Colloid and Interface Science</i> , 2009 , 338, 266-9	9.3	3
43	Synthesis and Electron-Phonon Interactions of Ce ³⁺ -Doped YAG Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 5974-5979	3.8	20
42	Cubic nanoassembly of garnet nanocrystals. <i>CrystEngComm</i> , 2009 , 11, 1880	3.3	6
41	A dual-colored bio-marker made of doped ZnO nanocrystals. <i>Nanotechnology</i> , 2008 , 19, 345605	3.4	33
40	Electron-phonon interactions in ce ³⁺ -doped yttrium aluminum garnet nanophosphors. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 10830-2	3.4	15
39	Development of Cr-Tolerant Cathodes of Solid Oxide Fuel Cells. <i>Electrochemical and Solid-State Letters</i> , 2008 , 11, B42		35
38	RF Plasma Synthesis of Boron Carbide Nanoparticles. <i>Solid State Phenomena</i> , 2008 , 136, 23-38	0.4	5
37	Synthesis, Rietveld Refinement and High Resolution Transmission Electron Microscopy of Yb doped Silicate Oxyapatite for Ultrafast Laser Systems. <i>Microscopy and Microanalysis</i> , 2008 , 14, 288-289	0.5	
36	Fabrication and performance of gadolinia-doped ceria-based intermediate-temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2008 , 178, 69-74	8.9	72
35	Electrospraying of water in the cone-jet mode in air at atmospheric pressure. <i>International Journal of Mass Spectrometry</i> , 2008 , 272, 199-203	1.9	10
34	Surface modifications of ZnO quantum dots for bio-imaging. <i>Nanotechnology</i> , 2007 , 18, 215604	3.4	111
33	Chemical Synthesis of ZnO Nanocrystals. <i>IEEE Nanotechnology Magazine</i> , 2007 , 6, 497-503	2.6	14
32	Hydrothermal synthesis and characterization of rare earth doped ceria nanoparticles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 466, 223-229	5.3	94
31	La(Ni,Fe)O ₃ as a cathode material with high tolerance to chromium poisoning for solid oxide fuel cells. <i>Journal of Power Sources</i> , 2007 , 170, 61-66	8.9	71
30	Hydrothermal synthesis of CeO ₂ nano-particles. <i>Journal of Materials Processing Technology</i> , 2007 , 190, 217-222	5.3	190
29	Phase transformation of ultrafine rare earth oxide powders synthesized by radio frequency plasma spraying. <i>Journal of the European Ceramic Society</i> , 2007 , 27, 125-130	6	24
28	Surface modification of ZnO nanocrystals. <i>Applied Surface Science</i> , 2007 , 253, 5473-5479	6.7	176

27	Strategy of the Development of Cr-tolerant Cathodes of Solid Oxide Fuel Cells. <i>ECS Transactions</i> , 2007 , 7, 263-269	1	5
26	Homogeneous precipitation of Dy ₂ O ₃ nanoparticles-effects of synthesis parameters. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 907-15	1.3	17
25	Solvent and plasma gas influence on the synthesis of Y ₂ O ₃ nanoparticles by suspension plasma spraying. <i>Journal of Materials Research</i> , 2007 , 22, 1306-1313	2.5	4
24	An Electrochemical Method to Assess the Chromium Volatility of Chromia-Forming Metallic Interconnect for SOFCs. <i>Journal of the Electrochemical Society</i> , 2006 , 153, A2120	3.9	20
23	Chemical gelation of cerium (III)-doped yttrium aluminium oxide spherical particles. <i>Journal of Materials Research</i> , 2006 , 21, 2510-2515	2.5	4
22	Consolidation and properties of Gd _{0.1} Ce _{0.9} O _{1.95} nanoparticles for solid-oxide fuel cell electrolytes. <i>Journal of Materials Research</i> , 2006 , 21, 119-124	2.5	23
21	Aqueous tape casting of 10 mol%-Gd ₂ O ₃ -doped CeO ₂ nano-particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 429, 266-271	5.3	32
20	Flame spray synthesis of ZrO ₂ nano-particles using liquid precursors. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2006 , 130, 114-119	3.1	44
19	Novel synthesis of Al ₂ O ₃ nano-particles by flame spray pyrolysis. <i>Journal of Materials Processing Technology</i> , 2006 , 178, 270-273	5.3	113
18	GDC-impregnated Ni anodes for direct utilization of methane in solid oxide fuel cells. <i>Journal of Power Sources</i> , 2006 , 159, 68-72	8.9	66
17	Carbonate Co-precipitation of Gd ₂ O ₃ -doped CeO ₂ solid solution nano-particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 383, 229-234	5.3	119
16	Synthesis of Al ₂ O ₃ /AlN composite powders by plasma processed Al ₂ O ₃ with various additives. <i>Journal of Materials Research</i> , 2004 , 19, 1356-1363	2.5	2
15	Porous AlN ceramic substrates by reaction sintering. <i>Journal of Materials Processing Technology</i> , 2003 , 140, 413-419	5.3	9
14	On the effects of secondary phase on thermal conductivity of AlN ceramic substrates using a microstructural modeling approach. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 335, 281-289	5.3	29
13	Power law fluids and Bingham plastics flow models for ceramic tape casting. <i>Journal of Materials Processing Technology</i> , 2002 , 120, 215-225	5.3	27
12	Properties of Porous AlN Multilayered Ceramic Sandwich Substrates. <i>Journal of Materials Research</i> , 2002 , 17, 1061-1068	2.5	1
11	Porous reaction-sintered AlN tapes for high-performance microelectronics application. <i>Journal of Materials Research</i> , 2002 , 17, 306-314	2.5	2
10	Phase reaction and sintering behavior of a Al ₂ O ₃ -0wt%AlN-5wt%Y ₂ O ₃ system. <i>Acta Materialia</i> , 2001 , 49, 3117-3127	8.4	29

9	Non-Newtonian fluid flow model for ceramic tape casting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 280, 282-288	5.3	39
8	Tape casting of high dielectric ceramic composite substrates for microelectronics application. <i>Journal of Materials Processing Technology</i> , 1999 , 89-90, 508-512	5.3	37
7	Tape casting of high dielectric ceramic substrates for microelectronics packaging. <i>Journal of Materials Engineering and Performance</i> , 1999 , 8, 469-472	1.6	12
6	Correlations Between Precursor Molecular Weight and Dynamic Mechanical Properties of Polyborosiloxane (PBS). <i>Macromolecular Materials and Engineering</i> , 2100360	3.9	2
5	Development of nitrogen-decorated carbon dots (NCDs) thermally conductive film for windows application. <i>Carbon Letters</i> , 1	2.3	0
4	Elucidation of abrasive wear and slurry erosion behavior of Fe matrix composites reinforced with metallic coating modified ZTAP ceramics. <i>Composite Interfaces</i> , 1-21	2.3	
3	Conduction heat transfer switching using magnetic Fe _x O _y -decorated carbon-based nanomaterials. <i>European Physical Journal: Special Topics</i> , 1	2.3	0
2	Sustainable development of graphitic carbon nanosheets from plastic wastes with efficient photothermal energy conversion for enhanced solar evaporation. <i>Journal of Materials Chemistry A</i> ,	13	4
1	Interfacial bonding and abrasive wear behaviours of the iron matrix composites. <i>Materials Science and Technology</i> , 1-12	1.5	