

Hanneke Wm Van Laarhoven

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/8878954/hanneke-wm-van-laarhoven-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

383
papers

9,014
citations

42
h-index

78
g-index

425
ext. papers

11,856
ext. citations

5.1
avg, IF

6.14
L-index

#	Paper	IF	Citations
383	Neoadjuvant chemoradiotherapy plus surgery versus surgery alone for oesophageal or junctional cancer (CROSS): long-term results of a randomised controlled trial. <i>Lancet Oncology, The</i> , 2015 , 16, 1090-1098	21.7	1266
382	Artificial reporter gene providing MRI contrast based on proton exchange. <i>Nature Biotechnology</i> , 2007 , 25, 217-9	44.5	334
381	Chemotherapy versus chemoradiotherapy after surgery and preoperative chemotherapy for resectable gastric cancer (CRITICS): an international, open-label, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2018 , 19, 616-628	21.7	251
380	Laparoscopic versus open pancreatoduodenectomy for pancreatic or periampullary tumours (LEOPARD-2): a multicentre, patient-blinded, randomised controlled phase 2/3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 199-207	18.8	216
379	Triple-negative breast cancer: present challenges and new perspectives. <i>Molecular Oncology</i> , 2010 , 4, 209-29	7.9	212
378	Treatment related impairments in arm and shoulder in patients with breast cancer: a systematic review. <i>PLoS ONE</i> , 2014 , 9, e96748	3.7	154
377	Beyond RECIST: molecular and functional imaging techniques for evaluation of response to targeted therapy. <i>Cancer Treatment Reviews</i> , 2009 , 35, 309-21	14.4	133
376	The assessment of fatigue: Psychometric qualities and norms for the Checklist individual strength. <i>Journal of Psychosomatic Research</i> , 2017 , 98, 40-46	4.1	119
375	The Cancer Worry Scale: detecting fear of recurrence in breast cancer survivors. <i>Cancer Nursing</i> , 2014 , 37, E44-50	2.6	119
374	Detection of residual disease after neoadjuvant chemoradiotherapy for oesophageal cancer (preSANO): a prospective multicentre, diagnostic cohort study. <i>Lancet Oncology, The</i> , 2018 , 19, 965-974	21.7	110
373	Measurement Properties of Instruments for Measuring of Lymphedema: Systematic Review. <i>Physical Therapy</i> , 2016 , 96, 1965-1981	3.3	90
372	Chemotherapy response evaluation with FDG-PET in patients with colorectal cancer. <i>Annals of Oncology</i> , 2008 , 19, 348-52	10.3	86
371	Inflammatory breast cancer: an overview. <i>Critical Reviews in Oncology/Hematology</i> , 2015 , 93, 116-26	7	80
370	1686P The impact of the COVID-19 crisis on perceived changes in care and wellbeing of cancer patients and norm participants: Results of the PROFILES registry. <i>Annals of Oncology</i> , 2020 , 31, S997-S998	10.3	78
369	Molecular Tumor Boards: current practice and future needs. <i>Annals of Oncology</i> , 2017 , 28, 3070-3075	10.3	77
368	ImmunoSPECT and immunoPET of IGF-1R expression with the radiolabeled antibody R1507 in a triple-negative breast cancer model. <i>Journal of Nuclear Medicine</i> , 2010 , 51, 1565-72	8.9	77
367	Clinical and biological effects of demethylating agents on solid tumours - A systematic review. <i>Cancer Treatment Reviews</i> , 2017 , 54, 10-23	14.4	75

366	Magnetovaccination as a novel method to assess and quantify dendritic cell tumor antigen capture and delivery to lymph nodes. <i>Cancer Research</i> , 2009 , 69, 3180-7	10.1	74
365	Venous thromboembolism in cancer patients: a population-based cohort study. <i>Blood</i> , 2021 , 137, 1959-1969		69
364	Stromal-derived interleukin 6 drives epithelial-to-mesenchymal transition and therapy resistance in esophageal adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 2237-2242	11.5	68
363	CRITICS-II: a multicentre randomised phase II trial of neo-adjuvant chemotherapy followed by surgery versus neo-adjuvant chemotherapy and subsequent chemoradiotherapy followed by surgery versus neo-adjuvant chemoradiotherapy followed by surgery in resectable gastric cancer. <i>BMC Cancer</i> , 2018 , 18, 877	4.8	66
362	Constitutive expression of BH2AX has prognostic relevance in triple negative breast cancer. <i>Radiotherapy and Oncology</i> , 2011 , 101, 39-45	5.3	64
361	Effect of Neoadjuvant Chemoradiotherapy on Health-Related Quality of Life in Esophageal or Junctional Cancer: Results From the Randomized CROSS Trial. <i>Journal of Clinical Oncology</i> , 2018 , 36, 268-275	2.2	60
360	Induction Chemotherapy Followed by Resection or Irreversible Electroporation in Locally Advanced Pancreatic Cancer (IMPALA): A Prospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2734-2743	2.1	58
359	The Efficacy and Safety of First-line Chemotherapy in Advanced Esophagogastric Cancer: A Network Meta-analysis. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	58
358	Distress screening remains important during follow-up after primary breast cancer treatment. <i>Supportive Care in Cancer</i> , 2013 , 21, 2107-15	3.9	58
357	Diffusion-weighted MR imaging in liver metastases of colorectal cancer: reproducibility and biological validation. <i>European Radiology</i> , 2013 , 23, 748-56	8	58
356	Imaging of human epidermal growth factor receptor type 2 expression with 18F-labeled affibody molecule ZHER2:2395 in a mouse model for ovarian cancer. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 146-53	8.9	58
355	Accuracy of Detecting Residual Disease After Cross Neoadjuvant Chemoradiotherapy for Esophageal Cancer (preSANO Trial): Rationale and Protocol. <i>JMIR Research Protocols</i> , 2015 , 4, e79	2	56
354	Study protocol of a phase IB/II clinical trial of metformin and chloroquine in patients with -mutated or -mutated solid tumours. <i>BMJ Open</i> , 2017 , 7, e014961	3	55
353	Association between body composition, survival, and toxicity in advanced esophagogastric cancer patients receiving palliative chemotherapy. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 199-206	10.3	55
352	Tumour response prediction by diffusion-weighted MR imaging: ready for clinical use?. <i>Critical Reviews in Oncology/Hematology</i> , 2012 , 83, 194-207	7	52
351	Definitive chemoradiation for patients with inoperable and/or unresectable esophageal cancer: locoregional recurrence pattern. <i>Ecological Management and Restoration</i> , 2015 , 28, 453-9	3	51
350	The conflicting roles of tumor stroma in pancreatic cancer and their contribution to the failure of clinical trials: a systematic review and critical appraisal. <i>Cancer and Metastasis Reviews</i> , 2015 , 34, 97-114	9.6	51
349	How can communication by oncologists enhance patients' trust? An experimental study. <i>Annals of Oncology</i> , 2014 , 25, 896-901	10.3	49

348	Establishment of patient-derived xenograft models and cell lines for malignancies of the upper gastrointestinal tract. <i>Journal of Translational Medicine</i> , 2015 , 13, 115	8.5	48
347	Hypoxic regulation and prognostic value of LAMP3 expression in breast cancer. <i>Cancer</i> , 2011 , 117, 3670-81	6.1	46
346	Optimal first-line chemotherapeutic treatment in patients with locally advanced or metastatic esophagogastric carcinoma: triplet versus doublet chemotherapy: a systematic literature review and meta-analysis. <i>Cancer and Metastasis Reviews</i> , 2015 , 34, 429-41	9.6	45
345	Prediction of chemotherapeutic response of colorectal liver metastases with dynamic gadolinium-DTPA-enhanced MRI and localized ¹⁹ F MRS pharmacokinetic studies of 5-fluorouracil. <i>NMR in Biomedicine</i> , 2007 , 20, 128-40	4.4	44
344	Differences in dietary intake during chemotherapy in breast cancer patients compared to women without cancer. <i>Supportive Care in Cancer</i> , 2017 , 25, 2581-2591	3.9	42
343	The use of adjuvant chemotherapy for pancreatic cancer varies widely between hospitals: a nationwide population-based analysis. <i>Cancer Medicine</i> , 2016 , 5, 2825-2831	4.8	42
342	Improved Circulating Tumor Cell Detection by a Combined EpCAM and MCAM CellSearch Enrichment Approach in Patients with Breast Cancer Undergoing Neoadjuvant Chemotherapy. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 821-7	6.1	42
341	Bevacizumab reduces tumor targeting of anti-epidermal growth factor and anti-insulin-like growth factor 1 receptor antibodies. <i>International Journal of Cancer</i> , 2013 , 133, 307-14	7.5	42
340	Effects of the tumor vasculature targeting agent NGR-TNF on the tumor microenvironment in murine lymphomas. <i>Investigational New Drugs</i> , 2006 , 24, 27-36	4.3	42
339	Ten-Year Outcome of Neoadjuvant Chemoradiotherapy Plus Surgery for Esophageal Cancer: The Randomized Controlled CROSS Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1995-2004	2.2	42
338	ITGA5 inhibition in pancreatic stellate cells attenuates desmoplasia and potentiates efficacy of chemotherapy in pancreatic cancer. <i>Science Advances</i> , 2019 , 5, eaax2770	14.3	40
337	Survival after recurrent esophageal carcinoma has not improved over the past 18 years. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2693-8	3.1	40
336	Key biological processes driving metastatic spread of pancreatic cancer as identified by multi-omics studies. <i>Seminars in Cancer Biology</i> , 2017 , 44, 153-169	12.7	39
335	Added value of CA19-9 response in predicting resectability of locally advanced pancreatic cancer following induction chemotherapy. <i>Hpb</i> , 2018 , 20, 605-611	3.8	38
334	New biomarkers for early detection of cardiotoxicity after treatment with docetaxel, doxorubicin and cyclophosphamide. <i>Biomarkers</i> , 2015 , 20, 143-8	2.6	38
333	The CYP2C19*2 genotype predicts tamoxifen treatment outcome in advanced breast cancer patients. <i>Pharmacogenomics</i> , 2011 , 12, 1137-46	2.6	38
332	Association of the location of pancreatic ductal adenocarcinoma (head, body, tail) with tumor stage, treatment, and survival: a population-based analysis. <i>Acta Oncologica</i> , 2018 , 57, 1655-1662	3.2	38
331	Feasibility and repeatability of PET with the hypoxia tracer [(18)F]HX4 in oesophageal and pancreatic cancer. <i>Radiotherapy and Oncology</i> , 2015 , 116, 94-9	5.3	37

330	Coping, quality of life, depression, and hopelessness in cancer patients in a curative and palliative, end-of-life care setting. <i>Cancer Nursing</i> , 2011 , 34, 302-14	2.6	37
329	Predicting IGF-1R therapy response in bone sarcomas: immuno-SPECT imaging with radiolabeled R1507. <i>Clinical Cancer Research</i> , 2011 , 17, 7693-703	12.9	37
328	Clinical value of ctDNA in upper-GI cancers: A systematic review and meta-analysis. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2017 , 1868, 394-403	11.2	36
327	Phase I clinical and magnetic resonance imaging study of the vascular agent NGR-hTNF in patients with advanced cancers (European Organization for Research and Treatment of Cancer Study 16041). <i>Clinical Cancer Research</i> , 2010 , 16, 1315-23	12.9	35
326	Shared decision making about palliative chemotherapy: A qualitative observation of talk about patients' preferences. <i>Palliative Medicine</i> , 2017 , 31, 625-633	5.5	34
325	Axillary recurrence after a tumor-positive sentinel lymph node biopsy without axillary treatment: a review of the literature. <i>Annals of Surgical Oncology</i> , 2012 , 19, 4140-9	3.1	34
324	Comparison of six fit algorithms for the intra-voxel incoherent motion model of diffusion-weighted magnetic resonance imaging data of pancreatic cancer patients. <i>PLoS ONE</i> , 2018 , 13, e0194590	3.7	34
323	MSI as a predictive factor for treatment outcome of gastroesophageal adenocarcinoma. <i>Cancer Treatment Reviews</i> , 2020 , 86, 102024	14.4	33
322	Nationwide comprehensive gastro-intestinal cancer cohorts: the 3P initiative. <i>Acta Oncologica</i> , 2018 , 57, 195-202	3.2	33
321	A randomized controlled phase III multicenter study on dose escalation in definitive chemoradiation for patients with locally advanced esophageal cancer: ARTDECO study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 281-281	2.2	33
320	Second- and third-line systemic therapy in patients with advanced esophagogastric cancer: a systematic review of the literature. <i>Cancer and Metastasis Reviews</i> , 2016 , 35, 439-56	9.6	32
319	Pre-treatment CT radiomics to predict 3-year overall survival following chemoradiotherapy of esophageal cancer. <i>Acta Oncologica</i> , 2018 , 57, 1475-1481	3.2	32
318	Primary granulocyte colony-stimulating factor prophylaxis during the first two cycles only or throughout all chemotherapy cycles in patients with breast cancer at risk for febrile neutropenia. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4290-6	2.2	32
317	Consensus statement on mandatory measurements in pancreatic cancer trials (COMM-PACT) for systemic treatment of unresectable disease. <i>Lancet Oncology, The</i> , 2018 , 19, e151-e160	21.7	31
316	Nationwide trends in chemotherapy use and survival of elderly patients with metastatic pancreatic cancer. <i>Cancer Medicine</i> , 2017 , 6, 2840-2849	4.8	31
315	Monitoring fluoropyrimidine metabolism in solid tumors with in vivo (19)F magnetic resonance spectroscopy. <i>Critical Reviews in Oncology/Hematology</i> , 2005 , 56, 321-43	7	31
314	Folic Acid and Vitamin B12 Supplementation and the Risk of Cancer: Long-term Follow-up of the B Vitamins for the Prevention of Osteoporotic Fractures (B-PROOF) Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 275-282	4	31
313	Circulating tumor DNA quantity is related to tumor volume and both predict survival in metastatic pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , 2020 , 146, 1445-1456	7.5	31

312	Randomized Study on Dose Escalation in Definitive Chemoradiation for Patients With Locally Advanced Esophageal Cancer (ARTDECO Study). <i>Journal of Clinical Oncology</i> , 2021 , 39, 2816-2824	2.2	31
311	All eyes on the patient: the influence of oncologists' nonverbal communication on breast cancer patients' trust. <i>Breast Cancer Research and Treatment</i> , 2015 , 153, 161-71	4.4	30
310	Addition of zoledronic acid to neoadjuvant chemotherapy does not enhance tumor response in patients with HER2-negative stage II/III breast cancer: the NEOZOTAC trial (BOOG 2010-01). <i>Annals of Oncology</i> , 2014 , 25, 998-1004	10.3	30
309	Menopausal status and adjuvant hormonal therapy for breast cancer patients: a practical guideline. <i>Critical Reviews in Oncology/Hematology</i> , 2012 , 84, 252-60	7	30
308	Volume matters in the systemic treatment of metastatic pancreatic cancer: a population-based study in the Netherlands. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 1353-60	4.9	30
307	How long do I have? Observational study on communication about life expectancy with advanced cancer patients. <i>Patient Education and Counseling</i> , 2017 , 100, 1820-1827	3.1	29
306	Optimization of IGF-1R SPECT/CT imaging using 111In-labeled F(ab') ₂ and Fab fragments of the monoclonal antibody R1507. <i>Molecular Pharmaceutics</i> , 2012 , 9, 2314-21	5.6	29
305	Arthralgia during aromatase inhibitor treatment in early breast cancer patients: prevalence, impact, and recognition by healthcare providers. <i>Cancer Nursing</i> , 2013 , 36, 52-9	2.6	29
304	Evaluation of Adjuvant Chemotherapy in Patients With Resected Pancreatic Cancer After Neoadjuvant FOLFIRINOX Treatment. <i>JAMA Oncology</i> , 2020 , 6, 1733-1740	13.4	29
303	Multimodality imaging to predict response to systemic treatment in patients with advanced colorectal cancer. <i>PLoS ONE</i> , 2015 , 10, e0120823	3.7	28
302	Minimizing the Acquisition Time for Intravoxel Incoherent Motion Magnetic Resonance Imaging Acquisitions in the Liver and Pancreas. <i>Investigative Radiology</i> , 2016 , 51, 211-20	10.1	28
301	Preoperative image-guided identification of response to neoadjuvant chemoradiotherapy in esophageal cancer (PRIDE): a multicenter observational study. <i>BMC Cancer</i> , 2018 , 18, 1006	4.8	28
300	Clinical Trials Targeting the Stroma in Pancreatic Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	27
299	Priming the tumor immune microenvironment with chemo(radio)therapy: A systematic review across tumor types. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2020 , 1874, 188386	11.2	27
298	Taste and smell perception and quality of life during and after systemic therapy for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018 , 170, 27-34	4.4	27
297	Distribution of lymph node metastases in esophageal carcinoma [TIGER study]: study protocol of a multinational observational study. <i>BMC Cancer</i> , 2019 , 19, 662	4.8	27
296	The role of physical activity and physical fitness in postcancer fatigue: a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2013 , 21, 2279-88	3.9	27
295	Upregulation of IGF-1R expression during neoadjuvant therapy predicts poor outcome in breast cancer patients. <i>PLoS ONE</i> , 2015 , 10, e0117745	3.7	27

294	Feasibility of concurrent dual contrast enhancement using CEST contrast agents and superparamagnetic iron oxide particles. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 970-4	4.4	27
293	The risk of not receiving adjuvant chemotherapy after resection of pancreatic ductal adenocarcinoma: a nationwide analysis. <i>Hpb</i> , 2020 , 22, 233-240	3.8	27
292	The clinical benefit of hyperthermia in pancreatic cancer: a systematic review. <i>International Journal of Hyperthermia</i> , 2018 , 34, 969-979	3.7	27
291	ADAM12 is a circulating marker for stromal activation in pancreatic cancer and predicts response to chemotherapy. <i>Oncogenesis</i> , 2018 , 7, 87	6.6	27
290	Prognostic Significance of the Location of Lymph Node Metastases in Patients With Adenocarcinoma of the Distal Esophagus or Gastroesophageal Junction. <i>Annals of Surgery</i> , 2016 , 264, 847-853	7.8	26
289	Cost effectiveness of primary pegfilgrastim prophylaxis in patients with breast cancer at risk of febrile neutropenia. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4283-9	2.2	26
288	Relationship between physicians' death anxiety and medical communication and decision-making: A systematic review. <i>Patient Education and Counseling</i> , 2019 , 102, 266-274	3.1	26
287	In vivo monitoring of capecitabine metabolism in human liver by 19fluorine magnetic resonance spectroscopy at 1.5 and 3 Tesla field strength. <i>Cancer Research</i> , 2003 , 63, 7609-12	10.1	26
286	Prediction models for patients with esophageal or gastric cancer: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2018 , 13, e0192310	3.7	25
285	Chemotherapy response monitoring of colorectal liver metastases by dynamic Gd-DTPA-enhanced MRI perfusion parameters and 18F-FDG PET metabolic rate. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 1777-84	8.9	25
284	Preoperative Chemoradiotherapy Versus Perioperative Chemotherapy for Patients With Resectable Esophageal or Gastroesophageal Junction Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2282-2290	3.1	24
283	A qualitative study on mindfulness-based stress reduction for breast cancer patients: how women experience participating with fellow patients. <i>Supportive Care in Cancer</i> , 2016 , 24, 1813-20	3.9	24
282	The role of central and peripheral muscle fatigue in postcancer fatigue: a randomized controlled trial. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 173-82	4.8	24
281	ADAM10-mediated release of heregulin confers resistance to trastuzumab by activating HER3. <i>Oncotarget</i> , 2016 , 7, 10243-54	3.3	24
280	The Use of (Network) Meta-Analysis in Clinical Oncology. <i>Frontiers in Oncology</i> , 2019 , 9, 822	5.3	23
279	Developing a core set of patient-reported outcomes in pancreatic cancer: A Delphi survey. <i>European Journal of Cancer</i> , 2016 , 57, 68-77	7.5	23
278	Recurrence after preoperative chemotherapy and surgery for gastric adenocarcinoma: a multicenter study. <i>Gastric Cancer</i> , 2019 , 22, 1263-1273	7.6	22
277	Monitoring hypoxia and vasculature during bevacizumab treatment in a murine colorectal cancer model. <i>Contrast Media and Molecular Imaging</i> , 2014 , 9, 237-45	3.2	22

276	Genetic determinants of telomere length and risk of pancreatic cancer: A PANDoRA study. <i>International Journal of Cancer</i> , 2019 , 144, 1275-1283	7.5	22
275	Core Set of Patient-reported Outcomes in Pancreatic Cancer (COPRAC): An International Delphi Study Among Patients and Health Care Providers. <i>Annals of Surgery</i> , 2019 , 270, 158-164	7.8	22
274	Neoadjuvant Chemoradiotherapy Combined with Atezolizumab for Resectable Esophageal Adenocarcinoma: A Single-arm Phase II Feasibility Trial (PERFECT). <i>Clinical Cancer Research</i> , 2021 , 27, 3351-3359	12.9	22
273	Perceived Care and Well-being of Patients With Cancer and Matched Norm Participants in the COVID-19 Crisis: Results of a Survey of Participants in the Dutch PROFILES Registry. <i>JAMA Oncology</i> , 2021 , 7, 279-284	13.4	22
272	Stromal SPOCK1 supports invasive pancreatic cancer growth. <i>Molecular Oncology</i> , 2017 , 11, 1050-1064	7.9	21
271	Proteomic analysis of gemcitabine-resistant pancreatic cancer cells reveals that microtubule-associated protein 2 upregulation associates with taxane treatment. <i>Therapeutic Advances in Medical Oncology</i> , 2019 , 11, 1758835919841233	5.4	21
270	Unsupervised class discovery in pancreatic ductal adenocarcinoma reveals cell-intrinsic mesenchymal features and high concordance between existing classification systems. <i>Scientific Reports</i> , 2020 , 10, 337	4.9	21
269	Insulin-like growth factor 1 receptor expression and IGF1R 3129G > T polymorphism are associated with response to neoadjuvant chemotherapy in breast cancer patients: results from the NEOZOTAC trial (BOOG 2010-01). <i>Breast Cancer Research</i> , 2016 , 18, 3	8.3	21
268	The efficacy and safety of S-1-based regimens in the first-line treatment of advanced gastric cancer: a systematic review and meta-analysis. <i>Gastric Cancer</i> , 2016 , 19, 696-712	7.6	21
267	Targeted therapy for advanced esophagogastric adenocarcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2014 , 90, 68-76	7	21
266	Images of god in relation to coping strategies of palliative cancer patients. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, 495-501	4.8	21
265	Assessment of absolute blood volume in carcinoma by USPIO contrast-enhanced MRI. <i>Magnetic Resonance Imaging</i> , 2006 , 24, 279-86	3.3	21
264	Phase II Feasibility and Biomarker Study of Neoadjuvant Trastuzumab and Pertuzumab With Chemoradiotherapy for Resectable Human Epidermal Growth Factor Receptor 2-Positive Esophageal Adenocarcinoma: TRAP Study. <i>Journal of Clinical Oncology</i> , 2020 , 38, 462-471	2.2	21
263	Extracellular Influences: Molecular Subclasses and the Microenvironment in Pancreatic Cancer. <i>Cancers</i> , 2018 , 10,	6.6	21
262	Volume-outcome relation in palliative systemic treatment of metastatic oesophagogastric cancer. <i>European Journal of Cancer</i> , 2017 , 78, 28-36	7.5	20
261	Ten weeks to live: a population-based study on treatment and survival of patients with metastatic pancreatic cancer in the south of the Netherlands. <i>Acta Oncologica</i> , 2015 , 54, 403-10	3.2	20
260	Quality of Life During Palliative Systemic Therapy for Esophagogastric Cancer: Systematic Review and Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 12-29	9.7	20
259	Acute toxicity of definitive chemoradiation in patients with inoperable or irresectable esophageal carcinoma. <i>BMC Cancer</i> , 2014 , 14, 56	4.8	20

258	The Efficacy and Safety of (Neo)Adjuvant Therapy for Gastric Cancer: A Network Meta-analysis. <i>Cancers</i> , 2019 , 11,	6.6	20
257	Esophageal Adenocarcinoma Cells and Xenograft Tumors Exposed to Erb-b2 Receptor Tyrosine Kinase 2 and 3 Inhibitors Activate Transforming Growth Factor Beta Signaling, Which Induces Epithelial to Mesenchymal Transition. <i>Gastroenterology</i> , 2017 , 153, 63-76.e14	13.3	19
256	Relationship of promising methods in the detection of anthracycline-induced cardiotoxicity in breast cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2015 , 76, 957-67	3.5	19
255	Evaluation of PET and laparoscopy in STaging advanced gastric cancer: a multicenter prospective study (PLASTIC-study). <i>BMC Cancer</i> , 2018 , 18, 450	4.8	19
254	The impact of chemosensory and food-related changes in patients with advanced oesophagogastric cancer treated with capecitabine and oxaliplatin: a qualitative study. <i>Supportive Care in Cancer</i> , 2016 , 24, 3119-26	3.9	19
253	Burden of spousal caregivers of stage II and III esophageal cancer survivors 3 years after treatment with curative intent. <i>Supportive Care in Cancer</i> , 2015 , 23, 3589-98	3.9	19
252	Blocking Hedgehog release from pancreatic cancer cells increases paracrine signaling potency. <i>Journal of Cell Science</i> , 2015 , 128, 129-39	5.3	19
251	Prognostic value of lymph node metastases detected during surgical exploration for pancreatic or periampullary cancer: a systematic review and meta-analysis. <i>Hpb</i> , 2016 , 18, 559-66	3.8	19
250	Hospital of Diagnosis Influences the Probability of Receiving Curative Treatment for Esophageal Cancer. <i>Annals of Surgery</i> , 2018 , 267, 303-310	7.8	19
249	Feasibility of CT radiomics to predict treatment response of individual liver metastases in esophagogastric cancer patients. <i>PLoS ONE</i> , 2018 , 13, e0207362	3.7	19
248	Addition of MRI for CT-based pancreatic tumor delineation: a feasibility study. <i>Acta Oncologica</i> , 2017 , 56, 923-930	3.2	18
247	Establishing and Coordinating a Nationwide Multidisciplinary Study Group: Lessons Learned by the Dutch Pancreatic Cancer Group. <i>Annals of Surgery</i> , 2020 , 271, e102-e104	7.8	18
246	Combined Expression of Plasma Thrombospondin-2 and CA19-9 for Diagnosis of Pancreatic Cancer and Distal Cholangiocarcinoma: A Proteome Approach. <i>Oncologist</i> , 2020 , 25, e634-e643	5.7	18
245	¹⁸ F-FDG PET-CT after Neoadjuvant Chemoradiotherapy in Esophageal Cancer Patients to Optimize Surgical Decision Making. <i>PLoS ONE</i> , 2015 , 10, e0133690	3.7	18
244	Time perception of cancer patients without evidence of disease and advanced cancer patients in a palliative, end-of-life-care setting. <i>Cancer Nursing</i> , 2011 , 34, 453-63	2.6	18
243	Narrative meaning making and integration: Toward a better understanding of the way falling ill influences quality of life. <i>Journal of Health Psychology</i> , 2020 , 25, 738-754	3.1	18
242	Single-centre experience with tunnelled central venous catheters in 150 cancer patients. <i>Netherlands Journal of Medicine</i> , 2002 , 60, 397-401	0.5	18
241	Altered food preferences and chemosensory perception during chemotherapy in breast cancer patients: A longitudinal comparison with healthy controls. <i>Food Quality and Preference</i> , 2018 , 63, 135-143	5.8	17

240	Screening patient spirituality and spiritual needs in oncology nursing. <i>Holistic Nursing Practice</i> , 2013 , 27, 207-16	1.2	17
239	High-grade mesenchymal pancreatic ductal adenocarcinoma drives stromal deactivation through CSF-1. <i>EMBO Reports</i> , 2020 , 21, e48780	6.5	17
238	Conditional Survival After Resection for Pancreatic Cancer: A Population-Based Study and Prediction Model. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2516-2524	3.1	16
237	Comparing cytotoxic backbones for first-line trastuzumab-containing regimens in human epidermal growth factor receptor 2-positive advanced oesophagogastric cancer: A meta-analysis. <i>International Journal of Cancer</i> , 2018 , 143, 438-448	7.5	16
236	A randomized controlled trial of a skills training for oncologists and a communication aid for patients to stimulate shared decision making about palliative systemic treatment (CHOICE): study protocol. <i>BMC Cancer</i> , 2018 , 18, 55	4.8	16
235	Guillain-Barré syndrome as presenting feature in a patient with lupus nephritis, with complete resolution after cyclophosphamide treatment. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 840-2	4.3	16
234	Heterogeneity of first-line palliative systemic treatment in synchronous metastatic esophagogastric cancer patients: A real-world evidence study. <i>International Journal of Cancer</i> , 2020 , 146, 1889-1901	7.5	16
233	A systematic review and meta-analysis of prognostic biomarkers in resectable esophageal adenocarcinomas. <i>Scientific Reports</i> , 2018 , 8, 13281	4.9	16
232	Cardiac molecular pathways influenced by doxorubicin treatment in mice. <i>Scientific Reports</i> , 2019 , 9, 2514	4.9	15
231	Selective attention and fear of cancer recurrence in breast cancer survivors. <i>Annals of Behavioral Medicine</i> , 2015 , 49, 66-73	4.5	15
230	Prognostic impact of extracapsular lymph node involvement after neoadjuvant therapy and oesophagectomy. <i>British Journal of Surgery</i> , 2016 , 103, 1658-1664	5.3	15
229	Carbogen breathing differentially enhances blood plasma volume and 5-fluorouracil uptake in two murine colon tumor models with a distinct vascular structure. <i>Neoplasia</i> , 2006 , 8, 477-87	6.4	15
228	Training for Medical Oncologists on Shared Decision-Making About Palliative Chemotherapy: A Randomized Controlled Trial. <i>Oncologist</i> , 2019 , 24, 259-265	5.7	15
227	Early detection of changes in phospholipid metabolism during neoadjuvant chemotherapy in breast cancer patients using phosphorus magnetic resonance spectroscopy at 7T. <i>NMR in Biomedicine</i> , 2019 , 32, e4086	4.4	14
226	Improved metastasis-free survival in nonadjuvantly treated postmenopausal breast cancer patients with chemokine receptor 5 del32 frameshift mutations. <i>International Journal of Cancer</i> , 2015 , 136, 91-7	7.5	14
225	Breast cancer size estimation with MRI in BRCA mutation carriers and other high risk patients. <i>European Journal of Radiology</i> , 2013 , 82, 1416-22	4.7	14
224	Capecitabine, 5-fluorouracil and S-1 based regimens for previously untreated advanced oesophagogastric cancer: A network meta-analysis. <i>Scientific Reports</i> , 2017 , 7, 7142	4.9	14
223	Adjuvant chemotherapy is superior to chemoradiation after D2 surgery for gastric cancer in the per-protocol analysis of the randomized CRITICS trial. <i>Annals of Oncology</i> , 2021 , 32, 360-367	10.3	14

222	Mindfulness-based stress reduction for breast cancer patients: a mixed method study on what patients experience as a suitable stage to participate. <i>Supportive Care in Cancer</i> , 2017 , 25, 3067-3074	3.9	13
221	Postoperative surveillance of pancreatic cancer patients. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1770-1777	3.6	13
220	Contradiction between amide-CEST signal and pH in breast cancer explained with metabolic MRI. <i>NMR in Biomedicine</i> , 2019 , 32, e4110	4.4	13
219	Chemoradiation induces epithelial-to-mesenchymal transition in esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2019 , 145, 2792-2803	7.5	13
218	The interweaving of pharmaceutical and medical expectations as dynamics of micro-pharmaceuticalisation: advanced-stage cancer patients' hope in medicines alongside trust in professionals. <i>Social Science and Medicine</i> , 2015 , 131, 313-21	5.1	13
217	The international phase 4 validation study of the EORTC QLQ-SWB32: A stand-alone measure of spiritual well-being for people receiving palliative care for cancer. <i>European Journal of Cancer Care</i> , 2017 , 26, e12697	2.4	13
216	Supraclavicular node disease is not an independent prognostic factor for survival of esophageal cancer patients treated with definitive chemoradiation. <i>Acta Oncologica</i> , 2017 , 56, 33-38	3.2	13
215	Perspectives on death and an afterlife in relation to quality of life, depression, and hopelessness in cancer patients without evidence of disease and advanced cancer patients. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, 1048-59	4.8	13
214	Group medical visits in the follow-up of women with a BRCA mutation: design of a randomized controlled trial. <i>BMC Women's Health</i> , 2011 , 11, 39	2.9	13
213	Evaluation of different normalization procedures for the calculation of the standardized uptake value in therapy response monitoring studies. <i>Nuclear Medicine Communications</i> , 2009 , 30, 550-7	1.6	13
212	Systemic treatment of advanced colorectal carcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2004 , 16, 283-9	2.2	13
211	SOURCE: A Registry-Based Prediction Model for Overall Survival in Patients with Metastatic Oesophageal or Gastric Cancer. <i>Cancers</i> , 2019 , 11,	6.6	13
210	A longitudinal mixed methods study on changes in body weight, body composition, and lifestyle in breast cancer patients during chemotherapy and in a comparison group of women without cancer: study protocol. <i>BMC Cancer</i> , 2019 , 19, 7	4.8	13
209	Group medical consultations (GMCs) and tablet-based online support group sessions in the follow-up of breast cancer: A multicenter randomized controlled trial. <i>Breast</i> , 2018 , 40, 181-188	3.6	13
208	Principal component analysis for fast and model-free denoising of multi b-value diffusion-weighted MR images. <i>Physics in Medicine and Biology</i> , 2019 , 64, 105015	3.8	12
207	Thyroid function alters during neoadjuvant chemotherapy in breast cancer patients: results from the NEOZOTAC trial (BOOG 2010-01). <i>Breast Cancer Research and Treatment</i> , 2015 , 149, 461-6	4.4	12
206	Metformin Use During Treatment of Potentially Curable Esophageal Cancer Patients is not Associated with Better Outcomes. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S766-71	3.1	12
205	Influence of body composition and muscle strength on outcomes after multimodal oesophageal cancer treatment. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 756-767	10.3	12

204	Repeatability and correlations of dynamic contrast enhanced and T2* MRI in patients with advanced pancreatic ductal adenocarcinoma. <i>Magnetic Resonance Imaging</i> , 2018 , 50, 1-9	3.3	12
203	Vascular and metabolic response to bevacizumab-containing regimens in two patients with colorectal liver metastases measured by dynamic contrast-enhanced MRI and dynamic 18F-FDG-PET. <i>Clinical Colorectal Cancer</i> , 2011 , 10, E1-5	3.8	12
202	Direct inhibition of STAT signaling by platinum drugs contributes to their anti-cancer activity. <i>Oncotarget</i> , 2017 , 8, 54434-54443	3.3	12
201	Tailored Web-Based Information for Younger and Older Patients with Cancer: Randomized Controlled Trial of a Preparatory Educational Intervention on Patient Outcomes. <i>Journal of Medical Internet Research</i> , 2019 , 21, e14407	7.6	12
200	Oncologists' non-verbal behavior and analog patients' recall of information. <i>Acta Oncologica</i> , 2016 , 55, 671-9	3.2	12
199	Prognostic and predictive factors for overall survival in metastatic oesophagogastric cancer: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2018 , 103, 214-226	7.5	12
198	Evaluation of Six Diffusion-weighted MRI Models for Assessing Effects of Neoadjuvant Chemoradiation in Pancreatic Cancer Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 1052-1062	4	12
197	Prognostic and Predictive Factors for the Curative Treatment of Esophageal and Gastric Cancer in Randomized Controlled Trials: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	11
196	Communicating treatment risks and benefits to cancer patients: a systematic review of communication methods. <i>Quality of Life Research</i> , 2020 , 29, 1747-1766	3.7	11
195	Reporting of health-related quality of life in randomized controlled trials involving palliative systemic therapy for esophagogastric cancer: a systematic review. <i>Gastric Cancer</i> , 2018 , 21, 183-195	7.6	11
194	Activities of daily living and quality of life during treatment with neoadjuvant chemoradiotherapy and after surgery in patients with esophageal cancer. <i>Journal of Surgical Oncology</i> , 2016 , 114, 684-690	2.8	11
193	Modes of relating to contingency: An exploration of experiences in advanced cancer patients. <i>Palliative and Supportive Care</i> , 2017 , 15, 444-453	2.5	11
192	The Effect of Tamoxifen Dose Increment in Patients With Impaired CYP2D6 Activity. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 501-7	3.2	11
191	Health-related quality of life in curatively-treated patients with esophageal or gastric cancer: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2020 , 154, 103069	7	11
190	Body composition is associated with risk of toxicity-induced modifications of treatment in women with stage I-IIIb breast cancer receiving chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2019 , 173, 475-481	4.4	11
189	Association between primary origin (head, body and tail) of metastasised pancreatic ductal adenocarcinoma and oncologic outcome: A population-based analysis. <i>European Journal of Cancer</i> , 2019 , 106, 99-105	7.5	11
188	Polygenic and multifactorial scores for pancreatic ductal adenocarcinoma risk prediction. <i>Journal of Medical Genetics</i> , 2021 , 58, 369-377	5.8	11
187	Chemotherapy and novel targeted therapies for operable esophageal and gastroesophageal junctional cancer. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2018 , 36-37, 45-52	2.5	11

186	Molecular tumour boards and molecular diagnostics for patients with cancer in the Netherlands: experiences, challenges, and aspirations. <i>British Journal of Cancer</i> , 2019 , 121, 34-36	8.7	10
185	Added value of intra-operative ultrasound to determine the resectability of locally advanced pancreatic cancer following FOLFIRINOX chemotherapy (IMAGE): a prospective multicenter study. <i>Hpb</i> , 2019 , 21, 1385-1392	3.8	10
184	Are the effects of cognitive behavior therapy for severe fatigue in cancer survivors sustained up to 14 years after therapy?. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 519-527	5.1	10
183	Chemoradiotherapy in tumours of the oesophagus and gastro-oesophageal junction. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2016 , 30, 551-63	2.5	10
182	Cardiac monitoring during adjuvant trastuzumab therapy: Guideline adherence in clinical practice. <i>Acta Oncologica</i> , 2016 , 55, 423-9	3.2	10
181	Reduction of heart volume during neoadjuvant chemoradiation in patients with resectable esophageal cancer. <i>Radiotherapy and Oncology</i> , 2015 , 114, 91-5	5.3	10
180	Pitfall in HPLC assay for urinary metanephrines: an unusual type of interference caused by methenamine intake. <i>Clinical Chemistry</i> , 2004 , 50, 1097-9	5.5	10
179	The dynamics of HER2 status in esophageal adenocarcinoma. <i>Oncotarget</i> , 2018 , 9, 26787-26799	3.3	10
178	Improved unsupervised physics-informed deep learning for intravoxel incoherent motion modeling and evaluation in pancreatic cancer patients. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2250-2265	4.4	10
177	Distribution of lymph node metastases in esophageal adenocarcinoma after neoadjuvant chemoradiation therapy: a prospective study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 4347-4357	5.2	10
176	Patient characteristics and treatment considerations in pancreatic cancer: a population based study in the Netherlands. <i>Acta Oncologica</i> , 2018 , 57, 1185-1191	3.2	10
175	The diagnostic hurdle of an elderly male with bone pain: how 18F-FDG-PET led to diagnosis of a leiomyosarcoma of the adrenal gland. <i>Anticancer Research</i> , 2009 , 29, 469-72	2.3	10
174	Early myocardial deformation abnormalities in breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 127-35	4.4	9
173	Hypoxia regulation of phosphokinases and the prognostic value of pAKT in breast cancer. <i>International Journal of Biological Markers</i> , 2013 , 28, 151-60	2.8	9
172	Fatal thrombotic microangiopathy after a single dose of gemcitabine as fourth-line palliative treatment for metastasized ductal breast carcinoma. <i>Acta Oncologica</i> , 2011 , 50, 462-5	3.2	9
171	Trends in treatment and overall survival among patients with proximal esophageal cancer. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6835-6846	5.6	9
170	Focal adhesion kinase inhibition synergizes with nab-paclitaxel to target pancreatic ductal adenocarcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 91	12.8	9
169	Pathological validation and prognostic potential of quantitative MRI in the characterization of pancreas cancer: preliminary experience. <i>Molecular Oncology</i> , 2020 , 14, 2176-2189	7.9	9

168	The Cellular Origins of Cancer-Associated Fibroblasts and Their Opposing Contributions to Pancreatic Cancer Growth. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 743907	5.7	9
167	A novel amplitude binning strategy to handle irregular breathing during 4DMRI acquisition: improved imaging for radiotherapy purposes. <i>Radiation Oncology</i> , 2019 , 14, 80	4.2	8
166	The dynamics in health-related quality of life of patients with stable coronary artery disease were revealed: a network analysis. <i>Journal of Clinical Epidemiology</i> , 2019 , 107, 116-123	5.7	8
165	Quantification of patient-specific assay interference in different formats of enzyme-linked immunoassays for therapeutic monoclonal antibodies. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 765-70	3.2	8
164	Comparison of attitudes of guilt and forgiveness in cancer patients without evidence of disease and advanced cancer patients in a palliative care setting. <i>Cancer Nursing</i> , 2012 , 35, 483-92	2.6	8
163	Long-term health-related quality of life after McKeown and Ivor Lewis esophagectomy for esophageal carcinoma. <i>Ecological Management and Restoration</i> , 2020 , 33,	3	8
162	Effect of a Skills Training for Oncologists and a Patient Communication Aid on Shared Decision Making About Palliative Systemic Treatment: A Randomized Clinical Trial. <i>Oncologist</i> , 2020 , 25, e578-e588	5.7	8
161	Impact of nationwide enhanced implementation of best practices in pancreatic cancer care (PACAP-1): a multicenter stepped-wedge cluster randomized controlled trial. <i>Trials</i> , 2020 , 21, 334	2.8	8
160	The role of definitive chemoradiation in patients with non-metastatic oesophageal cancer. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2018 , 36-37, 53-59	2.5	8
159	Spiritual care by nurses in curative cancer care: Protocol for a national, multicentre, mixed method study. <i>Journal of Advanced Nursing</i> , 2017 , 73, 2201-2207	3.1	7
158	Associations between sex, age and spiritual well-being scores on the EORTC QLQ-SWB32 for patients receiving palliative care for cancer: A further analysis of data from an international validation study. <i>European Journal of Cancer Care</i> , 2019 , 28, e13145	2.4	7
157	Group medical consultations in the follow-up of breast cancer: a randomized feasibility study. <i>Journal of Cancer Survivorship</i> , 2015 , 9, 450-61	5.1	7
156	Increased assessment of HER2 in metastatic gastroesophageal cancer patients: a nationwide population-based cohort study. <i>Gastric Cancer</i> , 2020 , 23, 579-590	7.6	7
155	Radionuclide imaging of drug delivery for patient selection in targeted therapy. <i>Expert Opinion on Drug Delivery</i> , 2014 , 11, 175-85	8	7
154	Monitoring the effects of bevacizumab beyond progression in a murine colorectal cancer model: a functional imaging approach. <i>Investigational New Drugs</i> , 2013 , 31, 881-90	4.3	7
153	Changes in volume and incidence of lymphedema during and after treatment with docetaxel, doxorubicin, and cyclophosphamide (TAC) in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2018 , 26, 1383-1392	3.9	7
152	Comparison of liver SUV using unenhanced CT versus contrast-enhanced CT for attenuation correction in (18)F-FDG PET/CT. <i>Nuclear Medicine Communications</i> , 2014 , 35, 472-7	1.6	7
151	Long-Term Quality of Life After Total Gastrectomy Versus Ivor Lewis Esophagectomy. <i>World Journal of Surgery</i> , 2020 , 44, 838-848	3.3	7

150	Fecal Microbiota Transplantation from Overweight or Obese Donors in Cachectic Patients with Advanced Gastroesophageal Cancer: A Randomized, Double-blind, Placebo-Controlled, Phase II Study. <i>Clinical Cancer Research</i> , 2021 , 27, 3784-3792	12.9	7
149	Continuation of trastuzumab beyond progression in HER2-positive advanced esophagogastric cancer: a meta-analysis. <i>Acta Oncologica</i> , 2018 , 57, 1599-1604	3.2	7
148	Conditional survival after neoadjuvant chemoradiotherapy and surgery for oesophageal cancer. <i>British Journal of Surgery</i> , 2020 , 107, 1053-1061	5.3	7
147	5-FU-induced peripheral neuropathy: a rare complication of a well-known drug. <i>Anticancer Research</i> , 2003 , 23, 647-8	2.3	7
146	Non-invasive imaging prediction of tumor hypoxia: A novel developed and externally validated CT and FDG-PET-based radiomic signatures. <i>Radiotherapy and Oncology</i> , 2020 , 153, 97-105	5.3	6
145	Older versus younger adults with gastric cancer receiving perioperative treatment: Results from the CRITICS trial. <i>European Journal of Cancer</i> , 2020 , 130, 146-154	7.5	6
144	A national study to assess outcomes of definitive chemoradiation regimens in proximal esophageal cancer. <i>Acta Oncologica</i> , 2020 , 59, 895-903	3.2	6
143	The Dutch Pancreas Biobank Within the Parelshoer Institute: A Nationwide Biobank of Pancreatic and Periampullary Diseases. <i>Pancreas</i> , 2018 , 47, 495-501	2.6	6
142	Decision Making About Treatment for Advanced Cancer: Influencing Wisely?. <i>JAMA Oncology</i> , 2015 , 1, 1169	13.4	6
141	Cetuximab reduces the accumulation of radiolabeled bevacizumab in cancer xenografts without decreasing VEGF expression. <i>Molecular Pharmaceutics</i> , 2014 , 11, 4249-57	5.6	6
140	To treat or not to treat: who should decide?. <i>Oncologist</i> , 2014 , 19, 433-6	5.7	6
139	Magnetic resonance spectroscopic imaging and volumetric measurements of the brain in patients with postcancer fatigue: a randomized controlled trial. <i>PLoS ONE</i> , 2013 , 8, e74638	3.7	6
138	Development and validation of an LC-MS/MS method for simultaneous quantification of co-administered trastuzumab and pertuzumab. <i>MAbs</i> , 2020 , 12, 1795492	6.6	6
137	Quantitative assessment of biliary stent artifacts on MR images: Potential implications for target delineation in radiotherapy. <i>Medical Physics</i> , 2016 , 43, 5603	4.4	6
136	Professional identity at stake: a phenomenological analysis of spiritual counselors' experiences working with a structured model to provide care to palliative cancer patients. <i>Supportive Care in Cancer</i> , 2016 , 24, 3111-8	3.9	6
135	Promoting shared decision making in advanced cancer: Development and piloting of a patient communication aid. <i>Patient Education and Counseling</i> , 2019 , 102, 916-923	3.1	6
134	Low reported taste function is associated with low preference for high protein products in advanced oesophagogastric cancer patients undergoing palliative chemotherapy. <i>Clinical Nutrition</i> , 2019 , 38, 472-475	5.9	6
133	Comparison of short- and long-term outcomes between anatomical subtypes of resected biliary tract cancer in a Western high-volume center. <i>Hpb</i> , 2020 , 22, 405-414	3.8	6

132	Changes in body composition during and after adjuvant or neo-adjuvant chemotherapy in women with breast cancer stage I-IIIb compared with changes over a similar timeframe in women without cancer. <i>Supportive Care in Cancer</i> , 2020 , 28, 1685-1693	3.9	6
131	Poor compliance with perioperative chemotherapy for resectable gastric cancer and its impact on survival. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1926-1933	3.6	5
130	A qualitative analysis of experiences of patients with metastatic breast cancer participating in a mindfulness-based intervention. <i>Palliative Medicine</i> , 2015 , 29, 182-3	5.5	5
129	Gender differences in quality of life in coronary artery disease patients with comorbidities undergoing coronary revascularization. <i>PLoS ONE</i> , 2020 , 15, e0234543	3.7	5
128	Muslim physicians and palliative care: attitudes towards the use of palliative sedation. <i>Supportive Care in Cancer</i> , 2018 , 26, 3701-3710	3.9	5
127	COMplot, A Graphical Presentation of Complication Profiles and Adverse Effects for the Curative Treatment of Gastric Cancer: A Systematic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019 , 9, 68453	5.3	5
126	Maximal exercise performance in patients with postcancer fatigue. <i>Supportive Care in Cancer</i> , 2013 , 21, 439-47	3.9	5
125	Palliative care for an Islamic patient: changing frameworks. <i>Journal of Palliative Medicine</i> , 2012 , 15, 1053-52	5	5
124	Encouraging results in older patients receiving chemotherapy: a retrospective analysis of treatment guideline adherence in daily practice. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 80-5	2.9	5
123	Assessment of Blood Hemodynamics by USPIO-Induced R(1) Changes in MRI of Murine Colon Carcinoma. <i>Applied Magnetic Resonance</i> , 2010 , 38, 349-360	0.8	5
122	Silencing NIK potentiates anti-VEGF therapy in a novel 3D model of colorectal cancer angiogenesis. <i>Oncotarget</i> , 2018 , 9, 28445-28455	3.3	5
121	Relationship Between Quality of Life and Survival in Patients With Pancreatic and Periampullary Cancer: A Multicenter Cohort Analysis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1354-1363	7.3	5
120	Feasibility of extended chemoradiotherapy plus surgery for patients with cT4b esophageal carcinoma. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 626-631	3.6	5
119	Gastro-oesophageal junction: to FLOT or to CROSS?. <i>Acta Oncologica</i> , 2020 , 59, 233-236	3.2	5
118	Hospital volume and beyond first-line palliative systemic treatment in metastatic oesophagogastric adenocarcinoma: A population-based study. <i>European Journal of Cancer</i> , 2020 , 139, 107-118	7.5	5
117	Levels of choline-containing compounds in normal liver and liver metastases of colorectal cancer as recorded by H MRS. <i>NMR in Biomedicine</i> , 2019 , 32, e4035	4.4	5
116	An assisted structured reflection on life events and life goals in advanced cancer patients: Outcomes of a randomized controlled trial (Life InSight Application (LISA) study). <i>Palliative Medicine</i> , 2019 , 33, 221-231	5.5	5
115	Spiritual care by nurses in curative oncology: a mixed-method study on patients' perspectives and experiences. <i>Scandinavian Journal of Caring Sciences</i> , 2020 , 34, 96-107	2.3	5

114	Impact of pathological tumor response after CROSS neoadjuvant chemoradiotherapy followed by surgery on long-term outcome of esophageal cancer: a population-based study. <i>Acta Oncologica</i> , 2021 , 60, 497-504	3.2	5
113	Cachexia and Dietetic Interventions in Patients With Esophagogastric Cancer: A Multicenter Cohort Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 19, 144-152	7.3	5
112	Phase I Dose Escalation Study with Expansion Cohort of the Addition of Nab-Paclitaxel to Capecitabine and Oxaliplatin (CapOx) as First-Line Treatment of Metastatic Esophagogastric Adenocarcinoma (ACTION Study). <i>Cancers</i> , 2019 , 11,	6.6	4
111	TOXview: a novel graphical presentation of cancer treatment toxicity profiles. <i>Acta Oncologica</i> , 2019 , 58, 1138-1148	3.2	4
110	Implementation of contemporary chemotherapy for patients with metastatic pancreatic ductal adenocarcinoma: a population-based analysis. <i>Acta Oncologica</i> , 2020 , 59, 705-712	3.2	4
109	Feasibility of using optical coherence tomography to detect radiation-induced fibrosis and residual cancer extent after neoadjuvant chemo-radiation therapy: an ex vivo study. <i>Biomedical Optics Express</i> , 2018 , 9, 4196-4216	3.5	4
108	Living with advanced cancer: Rich Pictures as a means for health care providers to explore the experiences of advanced cancer patients. <i>Cancer Medicine</i> , 2019 , 8, 4957-4966	4.8	4
107	Systemic effects of angiogenesis inhibition alter pharmacokinetics and intratumoral delivery of nab-paclitaxel. <i>Drug Delivery</i> , 2017 , 24, 1801-1810	7	4
106	A Phase I study of LDE225 in combination with gemcitabine and nab-paclitaxel in patients with metastasized pancreatic cancer. <i>Annals of Oncology</i> , 2017 , 28, v260	10.3	4
105	Factors affecting the unexpected failure of DCE-MRI to determine the optimal biological dose of the vascular targeting agent NGR-hTNF in solid cancer patients. <i>European Journal of Radiology</i> , 2011 , 80, 655-61	4.7	4
104	Religious and Nonreligious Coping among Cancer Patients. <i>Journal of Empirical Theology</i> , 2009 , 22, 195-215		4
103	¹⁸ F-Fludeoxyglucose-Positron Emission Tomography/Computed Tomography and Laparoscopy for Staging of Locally Advanced Gastric Cancer: A Multicenter Prospective Dutch Cohort Study (PLASTIC). <i>JAMA Surgery</i> , 2021 , 156, e215340	5.4	4
102	The stereotypicality of symptomatic and pragmatic argumentation in consultations about palliative systemic treatment for advanced cancer. <i>Journal of Argumentation in Context</i> , 2018 , 7, 181-203	0.6	4
101	Rapid stromal remodeling by short-term VEGFR2 inhibition increases chemotherapy delivery in esophagogastric adenocarcinoma. <i>Molecular Oncology</i> , 2020 , 14, 704-720	7.9	4
100	Venous thromboembolism during preoperative chemotherapy in the CRITICS gastric cancer trial. <i>Cancer Medicine</i> , 2020 , 9, 6609-6616	4.8	4
99	Cachexia, dietetic consultation, and survival in patients with pancreatic and periampullary cancer: A multicenter cohort study. <i>Cancer Medicine</i> , 2020 , 9, 9385-9395	4.8	4
98	Revisiting the Potential of Alternating Repetition Time Balanced Steady-State Free Precession Imaging of the Abdomen at 3 T. <i>Investigative Radiology</i> , 2016 , 51, 560-8	10.1	4
97	Improvement in survival for patients with synchronous metastatic esophageal cancer in the south of the Netherlands from 1994 to 2013. <i>Acta Oncologica</i> , 2016 , 55, 1161-1167	3.2	4

96	The effects of art therapy on anxiety, depression, and quality of life in adults with cancer: a systematic literature review. <i>Supportive Care in Cancer</i> , 2021 , 29, 2289-2298	3.9	4
95	CROSS and beyond: a clinical perspective on the results of the randomized ChemoRadiotherapy for Oesophageal cancer followed by Surgery Study. <i>Chinese Clinical Oncology</i> , 2016 , 5, 13	2.3	4
94	Peer support and additional information in group medical consultations (GMCs) for BRCA1/2 mutation carriers: A randomized controlled trial. <i>Acta Oncologica</i> , 2016 , 55, 178-87	3.2	3
93	1496TiP Phase I study evaluating safety and tolerability of AMG 910, a half-life extended bispecific T cell engager targeting claudin-18.2 (CLDN18.2) in gastric and gastroesophageal junction (G/GEJ) adenocarcinoma. <i>Annals of Oncology</i> , 2020 , 31, S928-S929	10.3	3
92	Soluble Compounds Released by Hypoxic Stroma Confer Invasive Properties to Pancreatic Ductal Adenocarcinoma. <i>Biomedicines</i> , 2020 , 8,	4.8	3
91	Relating to the Experience of Contingency in Patients With Advanced Cancer: An Interview Study in U.S. Patients. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 913-921	4.8	3
90	Assessment of Challenges Encountered by Dutch Oncologists When Patients Ask for Second Opinions. <i>JAMA Oncology</i> , 2018 , 4, 1425-1426	13.4	3
89	Neoadjuvant chemotherapy in oesophageal adenocarcinoma. <i>Lancet Oncology, The</i> , 2017 , 18, e639	21.7	3
88	Reproducibility and biological basis of in vivo T(2)* magnetic resonance imaging of liver metastasis of colorectal cancer. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1145-52	4.4	3
87	Dying at the right time: a modern dilemma. <i>Oncologist</i> , 2009 , 14, 642-3	5.7	3
86	Acute hypertension during ramucirumab infusion in two patients with advanced oesophagogastric cancer. <i>BMJ Case Reports</i> , 2016 , 2016,	0.9	3
85	Patient Satisfaction and Quality of Life Before and After Treatment of Pancreatic and Periampullary Cancer: A Prospective Multicenter Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 704-711	7.3	3
84	Inherently decoupled H antennas and P loops for metabolic imaging of liver metastasis at 7 T. <i>NMR in Biomedicine</i> , 2020 , 33, e4221	4.4	3
83	Nationwide compliance with a multidisciplinary guideline on pancreatic cancer during 6-year follow-up. <i>Pancreatology</i> , 2020 , 20, 1723-1731	3.8	3
82	Gender Differences in Treatment Allocation and Survival of Advanced Gastroesophageal Cancer: A Population-Based Study. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1551-1560	9.7	3
81	Cutaneous Toxicity After Chemoradiotherapy and PD-L1 Inhibition in Two Patients with Esophageal Adenocarcinoma: More than Meets the Eye. <i>Oncologist</i> , 2019 , 24, e149-e153	5.7	3
80	External Validation of the Dutch SOURCE Survival Prediction Model in Belgian Metastatic Oesophageal and Gastric Cancer Patients. <i>Cancers</i> , 2020 , 12,	6.6	3
79	Presentation, Treatment, and Prognosis of Esophageal Carcinoma in a Nationwide Comparison of Sweden and the Netherlands. <i>Annals of Surgery</i> , 2021 , 274, 743-750	7.8	3

78	The role of transforming growth factor β in upper gastrointestinal cancers: A systematic review. <i>Cancer Treatment Reviews</i> , 2021 , 100, 102285	14.4	3
77	Pre-treatment tumor-infiltrating T cells influence response to neoadjuvant chemoradiotherapy in esophageal adenocarcinoma. <i>Onc Immunology</i> , 2021 , 10, 1954807	7.2	3
76	Changes in Circulating Levels of 25-hydroxyvitamin D3 in Breast Cancer Patients Receiving Chemotherapy. <i>Nutrition and Cancer</i> , 2019 , 71, 756-766	2.8	2
75	S-1 with leucovorin and oxaliplatin for advanced gastric cancer. <i>Lancet Oncology, The</i> , 2016 , 17, e41	21.7	2
74	Adjuvant Chemoradiotherapy for Non-Pretreated Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3647-3657	3.1	2
73	Interobserver variability of heart-to-mediastinum ratio in I-123 MIBG sympathetic imaging. <i>Current Cardiology Reports</i> , 2012 , 14, 389-90; author reply 391	4.2	2
72	When hope is all there is left. <i>Oncologist</i> , 2011 , 16, 914-6	5.7	2
71	Treatment and overall survival of four types of non-metastatic periampullary cancer: nationwide population-based cohort study.. <i>Hpb</i> , 2022 ,	3.8	2
70	NEOZOTAC: Efficacy results from a phase III randomized trial with neoadjuvant chemotherapy (TAC) with or without zoledronic acid for patients with HER2-negative large resectable or stage II or III breast cancer (BC)A Dutch Breast Cancer Trialists Group (BOOG) study.. <i>Journal of Clinical Oncology</i> 2013 , 31, 1028-1028	2.2	2
69	SOURCE: Prediction Models for Overall Survival in Patients With Metastatic and Potentially Curable Esophageal and Gastric Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 19, 403-410	7.3	2
68	From presentation to paper: Gender disparities in oncological research. <i>International Journal of Cancer</i> , 2020 , 146, 3011-3021	7.5	2
67	Supervised exercise after oesophageal cancer surgery: the PERFECT multicentre randomized clinical trial. <i>British Journal of Surgery</i> , 2021 , 108, 786-796	5.3	2
66	Perceptions of involvement in advance care planning and emotional functioning in patients with advanced cancer. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 380-385	5.1	2
65	Postoperative Complications and Long-Term Quality of Life After Multimodality Treatment for Esophageal Cancer: An Analysis of the Prospective Observational Cohort Study of Esophageal-Gastric Cancer Patients (POCOP). <i>Annals of Surgical Oncology</i> , 2021 , 28, 7259-7276	3.1	2
64	Digital Self-Management Support Tools in the Care Plan of Patients With Cancer: Review of Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2021 , 23, e20861	7.6	2
63	Tragedy as Contingency Acknowledgement: Towards a Practical Religious-Scientific Theory. <i>Journal of Empirical Theology</i> , 2019 , 32, 232-250	0.1	2
62	Muscle Strength Is Associated With Muscle Mass in Patients With Esophageal Cancer Awaiting Surgery. <i>Journal of Geriatric Physical Therapy</i> , 2020 , 43, 82-88	3.2	2
61	The role of hospital nurses in shared decision-making about life-prolonging treatment: A qualitative interview study. <i>Journal of Advanced Nursing</i> , 2021 , 77, 296-307	3.1	2

60	Signal transduction pathway activity during neoadjuvant treatment in esophageal adenocarcinomas. <i>Annals of Oncology</i> , 2018 , 29, viii211	10.3	2
59	Who should provide care for patients receiving palliative chemotherapy? A qualitative study among Dutch general practitioners and oncologists. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 437-445	2.7	2
58	Bereaved relatives' quality of life before and during the COVID-19 pandemic: Results of the prospective, multicenter, observational eQuiPe study. <i>Palliative Medicine</i> , 2021 , 35, 1502-1507	5.5	2
57	Sex differences in tumor characteristics, treatment, and outcomes of gastric and esophageal cancer surgery: nationwide cohort data from the Dutch Upper GI Cancer Audit. <i>Gastric Cancer</i> , 2021 , 1	7.6	2
56	Extensive diagnostic work-up for patients with carcinoma of unknown primary. <i>Clinical and Experimental Metastasis</i> , 2021 , 38, 231-238	4.7	2
55	Humoral and cellular immune responses after influenza vaccination in patients with postcancer fatigue. <i>Human Vaccines and Immunotherapeutics</i> , 2015 , 11, 1634-40	4.4	1
54	Is chemotherapy for advanced or metastatic oesophageal squamous cell carcinoma no longer needed?. <i>Lancet Oncology, The</i> , 2020 , 21, 743-745	21.7	1
53	Treatment patterns and survival in advanced unresectable esophageal squamous cell cancer: a population-based study.. <i>Cancer Science</i> , 2022 ,	6.9	1
52	This is what life with cancer looks like: exploring experiences of adolescent and young adults with cancer using two visual approaches.. <i>Supportive Care in Cancer</i> , 2022 , 30, 3353	3.9	1
51	Prognostic and predictive factors for overall survival (OS) in metastatic esophagogastric cancer (EGC): A meta-analysis.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 4048-4048	2.2	1
50	Long-Term Quality of Life Following Transthoracic and Transhiatal Esophagectomy for Esophageal Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 1657-1666	3.3	1
49	Changes in hospital variation in the probability of receiving treatment with curative intent for esophageal and gastric cancer. <i>Cancer Epidemiology</i> , 2021 , 71, 101897	2.8	1
48	Preoperative serum ADAM12 levels as a stromal marker for overall survival and benefit of adjuvant therapy in patients with resected pancreatic and periampullary cancer. <i>Hpb</i> , 2021 ,	3.8	1
47	The association between wearable activity monitor metrics and performance status in oncology: a systematic review. <i>Supportive Care in Cancer</i> , 2021 , 29, 7085-7099	3.9	1
46	Narrative recognition and identification: a qualitative pilot study into reading literary texts with advanced cancer patients. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	1
45	Reduced respiratory motion artifacts using structural similarity in fast 2D dynamic contrast enhanced MRI of liver lesions. <i>NMR in Biomedicine</i> , 2016 , 29, 1526-1535	4.4	1
44	Reconstructing Disruptive Life Events Using the RE-LIFE Questionnaire: Further Validation of the Narrative Meaning Making of Life Events Model Using Multiple Mediation Analysis. <i>Journal of Empirical Theology</i> , 2019 , 32, 251-280	0.1	1
43	Cocoon vaccination for influenza in patients with a solid tumor: a retrospective study. <i>Supportive Care in Cancer</i> , 2021 , 29, 3657-3666	3.9	1

42	Use of Palliative Chemotherapy and ICU Admissions in Gastric and Esophageal Cancer Patients in the Last Phase of Life: A Nationwide Observational Study. <i>Cancers</i> , 2021 , 13,	6.6	1
41	Lymph node metastases near the celiac trunk should be considered separately from other nodal metastases in patients with cancer of the esophagus or gastroesophageal junction after neoadjuvant treatment and surgery. <i>Journal of Thoracic Disease</i> , 2018 , 10, 1511-1521	2.6	1
40	Interferon Gamma-Induced Protein (IP-10) as Potential Biomarker for Cancer-Related-Fatigue: Results from a 6-month Randomized Controlled Trial. <i>Cancer Investigation</i> , 2018 , 36, 371-377	2.1	1
39	Multidrug-resistant transporter expression does not always result in drug resistance. <i>Cancer Science</i> , 2018 , 109, 3360-3362	6.9	1
38	Informing Patients With Esophagogastric Cancer About Treatment Outcomes by Using a Web-Based Tool and Training: Development and Evaluation Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e27824	7.6	1
37	A systematic review of HER2 blockade for the curative treatment of gastroesophageal adenocarcinoma: Successes achieved and opportunities ahead. <i>Cancer Treatment Reviews</i> , 2021 , 99, 102249	14.4	1
36	Evaluation of the Khorana, PROTECHT, and 5-SNP scores for prediction of venous thromboembolism in patients with cancer. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 2974-2983	15.4	1
35	Sex, Gender and Age Differences in Treatment Allocation and Survival of Patients With Metastatic Pancreatic Cancer: A Nationwide Study.. <i>Frontiers in Oncology</i> , 2022 , 12, 839779	5.3	1
34	Quality of life and quality of care as experienced by patients with advanced cancer and their relatives: A multicentre observational cohort study (eQuiPe).. <i>European Journal of Cancer</i> , 2022 , 165, 125-135	7.5	1
33	Impact of Pembrolizumab Versus Chemotherapy as Second-Line Therapy for Advanced Esophageal Cancer on Health-Related Quality of Life in KEYNOTE-181. <i>Journal of Clinical Oncology</i> , 2021 , JCO2100601	2.2	0
32	Muslim doctors and decision making in palliative care: a discourse analysis. <i>Mortality</i> , 1-18	1	0
31	The effect of bevacizumab on targeting of anti-epidermal growth factor receptor and anti-insulin-like growth factor 1 receptor antibodies.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3035-3035	2.2	0
30	Readily available biomarkers predict poor survival in metastatic pancreatic cancer. <i>Biomarkers</i> , 2021 , 26, 325-334	2.6	0
29	Prognostic value of patient-reported quality of life for survival in oesophagogastric cancer: analysis from the population-based POCOP study. <i>Gastric Cancer</i> , 2021 , 24, 1203-1212	7.6	0
28	Mandatory Reporting Measurements in Trials for Potentially Resectable Pancreatic Cancer 2021 , 107-118		0
27	A population-based study on incidence, treatment, and survival in ampullary cancer in the Netherlands. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1742-1749	3.6	0
26	SOURCE-PANC: A Prediction Model for Patients With Metastatic Pancreatic Ductal Adenocarcinoma Based on Nationwide Population-Based Data. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 19, 1045-1053	7.3	0
25	Reply to C. Pötgen et al and Y.-H. Lin et al. <i>Journal of Clinical Oncology</i> , 2021 , 39, 3882-3883	2.2	0

24	The association between effectiveness of first-line treatment and second-line treatment in gastro-oesophageal cancer. <i>European Journal of Cancer</i> , 2021 , 156, 60-69	7.5	o
23	Co-creative art processes with patients: A theoretical framework and qualitative study among artists.. <i>PLoS ONE</i> , 2022 , 17, e0266401	3.7	o
22	Clinical variation in the organization of clinical pathways in esophagogastric cancer, a mixed method multiple case study.. <i>BMC Health Services Research</i> , 2022 , 22, 527	2.9	o
21	On the Receiving End of Autonomy and Law. <i>Oncologist</i> , 2017 , 22, 1143-1145	5.7	
20	Response to letter to the editor. <i>Supportive Care in Cancer</i> , 2018 , 26, 1689	3.9	
19	Ischemic neuropathy and rhabdomyolysis as presenting symptoms of postpartum cardiomyopathy. <i>Journal of Thrombosis and Thrombolysis</i> , 2009 , 27, 458-60	5.1	
18	Perspective on the Immunotherapy of Esophageal Cancer 2021 , 1		
17	Commentary on A pragma-dialectical perspective on obstacles to shared decision-making□ <i>Journal of Argumentation in Context</i> , 2018 , 7, 177-180	0.6	
16	Reduction of heart volume during neoadjuvant chemoradiation in patients with resectable esophageal cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4044-4044	2.2	
15	Multimodality treatment of 132 consecutive patients with locally advanced pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e15738-e15738	2.2	
14	Humoral and cellular immune response after influenza vaccination in patients with postcancer fatigue and patients with chronic fatigue syndrome.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 9070-9070	2.2	
13	Modes of Narrative Integration of Experiences of Contingency in Highly Sensitive Children: a Qualitative Pilot Study. <i>Journal of Empirical Theology</i> , 2019 , 32, 211-231	0.1	
12	PS02.084: PROSPECTIVE EVALUATION OF 18F-FDG PET-CT AFTER NEOADJUVANT CHEMORADIOTHERAPY FOR DETECTING LYMPH NODE METASTASES NEAR THE CELIAC TRUNK IN PATIENTS WITH ESOPHAGEAL CANCER. <i>Ecological Management and Restoration</i> , 2018 , 31, 144-144	3	
11	PS02.140: OUTCOMES OF SALVAGE SURGERY IN PATIENTS WITH RECURRENT ESOPHAGEAL CANCER AFTER DEFINITIVE CHEMORADIOTHERAPY. <i>Ecological Management and Restoration</i> , 2018 , 31, 160-160	3	
10	PS02.237: IDENTIFICATION OF THREE DISTINCT BIOLOGICAL SUBTYPES IN ESOPHAGEAL AND JUNCTIONAL ADENOCARCINOMA BY RNA SEQUENCING. <i>Ecological Management and Restoration</i> , 2018 , 31, 189-189	3	
9	Erffnungen von Möglichkeiten in der Interpretationskrise. <i>Wege Zum Menschen</i> , 2021 , 73, 55-69	0	
8	A patient with swollen ears and ECG abnormalities. <i>Netherlands Journal of Medicine</i> , 2006 , 64, 130, 132	0.5	
7	A patient with abdominal pain and a rash. <i>Netherlands Journal of Medicine</i> , 2008 , 66, 48-9	0.5	

- 6 A 52-year-old oncology patient with acute severe abdominal pain. *Netherlands Journal of Medicine*, **2017**, 75, 359 0.5
- 5 A population-based study in resected esophageal or gastroesophageal junction cancer aligned with CheckMate 577.. *Therapeutic Advances in Medical Oncology*, **2022**, 14, 17588359221075495 5.4
- 4 A population-based study in synchronous metachronous metastatic esophagogastric adenocarcinoma.. *Therapeutic Advances in Medical Oncology*, **2022**, 14, 17588359221085557 5.4
- 3 The fear of cancer recurrence and progression in patients with pancreatic cancer.. *Supportive Care in Cancer*, **2022**, 30, 4879 3.9
- 2 FOXO transcriptional activity is associated with response to chemoradiation in EAC.. *Journal of Translational Medicine*, **2022**, 20, 183 8.5
- 1 Improving survival prediction of oesophageal cancer patients treated with external beam radiotherapy for dysphagia. *Acta Oncologica*, 1-7 3.2