
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8879744/publications.pdf Version: 2024-02-01



<u> Βει Ã ΟΝ C. Ρλαπο</u>

#	Article	IF	CITATIONS
1	Whole genome sequencing of turbot (<i>Scophthalmus maximus</i> ; Pleuronectiformes): a fish adapted to demersal life. DNA Research, 2016, 23, 181-192.	3.4	150
2	Identification of the Major Sex-Determining Region of Turbot (<i>Scophthalmus maximus</i>). Genetics, 2009, 183, 1443-1452.	2.9	109
3	Analysis of qPCR reference gene stability determination methods and a practical approach for efficiency calculation on a turbot (Scophthalmus maximus) gonad dataset. BMC Genomics, 2014, 15, 648.	2.8	105
4	A Microsatellite Genetic Map of the Turbot (<i>Scophthalmus maximus</i>). Genetics, 2007, 177, 2457-2467.	2.9	93
5	A rapid and simple method for constructing stable mutants of Acinetobacter baumannii. BMC Microbiology, 2010, 10, 279.	3.3	88
6	Detection of growth-related QTL in turbot (Scophthalmus maximus). BMC Genomics, 2011, 12, 473.	2.8	86
7	Gene Expression Profiles of the Spleen, Liver, and Head Kidney in Turbot (Scophthalmus maximus) Along the Infection Process with Aeromonas salmonicida Using an Immune-Enriched Oligo-microarray. Marine Biotechnology, 2011, 13, 1099-1114.	2.4	79
8	QTL detection for Aeromonas salmonicida resistance related traits in turbot (Scophthalmus) Tj ETQq0 0 0 rgBT /	Overlock 1 2.8	.0
9	RNA-seq analysis reveals significant transcriptome changes in turbot (Scophthalmus maximus) suffering severe enteromyxosis. BMC Genomics, 2014, 15, 1149.	2.8	68
10	Cytogenetic characterization of six species of flatfishes with comments to karyotype differentiation patterns in Pleuronectiformes (Teleostei). Journal of Fish Biology, 2007, 70, 1-15.	1.6	65
11	An Expressed Sequence Tag (EST)-enriched genetic map of turbot (Scophthalmus maximus): a useful framework for comparative genomics across model and farmed teleosts. BMC Genetics, 2012, 13, 54.	2.7	62
12	Uncovering <scp>QTL</scp> for resistance and survival time to <i><scp>P</scp>hilasterides dicentrarchi</i> in turbot (<i><scp>S</scp>cophthalmus maximus</i>). Animal Genetics, 2013, 44, 149-157.	1.7	62
13	Phylogenetic analysis of flatfish (Order Pleuronectiformes) based on mitochondrial 16s rDNA sequences. Scientia Marina, 2005, 69, 531-543.	0.6	62
14	Expressed sequence tags (ESTs) from immune tissues of turbot (Scophthalmus maximus) challenged with pathogens. BMC Veterinary Research, 2008, 4, 37.	1.9	61
15	Centromere-linkage in the turbot (Scophthalmus maximus) through half-tetrad analysis in diploid meiogynogenetics. Aquaculture, 2008, 280, 81-88.	3.5	60
16	The search for alternative aqueous film forming foams (AFFF) with a low environmental impact: Physiological and transcriptomic effects of two Forafac® fluorosurfactants in turbot. Aquatic Toxicology, 2011, 104, 168-176.	4.0	58

17	Parallel evolution and adaptation to environmental factors in a marine flatfish: Implications for fisheries and aquaculture management of the turbot (<i>Scophthalmus maximus</i>). Evolutionary Applications, 2018, 11, 1322-1341.	3.1	54	
18	Population analysis of an unusual NOR-site polymorphism in brown trout (Salmo trutta L.). Heredity, 2001–86, 291-302	2.6	50	

2001, 86, 291-302.

2

23

#	Article	IF	CITATIONS
19	RNA-seq analysis of early enteromyxosis in turbot (Scophthalmus maximus): new insights into parasite invasion and immune evasion strategies. International Journal for Parasitology, 2016, 46, 507-517.	3.1	50
20	Fine Mapping and Evolution of the Major Sex Determining Region in Turbot (<i>Scophthalmus) Tj ETQq0 0 0 rgBT</i>	/Oyerlock 1.8	10 Tf 50 7 46
21	A combined strategy involving Sanger and 454 pyrosequencing increases genomic resources to aid in the management of reproduction, disease control and genetic selection in the turbot (Scophthalmus) Tj ETQq1 1 (027884314	r g &T ∕Over
22	Phylogenetic analysis of the order Pleuronectiformes (Teleostei) based on sequences of 12S and 16S mitochondrial genes. Genetics and Molecular Biology, 2008, 31, 284-292.	1.3	41
23	Validation of single nucleotide polymorphism (SNP) markers from an immune Expressed Sequence Tag (EST) turbot, Scophthalmus maximus, database. Aquaculture, 2011, 313, 31-41.	3.5	39
24	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 December 2010–31 January 2011. Molecular Ecology Resources, 2011, 11, 586-589.	4.8	38
25	Design and Performance of a Turbot (Scophthalmus maximus) Oligo-microarray Based on ESTs from Immune Tissues. Marine Biotechnology, 2010, 12, 452-465.	2.4	37
26	>Localization of ribosomal genes in Pleuronectiformes using Ag-, CMA3-banding and in situ hybridization. Heredity, 2001, 86, 531-536.	2.6	36
27	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 December 2012–31	4.8	36

27	January 2013. Molecular Ecology Resources, 2013, 13, 546-549.	4.8	36
28	Signatures of selection for bonamiosis resistance in European flat oyster (Ostrea edulis): New genomic tools for breeding programs and management of natural resources. Evolutionary Applications, 2019, 12, 1781-1796.	3.1	35
29	Characterization of ESTâ€derived microsatellites for gene mapping and evolutionary genomics in turbot. Animal Genetics, 2008, 39, 666-670.	1.7	33
30	Gene Expression Profiles of Spleen, Liver, and Head Kidney in Turbot (Scophthalmus maximus) Along the Infection Process with Philasterides dicentrarchi Using an Immune-Enriched Oligo-Microarray. Marine Biotechnology, 2012, 14, 570-582.	2.4	29
31	Very low microsatellite polymorphism and large heterozygote deficits suggest founder effects and cryptic structure in the parasite Perkinsus olseni. Infection, Genetics and Evolution, 2011, 11, 904-911.	2.3	28
32	Turbot (Scophthalmus maximus) genomic resources: application for boosting aquaculture production. , 2016, , 131-163.		26
33	A population analysis of the structure and variability of NOR in Salmo trutta by Ag, CMA3 and ISH. Genetica, 2000, 108, 113-118.	1.1	24

34	Ribosomal genes in Coregonid fishes (Coregonus lavaretus, C. albula and C. peled) (Salmonidae): single and multiple nucleolus organizer regions. Heredity, 2001, 87, 672-679.	2.6	24

35 Development and characterization of 248 novel microsatellite markers in turbot (Scophthalmus) Tj ETQq1 1 0.784314 rgBT /Overlock

Consolidation of the genetic and cytogenetic maps of turbot (Scophthalmus maximus) using FISH with BAC clones. Chromosoma, 2014, 123, 281-291.

#	Article	IF	CITATIONS
37	Identification and validation of single nucleotide polymorphisms as tools to detect hybridization and population structure in freshwater stingrays. Molecular Ecology Resources, 2017, 17, 550-556.	4.8	23
38	Integrating Genomic and Morphological Approaches in Fish Pathology Research: The Case of Turbot (Scophthalmus maximus) Enteromyxosis. Frontiers in Genetics, 2019, 10, 26.	2.3	23
39	A set of highly polymorphic microsatellites useful for kinship and population analysis in turbot (Scophthalmus maximus L.). Aquaculture Research, 2006, 37, 1578-1582.	1.8	22
40	Performance and precision of double digestion RAD (ddRAD) genotyping in large multiplexed datasets of marine fish species. Marine Genomics, 2018, 39, 64-72.	1.1	21
41	Oral immunostimulation of the oyster Ostrea edulis: Impacts on the parasite Bonamia ostreae. Fish and Shellfish Immunology, 2015, 45, 43-51.	3.6	20
42	Construction of an Ostrea edulis database from genomic and expressed sequence tags (ESTs) obtained from Bonamia ostreae infected haemocytes: Development of an immune-enriched oligo-microarray. Fish and Shellfish Immunology, 2016, 59, 331-344.	3.6	20
43	Analysis of a secondary contact between divergent lineages of brown trout Salmo trutta L. from Duero basin using microsatellites and mtDNA RFLPs. Journal of Fish Biology, 2007, 71, 195-213.	1.6	19
44	Promiscuous Speciation with Gene Flow in Silverside Fish Genus Odontesthes (Atheriniformes,) Tj ETQq0 0 0 rgB	T /Overlocl 2.5	k 10 Tf 50 46 18
45	First characterization and validation of turbot microRNAs. Aquaculture, 2017, 472, 76-83.	3.5	18
46	Chromosomal characteristics of rDNA in European grayling Thymallus thymallus (Salmonidae). Genetica, 2003, 119, 219-224.	1.1	16
47	First identification of interspecies hybridization in the freshwater stingrays Potamotrygon motoro and P. falkneri (Myliobatiformes, Potamotrygonidae). Conservation Genetics, 2015, 16, 241-245.	1.5	16
48	New microsatellite markers in turbot (Scophthalmus maximus) derived from an enriched genomic library and sequence databases. Molecular Ecology Notes, 2005, 5, 62-64.	1.7	15
49	Characterization of single-nucleotide polymorphism markers in the Mediterranean mussel, <i>Mytilus galloprovincialis</i> . Aquaculture Research, 2010, 41, e568-e575.	1.8	15
50	Exploitation of a turbot (<i>Scophthalmus maximus</i> L.) immuneâ€related expressed sequence tag (EST) database for microsatellite screening and validation. Molecular Ecology Resources, 2012, 12, 706-716.	4.8	15
51	Transcriptomic profile of Manila clam (Ruditapes philippinarum) haemocytes in response to Perkinsus olseni infection. Aquaculture, 2017, 467, 170-181.	3.5	15
52	Characterization of a New Hpal Centromeric Satellite DNA in Salmo salar. Genetica, 2004, 121, 81-87.	1.1	14
53	Novel microsatellite loci in the threatened European long-snouted seahorse (Hippocampus) Tj ETQq1 1 0.784314	rgBT /Ove	erlock 10 Tfl

De novo transcriptome assembly of Perkinsus olseni trophozoite stimulated in vitro with Manila clam (Ruditapes philippinarum) plasma. Journal of Invertebrate Pathology, 2016, 135, 22-33.

3.2 14

#	Article	IF	CITATIONS
55	Species identification and genetic structure of threatened seahorses in Gran Canaria Island (Spain) using mitochondrial and microsatellite markers. Conservation Genetics, 2010, 11, 2431-2436.	1.5	13
56	Microarray analysis of the inflammatory and immune responses in head kidney turbot leucocytes treated with resveratrol. International Immunopharmacology, 2013, 15, 588-596.	3.8	13
57	Heritability estimation for okadaic acid algal toxin accumulation, mantle color and growth traits in Mediterranean mussel (Mytilus galloprovincialis). Aquaculture, 2015, 440, 32-39.	3.5	13
58	Immunohistochemical detection and gene expression of TNFα in turbot (Scophthalmus maximus) enteromyxosis. Fish and Shellfish Immunology, 2015, 47, 368-376.	3.6	13
59	A molecular tool for parentage analysis in the Mediterranean mussel (<i>Mytilus) Tj ETQq1 1 0.784314 rgBT /Ove</i>	erlock 10 ⁻ 1.8	Tf 50 582 To
60	Localization of 5S rRNA loci in three coregonid species (Salmonidae). Genetica, 2003, 119, 183-186.	1.1	12
61	Screening of repetitive motifs inside the genome of the flat oyster (Ostrea edulis): Transposable elements and short tandem repeats. Marine Genomics, 2015, 24, 335-341.	1.1	12
62	SNP identification and validation on genomic DNA for studying genetic diversity in Thunnus albacares and Scomberomorus brasiliensis by combining RADseq and long read high throughput sequencing. Fisheries Research, 2018, 198, 189-194.	1.7	12
63	Development and characterization of 16 microsatellites for the Neotropical catfish Pseudoplatystoma reticulatum and cross species analysis. Conservation Genetics Resources, 2014, 6, 679-681.	0.8	11
64	The Teleost Thymus in Health and Disease: New Insights from Transcriptomic and Histopathological Analyses of Turbot, Scophthalmus maximus. Biology, 2020, 9, 221.	2.8	10
65	Chromosome Banding and 18S rDNA in situ Hybridization Analysis of Seven Species of the Family Achiridae (Teleostei: Pleuronectiformes). Genetica, 2005, 125, 125-132.	1.1	9
66	Effects of Enteromyxum spp. (Myxozoa) infection in the regulation of intestinal E adherin: Turbot against gilthead sea bream. Journal of Fish Diseases, 2020, 43, 337-346.	1.9	9
67	rRNA genes map to chromosomes 10, 11 and 12 in European whitefish (Coregonus lavaretus) and to chromosomes 1, 5, 9 and 10 in vendace (Coregonus albula). Chromosome Research, 2000, 8, 455-455.	2.2	8
68	High Ag-NOR-site variation associated to a secondary contact in brown trout from the Iberian Peninsula. Genetica, 2009, 136, 419-427.	1.1	8
69	Vaccine-induced modulation of gene expression in turbot peritoneal cells. A microarray approach. Molecular Immunology, 2016, 75, 188-199.	2.2	8
70	A multidisciplinary approach to identify priority areas for the monitoring of a vulnerable family of fishes in Spanish Marine National Parks. Bmc Ecology and Evolution, 2021, 21, 4.	1.6	8
71	Hepatic gene transcription profiles in turbot (Scophthalmus maximus) experimentally exposed to heavy fuel oil nº 6 and to styrene. Marine Environmental Research, 2017, 123, 14-24.	2.5	7
72	Blood Transcriptomics of Turbot Scophthalmus maximus: A Tool for Health Monitoring and Disease Studies. Animals, 2021, 11, 1296.	2.3	7

#	Article	IF	CITATIONS
73	rDNA RFLPs as genetic markers for resource management in brown trout. Journal of Fish Biology, 1999, 55, 221-225.	1.6	5
74	Microsatellite marker development in the protozoan parasite Perkinsus olseni. Diseases of Aquatic Organisms, 2011, 94, 161-165.	1.0	5
75	A microsatellite panel for mating system analysis and broodstock management of captive long-snouted seahorse Hippocampus guttulatus. Aquaculture, 2012, 356-357, 153-157.	3.5	5
76	Gene expression analysis of Ruditapes philippinarum haemocytes after experimental Perkinsus olseni zoospore challenge and infection in the wild. Fish and Shellfish Immunology, 2018, 72, 611-621.	3.6	5
77	Immunohistochemical expression of E–cadherin in different tissues of the teleost fish Scophthalmus maximus. Aquaculture, 2019, 501, 465-472.	3.5	5
78	Brown trout 5S rDNA maps to chromosome 38. Chromosome Research, 2000, 8, 657-657.	2.2	4
79	Species identification of two closely exploited flatfish, turbot (<scp><i>Scophthalmus) Tj ETQq1 1 0.784314 rgBT approach. Aquatic Conservation: Marine and Freshwater Ecosystems, 2018, 28, 1253-1260.</i></scp>	/Overlock 2.0	2 10 Tf 50 5 4
80	Population Genomics in Rhamdia quelen (Heptapteridae, Siluriformes) Reveals Deep Divergence and Adaptation in the Neotropical Region. Genes, 2020, 11, 109.	2.4	4
81	New insights into the Manila clam – Perkinsus olseni interaction based on gene expression analysis of clam hemocytes and parasite trophozoites through in vitro challenges. International Journal for Parasitology, 2020, 50, 195-208.	3.1	3
82	Microsatellite loci in the oceanic whitetip shark and cross-species amplification using pyrosequencing technology. Conservation Genetics Resources, 2015, 7, 585-589.	0.8	1
83	Identification of novel gender-associated mitochondrial haplotypes inMargaritifera margaritifera(Linnaeus, 1758). Zoological Journal of the Linnean Society, 2016, , .	2.3	Ο
84	Identification of a sex-specific molecular marker in Salminus brasiliensis (Characiformes) based on SCAR marker. Journal of Applied Ichthyology, 2017, 33, 1024-1026.	0.7	0