

Karl-Norbert Klotz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8881982/publications.pdf>

Version: 2024-02-01

145
papers

5,715
citations

76031

42
h-index

104191

69
g-index

154
all docs

154
docs citations

154
times ranked

5582
citing authors

#	ARTICLE	IF	CITATIONS
1	A2A Adenosine Receptor Antagonists: Are Triazolotriazine and Purine Scaffolds Interchangeable? <i>Molecules</i> , 2022, 27, 2386.	1.7	5
2	Potent and selective A ₃ adenosine receptor antagonists bearing aminoesters as heterobifunctional moieties. <i>RSC Medicinal Chemistry</i> , 2021, 12, 254-262.	1.7	0
3	Structure-Based Optimization of Coumarin hA ₃ Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 2577-2587.	2.9	14
4	Adenosine Receptor Ligands: Coumarin-Chalcone Hybrids as Modulating Agents on the Activity of hARs. <i>Molecules</i> , 2020, 25, 4306.	1.7	8
5	Targeting G Protein-Coupled Receptors with Magnetic Carbon Nanotubes: The Case of the A ₃ Adenosine Receptor. <i>ChemMedChem</i> , 2020, 15, 1909-1920.	1.6	4
6	Pharmacological characterisation of novel adenosine A ₃ receptor antagonists. <i>Scientific Reports</i> , 2020, 10, 20781.	1.6	16
7	Bronchospasmolytic activity and adenosine receptor binding of some newer 1,3-dipropyl-8-phenyl substituted xanthine derivatives. <i>Chemical Biology and Drug Design</i> , 2020, 95, 600-609.	1.5	4
8	A novel small molecule A _{2A} adenosine receptor agonist, indirubin-3- α -monoxime, alleviates lipid-induced inflammation and insulin resistance in 3T3-L1 adipocytes. <i>Biochemical Journal</i> , 2019, 476, 2371-2391.	1.7	11
9	New A _{2A} adenosine receptor antagonists: a structure-based upside-down interaction in the receptor cavity. <i>Bioorganic Chemistry</i> , 2019, 92, 103183.	2.0	4
10	Agonists activate different A _{2B} adenosine receptor signaling pathways in MBA-MD-231 breast cancer cells with distinct potencies. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 1515-1521.	1.4	3
11	Design, Synthesis and Evaluation of New Indolylpyrimidylpiperazines for Gastrointestinal Cancer Therapy. <i>Molecules</i> , 2019, 24, 3661.	1.7	0
12	Medicinal Chemistry and Therapeutic Potential of Agonists, Antagonists and Allosteric Modulators of A ₁ Adenosine Receptor: Current Status and Perspectives. <i>Current Pharmaceutical Design</i> , 2019, 25, 2697-2715.	0.9	39
13	7-Amino-2-aryl/heteroaryl-5,8-dihydro[1,2,4]triazolo[1,5- <i>a</i>]pyridine-6-carbonitriles; Synthesis and adenosine receptor binding studies. <i>Chemical Biology and Drug Design</i> , 2019, 94, 1568-1573.	1.5	26
14	Synthesis, biological evaluation and molecular modelling studies of 1,3,7,8-tetrasubstituted xanthines as potent and selective A _{2A} AR ligands with in vivo efficacy against animal model of Parkinson's disease. <i>Bioorganic Chemistry</i> , 2019, 87, 601-612.	2.0	7
15	Pyrazolo[4,3- <i>e</i>][1,2,4]triazolo[1,5- <i>c</i>]pyrimidines to develop functionalized ligands to target adenosine receptors: fluorescent ligands as an example. <i>MedChemComm</i> , 2019, 10, 1094-1108.	3.5	9
16	Neuroprotective potential of adenosine A ₁ receptor partial agonists in experimental models of cerebral ischemia. <i>Journal of Neurochemistry</i> , 2019, 149, 211-230.	2.1	24
17	Discovery of Novel Adenosine Receptor Antagonists through a Combined Structure- and Ligand-Based Approach Followed by Molecular Dynamics Investigation of Ligand Binding Mode. <i>Journal of Chemical Information and Modeling</i> , 2018, 58, 794-815.	2.5	22
18	Structure-Based Design, Synthesis, and In Vivo Antinociceptive Effects of Selective A ₁ Adenosine Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 305-318.	2.9	9

#	ARTICLE	IF	CITATIONS
19	New potent and selective A1 adenosine receptor antagonists as potential tools for the treatment of gastrointestinal diseases. <i>European Journal of Medicinal Chemistry</i> , 2018, 151, 199-213.	2.6	11
20	Discovery of 2-aminoimidazole and 2-amino imidazolyl-thiazoles as non-xanthine human adenosine A3 receptor antagonists: SAR and molecular modeling studies. <i>MedChemComm</i> , 2018, 9, 676-684.	3.5	4
21	Coumarins and adenosine receptors: New perceptions in structure-affinity relationships. <i>Chemical Biology and Drug Design</i> , 2018, 91, 245-256.	1.5	5
22	Synthesis and adenosine receptors binding studies of new fluorinated analogues of pyrido[2,3-d]pyrimidines and quinazolines. <i>Medicinal Chemistry Research</i> , 2018, 27, 756-767.	1.1	24
23	Synthesis, adenosine receptor binding and molecular modelling studies of novel thieno[2,3-d]pyrimidine derivatives. <i>Chemical Biology and Drug Design</i> , 2018, 91, 962-969.	1.5	33
24	The A2B adenosine receptor in MDA-MB-231 breast cancer cells diminishes ERK1/2 phosphorylation by activation of MAPK-phosphatase-1. <i>PLoS ONE</i> , 2018, 13, e0202914.	1.1	13
25	[1,2,4]Triazolo[1,5-c]pyrimidines as adenosine receptor antagonists: Modifications at the 8 position to reach selectivity towards A3 adenosine receptor subtype. <i>European Journal of Medicinal Chemistry</i> , 2018, 157, 837-851.	2.6	13
26	Discovery of indolylpiperazinympyrimidines with dual-target profiles at adenosine A2A and dopamine D2 receptors for Parkinson's disease treatment. <i>PLoS ONE</i> , 2018, 13, e0188212.	1.1	23
27	Exploring the Role of <i>N</i> ⁶ -Substituents in Potent Dual Acting 5 ² - <i>C</i> -Ethyltetrazolyladenosine Derivatives: Synthesis, Binding, Functional Assays, and Antinociceptive Effects in Mice. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 4327-4341.	2.9	15
28	Adenosine Receptor Biology in the Central Nervous System. , 2017, , 3-22.		2
29	Guanosine exerts antiplatelet and antithrombotic properties through an adenosine-related cAMP-PKA signaling. <i>International Journal of Cardiology</i> , 2017, 248, 294-300.	0.8	19
30	The Length and Flexibility of the 2 ⁶ -Substituent of 9 ⁶ -Ethyladenine Derivatives Modulate Affinity and Selectivity for the Human A _{2A} Adenosine Receptor. <i>ChemMedChem</i> , 2016, 11, 1829-1839.	1.6	12
31	Discovery of 7-(Prolinol-N-yl)-2-phenylamino-thiazolo[5,4-d]pyrimidines as Novel Non-Nucleoside Partial Agonists for the A2A Adenosine Receptor: Prediction from Molecular Modeling. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 5922-5928.	2.9	23
32	Inhibitors of membranous adenylyl cyclases with affinity for adenosine receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 349-352.	1.4	6
33	Synthesis and Evaluation of a New Series of 8 ⁶ -(2 ⁶ -Nitroaryl)Xanthines as Adenosine Receptor Ligands. <i>Drug Development Research</i> , 2016, 77, 241-250.	1.4	9
34	Synthesis and pharmacological characterization of novel xanthine carboxylate amides as A2A adenosine receptor ligands exhibiting bronchospasmolytic activity. <i>Bioorganic Chemistry</i> , 2016, 65, 26-37.	2.0	8
35	5,7-Disubstituted-[1,2,4]triazolo[1,5- a][1,3,5]triazines as pharmacological tools to explore the antagonist selectivity profiles toward adenosine receptors. <i>European Journal of Medicinal Chemistry</i> , 2016, 108, 529-541.	2.6	18
36	Development of novel adenosine receptor ligands based on the 3-amidocoumarin scaffold. <i>Bioorganic Chemistry</i> , 2015, 61, 1-6.	2.0	9

#	ARTICLE	IF	CITATIONS
37	Novel thiazole-thiophene conjugates as adenosine receptor antagonists: Synthesis, biological evaluation and docking studies. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1306-1309.	1.0	25
38	5- <i>N</i> -Ethyl-tetrazolyl- <i>N</i> ⁶ -Substituted Adenosine and 2-Chloro-adenosine Derivatives as Highly Potent Dual Acting A ₁ Adenosine Receptor Agonists and A ₃ Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 2560-2566.	2.9	22
39	The Influence of the 1-(3-Trifluoromethyl-Benzyl)-1 <i>H</i> -Pyrazole-4-yl Moiety on the Adenosine Receptors Affinity Profile of Pyrazolo[4,3- <i>e</i>][1,2,4]Triazolo[1,5- <i>c</i>]Pyrimidine Derivatives. <i>PLoS ONE</i> , 2015, 10, e0143504.	1.1	6
40	Insight into the Interactions between Novel Coumarin Derivatives and Human A ₃ Adenosine Receptors. <i>ChemMedChem</i> , 2014, 9, 2245-2253.	1.6	13
41	Scaffold Decoration at Positions 5 and 8 of 1,2,4-Triazolo[1,5- <i>c</i>]Pyrimidines to Explore the Antagonist Profiling on Adenosine Receptors: A Preliminary Structure-Activity Relationship Study. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 6210-6225.	2.9	13
42	Different efficacy of adenosine and NECA derivatives at the human A ₃ adenosine receptor: Insight into the receptor activation switch. <i>Biochemical Pharmacology</i> , 2014, 87, 321-331.	2.0	19
43	Discovery of simplified N ₂ -substituted pyrazolo[3,4- <i>d</i>]pyrimidine derivatives as novel adenosine receptor antagonists: Efficient synthetic approaches, biological evaluations and molecular docking studies. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 1751-1765.	1.4	16
44	8-(2-Furyl)adenine derivatives as A _{2A} adenosine receptor ligands. <i>European Journal of Medicinal Chemistry</i> , 2013, 70, 525-535.	2.6	14
45	Synthesis and adenosine receptors binding affinities of a series of 3-arylcoumarins. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 1590-1597.	1.2	16
46	Organoruthenium Antagonists of Human A ₃ Adenosine Receptors. <i>Chemistry - A European Journal</i> , 2013, 19, 8321-8330.	1.7	15
47	Chalcone-based derivatives as new scaffolds for A ₃ adenosine receptor antagonists. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 697-703.	1.2	44
48	Revisiting a Receptor-Based Pharmacophore Hypothesis for Human A _{2A} Adenosine Receptor Antagonists. <i>Journal of Chemical Information and Modeling</i> , 2013, 53, 1620-1637.	2.5	16
49	New insight into adenosine receptors selectivity derived from a novel series of [5-substituted-4-phenyl-1,3-thiazol-2-yl] benzamides and furamides. <i>European Journal of Medicinal Chemistry</i> , 2013, 63, 924-934.	2.6	30
50	Exploring the Directionality of 5-Substitutions in a New Series of 5-Alkylaminopyrazolo[4,3- <i>e</i>]1,2,4-triazolo[1,5- <i>c</i>]pyrimidine as a Strategy To Design Novel Human A ₃ Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 9654-9668.	2.9	17
51	Targeting adenosine receptors with coumarins: synthesis and binding activities of amide and carbamate derivatives. <i>Journal of Pharmacy and Pharmacology</i> , 2012, 65, 30-34.	1.2	13
52	Cytotoxic purine nucleoside analogues bind to A ₁ , A _{2A} , and A ₃ adenosine receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2012, 385, 519-525.	1.4	22
53	Discovery of novel A ₃ adenosine receptor ligands based on chromone scaffold. <i>Biochemical Pharmacology</i> , 2012, 84, 21-29.	2.0	46
54	Synthesis and Biological Evaluation of a New Series of 1,2,4-Triazolo[1,5- <i>a</i>]-1,3,5-triazines as Human A _{2A} Adenosine Receptor Antagonists with Improved Water Solubility. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 877-889.	2.9	30

#	ARTICLE	IF	CITATIONS
55	Does the combination of optimal substitutions at the C2-, N5- and N8-positions of the pyrazolo-triazolo-pyrimidine scaffold guarantee selective modulation of the human A3 adenosine receptors?. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 6120-6134.	1.4	11
56	Ectonucleotidases CD39 and CD73 on OvCA cells are potent adenosine-generating enzymes responsible for adenosine receptor 2A-dependent suppression of T cell function and NK cell cytotoxicity. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1405-1418.	2.0	163
57	New 9-methyl-8-(4-hydroxyphenyl)adenine derivatives as A1 adenosine receptor antagonists. <i>Collection of Czechoslovak Chemical Communications</i> , 2011, 76, 1379-1393.	1.0	8
58	The Significance of 2-Furylyl Ring Substitution with a 2-(<i>para</i> -substituted) Aryl Group in a New Series of Pyrazolo-triazolo-pyrimidines as Potent and Highly Selective hA ₃ Adenosine Receptors Antagonists: New Insights into Structure-Affinity Relationship and Receptor Antagonist Recognition. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 3361-3375.	2.9	40
59	Receptor crosstalk: haloperidol treatment enhances A2A adenosine receptor functioning in a transfected cell model. <i>Purinergic Signalling</i> , 2010, 6, 373-381.	1.1	10
60	Synthesis and pharmacological characterization of a new series of 5,7-disubstituted-[1,2,4]triazolo[1,5-a][1,3,5]triazine derivatives as adenosine receptor antagonists: A preliminary inspection of ligand-receptor recognition process. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2524-2536.	1.4	29
61	Pharmacology and Molecular Biology of A3 Adenosine Receptors. , 2010, , 49-58.		1
62	Adenosine A _{2A} Receptor Antagonists: New 8-Substituted 9-Ethyladenines as Tools for in-vivo Rat Models of Parkinson's Disease. <i>ChemMedChem</i> , 2009, 4, 1010-1019.	1.6	32
63	Synthesis of (R)-3,4-dihydro-2H-pyran-2-carboxaldehyde: application to the synthesis of potent adenosine A2A and A3 receptor agonist. <i>Tetrahedron Letters</i> , 2009, 50, 2693-2696.	0.7	8
64	Combining selectivity and affinity predictions using an integrated Support Vector Machine (SVM) approach: An alternative tool to discriminate between the human adenosine A2A and A3 receptor pyrazolo-triazolo-pyrimidine antagonists binding sites. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 5259-5274.	1.4	26
65	Analysis of receptor oligomerization by FRAP microscopy. <i>Nature Methods</i> , 2009, 6, 225-230.	9.0	187
66	8-Bromo-9-alkyl adenine derivatives as tools for developing new adenosine A2A and A2B receptors ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 2812-2822.	1.4	53
67	N6-Cycloalkyl- and N6-Bicycloalkyl-C5-(C2)-modified Adenosine Derivatives as High-Affinity and Selective Agonists at the Human A1 Adenosine Receptor with Antinociceptive Effects in Mice. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 2393-2406.	2.9	44
68	Exploring Potency and Selectivity Receptor Antagonist Profiles Using a Multilabel Classification Approach: The Human Adenosine Receptors as a Key Study. <i>Journal of Chemical Information and Modeling</i> , 2009, 49, 2820-2836.	2.5	19
69	Synthesis and Biological Evaluation of 2-Alkynyl-N6-methyl-5-N-methylcarboxamidoadenosine Derivatives as Potent and Highly Selective Agonists for the Human Adenosine A3 Receptor. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 7897-7900.	2.9	34
70	Pyrazolo-triazolo-pyrimidines as adenosine receptor antagonists: Effect of the N-5 bond type on the affinity and selectivity at the four adenosine receptor subtypes. <i>Purinergic Signalling</i> , 2008, 4, 39-46.	1.1	10
71	5-Carbamoyl derivatives of 2-C-methyl-purine nucleosides as selective A1 adenosine receptor agonists: Affinity, efficacy, and selectivity for A1 receptor from different species. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 336-353.	1.4	24
72	Synthesis and Biological Activity of Trisubstituted Adenines as A _{2A} Adenosine Receptor Antagonists. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007, 26, 1443-1446.	0.4	14

#	ARTICLE	IF	CITATIONS
73	N6-Methoxy-2-alkynyladenosine Derivatives as Highly Potent and Selective Ligands at the Human A3 Adenosine Receptor. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1222-1230.	2.9	38
74	Novel chiral isoxazole derivatives: Synthesis and pharmacological characterization at human \hat{I}^2 -adrenergic receptor subtypes. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 2533-2543.	1.4	22
75	[3H]HEMADO \hat{e} " a novel tritiated agonist selective for the human adenosine A3 receptor. <i>European Journal of Pharmacology</i> , 2007, 556, 14-18.	1.7	60
76	New 2,6,9-trisubstituted adenines as adenosine receptor antagonists: a preliminary SAR profile. <i>Purinergic Signalling</i> , 2007, 3, 339-346.	1.1	12
77	A New Synthesis of Sulfonamides by Aminolysis of p-Nitrophenylsulfonates Yielding Potent and Selective Adenosine A2B Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 4384-4391.	2.9	50
78	Role of the \hat{I}^2 1-Adrenergic Pathway in Anesthetic and Ischemic Preconditioning against Myocardial Infarction in the Rabbit Heart In Vivo. <i>Anesthesiology</i> , 2006, 105, 503-510.	1.3	64
79	The Small Antitumoral Immune Response Modifier Imiquimod Interacts with Adenosine Receptor Signaling in a TLR7- and TLR8-Independent Fashion. <i>Journal of Investigative Dermatology</i> , 2006, 126, 1338-1347.	0.3	138
80	Synthesis of enantiopure \hat{I}^2 -isoxazoline derivatives and evaluation of their affinity and efficacy profiles at human \hat{I}^2 -adrenergic receptor subtypes. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 4393-4401.	1.4	15
81	The application of a 3D-QSAR (autoMEP/PLS) approach as an efficient pharmacodynamic-driven filtering method for small-sized virtual library: Application to a lead optimization of a human A3 adenosine receptor antagonist. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 4923-4932.	1.4	29
82	Molecular modelling study of 2-phenylethynyladenosine (PEAdo) derivatives as highly selective A3 adenosine receptor ligands. <i>Purinergic Signalling</i> , 2006, 2, 589-594.	1.1	6
83	Improving Potency, Selectivity, and Water Solubility of Adenosine \hat{e} ...A1 Receptor Antagonists: Xanthines Modified at Position \hat{e} ...3 and Related Pyrimido[1,2,3-cd]purinediones. <i>ChemMedChem</i> , 2006, 1, 891-902.	1.6	54
84	Novel Mutants of the Human \hat{I}^2 1-Adrenergic Receptor Reveal Amino Acids Relevant for Receptor Activation. <i>Journal of Biological Chemistry</i> , 2006, 281, 18120-18125.	1.6	9
85	2-(Benzimidazol-2-yl)quinoxalines: A Novel Class of Selective Antagonists at Human A1 and A3 Adenosine Receptors Designed by 3D Database Searching. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 8253-8260.	2.9	49
86	Pharmacological characterization of novel adenosine ligands in recombinant and native human A2B receptors. <i>Biochemical Pharmacology</i> , 2005, 70, 1601-1612.	2.0	53
87	Synthesis, biological studies and molecular modeling investigation of 1,3-dimethyl-2,4-dioxo-6-methyl-8-(substituted) 1,2,3,4-tetrahydro [1,2,4]-triazolo [3,4-f]-purines as potential adenosine receptor antagonists. <i>Il Farmaco</i> , 2005, 60, 299-306.	0.9	7
88	Synthesis, Biological Studies and Molecular Modeling Investigation of 1,3-Dimethyl-2,4-dioxo-6-methyl-8-(substituted) 1,2,3,4-Tetrahydro-[1,2,4]-triazolo-[3,4-f]-purines as Potential Adenosine Receptor Antagonists.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
89	2- and 8-alkynyl-9-ethyladenines: Synthesis and biological activity at human and rat adenosine receptors. <i>Purinergic Signalling</i> , 2005, 1, 173-181.	1.1	11
90	Expression, Pharmacological Profile, and Functional Coupling of A2B Receptors in a Recombinant System and in Peripheral Blood Cells Using a Novel Selective Antagonist Radioligand, [3H]MRE 2029-F20. <i>Molecular Pharmacology</i> , 2005, 67, 2137-2147.	1.0	58

#	ARTICLE	IF	CITATIONS
91	Human breast cancer cell line MDA-MB-231 expresses endogenous A2B adenosine receptors mediating a Ca ²⁺ signal. <i>British Journal of Pharmacology</i> , 2005, 145, 211-218.	2.7	65
92	Synthesis, Biological Evaluation, and Molecular Modeling of Ribose-Modified Adenosine Analogues as Adenosine Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 1550-1562.	2.9	34
93	A3 adenosine receptors: Synthesis and biological evaluation of new potent and selective ligands. , 2005, , .		4
94	Comparative pharmacology of human α_2 -adrenergic receptor subtypes? characterization of stably transfected receptors in CHO cells. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2004, 369, 151-159.	1.4	279
95	A1 adenosine receptor antagonists, 3-aryl[1,2,4]triazino[4,3-a]benzimidazol-4-(10H)-ones (ATBIs) and N-alkyl and N-acyl-(7-substituted-2-phenylimidazo[1,2-a][1,3,5]triazin-4-yl)amines (ITAs): Different recognition of bovine and human binding sites. <i>Drug Development Research</i> , 2004, 63, 1-7.	1.4	20
96	2-(N-Acyl) and 2-N-acyl-N6-substituted analogues of adenosine and their affinity at the human adenosine receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 1495-1498.	1.0	9
97	9-Ethyladenine derivatives as adenosine receptor antagonists: 2- and 8-substitution results in distinct selectivities. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003, 367, 629-634.	1.4	33
98	Peptide G protein agonists from a phage display library. <i>Biochemical Pharmacology</i> , 2003, 65, 961-967.	2.0	15
99	Adenosine receptors and human melanoma. <i>Drug Development Research</i> , 2003, 58, 377-385.	1.4	10
100	Medicinal Chemistry and Pharmacology of A2B Adenosine Receptors. <i>Current Topics in Medicinal Chemistry</i> , 2003, 3, 427-443.	1.0	81
101	N6-Alkyl-2-alkynyl Derivatives of Adenosine as Potent and Selective Agonists at the Human Adenosine A3 Receptor and a Starting Point for Searching A2B Ligands. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 3271-3279.	2.9	104
102	Synthesis, Biological Activity, and Molecular Modeling Investigation of New Pyrazolo[4,3-e]-1,2,4-triazolo[1,5-c]pyrimidine Derivatives as Human A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 770-780.	2.9	99
103	Involvement of mitogen protein kinase cascade in agonist-mediated human A3 adenosine receptor regulation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2002, 1591, 55-62.	1.9	38
104	Binding thermodynamics at the human A3 adenosine receptor. <i>Biochemical Pharmacology</i> , 2002, 63, 157-161.	2.0	25
105	Effector coupling of stably transfected human A3 adenosine receptors in CHO cells. <i>Biochemical Pharmacology</i> , 2002, 64, 61-65.	2.0	40
106	Agonist-Induced Internalization and Recycling of the Human A3 Adenosine Receptors. <i>Journal of Neurochemistry</i> , 2002, 75, 1493-1501.	2.1	52
107	Adenosine Receptors as Mediators of Both Cell Proliferation and Cell Death of Cultured Human Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2002, 119, 923-933.	0.3	134
108	7-Nitrobenzofurazan (NBD) derivatives of 5'-N-ethylcarboxamido adenosine (NECA) as new fluorescent probes for human A3 adenosine receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 3023-3026.	1.0	18

#	ARTICLE	IF	CITATIONS
109	Pyrazolo[4,3-e]1,2,4-triazolo[1,5-c]pyrimidine derivatives as adenosine receptor ligands: A starting point for searching A2B adenosine receptor antagonists. <i>Drug Development Research</i> , 2001, 53, 225-235.	1.4	21
110	Regulation of p42/p44 mitogen-activated protein kinase by the human adenosine A3 receptor in transfected CHO cells. <i>European Journal of Pharmacology</i> , 2001, 420, 19-26.	1.7	24
111	Adenosine receptors and their ligands. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2000, 362, 382-391.	1.4	284
112	Pyrazolo[4,3-e]1,2,4-triazolo[1,5-c]pyrimidine Derivatives as Highly Potent and Selective Human A3 Adenosine Receptor Antagonists: A Influence of the Chain at the N8 Pyrazole Nitrogen. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 4768-4780.	2.9	89
113	Water-Soluble Phosphate Prodrugs of 1-Propargyl-8-styrylxanthine Derivatives, A2A-Selective Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 440-448.	2.9	129
114	7-Deazaadenines Bearing Polar Substituents: Structure-Activity Relationships of New A1 and A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 4636-4646.	2.9	49
115	2-Substituted N-ethylcarboxamidoadenosine derivatives as high-affinity agonists at human A3 adenosine receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1999, 360, 103-108.	1.4	48
116	Pyrazolo[4,3-e]-1,2,4-triazolo[1,5-c]pyrimidine Derivatives as Highly Potent and Selective Human A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 4473-4478.	2.9	80
117	synthesis of new $\hat{1}^n$ 2-isoxazoline derivatives and their pharmacological characterization as $\hat{1}^2$ -adrenergic receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 1998, 6, 401-408.	1.4	81
118	New substituted 9-alkylpurines as adenosine receptor ligands. <i>Bioorganic and Medicinal Chemistry</i> , 1998, 6, 523-533.	1.4	82
119	Characterization of potent ligands at human recombinant adenosine receptors. <i>Drug Development Research</i> , 1998, 45, 176-181.	1.4	34
120	A2A-selective adenosine receptor antagonists: Development of water-soluble prodrugs and a new tritiated radioligand. <i>Drug Development Research</i> , 1998, 45, 190-197.	1.4	22
121	8-(Sulfostyryl)xanthines: water-soluble A2A-selective adenosine receptor antagonists Preliminary results were presented at the International Symposium "Purines '96" in Milan, Italy; abstract published in <i>Drug Dev. Res.</i> 1996, 37, 112.. <i>Bioorganic and Medicinal Chemistry</i> , 1998, 6, 707-719.	1.4	46
122	Adenosine A ₃ Receptor-Mediated Activation of Phospholipase C in Cultured Astrocytes Depends on the Level of Receptor Expression. <i>Journal of Neuroscience</i> , 1997, 17, 4956-4964.	1.7	114
123	Neutrophil chemoattractant receptors and the membrane skeleton. <i>BioEssays</i> , 1994, 16, 193-198.	1.2	59
124	The interaction of N-formyl peptide chemoattractant receptors with the membrane skeleton is energy-dependent. <i>Cellular Signalling</i> , 1994, 6, 943-947.	1.7	7
125	Physical coupling of N-formyl peptide chemoattractant receptors to G protein is unaffected by desensitization. <i>Biochemical Pharmacology</i> , 1994, 48, 1297-1300.	2.0	7
126	A carboxyl-terminal tail peptide of neutrophil chemotactic receptor disrupts its physical complex with G protein. <i>Journal of Leukocyte Biology</i> , 1993, 54, 572-577.	1.5	26

#	ARTICLE	IF	CITATIONS
127	Cytoskeletal regulation of chemotactic receptors: Molecular complexation of N ⁶ -formyl peptide receptors with G proteins and actin. <i>European Journal of Haematology</i> , 1993, 51, 288-293.	1.1	53
128	Effects of Adenosine on Histamine Release from Human Lung Fragments. <i>International Archives of Allergy and Immunology</i> , 1992, 98, 50-56.	0.9	16
129	2-Alkynyl derivatives of adenosine and adenosine-5'-N-ethyluronamide as selective agonists at A2 adenosine receptors. <i>Journal of Medicinal Chemistry</i> , 1992, 35, 2363-2368.	2.9	98
130	Reduction of postischemic leukocyte-endothelium interaction by adenosine via A2 receptor. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1992, 346, 234-237.	1.4	43
131	G-protein-coupled A1 adenosine receptors in coated vesicles of mammalian brain: Characterization by radioligand binding and photoaffinity labelling. <i>Cellular Signalling</i> , 1992, 4, 737-745.	1.7	7
132	Carbamazepine distinguishes between adenosine receptors that mediate different second messenger responses. <i>European Journal of Pharmacology</i> , 1991, 206, 285-290.	2.7	52
133	Comparison of A1 adenosine receptors in brain from different species by radioligand binding and photoaffinity labelling. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1991, 343, 196-201.	1.4	52
134	Guanine Nucleotide Effects on 8-Cyclopentyl-1,3-[3H]Dipropylxanthine Binding to Membrane-Bound and Solubilized A1 Adenosine Receptors of Rat Brain. <i>Journal of Neurochemistry</i> , 1990, 54, 1988-1994.	2.1	30
135	2-Chloro-N ⁶ -[3H]cyclopentyladenosine ([3HCCPA]) a high affinity agonist radioligand for A1 adenosine receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1989, 340, 679-683.	1.4	124
136	Radiation inactivation analysis of the A1 adenosine receptor of rat brain Decrease in radiation inactivation size in the presence of guanine nucleotide. <i>FEBS Letters</i> , 1989, 252, 125-128.	1.3	8
137	Adenosine receptor agonists: synthesis and biological evaluation of 1-deaza analogs of adenosine derivatives. <i>Journal of Medicinal Chemistry</i> , 1988, 31, 1179-1183.	2.9	49
138	Separation of solubilized A2 adenosine receptors of human platelets from non-receptor [3H]NECA binding sites by gel filtration. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988, 337, 64-8.	1.4	55
139	2-Chloro-N ⁶ -cyclopentyladenosine: a highly selective agonist at A1 adenosine receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988, 337, 687-9.	1.4	120
140	2 ³ -Dideoxy-N ⁶ -cyclohexyladenosine: an adenosine derivative with antagonist properties at adenosine receptors. <i>European Journal of Pharmacology</i> , 1988, 156, 157-160.	1.7	40
141	8-Cyclopentyl-1,3-dipropylxanthine (DPCPX) a selective high affinity antagonist radioligand for A1 adenosine receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1987, 336, 204-210.	1.4	367
142	Affinities of barbiturates for the GABA-receptor complex and A1 adenosine receptors: a possible explanation of their excitatory effects. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1987, 336, 211-217.	1.4	27
143	The glycoprotein nature of A1 adenosine receptors. <i>Biochemical and Biophysical Research Communications</i> , 1986, 140, 406-413.	1.0	29
144	Synthesis of 2-Azido-(R)-N ⁶ -p-hydroxyphenylisopropyladenosine (R-AHPIA) as Potential Photoaffinity Probe for A ₁ Adenosine Receptors. <i>Nucleosides & Nucleotides</i> , 1986, 5, 213-222.	0.5	7

#	ARTICLE	IF	CITATIONS
145	Characterization of the Solubilized A1Adenosine Receptor from Rat Brain Membranes. Journal of Neurochemistry, 1986, 46, 1528-1534.	2.1	51