

Jerzy Narloch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/888201/publications.pdf>

Version: 2024-02-01

23
papers

73
citations

1937685

4
h-index

1588992

8
g-index

23
all docs

23
docs citations

23
times ranked

103
citing authors

#	ARTICLE	IF	CITATIONS
1	The Increase of Osteoporotic Hip Fractures and Associated One-Year Mortality in Poland: 2008–2015. <i>Journal of Clinical Medicine</i> , 2019, 8, 1487.	2.4	18
2	The Predictive Value of SPECT/CT imaging in colorectal liver metastases response after 90Y-radioembolization. <i>PLoS ONE</i> , 2018, 13, e0200488.	2.5	13
3	Mechanical thrombectomy in acute stroke – Five years of experience in Poland. <i>Neurologia I Neurochirurgia Polska</i> , 2017, 51, 339-346.	1.2	11
4	Intra-aneurysmal pressure changes during stent-assisted coiling. <i>PLoS ONE</i> , 2020, 15, e0233981.	2.5	6
5	CT-scout based, semi-automated vertebral morphometry after digital image enhancement. <i>European Journal of Radiology</i> , 2017, 94, 195-200.	2.6	4
6	Superior ophthalmic vein and ophthalmic artery in immediate evaluation after endovascular treatment of carotid-cavernous fistulas. <i>Polish Journal of Radiology</i> , 2019, 84, 32-40.	0.9	4
7	Are type I dural arteriovenous fistulas safe? Single-centre experience of endovascular treatment of dural arteriovenous fistulas. <i>Polish Journal of Radiology</i> , 2019, 84, 179-184.	0.9	3
8	Bone Density at the Entry Point Correlates With the Trabecular Bone of the Thoracolumbar Vertebral Bodies – Quantitative Computed Tomography Study. <i>Journal of Clinical Densitometry</i> , 2019, 22, 367-373.	1.2	3
9	A new in vitro model applied 90Y microspheres to study the effects of low dose beta radiation on colorectal cancer cell line in various oxygenation conditions. <i>Scientific Reports</i> , 2021, 11, 4472.	3.3	3
10	Automatic segmentation of facial soft tissue in MRI data based on non-rigid normalization in application to soft tissue thickness measurement. <i>Biomedical Signal Processing and Control</i> , 2020, 56, 101698.	5.7	2
11	Safety and Efficacy of Mechanical Thrombectomy Using Tigertriever as a Rescue Device After Failed Aspiration – Single Center Experience. <i>Frontiers in Neurology</i> , 2020, 11, 603679.	2.4	2
12	Software-assisted morphometry and volumetry of the lumbar spine. <i>Neurologia I Neurochirurgia Polska</i> , 2016, 50, 143-150.	1.2	1
13	Gallbladder Radiation Protection in SIRT – Quantitative Anatomical Study of Hepatic Vasculature. <i>Journal of Clinical Medicine</i> , 2019, 8, 1531.	2.4	1
14	Osteoarthritis Changes Hip Geometry and Biomechanics Regardless of Bone Mineral Density – A Quantitative Computed Tomography Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 669.	2.4	1
15	Initial experience with novel Embocure Plus microspheres for transarterial chemoembolization (TACE) of liver metastatic colorectal cancer tumours – a clinical and in vitro study. <i>Polish Journal of Radiology</i> , 2021, 86, 136-142.	0.9	1
16	Interventional radiology treatments for iatrogenic severe bleeding during percutaneous coronary interventions. <i>Polish Journal of Radiology</i> , 2018, 83, 319-325.	0.9	0
17	Evaluation of the validity of treatment decisions based on surrogate country models before introduction of the Polish FRAX and recommendations in comparison to current practice. <i>Archives of Medical Science</i> , 2018, 14, 345-352.	0.9	0
18	Inadvertent Detachment of Stent Retrievers during Mechanical Thrombectomy – A Clinical and Biomechanical Perspective. <i>Life</i> , 2021, 11, 658.	2.4	0

#	ARTICLE	IF	CITATIONS
19	Analysis of the value of bilateral inferior petrosal sinus sampling in the diagnosis and treatment of Cushing's disease in patients with a negative or inconclusive result of magnetic resonance imaging. Endocrine Abstracts, 0, ,	0.0	0
20	Intra-aneurysmal pressure changes during stent-assisted coiling. , 2020, 15, e0233981.		0
21	Intra-aneurysmal pressure changes during stent-assisted coiling. , 2020, 15, e0233981.		0
22	Intra-aneurysmal pressure changes during stent-assisted coiling. , 2020, 15, e0233981.		0
23	Intra-aneurysmal pressure changes during stent-assisted coiling. , 2020, 15, e0233981.		0