Yasushi Ogawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8882275/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Regulation of Fibroblast Growth Factor-23 Signaling by Klotho. Journal of Biological Chemistry, 2006, 281, 6120-6123. | 1.6 | 1,174 |
| 2 | Tissue-specific Expression of βKlotho and Fibroblast Growth Factor (FGF) Receptor Isoforms Determines Metabolic Activity of FGF19 and FGF21. Journal of Biological Chemistry, 2007, 282, 26687-26695. | 1.6 | 654 |
| 3 | Regulation of Oxidative Stress by the Anti-aging Hormone Klotho*♦. Journal of Biological Chemistry, 2005, 280, 38029-38034. | 1.6 | 596 |
| 4 | βKlotho is required for metabolic activity of fibroblast growth factor 21. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 7432-7437. | 3.3 | 516 |
| 5 | Molecular Insights into the Klotho-Dependent, Endocrine Mode of Action of Fibroblast Growth Factor 19 Subfamily Members. Molecular and Cellular Biology, 2007, 27, 3417-3428. | 1.1 | 457 |
| 6 | The Majority of Generalized Pustular Psoriasis without Psoriasis Vulgaris Is Caused by Deficiency of Interleukin-36 Receptor Antagonist. Journal of Investigative Dermatology, 2013, 133, 2514-2521. | 0.3 | 251 |
| 7 | Development of a novel selective inhibitor of the Down syndrome-related kinase Dyrk1A. Nature Communications, 2010, 1, 86. | 5.8 | 226 |
| 8 | Leptin-to-Adiponectin Ratio as a Potential Atherogenic Index in Obese Type 2 Diabetic Patients. Diabetes Care, 2004, 27, 2488-2490. | 4.3 | 189 |
| 9 | Leucettines, a Class of Potent Inhibitors of cdc2-Like Kinases and Dual Specificity, Tyrosine Phosphorylation Regulated Kinases Derived from the Marine Sponge Leucettamine B: Modulation of Alternative Pre-RNA Splicing. Journal of Medicinal Chemistry, 2011, 54, 4172-4186. | 2.9 | 130 |
| 10 | Unbalanced M1/M2 Phenotype of Peripheral Blood Monocytes in Obese Diabetic Patients. Diabetes Care, 2010, 33, e7-e7. | 4.3 | 95 |
| 11 | Calmodulin-dependent Protein Kinase II Potentiates Transcriptional Activation through Activating Transcription Factor 1 but Not cAMP Response Element-binding Protein. Journal of Biological Chemistry, 1996, 271, 17957-17960. | 1.6 | 74 |
| 12 | Pityriasis Rubra Pilaris Type V as an Autoinflammatory Disease by <i>CARD14</i> Mutations. JAMA Dermatology, 2017, 153, 66. | 2.0 | 64 |
| 13 | A novel IL36RN/IL1F5 homozygous nonsense mutation, p.Arg10X, in a Japanese patient with adult-onset generalized pustular psoriasis. British Journal of Dermatology, 2012, 167, 699-701. | 1.4 | 59 |
| 14 | Autoantibodies to DFS70/LEDGF are increased in alopecia areata patients. Journal of Autoimmunity, 2004, 23, 257-266. | 3.0 | 56 |
| 15 | Discovery of novel immunostimulants by dendritic-cell–based functional screening. Blood, 2005, 106, 3082-3089. | 0.6 | 55 |
| 16 | Biallelic Mutations in KDSR Disrupt Ceramide Synthesis and Result in aÂSpectrum of Keratinization Disorders Associated with Thrombocytopenia. Journal of Investigative Dermatology, 2017, 137, 2344-2353. | 0.3 | 53 |
| 17 | Anti-PM/Scl antibodies are found in Japanese patients with various systemic autoimmune conditions besides myositis and scleroderma. Arthritis Research and Therapy, 2015, 17, 57. | 1.6 | 48 |
| 18 | Autoantigenicity of DFS70 is restricted to the conformational epitope of C-terminal alpha-helical domain. Journal of Autoimmunity, 2004, 23, 221-231. | 3.0 | 47 |

Yasushi Ogawa

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Intravital Imaging of IL-1Î ² Production in Skin. Journal of Investigative Dermatology, 2010, 130, 1571-1580. | 0.3 | 36 |
| 20 | Overexpression of LEDGF/DFS70 Induces IL-6 via p38 Activation in HaCaT Cells, Similar to that Seen in the Psoriatic Condition. Journal of Investigative Dermatology, 2010, 130, 2760-2767. | 0.3 | 31 |
| 21 | More than keratitis, ichthyosis, and deafness: Multisystem effects of lethal CJB2 mutations. Journal of the American Academy of Dermatology, 2019, 80, 617-625. | 0.6 | 27 |
| 22 | Anti-p80 coilin autoantibodies react with a conserved epitope and are associated with anti-DFS70/LEDGF autoantibodies. Journal of Autoimmunity, 2006, 26, 42-51. | 3.0 | 26 |
| 23 | Design and synthesis of a potent inhibitor of class 1 DYRK kinases as a suppressor of adipogenesis. Bioorganic and Medicinal Chemistry, 2015, 23, 4434-4441. | 1.4 | 26 |
| 24 | Revertant Mutation Releases Confined Lethal Mutation, Opening Pandora's Box: A Novel Genetic Pathogenesis. PLoS Genetics, 2014, 10, e1004276. | 1.5 | 22 |
| 25 | Possible roles of barrier-to-autointegration factor 1 in regulation of keratinocyte differentiation and proliferation. Journal of Dermatological Science, 2013, 71, 100-106. | 1.0 | 19 |
| 26 | HLA-associated production of anti-DFS70/LEDGF autoantibodies and systemic autoimmune disease. Journal of Autoimmunity, 2006, 26, 252-257. | 3.0 | 18 |
| 27 | Severe Chilblain Lupus Is Associated with Heterozygous Missense Mutations of Catalytic Amino Acids or their Adjacent Mutations in the Exonuclease Domains of 3′-Repair Exonuclease 1. Journal of Investigative Dermatology, 2012, 132, 2855-2857. | 0.3 | 17 |
| 28 | High survival rate of harlequin ichthyosis in Japan. Journal of the American Academy of Dermatology, 2014, 70, 387-388. | 0.6 | 16 |
| 29 | Autoantibody to Thioredoxin Reductase in an Ovarian Cancer Patient. Biochemical and Biophysical Research Communications, 1998, 242, 267-271. | 1.0 | 15 |
| 30 | Sarcopenic obesity is associated with a faster decline in renal function in people with type 2 diabetes. Diabetic Medicine, 2020, 37, 105-113. | 1.2 | 15 |
| 31 | The Successful Use of Topical Tacrolimus Treatment for a Chronic Actinic Dermatitis Patient with Complications of Idiopathic Leukopenia. Journal of Dermatology, 2003, 30, 805-809. | 0.6 | 13 |
| 32 | Survey on patients with undiagnosed diseases in Japan: potential patient numbers benefiting from Japan's initiative on rare and undiagnosed diseases (IRUD). Orphanet Journal of Rare Diseases, 2018, 13, 208. | 1.2 | 11 |
| 33 | Pigmented macules in Waardenburg syndrome type 2 due to <i><scp>KITLG</scp></i> mutation. Pigment Cell and Melanoma Research, 2017, 30, 501-504. | 1.5 | 10 |
| 34 | Establishment of an ELISA to detect anti-glycyl-tRNA synthetase antibody (anti-EJ), a serological marker of dermatomyositis/polymyositis and interstitial lung disease. Clinica Chimica Acta, 2014, 431, 9-14. | 0.5 | 9 |
| 35 | A Case of Refractory Bullous Pemphigoid with Plasmapheresisâ€Associated Thrombopenia: Efficacy of Pulsed Intravenous Cyclophosphamide Therapy. Journal of Dermatology, 2004, 31, 651-654. | 0.6 | 8 |
| 36 | Novel <i><scp>ABCA</scp>12</i> missense mutation p. <scp>P</scp> he2144 <scp>S</scp> er underlies congenital ichthyosiform erythroderma. Journal of Dermatology, 2013, 40, 581-582. | 0.6 | 8 |

YASUSHI OGAWA

| # | Article | IF | CITATIONS |
|----|--|------------|----------------|
| 37 | LEDGF/DFS70 activates the MK2/IL6/STAT3 pathway in HaCaT. Journal of Dermatological Science, 2011, 63, 203-205. | 1.0 | 6 |
| 38 | Nuclear envelope localization of <scp>R</scp> anâ€binding protein 2 and <scp>R</scp> anâ€ <scp>GTP</scp> aseâ€activating protein 1 in psoriatic epidermal keratinocytes. Experimental Dermatology, 2014, 23, 119-124. | 1.4 | 6 |
| 39 | Identification of Novel Pharmacological Activities of an Antifungal Agent, Nystatin, to Promote Dendritic Cell Maturation. Journal of Investigative Dermatology, 2006, 126, 349-353. | 0.3 | 5 |
| 40 | Challenges to congenital genetic disorders with "RNA-targeting―chemical compounds. , 2012, 134, 298-305. | | 5 |
| 41 | Non-infectious Panniculitis during Hydroxyurea Therapy in a Patient with Myeloproliferative Disease. Acta Dermato-Venereologica, 2016, 96, 566-567. | 0.6 | 5 |
| 42 | A Palindromic Motif in the â^'2084 to â^'2078 Upstream Region is Essential for ABCA12 Promoter Function in Cultured Human Keratinocytes. Scientific Reports, 2015, 4, 6737. | 1.6 | 4 |
| 43 | Unilateral generalized linear porokeratosis with nail dystrophy. Journal of Dermatology, 2016, 43, 286-287. | 0.6 | 4 |
| 44 | lgE-independent pathophysiology of severe atopic dermatitis demonstrated in an IgE-deficient patient. Journal of Dermatological Science, 2016, 82, 139-141. | 1.0 | 3 |
| 45 | Image Gallery: Palmoplantar hyperkeratosis in dermatomyositis with anti-PM/Scl antibodies. British Journal of Dermatology, 2017, 176, e94-e94. | 1.4 | 3 |
| 46 | Response to Comment on: Satoh-Asahara et al. Highly Purified Eicosapentaenoic Acid Increases Interleukin-10 Levels of Peripheral Blood Monocytes in Obese Patients With Dyslipidemia. Diabetes Care 2012;35:2631-2639. Diabetes Care, 2013, 36, e110-e110. | 4.3 | 2 |
| 47 | Epstein-Barr Virus-associated Natural Killer/T-cell Lymphoma in a Patient Receiving Therapy with Anti-Tumour Necrosis Factor and Thiopurine. Acta Dermato-Venereologica, 2017, 97, 273-274. | 0.6 | 1 |
| 48 | Research impact analysis of international funding agencies in the realm of allergy and immunology. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1602-1606. | 2.7 | 1 |
| 49 | Evaluation of adrenaline auto-injector prescription profiles: A population-based, retrospective cohort study within the National Insurance Claims Database of Japan. Allergology International, 2022, 71, 354-361. | 1.4 | 1 |
| 50 | Image Gallery: Unilaterally dominant acrokeratoelastoidosis (punctate palmoplantar keratoderma) Tj ETQq0 0 C |) rgBT/Ove | erlock 10 Tf 5 |

51Pansclerotic morphea associated with hypohidrosis and anti-M3 muscarinic acetylcholine receptor
antibodies. British Journal of Dermatology, 2018, 178, e210-e211.1.40