Yasushi Ogawa

List of Publications by Citations

Source: https://exaly.com/author-pdf/8882275/yasushi-ogawa-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50 4,192 21 51 g-index

51 4,696 5.6 4.38 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------|
| 50 | Regulation of fibroblast growth factor-23 signaling by klotho. <i>Journal of Biological Chemistry</i> , 2006 , 281, 6120-3 | 5.4 | 1008 |
| 49 | Tissue-specific expression of betaKlotho and fibroblast growth factor (FGF) receptor isoforms determines metabolic activity of FGF19 and FGF21. <i>Journal of Biological Chemistry</i> , 2007 , 282, 26687-2 | 669 1 5 | 542 |
| 48 | Regulation of oxidative stress by the anti-aging hormone klotho. <i>Journal of Biological Chemistry</i> , 2005 , 280, 38029-34 | 5.4 | 465 |
| 47 | BetaKlotho is required for metabolic activity of fibroblast growth factor 21. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7432-7 | 11.5 | 428 |
| 46 | Molecular insights into the klotho-dependent, endocrine mode of action of fibroblast growth factor 19 subfamily members. <i>Molecular and Cellular Biology</i> , 2007 , 27, 3417-28 | 4.8 | 397 |
| 45 | Development of a novel selective inhibitor of the Down syndrome-related kinase Dyrk1A. <i>Nature Communications</i> , 2010 , 1, 86 | 17.4 | 180 |
| 44 | The majority of generalized pustular psoriasis without psoriasis vulgaris is caused by deficiency of interleukin-36 receptor antagonist. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2514-2521 | 4.3 | 171 |
| 43 | Leptin-to-adiponectin ratio as a potential atherogenic index in obese type 2 diabetic patients. <i>Diabetes Care</i> , 2004 , 27, 2488-90 | 14.6 | 169 |
| 42 | Leucettines, a class of potent inhibitors of cdc2-like kinases and dual specificity, tyrosine phosphorylation regulated kinases derived from the marine sponge leucettamine B: modulation of alternative pre-RNA splicing. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 4172-86 | 8.3 | 107 |
| 41 | Unbalanced M1/M2 phenotype of peripheral blood monocytes in obese diabetic patients: effect of pioglitazone. <i>Diabetes Care</i> , 2010 , 33, e7 | 14.6 | 84 |
| 40 | Calmodulin-dependent protein kinase II potentiates transcriptional activation through activating transcription factor 1 but not cAMP response element-binding protein. <i>Journal of Biological Chemistry</i> , 1996 , 271, 17957-60 | 5.4 | 62 |
| 39 | A novel IL36RN/IL1F5 homozygous nonsense mutation, p.Arg10X, in a Japanese patient with adult-onset generalized pustular psoriasis. <i>British Journal of Dermatology</i> , 2012 , 167, 699-701 | 4 | 48 |
| 38 | Discovery of novel immunostimulants by dendritic-cell-based functional screening. <i>Blood</i> , 2005 , 106, 3082-9 | 2.2 | 48 |
| 37 | Pityriasis Rubra Pilaris Type V as an Autoinflammatory Disease by CARD14 Mutations. <i>JAMA Dermatology</i> , 2017 , 153, 66-70 | 5.1 | 43 |
| 36 | Autoantigenicity of DFS70 is restricted to the conformational epitope of C-terminal alpha-helical domain. <i>Journal of Autoimmunity</i> , 2004 , 23, 221-31 | 15.5 | 41 |
| 35 | Autoantibodies to DFS70/LEDGF are increased in alopecia areata patients. <i>Journal of Autoimmunity</i> , 2004 , 23, 257-66 | 15.5 | 40 |
| 34 | Anti-PM/Scl antibodies are found in Japanese patients with various systemic autoimmune conditions besides myositis and scleroderma. <i>Arthritis Research and Therapy</i> , 2015 , 17, 57 | 5.7 | 38 |

| 33 | Biallelic Mutations in KDSR Disrupt Ceramide Synthesis and Result in a pectrum of Keratinization Disorders Associated with Thrombocytopenia. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2344-235 | 4 :3 | 35 |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----|
| 32 | Intravital imaging of IL-1beta production in skin. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1571-80 | 4 .3 | 32 |
| 31 | Overexpression of LEDGF/DFS70 induces IL-6 via p38 activation in HaCaT cells, similar to that seen in the psoriatic condition. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 2760-7 | 4.3 | 26 |
| 30 | Design and synthesis of a potent inhibitor of class 1 DYRK kinases as a suppressor of adipogenesis. Bioorganic and Medicinal Chemistry, 2015 , 23, 4434-4441 | 3.4 | 21 |
| 29 | Anti-p80 coilin autoantibodies react with a conserved epitope and are associated with anti-DFS70/LEDGF autoantibodies. <i>Journal of Autoimmunity</i> , 2006 , 26, 42-51 | 15.5 | 21 |
| 28 | More than keratitis, ichthyosis, and deafness: Multisystem effects of lethal GJB2 mutations. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 617-625 | 4.5 | 16 |
| 27 | Revertant mutation releases confined lethal mutation, opening Pandora's box: a novel genetic pathogenesis. <i>PLoS Genetics</i> , 2014 , 10, e1004276 | 6 | 16 |
| 26 | HLA-associated production of anti-DFS70/LEDGF autoantibodies and systemic autoimmune disease. <i>Journal of Autoimmunity</i> , 2006 , 26, 252-7 | 15.5 | 16 |
| 25 | Severe chilblain lupus is associated with heterozygous missense mutations of catalytic amino acids or their adjacent mutations in the exonuclease domains of 3Srepair exonuclease 1. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2855-7 | 4.3 | 15 |
| 24 | High survival rate of harlequin ichthyosis in Japan. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 387-8 | 4.5 | 12 |
| 23 | Autoantibody to thioredoxin reductase in an ovarian cancer patient. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 242, 267-71 | 3.4 | 12 |
| 22 | The successful use of topical tacrolimus treatment for a chronic actinic dermatitis patient with complications of idiopathic leukopenia. <i>Journal of Dermatology</i> , 2003 , 30, 805-9 | 1.6 | 11 |
| 21 | Pigmented macules in Waardenburg syndrome type 2 due to KITLG mutation. <i>Pigment Cell and Melanoma Research</i> , 2017 , 30, 501-504 | 4.5 | 8 |
| 20 | Establishment of an ELISA to detect anti-glycyl-tRNA synthetase antibody (anti-EJ), a serological marker of dermatomyositis/polymyositis and interstitial lung disease. <i>Clinica Chimica Acta</i> , 2014 , 431, 9-14 | 6.2 | 8 |
| 19 | Possible roles of barrier-to-autointegration factor 1 in regulation of keratinocyte differentiation and proliferation. <i>Journal of Dermatological Science</i> , 2013 , 71, 100-6 | 4.3 | 8 |
| 18 | Novel ABCA12 missense mutation p.Phe2144Ser underlies congenital ichthyosiform erythroderma. Journal of Dermatology, 2013 , 40, 581-2 | 1.6 | 7 |
| 17 | A case of refractory bullous pemphigoid with plasmapheresis-associated thrombopenia: efficacy of pulsed intravenous cyclophosphamide therapy. <i>Journal of Dermatology</i> , 2004 , 31, 651-4 | 1.6 | 7 |
| 16 | Survey on patients with undiagnosed diseases in Japan: potential patient numbers benefiting from Japan's initiative on rare and undiagnosed diseases (IRUD). <i>Orphanet Journal of Rare Diseases</i> , 2018 , 13, 208 | 4.2 | 7 |

| 15 | LEDGF/DFS70 activates the MK2/IL6/STAT3 pathway in HaCaT. <i>Journal of Dermatological Science</i> , 2011 , 63, 203-5 | 4.3 | 6 |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| 14 | Nuclear envelope localization of Ran-binding protein 2 and Ran-GTPase-activating protein 1 in psoriatic epidermal keratinocytes. <i>Experimental Dermatology</i> , 2014 , 23, 119-24 | 4 | 5 |
| 13 | Challenges to congenital genetic disorders with "RNA-targeting" chemical compounds. <i>Pharmacology & Therapeutics</i> , 2012 , 134, 298-305 | 13.9 | 5 |
| 12 | Identification of novel pharmacological activities of an antifungal agent, nystatin, to promote dendritic cell maturation. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 349-53 | 4.3 | 5 |
| 11 | A palindromic motif in the -2084 to -2078 upstream region is essential for ABCA12 promoter function in cultured human keratinocytes. <i>Scientific Reports</i> , 2014 , 4, 6737 | 4.9 | 4 |
| 10 | Sarcopenic obesity is associated with a faster decline in renal function in people with type 2 diabetes. <i>Diabetic Medicine</i> , 2020 , 37, 105-113 | 3.5 | 4 |
| 9 | Non-infectious Panniculitis during Hydroxyurea Therapy in a Patient with Myeloproliferative Disease. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 566-7 | 2.2 | 4 |
| 8 | Unilateral generalized linear porokeratosis with nail dystrophy. <i>Journal of Dermatology</i> , 2016 , 43, 286-7 | 1.6 | 3 |
| 7 | Image Gallery: Palmoplantar hyperkeratosis in dermatomyositis with anti-PM/Scl antibodies. <i>British Journal of Dermatology</i> , 2017 , 176, e94 | 4 | 2 |
| 6 | IgE-independent pathophysiology of severe atopic dermatitis demonstrated in an IgE-deficient patient. <i>Journal of Dermatological Science</i> , 2016 , 82, 139-41 | 4.3 | 2 |
| 5 | Response to Comment on: Satoh-Asahara et al. Highly purified eicosapentaenoic acid increases interleukin-10 levels of peripheral blood monocytes in obese patients with dyslipidemia. Diabetes Care 2012;35:2631-2639. <i>Diabetes Care</i> , 2013 , 36, e110 | 14.6 | 2 |
| 4 | Epstein-Barr Virus-associated Natural Killer/T-cell Lymphoma in a Patient Receiving Therapy with Anti-Tumour Necrosis Factor and Thiopurine. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 273-274 | 2.2 | 1 |
| 3 | Research impact analysis of international funding agencies in the realm of allergy and immunology <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022 , | 9.3 | 0 |
| 2 | Image Gallery: Unilaterally dominant acrokeratoelastoidosis (punctate palmoplantar keratoderma type 3). <i>British Journal of Dermatology</i> , 2017 , 177, e157 | 4 | |
| 1 | Pansclerotic morphea associated with hypohidrosis and anti-M3 muscarinic acetylcholine receptor antibodies. <i>British Journal of Dermatology</i> , 2018 , 178, e210-e211 | 4 | |