

Yasushi Ogawa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8882275/yasushi-ogawa-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

4,192
citations

21
h-index

51
g-index

51
ext. papers

4,696
ext. citations

5.6
avg, IF

4.38
L-index

#	Paper	IF	Citations
50	Research impact analysis of international funding agencies in the realm of allergy and immunology.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022 ,	9.3	0
49	Sarcopenic obesity is associated with a faster decline in renal function in people with type 2 diabetes. <i>Diabetic Medicine</i> , 2020 , 37, 105-113	3.5	4
48	More than keratitis, ichthyosis, and deafness: Multisystem effects of lethal GJB2 mutations. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 617-625	4.5	16
47	Pansclerotic morphea associated with hypohidrosis and anti-M3 muscarinic acetylcholine receptor antibodies. <i>British Journal of Dermatology</i> , 2018 , 178, e210-e211	4	
46	Survey on patients with undiagnosed diseases in Japan: potential patient numbers benefiting from Japan's initiative on rare and undiagnosed diseases (IRUD). <i>Orphanet Journal of Rare Diseases</i> , 2018 , 13, 208	4.2	7
45	Image Gallery: Palmoplantar hyperkeratosis in dermatomyositis with anti-PM/Scl antibodies. <i>British Journal of Dermatology</i> , 2017 , 176, e94	4	2
44	Pigmented macules in Waardenburg syndrome type 2 due to KITLG mutation. <i>Pigment Cell and Melanoma Research</i> , 2017 , 30, 501-504	4.5	8
43	Image Gallery: Unilaterally dominant acrokeratoelastoidosis (punctate palmoplantar keratoderma type 3). <i>British Journal of Dermatology</i> , 2017 , 177, e157	4	
42	Biallelic Mutations in KDSR Disrupt Ceramide Synthesis and Result in a Spectrum of Keratinization Disorders Associated with Thrombocytopenia. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2344-2353	4.3	35
41	Pityriasis Rubra Pilaris Type V as an Autoinflammatory Disease by CARD14 Mutations. <i>JAMA Dermatology</i> , 2017 , 153, 66-70	5.1	43
40	Epstein-Barr Virus-associated Natural Killer/T-cell Lymphoma in a Patient Receiving Therapy with Anti-Tumour Necrosis Factor and Thiopurine. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 273-274	2.2	1
39	IgE-independent pathophysiology of severe atopic dermatitis demonstrated in an IgE-deficient patient. <i>Journal of Dermatological Science</i> , 2016 , 82, 139-41	4.3	2
38	Non-infectious Panniculitis during Hydroxyurea Therapy in a Patient with Myeloproliferative Disease. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 566-7	2.2	4
37	Unilateral generalized linear porokeratosis with nail dystrophy. <i>Journal of Dermatology</i> , 2016 , 43, 286-7	1.6	3
36	Design and synthesis of a potent inhibitor of class 1 DYRK kinases as a suppressor of adipogenesis. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 4434-4441	3.4	21
35	Anti-PM/Scl antibodies are found in Japanese patients with various systemic autoimmune conditions besides myositis and scleroderma. <i>Arthritis Research and Therapy</i> , 2015 , 17, 57	5.7	38
34	Nuclear envelope localization of Ran-binding protein 2 and Ran-GTPase-activating protein 1 in psoriatic epidermal keratinocytes. <i>Experimental Dermatology</i> , 2014 , 23, 119-24	4	5

33	High survival rate of harlequin ichthyosis in Japan. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 387-8	4.5	12
32	Establishment of an ELISA to detect anti-glycyl-tRNA synthetase antibody (anti-EJ), a serological marker of dermatomyositis/polymyositis and interstitial lung disease. <i>Clinica Chimica Acta</i> , 2014 , 431, 9-14	6.2	8
31	A palindromic motif in the -2084 to -2078 upstream region is essential for ABCA12 promoter function in cultured human keratinocytes. <i>Scientific Reports</i> , 2014 , 4, 6737	4.9	4
30	Revertant mutation releases confined lethal mutation, opening Pandora's box: a novel genetic pathogenesis. <i>PLoS Genetics</i> , 2014 , 10, e1004276	6	16
29	Possible roles of barrier-to-autointegration factor 1 in regulation of keratinocyte differentiation and proliferation. <i>Journal of Dermatological Science</i> , 2013 , 71, 100-6	4.3	8
28	Response to Comment on: Satoh-Asahara et al. Highly purified eicosapentaenoic acid increases interleukin-10 levels of peripheral blood monocytes in obese patients with dyslipidemia. <i>Diabetes Care</i> 2012;35:2631-2639. <i>Diabetes Care</i> , 2013 , 36, e110	14.6	2
27	Novel ABCA12 missense mutation p.Phe2144Ser underlies congenital ichthyosiform erythroderma. <i>Journal of Dermatology</i> , 2013 , 40, 581-2	1.6	7
26	The majority of generalized pustular psoriasis without psoriasis vulgaris is caused by deficiency of interleukin-36 receptor antagonist. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2514-2521	4.3	171
25	Challenges to congenital genetic disorders with "RNA-targeting" chemical compounds. <i>Pharmacology & Therapeutics</i> , 2012 , 134, 298-305	13.9	5
24	A novel IL36RN/IL1F5 homozygous nonsense mutation, p.Arg10X, in a Japanese patient with adult-onset generalized pustular psoriasis. <i>British Journal of Dermatology</i> , 2012 , 167, 699-701	4	48
23	Severe chilblain lupus is associated with heterozygous missense mutations of catalytic amino acids or their adjacent mutations in the exonuclease domains of 3Srepair exonuclease 1. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2855-7	4.3	15
22	LEDGF/DFS70 activates the MK2/IL6/STAT3 pathway in HaCaT. <i>Journal of Dermatological Science</i> , 2011 , 63, 203-5	4.3	6
21	Leucettines, a class of potent inhibitors of cdc2-like kinases and dual specificity, tyrosine phosphorylation regulated kinases derived from the marine sponge leucettamine B: modulation of alternative pre-RNA splicing. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 4172-86	8.3	107
20	Intravital imaging of IL-1beta production in skin. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1571-80	4.3	32
19	Overexpression of LEDGF/DFS70 induces IL-6 via p38 activation in HaCaT cells, similar to that seen in the psoriatic condition. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 2760-7	4.3	26
18	Unbalanced M1/M2 phenotype of peripheral blood monocytes in obese diabetic patients: effect of pioglitazone. <i>Diabetes Care</i> , 2010 , 33, e7	14.6	84
17	Development of a novel selective inhibitor of the Down syndrome-related kinase Dyrk1A. <i>Nature Communications</i> , 2010 , 1, 86	17.4	180
16	BetaKlotho is required for metabolic activity of fibroblast growth factor 21. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7432-7	11.5	428

15	Molecular insights into the klotho-dependent, endocrine mode of action of fibroblast growth factor 19 subfamily members. <i>Molecular and Cellular Biology</i> , 2007 , 27, 3417-28	4.8	397
14	Tissue-specific expression of betaKlotho and fibroblast growth factor (FGF) receptor isoforms determines metabolic activity of FGF19 and FGF21. <i>Journal of Biological Chemistry</i> , 2007 , 282, 26687-26695	5.4	542
13	Regulation of fibroblast growth factor-23 signaling by klotho. <i>Journal of Biological Chemistry</i> , 2006 , 281, 6120-3	5.4	1008
12	Anti-p80 coilin autoantibodies react with a conserved epitope and are associated with anti-DFS70/LEDGF autoantibodies. <i>Journal of Autoimmunity</i> , 2006 , 26, 42-51	15.5	21
11	HLA-associated production of anti-DFS70/LEDGF autoantibodies and systemic autoimmune disease. <i>Journal of Autoimmunity</i> , 2006 , 26, 252-7	15.5	16
10	Identification of novel pharmacological activities of an antifungal agent, nystatin, to promote dendritic cell maturation. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 349-53	4.3	5
9	Regulation of oxidative stress by the anti-aging hormone klotho. <i>Journal of Biological Chemistry</i> , 2005 , 280, 38029-34	5.4	465
8	Discovery of novel immunostimulants by dendritic-cell-based functional screening. <i>Blood</i> , 2005 , 106, 3082-9	2.2	48
7	Leptin-to-adiponectin ratio as a potential atherogenic index in obese type 2 diabetic patients. <i>Diabetes Care</i> , 2004 , 27, 2488-90	14.6	169
6	Autoantigenicity of DFS70 is restricted to the conformational epitope of C-terminal alpha-helical domain. <i>Journal of Autoimmunity</i> , 2004 , 23, 221-31	15.5	41
5	Autoantibodies to DFS70/LEDGF are increased in alopecia areata patients. <i>Journal of Autoimmunity</i> , 2004 , 23, 257-66	15.5	40
4	A case of refractory bullous pemphigoid with plasmapheresis-associated thrombopenia: efficacy of pulsed intravenous cyclophosphamide therapy. <i>Journal of Dermatology</i> , 2004 , 31, 651-4	1.6	7
3	The successful use of topical tacrolimus treatment for a chronic actinic dermatitis patient with complications of idiopathic leukopenia. <i>Journal of Dermatology</i> , 2003 , 30, 805-9	1.6	11
2	Autoantibody to thioredoxin reductase in an ovarian cancer patient. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 242, 267-71	3.4	12
1	Calmodulin-dependent protein kinase II potentiates transcriptional activation through activating transcription factor 1 but not cAMP response element-binding protein. <i>Journal of Biological Chemistry</i> , 1996 , 271, 17957-60	5.4	62