

Sofie E De Meyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8883085/publications.pdf>

Version: 2024-02-01

50
papers

3,945
citations

279778
23
h-index

189881
50
g-index

51
all docs

51
docs citations

51
times ranked

3395
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Proposed minimal standards for the use of genome data for the taxonomy of prokaryotes. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 461-466. | 1.7 | 2,359 |
| 2 | Microvirga lupini sp. nov., Microvirga lotononis sp. nov. and Microvirga zambiensis sp. nov. are alphaproteobacterial root-nodule bacteria that specifically nodulate and fix nitrogen with geographically and taxonomically separate legume hosts. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2579-2588. | 1.7 | 174 |
| 3 | Horizontal Transfer of Symbiosis Genes within and Between Rhizobial Genera: Occurrence and Importance. Genes, 2018, 9, 321. | 2.4 | 124 |
| 4 | A large diversity of non-rhizobial endophytes found in legume root nodules in Flanders (Belgium). Soil Biology and Biochemistry, 2015, 83, 1-11. | 8.8 | 111 |
| 5 | Novel Burkholderia bacteria isolated from <i>Lebeckia ambigua</i> – A perennial suffrutescent legume of the fynbos. Soil Biology and Biochemistry, 2013, 60, 55-64. | 8.8 | 97 |
| 6 | Genetic diversity of rhizobia associated with indigenous legumes in different regions of Flanders (Belgium). Soil Biology and Biochemistry, 2011, 43, 2384-2396. | 8.8 | 76 |
| 7 | Multilocus sequence analysis of <i>Bosea</i> species and description of <i>Bosea lupini</i> sp. nov., <i>Bosea lathyri</i> sp. nov. and <i>Bosea robiniae</i> sp. nov., isolated from legumes. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 2505-2510. | 1.7 | 75 |
| 8 | Burkholderia sprentiae sp. nov., isolated from <i>Lebeckia ambigua</i> root nodules. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3950-3957. | 1.7 | 75 |
| 9 | Burkholderia dilworthii sp. nov., isolated from <i>Lebeckia ambigua</i> root nodules. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1090-1095. | 1.7 | 63 |
| 10 | Burkholderia rhynchosiae sp. nov., isolated from <i>Rhynchosia ferulifolia</i> root nodules. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3944-3949. | 1.7 | 62 |
| 11 | Symbiotic <i>Burkholderia</i> Species Show Diverse Arrangements of <i>nif/fix</i> and <i>nod</i> Genes and Lack Typical High-Affinity Cytochrome <i>cbb3</i> Oxidase Genes. Molecular Plant-Microbe Interactions, 2016, 29, 609-619. | 2.6 | 62 |
| 12 | <i>Mesorhizobium calcicola</i> sp. nov., <i>Mesorhizobium waitakense</i> sp. nov., <i>Mesorhizobium sophorae</i> sp. nov., <i>Mesorhizobium newzealandense</i> sp. nov. and <i>Mesorhizobium kowhaii</i> sp. nov. isolated from <i>Sophora</i> root nodules. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 786-795. | 1.7 | 49 |
| 13 | Burkholderia dipogonis sp. nov., isolated from root nodules of <i>Dipogon lignosus</i> in New Zealand and Western Australia. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4716-4723. | 1.7 | 48 |
| 14 | <i>Rhizobium nepotum</i> sp. nov. isolated from tumors on different plant species. Systematic and Applied Microbiology, 2012, 35, 215-220. | 2.8 | 47 |
| 15 | <i>Bradyrhizobium manausense</i> sp. nov., isolated from effective nodules of <i>Vigna unguiculata</i> grown in Brazilian Amazonian rainforest soils. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2358-2363. | 1.7 | 47 |
| 16 | Ribosomal protein biomarkers provide root nodule bacterial identification by MALDI-TOF MS. Applied Microbiology and Biotechnology, 2015, 99, 5547-5562. | 3.6 | 47 |
| 17 | <i>Bradyrhizobium neotropicale</i> sp. nov., isolated from effective nodules of <i>Centrolobium paraense</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3950-3957. | 1.7 | 46 |
| 18 | <i>Bradyrhizobium ingae</i> sp. nov., isolated from effective nodules of <i>Inga laurina</i> grown in Cerrado soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3395-3401. | 1.7 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Tardiphaga robiniae gen. nov., sp. nov., a new genus in the family Bradyrhizobiaceae isolated from Robinia pseudoacacia in Flanders (Belgium). <i>Systematic and Applied Microbiology</i> , 2012, 35, 205-214. | 2.8 | 37 |
| 20 | Bradyrhizobium centrolobii and Bradyrhizobium macuxiense sp. nov. isolated from Centrolobium paraense grown in soil of Amazonia, Brazil. <i>Archives of Microbiology</i> , 2017, 199, 657-664. | 2.2 | 35 |
| 21 | Mesorhizobium waimense sp. nov. isolated from <i>Sophora longicarinata</i> root nodules and Mesorhizobium cantuariense sp. nov. isolated from <i>Sophora microphylla</i> root nodules. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3419-3426. | 1.7 | 35 |
| 22 | Genetic diversity and symbiotic effectiveness of <i>Phaseolus vulgaris</i> -nodulating rhizobia in Kenya. <i>Systematic and Applied Microbiology</i> , 2018, 41, 291-299. | 2.8 | 34 |
| 23 | Symbiotic and non-symbiotic Paraburkholderia isolated from South African <i>Lebeckia ambigua</i> root nodules and the description of <i>Paraburkholderia fynbosensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 2607-2614. | 1.7 | 28 |
| 24 | Diverse novel mesorhizobia nodulate New Zealand native <i>Sophora</i> species. <i>Systematic and Applied Microbiology</i> , 2015, 38, 91-98. | 2.8 | 23 |
| 25 | Paraburkholderia youngii sp. nov. and “Paraburkholderia atlantica” sp. nov. Brazilian and Mexican Mimosa-associated rhizobia that were previously known as <i>Paraburkholderia tuberum</i> sv. <i>mimosae</i> . <i>Systematic and Applied Microbiology</i> , 2021, 44, 126152. | 2.8 | 20 |
| 26 | Genetic diversity and nitrogen fixation of mesorhizobia symbionts of New Zealand endemic < i>Sophora</i> species. <i>New Zealand Journal of Botany</i> , 2017, 55, 466-478. | 1.1 | 11 |
| 27 | Mesorhizobium carmichaelinearum sp. nov., isolated from <i>Carmichaeliae</i> spp. root nodules. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 146-152. | 1.7 | 11 |
| 28 | Genetic diversity of rhizobia associated with alfalfa in Serbian soils. <i>Biology and Fertility of Soils</i> , 2012, 48, 531-545. | 4.3 | 10 |
| 29 | Genome sequence of the clover-nodulating <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> strain TA1. <i>Standards in Genomic Sciences</i> , 2013, 9, 243-253. | 1.5 | 10 |
| 30 | Soil acidity and nutrient deficiency cause poor legume nodulation in the permanent pasture and mixed farming zones of south-eastern Australia. <i>Crop and Pasture Science</i> , 2019, 70, 1128. | 1.5 | 10 |
| 31 | Genome sequence of the <i>Lebeckia ambigua</i> -nodulating “Burkholderia sprentiae” strain WSM5005T. <i>Standards in Genomic Sciences</i> , 2013, 9, 385-394. | 1.5 | 9 |
| 32 | High-quality permanent draft genome sequence of <i>Rhizobium sullae</i> strain WSM1592; a <i>Hedysarum coronarium</i> microsymbiont from Sassari, Italy. <i>Standards in Genomic Sciences</i> , 2015, 10, 44. | 1.5 | 9 |
| 33 | Diversity of endemic rhizobia on Christmas Island: Implications for agriculture following phosphate mining. <i>Systematic and Applied Microbiology</i> , 2018, 41, 641-649. | 2.8 | 8 |
| 34 | Genome sequence of the <i>Listia angolensis</i> microsymbiont <i>Microvirga lotononisidis</i> strain WSM3557T. <i>Standards in Genomic Sciences</i> , 2013, 9, 540-550. | 1.5 | 7 |
| 35 | High-quality permanent draft genome sequence of the <i>Parapiptadenia rigida</i> -nodulating <i>Cupriavidus</i> sp. strain UYPR2.512. <i>Standards in Genomic Sciences</i> , 2015, 10, 13. | 1.5 | 6 |
| 36 | High-quality permanent draft genome sequence of the <i>Lebeckia ambigua</i> -nodulating <i>Burkholderia</i> sp. strain WSM4176. <i>Standards in Genomic Sciences</i> , 2015, 10, 79. | 1.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Delineation of <i>Paraburkholderia tuberum</i> sensu stricto and description of <i>Paraburkholderia podalyriae</i> sp. nov. nodulating the South African legume <i>Podalyria calyptrata</i> . <i>Systematic and Applied Microbiology</i> , 2022, 45, 126316. | 2.8 | 5 |
| 38 | Genome sequence of the clover-nodulating <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> strain SRDI565.. <i>Standards in Genomic Sciences</i> , 2013, 9, 220-231. | 1.5 | 4 |
| 39 | Genome sequence of the South American clover-nodulating <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> strain WSM597. <i>Standards in Genomic Sciences</i> , 2013, 9, 264-272. | 1.5 | 4 |
| 40 | Genome sequence of the clover-nodulating <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> strain SRDI943.. <i>Standards in Genomic Sciences</i> , 2013, 9, 232-242. | 1.5 | 3 |
| 41 | Genome sequence of the <i>Trifolium ruepellianum</i> -nodulating <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> strain WSM2012.. <i>Standards in Genomic Sciences</i> , 2013, 9, 283-293. | 1.5 | 3 |
| 42 | Genome sequence of the lupin-nodulating <i>Bradyrhizobium</i> sp. strain WSM1417. <i>Standards in Genomic Sciences</i> , 2013, 9, 273-282. | 1.5 | 3 |
| 43 | High-quality permanent draft genome sequence of <i>Rhizobium leguminosarum</i> bv. <i>viciae</i> strain GB30; an effective microsymbiont of <i>Pisum sativum</i> growing in Poland. <i>Standards in Genomic Sciences</i> , 2015, 10, 36. | 1.5 | 3 |
| 44 | Soybean seed chemical composition as influenced by <i>Bradyrhizobium</i> inoculation in soils with elevated nickel concentrations. <i>Applied Soil Ecology</i> , 2020, 153, 103576. | 4.3 | 3 |
| 45 | High-quality permanent draft genome sequence of the <i>Parapiptadenia rigida</i> -nodulating <i>Burkholderia</i> sp. strain UYPR1.413. <i>Standards in Genomic Sciences</i> , 2015, 10, 31. | 1.5 | 2 |
| 46 | High-quality permanent draft genome sequence of the <i>Mimosa asperata</i> - nodulating <i>Cupriavidus</i> sp. strain AMP6. <i>Standards in Genomic Sciences</i> , 2015, 10, 80. | 1.5 | 2 |
| 47 | High-quality permanent draft genome sequence of the <i>Lebeckia</i> - nodulating <i>Burkholderia dilworthii</i> strain WSM3556T. <i>Standards in Genomic Sciences</i> , 2015, 10, 64. | 1.5 | 1 |
| 48 | High-quality permanent draft genome sequence of <i>Bradyrhizobium</i> sp. strain WSM1743 - an effective microsymbiont of an <i>Indigofera</i> sp. growing in Australia. <i>Standards in Genomic Sciences</i> , 2015, 10, 87. | 1.5 | 1 |
| 49 | Complete Genome Sequence of <i>Mesorhizobium sophorae</i> ICMP 19535 ^T , a Highly Specific, Nitrogen-Fixing Symbiont of New Zealand Endemic <i>Sophora</i> spp. <i>Genome Announcements</i> , 2017, 5, . | 0.8 | 1 |
| 50 | Genome sequence of the <i>Ornithopus/Lupinus</i> -nodulating <i>Bradyrhizobium</i> sp. strain WSM471. <i>Standards in Genomic Sciences</i> , 2013, 9, 254-263. | 1.5 | 0 |