

Zhong-Ping Yao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8883202/zhong-ping-yao-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

2,235
citations

28
h-index

43
g-index

95
ext. papers

2,683
ext. citations

6.4
avg, IF

5.44
L-index

#	Paper	IF	Citations
91	Electrospray ionization using wooden tips. <i>Analytical Chemistry</i> , 2011 , 83, 8201-7	7.8	166
90	The co-chaperone p23 arrests the Hsp90 ATPase cycle to trap client proteins. <i>Journal of Molecular Biology</i> , 2006 , 356, 746-58	6.5	162
89	Chiral analysis by electrospray ionization mass spectrometry/mass spectrometry. 1. Chiral recognition of 19 common amino acids. <i>Analytical Chemistry</i> , 2000 , 72, 5383-93	7.8	80
88	Mass spectrometry-based proteolytic mapping for rapid virus identification. <i>Analytical Chemistry</i> , 2002 , 74, 2529-34	7.8	76
87	Direct ionization of biological tissue for mass spectrometric analysis. <i>Analyst, The</i> , 2012 , 137, 3613-9	5	70
86	Chiral recognition and determination of enantiomeric excess by mass spectrometry: A review. <i>Analytica Chimica Acta</i> , 2017 , 968, 1-20	6.6	64
85	Surface-coated probe nanoelectrospray ionization mass spectrometry for analysis of target compounds in individual small organisms. <i>Analytical Chemistry</i> , 2015 , 87, 9923-30	7.8	64
84	Analytical properties of solid-substrate electrospray ionization mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2013 , 24, 57-65	3.5	61
83	Rapid detection and quantitation of ketamine and norketamine in urine and oral fluid by wooden-tip electrospray ionization mass spectrometry. <i>Analyst, The</i> , 2013 , 138, 2239-43	5	58
82	Chiral analysis by electrospray ionization mass spectrometry/mass spectrometry. 2. Determination of enantiomeric excess of amino acids. <i>Analytical Chemistry</i> , 2000 , 72, 5394-401	7.8	56
81	Electrospray ionization with aluminum foil: A versatile mass spectrometric technique. <i>Analytica Chimica Acta</i> , 2014 , 817, 1-8	6.6	48
80	Characterization of proteins by ambient mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2012 , 31, 437-471	4.7	48
79	Surface-Modified Wooden-Tip Electrospray Ionization Mass Spectrometry for Enhanced Detection of Analytes in Complex Samples. <i>Analytical Chemistry</i> , 2018 , 90, 1759-1766	7.8	47
78	Rewiring Neuronal Glycerolipid Metabolism Determines the Extent of Axon Regeneration. <i>Neuron</i> , 2020 , 105, 276-292.e5	13.9	44
77	Rapid identification of plant materials by wooden-tip electrospray ionization mass spectrometry and a strategy to differentiate the bulbs of <i>Fritillaria</i> . <i>Analytica Chimica Acta</i> , 2014 , 820, 84-91	6.6	40
76	Chiral recognition of amino acids by electrospray ionisation mass spectrometry/mass spectrometry. <i>Chemical Communications</i> , 1999 , 2119-2120	5.8	39
75	In vivo and real-time monitoring of secondary metabolites of living organisms by mass spectrometry. <i>Scientific Reports</i> , 2013 , 3, 2104	4.9	38

74	Rapid microorganism identification with on-slide proteolytic digestion followed by matrix-assisted laser desorption/ionization tandem mass spectrometry and database searching. <i>Rapid Communications in Mass Spectrometry</i> , 2002 , 16, 1953-6	2.2	38
73	Conformational dynamics of the molecular chaperone Hsp90 in complexes with a co-chaperone and anticancer drugs. <i>Journal of Molecular Biology</i> , 2007 , 372, 1189-203	6.5	37
72	Field-induced wooden-tip electrospray ionization mass spectrometry for high-throughput analysis of herbal medicines. <i>Analytica Chimica Acta</i> , 2015 , 887, 127-137	6.6	34
71	Chiral differentiation of amino acids through binuclear copper bound tetramers by ion mobility mass spectrometry. <i>Analytica Chimica Acta</i> , 2017 , 981, 62-70	6.6	34
70	Rapid screening of mixed edible oils and gutter oils by matrix-assisted laser desorption/ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2015 , 884, 70-6	6.6	33
69	Recent advances in differentiation of isomers by ion mobility mass spectrometry. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 124, 115801	14.6	33
68	Thin layer chromatography coupled with electrospray ionization mass spectrometry for direct analysis of raw samples. <i>Journal of Chromatography A</i> , 2015 , 1415, 155-60	4.5	32
67	Direct analysis of herbal powders by pipette-tip electrospray ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2014 , 809, 109-16	6.6	30
66	Mass spectrometry: towards in vivo analysis of biological systems. <i>Molecular BioSystems</i> , 2013 , 9, 915-29		30
65	Atlastin-mediated membrane tethering is critical for cargo mobility and exit from the endoplasmic reticulum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 14029-14038	11.5	29
64	Pharmaceutical analysis by solid-substrate electrospray ionization mass spectrometry with wooden tips. <i>Journal of the American Society for Mass Spectrometry</i> , 2014 , 25, 37-47	3.5	29
63	A strategy to identify and quantify closely related adulterant herbal materials by mass spectrometry-based partial least squares regression. <i>Analytica Chimica Acta</i> , 2017 , 977, 28-35	6.6	27
62	A general strategy for site-directed enzyme immobilization by using NiO nanoparticle decorated mesoporous silica. <i>Chemistry - A European Journal</i> , 2014 , 20, 7916-21	4.8	27
61	Continuous artificial synthesis of glucose precursor using enzyme-immobilized microfluidic reactors. <i>Nature Communications</i> , 2019 , 10, 4049	17.4	26
60	Direct coupling of solid phase microextraction with electrospray ionization mass spectrometry: A Case study for detection of ketamine in urine. <i>Analytica Chimica Acta</i> , 2019 , 1075, 112-119	6.6	26
59	Protective effects of natural and partially degraded konjac glucomannan on Bifidobacteria against antibiotic damage. <i>Carbohydrate Polymers</i> , 2018 , 181, 368-375	10.3	26
58	Detection of native proteins using solid-substrate electrospray ionization mass spectrometry with nonpolar solvents. <i>Analytica Chimica Acta</i> , 2018 , 1004, 51-57	6.6	26
57	PDZ-Reactive Peptide Activates Ephrin-B Reverse Signaling and Inhibits Neuronal Chemotaxis. <i>ACS Chemical Biology</i> , 2016 , 11, 149-58	4.9	25

56	Photoactive cotton fabric for UV protection and self-cleaning.. <i>RSC Advances</i> , 2019 , 9, 18106-18114	3.7	24
55	Slug-flow microextraction coupled with paper spray mass spectrometry for rapid analysis of complex samples. <i>Analytica Chimica Acta</i> , 2016 , 940, 143-9	6.6	23
54	Establishment of a spectral database for classification of edible oils using matrix-assisted laser desorption/ionization mass spectrometry. <i>Food Chemistry</i> , 2018 , 252, 335-342	8.5	22
53	Mobility of Proteins in Porous Substrates under Electrospray Ionization Conditions. <i>Analytical Chemistry</i> , 2016 , 88, 5585-9	7.8	22
52	Targeting the Thioredoxin Reductase-Thioredoxin System from Staphylococcus aureus by Silver Ions. <i>Inorganic Chemistry</i> , 2017 , 56, 14823-14830	5.1	20
51	Rapid detection and quantitation of drugs-of-abuse by wooden-tip electrospray ionization mass spectrometry. <i>Journal of Food and Drug Analysis</i> , 2019 , 27, 428-438	7	20
50	Rapid differentiation of Panax ginseng and Panax quinquefolius by matrix-assisted laser desorption/ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2012 , 753, 73-81	6.6	19
49	Activation of ubiquitin ligase SCF(Skp2) by Cks1: insights from hydrogen exchange mass spectrometry. <i>Journal of Molecular Biology</i> , 2006 , 363, 673-86	6.5	18
48	Rapid detection of adulterated drugs in herbal dietary supplements by wooden-tip electrospray ionization mass spectrometry. <i>Analytical Methods</i> , 2016 , 8, 6840-6846	3.2	18
47	Direct analysis of traditional Chinese medicines by mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1026, 2-14	3.2	17
46	Rapid analysis of raw solution samples by C18 pipette-tip electrospray ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2014 , 844, 1-7	6.6	16
45	The analysis of alpha-1-antitrypsin glycosylation with direct LC-MS/MS. <i>Electrophoresis</i> , 2018 , 39, 2351-2361	6.1	15
44	Rapid authentication of Gastrodiae rhizoma by direct ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2016 , 938, 90-7	6.6	15
43	Electrospray Ionization on Solid Substrates. <i>Mass Spectrometry</i> , 2014 , 3, S0028	1.7	15
42	Novel fluorescent molecular clips: selective recognition towards Fe ³⁺ in aqueous solution. <i>Journal of Fluorescence</i> , 2011 , 21, 1103-10	2.4	14
41	Protein dynamics revealed by hydrogen/deuterium exchange mass spectrometry: Correlation between experiments and simulation. <i>Rapid Communications in Mass Spectrometry</i> , 2019 , 33 Suppl 3, 83-89	2.2	14
40	The HC fragment of tetanus toxin forms stable, concentration-dependent dimers via an intermolecular disulphide bond. <i>Journal of Molecular Biology</i> , 2007 , 365, 123-34	6.5	13
39	Untargeted metabolomics coupled with chemometric analysis reveals species-specific steroidal alkaloids for the authentication of medicinal Fritillariae Bulbus and relevant products. <i>Journal of Chromatography A</i> , 2020 , 1612, 460630	4.5	13

38	Effects of exopolysaccharide fractions with different molecular weights and compositions on fecal microflora during in vitro fermentation. <i>International Journal of Biological Macromolecules</i> , 2020 , 144, 76-84	7.9	12
37	A novel liquid-liquid-solid microextraction strategy for bio-sample preparation by in situ self-assembly of zeolitic imidazolate framework 8 on hollow fiber membrane. <i>Analytica Chimica Acta</i> , 2020 , 1095, 118-128	6.6	11
36	Chiral mass spectrometry: An overview. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 123, 115763	14.6	11
35	Quantitative Analysis of E1-Antitrypsin Glycosylation Isoforms in HCC Patients Using LC-HCD-PRM-MS. <i>Analytical Chemistry</i> , 2020 , 92, 8201-8208	7.8	10
34	Self-Assembled Binuclear Cu(II)-Histidine Complex for Absolute Configuration and Enantiomeric Excess Determination of Naproxen by Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2018 , 90, 4089-4097	7.8	10
33	Site-specific hydrogen exchange of proteins: insights into the structures of amyloidogenic intermediates. <i>Methods in Enzymology</i> , 2005 , 402, 389-402	1.7	10
32	Global detection and semi-quantification of Fritillaria alkaloids in Fritillariae Ussuriensis Bulbus by a non-targeted multiple reaction monitoring approach. <i>Journal of Separation Science</i> , 2016 , 39, 287-95	3.4	10
31	A direct ionization mass spectrometry-based approach for differentiation of medicinal Ephedra species. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 492-8	3.5	9
30	Reactive Blue-25 dye/TiO ₂ coated cotton fabrics with self-cleaning and UV blocking properties. <i>Cellulose</i> , 2019 , 26, 2821-2832	5.5	9
29	A high-molecular weight exopolysaccharide from the Cs-HK1 fungus: Ultrasonic degradation, characterization and in vitro fecal fermentation. <i>Carbohydrate Polymers</i> , 2020 , 246, 116636	10.3	8
28	Improved detection of phosphopeptides by negative ion matrix-assisted laser desorption/ionization mass spectrometry using a proton sponge co-matrix. <i>Analytica Chimica Acta</i> , 2012 , 711, 77-82	6.6	8
27	Oil-assisted sample preparation: a simple method for analysis of solid samples using matrix-assisted laser desorption/ionization mass spectrometry. <i>Analytical Chemistry</i> , 2011 , 83, 5175-81	7.8	8
26	Rapid detection of pesticides in honey by solid-phase micro-extraction coupled with electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2020 , 55, e4380	2.2	8
25	Matrix-assisted laser desorption and fast-atom bombardment mass spectrometry of water-soluble phthalocyanines and their carboxyl derivatives. <i>Rapid Communications in Mass Spectrometry</i> , 1995 , 9, 230-232	2.2	7
24	Conformational Dynamics of the Helix 10 Region as an Allosteric Site in Class A β -Lactamase Inhibitory Binding. <i>Journal of the American Chemical Society</i> , 2020 , 142, 13756-13767	16.4	7
23	Integrated hand-held electrochemical sensor for multicomponent detection in urine. <i>Biosensors and Bioelectronics</i> , 2021 , 193, 113534	11.8	7
22	Protection of Bifidobacterial cells against antibiotics by a high molecular weight exopolysaccharide of a medicinal fungus Cs-HK1 through physical interactions. <i>International Journal of Biological Macromolecules</i> , 2018 , 119, 312-319	7.9	6
21	Affinity Enhancement by Ligand Clustering Effect Inspired by Peptide Dendrimers-Shank PDZ Proteins Interactions. <i>PLoS ONE</i> , 2016 , 11, e0149580	3.7	6

20	Rapid differentiation of Ganoderma species by direct ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2018 , 999, 99-106	6.6	6
19	An in vitro vesicle formation assay reveals cargo clients and factors that mediate vesicular trafficking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	6
18	Simultaneous detection of xenon and krypton in equine plasma by gas chromatography-tandem mass spectrometry for doping control. <i>Drug Testing and Analysis</i> , 2017 , 9, 317-322	3.5	5
17	Data storage using peptide sequences. <i>Nature Communications</i> , 2021 , 12, 4242	17.4	4
16	Diagnostic fragmentation-assisted mass spectral networking coupled with in silico dereplication for deep annotation of steroidal alkaloids in medicinal Fritillariae Bulbus. <i>Journal of Mass Spectrometry</i> , 2020 , 55, e4528	2.2	4
15	Quantitative analysis of blended oils by matrix-assisted laser desorption/ionization mass spectrometry and partial least squares regression. <i>Food Chemistry</i> , 2021 , 334, 127601	8.5	4
14	Dual-Mode Sensing Platform for Electrochemiluminescence and Colorimetry Detection Based on a Closed Bipolar Electrode. <i>Analytical Chemistry</i> , 2021 , 93, 12367-12373	7.8	4
13	A high throughput mass spectrometry screening analysis based on two-dimensional carbon microfiber fractionation system. <i>Journal of Chromatography A</i> , 2017 , 1501, 1-9	4.5	3
12	Characterization of Chemical Component Variations in Different Growth Years and Tissues of Morinda Officinalis Radix by Integrating Metabolomics and Glycomics. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 7304-7314	5.7	3
11	Intermolecular Alkyl Transfer Reactions in the Fast Atom Bombardment Mass Spectrometry of Esters. <i>Journal of Mass Spectrometry</i> , 1996 , 31, 955-960	2.2	3
10	Electrospray ionization mass spectrometry with wooden tips: A review.. <i>Analytica Chimica Acta</i> , 2022 , 1209, 339136	6.6	3
9	Rapid differentiation of Schisandra sphenanthera and Schisandra chinensis by matrix-assisted laser desorption/ionization mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2018 , 434, 258-263	1.9	3
8	Enhancing enrichment ability of ZIF-8 mixed matrix membrane microextraction by reverse micelle strategy for analysis of multiple ionizable bioactive components in biological samples. <i>Talanta</i> , 2020 , 217, 121030	6.2	2
7	Electron impact and methane chemical ionization mass spectrometry of trisilanes and trisiloxanes. <i>Organic Mass Spectrometry</i> , 1991 , 26, 24-28		2
6	Principles and applications of solid-substrate electrospray ionization mass spectrometry. <i>Scientia Sinica Chimica</i> , 2017 , 47, 1365-1378	1.6	2
5	A distinct giant coat protein complex II vesicle population in Arabidopsis thaliana. <i>Nature Plants</i> , 2021 , 7, 1335-1346	11.5	1
4	Chemical transformation of <i>β</i>-pinene-derived organosulfate via heterogeneous OH oxidation: implications for sources and environmental fates of atmospheric organosulfates. <i>Atmospheric Chemistry and Physics</i> , 2022 , 22, 5685-5700	6.8	1
3	Measurement of Intracellular Nitric Oxide with a Quantitative Mass Spectrometry Probe Approach. <i>Analytical Chemistry</i> , 2021 , 93, 8536-8543	7.8	0

- 2 Interdomain flexibility and interfacial integrity of β -lactamase inhibitory protein (BLIP) modulate its binding to class A β -lactamases. *Journal of Biological Chemistry*, **2021**, 297, 100980 5.4 ○
- 1 5-[o-(1-L-Phenylalanyl)amino]ethoxy]phenyl-10,15,20-triphenylporphyrin. *Molecules*, **2000**, 5, M173 4.8