

Juergen Stein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8884387/publications.pdf>

Version: 2024-02-01

254
papers

8,643
citations

44069

48
h-index

49909

87
g-index

289
all docs

289
docs citations

289
times ranked

8784
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | The German hospital malnutrition study. <i>Clinical Nutrition</i> , 2006, 25, 563-572. | 5.0 | 604 |
| 2 | European Consensus on the Diagnosis and Management of Iron Deficiency and Anaemia in Inflammatory Bowel Diseases. <i>Journal of Crohn's and Colitis</i> , 2015, 9, 211-222. | 1.3 | 425 |
| 3 | Second European evidence-based consensus on the diagnosis and management of ulcerative colitis Part 3: Special situations. <i>Journal of Crohn's and Colitis</i> , 2013, 7, 1-33. | 1.3 | 422 |
| 4 | Guidelines on the diagnosis and management of iron deficiency and anemia in inflammatory bowel diseases#. <i>Inflammatory Bowel Diseases</i> , 2007, 13, 1545-1553. | 1.9 | 373 |
| 5 | FERGICor, a Randomized Controlled Trial on Ferric Carboxymaltose for Iron Deficiency Anemia in Inflammatory Bowel Disease. <i>Gastroenterology</i> , 2011, 141, 846-853.e2. | 1.3 | 304 |
| 6 | Gastroenteric tube feeding: Techniques, problems and solutions. <i>World Journal of Gastroenterology</i> , 2014, 20, 8505. | 3.3 | 289 |
| 7 | Diagnosis and management of iron deficiency anemia in patients with IBD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2010, 7, 599-610. | 17.8 | 233 |
| 8 | Rationale for the luminal provision of butyrate in intestinal diseases. <i>European Journal of Nutrition</i> , 2000, 39, 164-171. | 3.9 | 220 |
| 9 | Review article: the nutritional and pharmacological consequences of obesity surgery. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 582-609. | 3.7 | 205 |
| 10 | Intravenous Iron Sucrose versus Oral Iron Supplementation for the Treatment of Iron Deficiency Anemia in Patients with Inflammatory Bowel Disease-A Randomized, Controlled, Open-Label, Multicenter Study. <i>American Journal of Gastroenterology</i> , 2005, 100, 2503-2509. | 0.4 | 204 |
| 11 | Downregulation of the Cyclin D1/Cdk4 Complex Occurs during Resveratrol-Induced Cell Cycle Arrest in Colon Cancer Cell Lines. <i>Journal of Nutrition</i> , 2001, 131, 2197-2203. | 2.9 | 187 |
| 12 | Limitations of Serum Ferritin in Diagnosing Iron Deficiency in Inflammatory Conditions. <i>International Journal of Chronic Diseases</i> , 2018, 2018, 1-11. | 1.0 | 134 |
| 13 | Piceatannol, a Natural Analog of Resveratrol, Inhibits Progression through the S Phase of the Cell Cycle in Colorectal Cancer Cell Lines. <i>Journal of Nutrition</i> , 2002, 132, 298-302. | 2.9 | 119 |
| 14 | Involvement of different nuclear hormone receptors in butyrate-mediated inhibition of inducible NF κ B signalling. <i>Molecular Immunology</i> , 2007, 44, 3625-3632. | 2.2 | 112 |
| 15 | HMG-CoA reductase inhibitor mevastatin enhances the growth inhibitory effect of butyrate in the colorectal carcinoma cell line Caco-2. <i>Carcinogenesis</i> , 2001, 22, 1061-1067. | 2.8 | 106 |
| 16 | Inadequate Nutrient Intake in Patients with Celiac Disease: Results from a German Dietary Survey. <i>Digestion</i> , 2013, 87, 240-246. | 2.3 | 104 |
| 17 | Anemia and iron deficiency in gastrointestinal and liver conditions. <i>World Journal of Gastroenterology</i> , 2016, 22, 7908. | 3.3 | 103 |
| 18 | Prospective Multicenter Study Evaluating Fecal Calprotectin in Adult Acute Bacterial Diarrhea. <i>American Journal of Medicine</i> , 2008, 121, 1099-1106. | 1.5 | 96 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Prospective evaluation of faecal neutrophilâ€derived proteins in identifying intestinal inflammation: combination of parameters does not improve diagnostic accuracy of calprotectin. <i>Alimentary Pharmacology and Therapeutics</i> , 2007, 26, 1035-1042. | 3.7 | 92 |
| 20 | Ferric Carboxymaltose Prevents Recurrence of Anemia in Patients With Inflammatory Bowel Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 269-277. | 4.4 | 91 |
| 21 | Health-related quality of life in adult coeliac disease in Germany: results of a national survey. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 747-754. | 1.6 | 89 |
| 22 | Predictors of reduced healthâ€related quality of life in adults with coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2007, 25, 569-578. | 3.7 | 88 |
| 23 | Systematic review with network metaâ€analysis: comparative efficacy and tolerability of different intravenous iron formulations for the treatment of iron deficiency anaemia in patients with inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 1303-1318. | 3.7 | 87 |
| 24 | PPAR-Î³ Is Selectively Upregulated in Caco-2 Cells by Butyrate. <i>Biochemical and Biophysical Research Communications</i> , 2000, 272, 380-385. | 2.1 | 82 |
| 25 | Long-Term Effectiveness of Azathioprine in IBD Beyond 4 Years: A European Multicenter Study in 1176 Patients. <i>Digestive Diseases and Sciences</i> , 2006, 51, 1516-1524. | 2.3 | 82 |
| 26 | Effects of deoxycholate on human colon cancer cells: apoptosis or proliferation. <i>European Journal of Clinical Investigation</i> , 2002, 32, 29-34. | 3.4 | 79 |
| 27 | Molecular Mechanisms of the Chemopreventive Effects of Resveratrol and Its Analogs in Colorectal Cancer: Key Role of Polyamines?. <i>Journal of Nutrition</i> , 2004, 134, 3219-3222. | 2.9 | 77 |
| 28 | Butyrate impairs intestinal tumor cell-induced angiogenesis by inhibiting HIF-1Î± nuclear translocation. <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 832-838. | 2.1 | 76 |
| 29 | Short-chain fatty acid (SCFA) uptake into Caco-2 cells by a pH-dependent and carrier mediated transport mechanism. <i>European Journal of Nutrition</i> , 2000, 39, 121-125. | 3.9 | 74 |
| 30 | Effect of an omega-3 fatty acid containing lipid emulsion alone and in combination with 5-fluorouracil (5-FU) on growth of the colon cancer cell line Caco-2. <i>European Journal of Nutrition</i> , 2003, 42, 324-331. | 3.9 | 71 |
| 31 | Management of iron deficiency anemia in inflammatory bowel disease - a practical approach. <i>Annals of Gastroenterology</i> , 2013, 26, 104-113. | 0.6 | 69 |
| 32 | Modulation of angiogenesis-related protein synthesis by valproic acid. <i>Biochemical and Biophysical Research Communications</i> , 2004, 316, 693-697. | 2.1 | 67 |
| 33 | Low Dose Methotrexate in Inflammatory Bowel Disease: Current Status and Future Directions. <i>American Journal of Gastroenterology</i> , 2003, 98, 530-537. | 0.4 | 66 |
| 34 | The dietary histone deacetylase inhibitor sulforaphane induces human Î²â€defensinâ€2 in intestinal epithelial cells. <i>Immunology</i> , 2008, 125, 241-251. | 4.4 | 64 |
| 35 | The New Low Calcemic Vitamin D Analog 22-Ene-25-Oxa-Vitamin D Prominently Ameliorates T Helper Cell Type 1-Mediated Colitis in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 622-631. | 2.5 | 63 |
| 36 | Combining infliximab and methotrexate in fistulizing Crohn's disease resistant or intolerant to azathioprine. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 19, 295-301. | 3.7 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Role of nuclear hormone receptors in butyrate-mediated up-regulation of the antimicrobial peptide cathelicidin in epithelial colorectal cells. <i>Molecular Immunology</i> , 2007, 44, 2107-2114. | 2.2 | 59 |
| 38 | New introducer PEG gastropepy does not require prophylactic antibiotics: multicenter prospective randomized double-blind placebo-controlled study. <i>Gastrointestinal Endoscopy</i> , 2008, 67, 620-628. | 1.0 | 58 |
| 39 | PPAR α is involved in mesalazine-mediated induction of apoptosis and inhibition of cell growth in colon cancer cells. <i>Carcinogenesis</i> , 2008, 29, 1407-1414. | 2.8 | 57 |
| 40 | Iron Deficiency Generates Secondary Thrombocytosis and Platelet Activation in IBD. <i>Inflammatory Bowel Diseases</i> , 2013, 19, 1609-1616. | 1.9 | 56 |
| 41 | A randomized prospective trial of immediate vs. next-day feeding after percutaneous endoscopic gastrostomy in intensive care patients. <i>Intensive Care Medicine</i> , 2002, 28, 1656-1660. | 8.2 | 54 |
| 42 | Combining infliximab with methotrexate for the induction and maintenance of remission in refractory Crohn's disease: a controlled pilot study. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 11-16. | 1.6 | 54 |
| 43 | PPAR β is a key target of butyrate-induced caspase-3 activation in the colorectal cancer cell line Caco-2. Apoptosis: an International Journal on Programmed Cell Death, 2006, 11, 1801-1811. | 4.9 | 53 |
| 44 | Anaemia management in patients with inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2013, 25, 1456-1463. | 1.6 | 52 |
| 45 | Butyrate-Induced Differentiation of Caco-2 Cells Is Mediated by Vitamin D Receptor. <i>Biochemical and Biophysical Research Communications</i> , 2001, 288, 690-696. | 2.1 | 50 |
| 46 | Tributyryn, a Stable and Rapidly Absorbed Prodrug of Butyric Acid, Enhances Antiproliferative Effects of Dihydroxycholecalciferol in Human Colon Cancer Cells. <i>Journal of Nutrition</i> , 2001, 131, 1839-1843. | 2.9 | 50 |
| 47 | Sulforaphane potentiates oxaliplatin-induced cell growth inhibition in colorectal cancer cells via induction of different modes of cell death. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 67, 1167-1178. | 2.3 | 49 |
| 48 | Clinical case reports raise doubts about the therapeutic equivalence of an iron sucrose similar preparation compared with iron sucrose originator. <i>Current Medical Research and Opinion</i> , 2012, 28, 241-243. | 1.9 | 48 |
| 49 | Nonsteroidal anti-inflammatory drugs stimulate spermidine/spermine acetyltransferase and deplete polyamine content in colon cancer cells. <i>European Journal of Clinical Investigation</i> , 2001, 31, 887-893. | 3.4 | 44 |
| 50 | Short-Chain Fatty Acids and Colon Cancer Cells: The Vitamin D Receptor's Butyrate Connection. <i>Recent Results in Cancer Research</i> , 2003, 164, 247-257. | 1.8 | 43 |
| 51 | Current practice in the diagnosis and management of IBD-associated anaemia and iron deficiency in Germany: The German AnaemIBD Study. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 1308-1314. | 1.3 | 42 |
| 52 | Near-infrared reflectance analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 1994, 6, 889-894. | 1.6 | 41 |
| 53 | Resveratrol-induced modification of polyamine metabolism is accompanied by induction of c-Fos. <i>Carcinogenesis</i> , 2003, 24, 469-474. | 2.8 | 40 |
| 54 | EGF Stimulates Polyamine Uptake in Caco-2 Cells. <i>Biochemical and Biophysical Research Communications</i> , 1995, 206, 962-968. | 2.1 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Deoxycholic acid stimulates migration in colon cancer cells. <i>European Journal of Gastroenterology and Hepatology</i> , 2001, 13, 945-949. | 1.6 | 39 |
| 56 | Selective Glucocorticoid Receptor Agonists for the Treatment of Inflammatory Bowel Disease: Studies in Mice with Acute Trinitrobenzene Sulfonic Acid Colitis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 341, 68-80. | 2.5 | 38 |
| 57 | Significant Differences Between Crohn's Disease and Ulcerative Colitis Regarding the Impact of Body Mass Index and Initial Disease Activity on Responsiveness to Azathioprine: Results from a European Multicenter Study in 1,176 Patients. <i>Digestive Diseases and Sciences</i> , 2010, 55, 1066-1078. | 2.3 | 37 |
| 58 | Chemically defined structured lipids: current status and future directions in gastrointestinal diseases. <i>International Journal of Colorectal Disease</i> , 1999, 14, 79-85. | 2.2 | 35 |
| 59 | Expression of 5-Lipoxygenase by Human Colorectal Carcinoma Caco-2 Cells during Butyrate-Induced Cell Differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2000, 268, 778-783. | 2.1 | 35 |
| 60 | Current evaluation and management of anemia in patients with inflammatory bowel disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017, 11, 19-32. | 3.0 | 35 |
| 61 | Comparative evaluation of a new bedside faecal occult blood test in a prospective multicentre study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 23, 145-154. | 3.7 | 34 |
| 62 | Characterization of putrescine transport across the intestinal epithelium: study using isolated brush border and basolateral membrane vesicles of the enterocyte. <i>European Journal of Clinical Investigation</i> , 1995, 25, 97-105. | 3.4 | 33 |
| 63 | Mercaptopropionate inhibits butyrate uptake in isolated apical membrane vesicles of the rat distal colon. <i>Gastroenterology</i> , 1995, 108, 673-679. | 1.3 | 33 |
| 64 | Folate and chemoprevention of colorectal cancer: is 5-methyl-tetrahydrofolate an active antiproliferative agent in folate-treated colon-cancer cells?. <i>Nutrition</i> , 2001, 17, 652-653. | 2.4 | 33 |
| 65 | Flipside of the Coin: Iron Deficiency and Colorectal Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 635899. | 4.8 | 33 |
| 66 | Phytochemicals Resveratrol and Sulforaphane as Potential Agents for Enhancing the Anti-Tumor Activities of Conventional Cancer Therapies. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 137-146. | 1.6 | 32 |
| 67 | Hydroxylamine-containing inhibitors of polyamine biosynthesis and impairment of colon cancer cell growth Abbreviations: AMA, S-(5-deoxy-5-adenosyl)-methylthioethyl-hydroxylamine; APA, 1-aminooxy-3-aminopropane; DFMO, alpha-difluoromethylornithine; DMEM, Dulbecco's modified Eagle's medium; DTT, dithiothreitol; EGF, epidermal growth factor; 5-FU, 5-fluorouracil; LDH, lactate dehydrogenase; MGBG, methyl-bisguanylhydrazine; SAM, S-adenosylmethionine; SAMDC, S-adenosylmethionine decarboxylase; and ODC, ornithine decarboxylase. <i>Biochemical Pharmacology</i> , 2001, 61, 199-206. | 4.4 | 30 |
| 68 | Resveratrol Enhances the Differentiation Induced by Butyrate in Caco-2 Colon Cancer Cells. <i>Journal of Nutrition</i> , 2002, 132, 2082-2086. | 2.9 | 30 |
| 69 | A Study for the Evaluation of Safety and Tolerability of Intravenous High-Dose Iron Sucrose in Patients with Iron Deficiency Anemia due to Gastrointestinal Bleeding. <i>Zeitschrift Fur Gastroenterologie</i> , 2004, 42, 663-667. | 0.5 | 30 |
| 70 | Application of the Colon-Simulation Technique for Studying the Effects of <i>Saccharomyces boulardii</i> on Basic Parameters of Porcine Cecal Microbial Metabolism Disturbed by Clindamycin. <i>Digestion</i> , 2000, 61, 193-200. | 2.3 | 29 |
| 71 | An Etiologic Profile of Anemia in 405 Geriatric Patients. <i>Anemia</i> , 2014, 2014, 1-7. | 1.7 | 29 |
| 72 | p38 MAPK signaling pathway is involved in butyrate-induced vitamin D receptor expression. <i>Biochemical and Biophysical Research Communications</i> , 2004, 324, 1220-1226. | 2.1 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Clinical Significance of C-Reactive Protein Levels in Predicting Responsiveness to Iron Therapy in Patients with Inflammatory Bowel Disease and Iron Deficiency Anemia. <i>Digestive Diseases and Sciences</i> , 2015, 60, 1375-1381. | 2.3 | 28 |
| 74 | A prospective cohort study to assess the relevance of vedolizumab drug level monitoring in IBD patients. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 670-676. | 1.5 | 28 |
| 75 | Structural modification of resveratrol leads to increased anti-tumor activity, but causes profound changes in the mode of action. <i>Toxicology and Applied Pharmacology</i> , 2015, 287, 67-76. | 2.8 | 27 |
| 76 | Improvement of impaired diastolic left ventricular function after diet-induced weight reduction in severe obesity. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2017, Volume 10, 19-25. | 2.4 | 27 |
| 77 | Induction of glutathione-S-transferase-pi by short-chain fatty acids in the intestinal cell line caco-2. <i>European Journal of Clinical Investigation</i> , 1996, 26, 84-87. | 3.4 | 26 |
| 78 | Mediation of differentiating effects of Butyrate on the intestinal cell line Caco-2 by transforming growth factor- β 1. <i>European Journal of Nutrition</i> , 1999, 38, 45-50. | 3.9 | 26 |
| 79 | A Multicentre, Double-Blind, Placebo-Controlled, Parallel-Group Study to Evaluate the Efficacy, Safety, and Tolerability of the S1P Receptor Agonist KRP203 in Patients with Moderately Active Refractory Ulcerative Colitis. <i>Inflammatory Intestinal Diseases</i> , 2020, 5, 180-190. | 1.9 | 26 |
| 80 | Management of inflammatory bowel disease-related anemia and iron deficiency with specific reference to the role of intravenous iron in current practice. <i>Expert Opinion on Pharmacotherapy</i> , 2017, 18, 1721-1737. | 1.8 | 25 |
| 81 | Low-dose deoxycholic acid stimulates putrescine uptake in colon cancer cells (Caco-2). <i>Cancer Letters</i> , 2000, 154, 195-200. | 7.2 | 24 |
| 82 | 1,25-Dihydroxycholecalciferol Enhances Butyrate-Induced p21Waf1/Cip1 Expression. <i>Biochemical and Biophysical Research Communications</i> , 2001, 283, 80-85. | 2.1 | 24 |
| 83 | Molecular and catalytic properties of three rat leukotriene C4 synthase homologs. <i>Biochemical and Biophysical Research Communications</i> , 2003, 312, 271-276. | 2.1 | 24 |
| 84 | Predictors of Irritable Bowel-Type Symptoms and Healthcare-Seeking Behavior Among Adults With Celiac Disease. <i>Psychosomatic Medicine</i> , 2007, 69, 370-376. | 2.0 | 24 |
| 85 | The TGF β 2/Smad 3-signaling pathway is involved in butyrate-mediated vitamin D receptor (VDR)-expression. <i>Journal of Cellular Biochemistry</i> , 2007, 102, 1420-1431. | 2.6 | 24 |
| 86 | Superoxide: A Major Factor for Stress Protein Induction in Reoxygenation Injury in the Intestinal Cell Line Caco-2. <i>Digestion</i> , 1999, 60, 238-245. | 2.3 | 23 |
| 87 | Substrate and Inhibitor Specificity of Butyrate Uptake in Apical Membrane Vesicles of the Rat Distal Colon. <i>Digestion</i> , 2000, 62, 152-158. | 2.3 | 23 |
| 88 | ZK 156718, a Low Calcemic, Antiproliferative, and Prodifferentiating Vitamin D Analog. <i>Biochemical and Biophysical Research Communications</i> , 2002, 290, 504-509. | 2.1 | 23 |
| 89 | Dual role for AIF4(-)-sensitive G proteins in the function of T84 epithelial cells: transport and barrier effects. <i>American Journal of Physiology - Cell Physiology</i> , 1997, 272, C794-C803. | 4.6 | 22 |
| 90 | Butyrate-Induced Differentiation of Caco-2 Cells Occurs Independently from p27. <i>Biochemical and Biophysical Research Communications</i> , 2001, 281, 295-299. | 2.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | High-performance liquid chromatographic determination of biotin in biological materials after crown ether-catalyzed fluorescence derivatization with panacyl bromide. <i>Analytical Biochemistry</i> , 1992, 200, 89-94. | 2.4 | 21 |
| 92 | Effect of structural analogues of propionate and butyrate on colon cancer cell growth. <i>International Journal of Colorectal Disease</i> , 2000, 15, 264-270. | 2.2 | 21 |
| 93 | A Glycerin Hydrogel-Based Wound Dressing Prevents Peristomal Infections After Percutaneous Endoscopic Gastrostomy (PEG). <i>Nutrition in Clinical Practice</i> , 2012, 27, 422-425. | 2.4 | 21 |
| 94 | Selective Non-Steroidal Glucocorticoid Receptor Agonists Attenuate Inflammation but Do Not Impair Intestinal Epithelial Cell Restitution In Vitro. <i>PLoS ONE</i> , 2012, 7, e29756. | 2.5 | 21 |
| 95 | Resveratrol-induced potentiation of the antitumor effects of oxaliplatin is accompanied by an altered cytokine profile of human monocyte-derived macrophages. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 1136-1147. | 4.9 | 21 |
| 96 | Regulation of $\text{I}\kappa\text{B}$ 1-proteinase inhibitor release by proinflammatory cytokines in human intestinal epithelial cells. <i>Clinical and Experimental Immunology</i> , 2002, 128, 279-284. | 2.6 | 19 |
| 97 | 22-ene-25-oxa-vitamin D: a new vitamin D analogue with profound immunosuppressive capacities. <i>European Journal of Clinical Investigation</i> , 2005, 35, 343-349. | 3.4 | 18 |
| 98 | Chronic intestinal failure and short bowel syndrome in Crohn's disease. <i>World Journal of Gastroenterology</i> , 2021, 27, 3440-3465. | 3.3 | 18 |
| 99 | Moderate endurance and muscle training is beneficial and safe in patients with quiescent or mildly active Crohn's disease. <i>United European Gastroenterology Journal</i> , 2020, 8, 804-813. | 3.8 | 17 |
| 100 | Safety and efficacy of intravenous iron isomaltoside for correction of anaemia in patients with inflammatory bowel disease in everyday clinical practice. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 1059-1065. | 1.5 | 16 |
| 101 | Oral versus intravenous iron therapy in patients with inflammatory bowel disease and iron deficiency with and without anemia in Germany – a real-world evidence analysis. <i>ClinicoEconomics and Outcomes Research</i> , 2018, Volume 10, 93-103. | 1.9 | 16 |
| 102 | A Pooled Analysis of Serum Phosphate Measurements and Potential Hypophosphataemia Events in 45 Interventional Trials with Ferric Carboxymaltose. <i>Journal of Clinical Medicine</i> , 2020, 9, 3587. | 2.4 | 16 |
| 103 | Permeability characteristics of polyamines across intestinal epithelium using the Caco-2 monolayer system: comparison between transepithelial flux and mitogen-stimulated uptake into epithelial cells. <i>Nutrition</i> , 2001, 17, 462-466. | 2.4 | 15 |
| 104 | Impact of Severe Obesity and Weight Loss on Systolic Left Ventricular Function and Morphology: Assessment by 2-Dimensional Speckle-Tracking Echocardiography. <i>Journal of Obesity</i> , 2016, 2016, 1-6. | 2.7 | 14 |
| 105 | Transepithelial transport of putrescine across monolayers of the human intestinal epithelial cell line, Caco- 2. <i>World Journal of Gastroenterology</i> , 2001, 7, 193. | 3.3 | 14 |
| 106 | S-adenosylmethionine decarboxylase activity and utilization of exogenous putrescine are enhanced in colon cancer cells stimulated to grow by EGF. <i>Zeitschrift Fur Gastroenterologie</i> , 1998, 36, 947-54. | 0.5 | 14 |
| 107 | High-performance liquid chromatographic determination of nicotinic acid and nicotinamide in biological samples applying post-column derivatization resulting in bathochrome absorption shifts. <i>Biomedical Applications</i> , 1995, 665, 71-78. | 1.7 | 13 |
| 108 | Polyamine Uptake Across the Basolateral Membrane of the Enterocyte Is Mediated by a High-Affinity Carrier. <i>Digestion</i> , 1998, 59, 60-68. | 2.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Modulation of epidermal growth factor-induced cell proliferation by an ̳-3 fatty-acid-containing lipid emulsion on human pancreatic cancer cell line Mia Paca-2. <i>Nutrition</i> , 2001, 17, 474-475. | 2.4 | 13 |
| 110 | Activation of PPAR β is not involved in butyrate-induced epithelial cell differentiation. <i>Experimental Cell Research</i> , 2005, 310, 196-204. | 2.6 | 13 |
| 111 | Inflammation, but Not the Underlying Disease or Its Location, Predicts Oral Iron Absorption Capacity in Patients With Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2020, 14, 316-322. | 1.3 | 13 |
| 112 | Inflammation-Induced Mucosal KYNU Expression Identifies Human Ileal Crohn's Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 1360. | 2.4 | 13 |
| 113 | Osteopontin Levels in Human Milk Are Related to Maternal Nutrition and Infant Health and Growth. <i>Nutrients</i> , 2021, 13, 2670. | 4.1 | 13 |
| 114 | Enteral Nutrition by Endoscopic Means; I. Techniques, Indications, Types of Enteral Feed. <i>Zeitschrift Fur Gastroenterologie</i> , 2004, 42, 1385-1392. | 0.5 | 12 |
| 115 | Isothiocyanate sulforaphane inhibits protooncogenic ornithine decarboxylase activity in colorectal cancer cells via induction of the TGF β /Smad signaling pathway. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 1486-1496. | 3.3 | 12 |
| 116 | Efficacy and Safety of Intravenous Ferric Carboxymaltose in Geriatric Inpatients at a German Tertiary University Teaching Hospital: A Retrospective Observational Cohort Study of Clinical Practice. <i>Anemia</i> , 2015, 2015, 1-8. | 1.7 | 12 |
| 117 | Percutaneous endoscopic gastrostomy (PEG): a practical approach for long term management. <i>BMJ: British Medical Journal</i> , 2019, 364, k5311. | 2.3 | 12 |
| 118 | Measuring Vitamin D Status in Chronic Inflammatory Disorders: How does Chronic Inflammation Affect the Reliability of Vitamin D Metabolites in Patients with IBD?. <i>Journal of Clinical Medicine</i> , 2020, 9, 547. | 2.4 | 12 |
| 119 | Rapid Postabsorptive Metabolism of Nicotinic Acid in Rat Small Intestine May Affect Transport by Metabolic Trapping. <i>Journal of Nutrition</i> , 1994, 124, 61-66. | 2.9 | 11 |
| 120 | Epidermal Growth Factor Receptor Signaling in Rat Pancreatic Acinar Cells. <i>Pancreas</i> , 1995, 10, 274-280. | 1.1 | 11 |
| 121 | Insufficiently charged isosteric analogue of spermine: interaction with polyamine uptake, and effect on Caco-2 cell growth. <i>Biochemical Pharmacology</i> , 2002, 64, 649-655. | 4.4 | 11 |
| 122 | EGF-Stimulated Polyamine Accumulation in the Colon Carcinoma Cell Line, Caco-2. <i>Digestion</i> , 2000, 61, 230-236. | 2.3 | 10 |
| 123 | Safety and Efficacy of Ferric Carboxymaltose in the Treatment of Iron Deficiency Anaemia in Patients with Inflammatory Bowel Disease, in Routine Daily Practice. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 826-834. | 1.3 | 10 |
| 124 | Fluorometric High-Performance Liquid Chromatography of Free Fatty Acids Using Panacyl Bromide. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1993, 16, 2915-2922. | 1.0 | 9 |
| 125 | Diseases of the small intestine. <i>European Journal of Gastroenterology and Hepatology</i> , 1999, 11, 21-26. | 1.6 | 9 |
| 126 | Combined treatment of Caco-2 cells with butyrate and mesalazine inhibits cell proliferation and reduces Survivin protein level. <i>Cancer Letters</i> , 2009, 273, 98-106. | 7.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Coeliac Disease - New Pathophysiological Findings and Their Implications for Therapy. <i>Viszeralmedizin</i> , 2014, 30, 156-165. | 0.0 | 9 |
| 128 | Upregulation of 25-hydroxyvitamin D ₃ -1 α -hydroxylase by butyrate in Caco-2 cells. <i>World Journal of Gastroenterology</i> , 2005, 11, 7136. | 3.3 | 9 |
| 129 | Relevance of Biotin Deficiency in Patients with Inflammatory Bowel Disease and Utility of Serum 3-Hydroxyisovaleryl Carnitine as a Practical Everyday Marker. <i>Journal of Clinical Medicine</i> , 2022, 11, 1118. | 2.4 | 9 |
| 130 | Butyrate and the cytokine-induced β 1-proteinase inhibitor release in intestinal epithelial cells. <i>European Journal of Clinical Investigation</i> , 2001, 31, 1060-1063. | 3.4 | 7 |
| 131 | Serum Hepcidin Levels Predict Intestinal Iron Absorption in Patients with Inflammatory Bowel Disease. <i>Clinical Laboratory</i> , 2019, 65, . | 0.5 | 7 |
| 132 | [30] High-performance liquid chromatographic determination of biotin in biological materials after crown ether-catalyzed fluorescence derivatization with panacyl bromide. <i>Methods in Enzymology</i> , 1997, 279, 286-295. | 1.0 | 6 |
| 133 | Flux of amino acids and energy substrates across the leg in weight-stable HIV-infected patients with acute opportunistic infections: indication of a slow protein wasting process. <i>Journal of Molecular Medicine</i> , 2001, 79, 671-678. | 3.9 | 6 |
| 134 | Anti-inflammatory drugs modulate C1q secretion in human peritoneal macrophages in vitro. <i>Biochemical Pharmacology</i> , 2002, 64, 457-462. | 4.4 | 6 |
| 135 | Enteral Nutrition by Endoscopic Means; II. Complications and Management. <i>Zeitschrift Fur Gastroenterologie</i> , 2004, 42, 1393-1398. | 0.5 | 6 |
| 136 | Anaemia in the Elderly IBD Patient. <i>Current Treatment Options in Gastroenterology</i> , 2015, 13, 308-318. | 0.8 | 6 |
| 137 | Reduced postheparin plasma diamine oxidase activity in patients with chronic renal failure. <i>Zeitschrift Fur Gastroenterologie</i> , 1994, 32, 236-9. | 0.5 | 6 |
| 138 | Interferon- β modulates intestinal epithelial cell function in-vitro through a TGF β -dependent mechanism. <i>Regulatory Peptides</i> , 2011, 168, 27-31. | 1.9 | 5 |
| 139 | Design of the Weight-loss Endoscopy Trial (WET): a multi-center, randomized, controlled trial comparing weight loss in endoscopically implanted duodenal-jejunal bypass liners vs. intragastric balloons vs. a sham procedure. <i>BMC Gastroenterology</i> , 2018, 18, 118. | 2.0 | 5 |
| 140 | Is Early Reimplantation of the Duodenalâ€“Jejunal Bypass Liner Viable?. <i>Obesity Surgery</i> , 2019, 29, 1690-1693. | 2.1 | 5 |
| 141 | An update on the evaluation and management of iron deficiency anemia in inflammatory bowel disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019, 13, 95-97. | 3.0 | 5 |
| 142 | Zinc Protoporphyrin Is a Reliable Marker of Functional Iron Deficiency in Patients with Inflammatory Bowel Disease. <i>Diagnostics</i> , 2021, 11, 366. | 2.6 | 5 |
| 143 | ErnÃhrung bei Krankheiten des Gastrointestinaltrakts. , 2003, , 582-626. | | 5 |
| 144 | Epidermal Growth Factor, Polyamines, and Epithelial Remodeling in Cacoâ€“2 Cells. <i>Annals of the New York Academy of Sciences</i> , 2000, 915, 279-281. | 3.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Impaired Intestinal Iron Absorption in Inflammatory Bowel Disease Correlates With Disease Activity and Markers of Inflammation but is Independent of Disease Location. <i>Gastroenterology</i> , 2011, 140, S-5. | 1.3 | 4 |
| 146 | P139 Serum hepcidin levels predict intestinal iron absorption in IBD patients. <i>Journal of Crohn's and Colitis</i> , 2014, 8, S120. | 1.3 | 4 |
| 147 | Letter: the importance of dosing and baseline haemoglobin when establishing the relative efficacy of intravenous iron therapiesâ€™ authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 705-706. | 3.7 | 4 |
| 148 | Preparation of basolateral membrane vesicles from rat enterocytes: influence of different gradient media. <i>Physiological Research</i> , 1994, 43, 75-81. | 0.9 | 4 |
| 149 | Simultaneous preparation of rabbit intestinal brush border and basolateral membrane vesicles. <i>Research in Experimental Medicine</i> , 1994, 194, 305-312. | 0.7 | 3 |
| 150 | Isolation and characterization of apical membrane vesicles of the rat distal colon. <i>Research in Experimental Medicine</i> , 1995, 195, 333-342. | 0.7 | 3 |
| 151 | Influence of Epidermal Growth Factor/Transforming Growth Factor Alpha and Polyamines on Caco-2 Cell Proliferation. <i>Annals of the New York Academy of Sciences</i> , 1998, 859, 198-200. | 3.8 | 3 |
| 152 | Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels. <i>Biochemical Pharmacology</i> , 2003, 65, 1151-1161. | 4.4 | 3 |
| 153 | Editorial: which iron preparation for patients with <scp>IBD</scp>? Authorsâ€™ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 195-196. | 3.7 | 3 |
| 154 | Resorptionstests. , 2006, , 93-123. | | 3 |
| 155 | Quantitative Immunochemical Fecal Occult Blood Test for Diagnosing Colorectal Neoplasia. <i>Annals of Internal Medicine</i> , 2007, 147, 522. | 3.9 | 3 |
| 156 | New Fecal Tests in the Diagnosis of Exocrine Pancreatic Insufficiency. , 1997, , 277-289. | | 3 |
| 157 | Funktionsdiagnostik. , 1999, , 163-180. | | 3 |
| 158 | Characteristics of putrescine uptake by human brush border membrane vesicles. <i>Zeitschrift Fur Gastroenterologie</i> , 1992, 30, 841-5. | 0.5 | 3 |
| 159 | Glycemic control and BMI changes after endoscopic implantation of a duodenojejunal bypass liner compared with laparoscopic Roux-en-Y gastric bypass surgery: a propensity score matching analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 5979-5985. | 2.4 | 3 |
| 160 | Effects of guanine nucleotides on bombesin-stimulated signal transduction in rat pancreatic acinar cells. <i>Research in Experimental Medicine</i> , 1993, 193, 323-335. | 0.7 | 2 |
| 161 | Subcellular distribution of small GTP-binding proteins in the intestinal cell line Caco-2. <i>European Journal of Clinical Investigation</i> , 1995, 25, 793-795. | 3.4 | 2 |
| 162 | Multicenter Study Using Air Filled Stomach Balloon As a Valid Option for Morbid Obesity. <i>Gastrointestinal Endoscopy</i> , 2007, 65, AB281. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Nicht-invasive Diagnostik kolorektaler Tumore " Hat der Guaiac-Test ausgedient? / Non-invasive detection of colorectal cancer " do we still need the guaiac-based fecal occult blood test?. Laboratoriums Medizin, 2008, 32, 158-167. | 0.6 | 2 |
| 164 | T1282 Comparison of Two Commercially Available Serologic Kits for the Detection of Fecal Calprotectin. Gastroenterology, 2010, 138, S-528. | 1.3 | 2 |
| 165 | 1157 Modified Release Phosphatidylcholine LT-02 in Active Ulcerative Colitis - a Randomized, Placebo-Controlled Multicentre Study. Gastroenterology, 2012, 142, S-211. | 1.3 | 2 |
| 166 | P701 The comparative safety of different intravenous iron preparations in inflammatory bowel disease: a systematic review and network meta-analysis. Journal of Crohn's and Colitis, 2019, 13, S471-S472. | 1.3 | 2 |
| 167 | Diagnostic utility of low hemoglobin density to detect iron deficiency in patients with inflammatory bowel disease. Annals of Gastroenterology, 2021, 34, 521-527. | 0.6 | 2 |
| 168 | Fast-track rescue weight reduction therapy to achieve rapid technical operability for emergency bariatric surgery in patients with life-threatening inoperable severe obesity " A proof of concept study. Clinical Nutrition ESPEN, 2022, 50, 238-246. | 1.2 | 2 |
| 169 | Analysis of Low-Molecular-Weight GTP-Binding Proteins in Two Functionally Different Intestinal Epithelial Cell Lines. Annals of the New York Academy of Sciences, 2000, 915, 223-230. | 3.8 | 1 |
| 170 | S1118 Prospective Comparative Evaluation of An Office Based Rapid Immunological Test with a Guaiac Based Fecal Occult Blood Test for Colorectal Cancer Screening in General Population with Average-Risk. Gastroenterology, 2008, 134, A-181-A-182. | 1.3 | 1 |
| 171 | New Glycogel Wound Dressing Modality for Peristomal PEG Dressing: A Simple, Convenient, Economical and Better Option. Gastrointestinal Endoscopy, 2008, 67, AB261-AB262. | 1.0 | 1 |
| 172 | S1869 TGF β 2-Dependent Polyamine Depletion Is Associated with Cell Growth Inhibitory Effects of Isothiocyanate Sulforaphane in Colon Cancer Cells. Gastroenterology, 2008, 134, A-285. | 1.3 | 1 |
| 173 | W1141 Evaluation of a Novel Fecal Marker- Fecal Tumor Pyruvate Kinase Type M2 (M2-PK) and Its Comparison with Calprotectin in Patients with Inflammatory Bowel Disease: A Prospective Multicenter Study. Gastroenterology, 2008, 134, A-642. | 1.3 | 1 |
| 174 | 427 A 12-Month Interdisciplinary Lifestyle Intervention Improves Risk Factors for Nonalcoholic Fatty Liver Disease in Morbidly Obese Patients " Comparison of Two Noninvasive Scores. Gastroenterology, 2009, 136, A-73. | 1.3 | 1 |
| 175 | 695 Sulforaphane Sensitizes Colorectal Cancer Cells to Oxaliplatin Induced Cell Growth Inhibition: Key Role of p38 MAPK. Gastroenterology, 2009, 136, A-109. | 1.3 | 1 |
| 176 | M1191 Impact of Physical Activity On Course of Disease and Quality of Life in Patients with Crohn's Disease. Results from a Prospective Observational Randomized Study. Gastroenterology, 2009, 136, A-369. | 1.3 | 1 |
| 177 | T1238 Controlled, Open, Randomized Multicenter Trial Comparing the Effects of Treatment on Quality of Life, Safety and Efficacy of Budesonide and Mesalazine Enemas in Active Left-Sided Ulcerative Colitis. Gastroenterology, 2010, 138, S-518. | 1.3 | 1 |
| 178 | M1753 Characterization of a Plant-Derived Selective Glucocorticoid Receptor Agonist (SEGRA) for the Treatment of Inflammatory Bowel Disease. Gastroenterology, 2010, 138, S-412. | 1.3 | 1 |
| 179 | Evidence of Low Micronutrient Intake in Patients With Inflammatory Bowel Disease. Gastroenterology, 2011, 140, S-437. | 1.3 | 1 |
| 180 | Iron Replacement Therapy for Secondary Thrombocytosis in Inflammatory Bowel Disease: Results of a Randomized Controlled Study " The ThromboVIT Trial. Gastroenterology, 2011, 140, S-265-S-266. | 1.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Future good scientific publishing practice will necessitate wider data transparency. Current Medical Research and Opinion, 2012, 28, 1881-1882. | 1.9 | 1 |
| 182 | P314 The type of iron deficiency anaemia, but not the underlying disease, predicts intestinal iron absorption in IBD patients. Journal of Crohn's and Colitis, 2014, 8, S195-S196. | 1.3 | 1 |
| 183 | Tu1466 Improvement in Glucose Metabolism After Bariatric Surgery: Comparison of Laparoscopic Roux-en-Y Gastric Bypass and Duodenojejunal Bypass Liner. Gastroenterology, 2015, 148, S-900. | 1.3 | 1 |
| 184 | P717 Comparison of two different techniques to assess vedolizumab trough levels in adult patients with IBD. Journal of Crohn's and Colitis, 2018, 12, S474-S474. | 1.3 | 1 |
| 185 | Sa1800 - Diagnostic Performance of Low Haemoglobin Density (LHD%) for Detecting Iron Deficiency in Patients with Inflammatory Bowel Disease. Gastroenterology, 2018, 154, S-400. | 1.3 | 1 |
| 186 | Orale Eisensubstitution (therapie?) bei CED - weniger ist meist mehr?. Zeitschrift Fur Gastroenterologie, 2020, 58, . | 0.5 | 1 |
| 187 | Letter: the sphingosine 1 phosphate/sphingosine 1 phosphate receptor axis is a unique therapeutic target in inflammatory bowel disease. Alimentary Pharmacology and Therapeutics, 2022, 55, 1359-1359. | 3.7 | 1 |
| 188 | HSP27 induction after heat shock and free radical exposure in IEC-6 cells. Gastroenterology, 1998, 114, A409. | 1.3 | 0 |
| 189 | Diätetische Beratung und Behandlung. , 2005, , 765-782. | | 0 |
| 190 | Chronisch entzündliche Darmerkrankungen. , 2005, , 248-287. | | 0 |
| 191 | New Introducer PEG with Gastropexy-An Experience in 52 Patients. Gastrointestinal Endoscopy, 2006, 63, AB165. | 1.0 | 0 |
| 192 | New Introducer PEG-Gastropexy with Or Without Prophylactic Antibiotics: A Prospective Double Blind RCT. Gastrointestinal Endoscopy, 2007, 65, AB276. | 1.0 | 0 |
| 193 | 149 Resveratrol Sensitizes Colorectal Cancer Cells to Oxaliplatin-Induced Cell Death - Possible Key Role of Inhibitor of Apoptosis Proteins. Gastroenterology, 2008, 134, A-26. | 1.3 | 0 |
| 194 | 639 Comparative Evaluation of Fecal Calprotectin, Lactoferrin and Occult Blood Test in Predicting Microbiological Diagnosis for Acute Bacterial Diarrhea: Prospective Multicenter Study. Gastroenterology, 2008, 134, A-91. | 1.3 | 0 |
| 195 | Prospective Multicenter Long Term Follow Up Results of New Introducer Percutaneous Endoscopic Gastrostomy Method with Gastropexy in 89 Patients. Gastrointestinal Endoscopy, 2008, 67, AB260. | 1.0 | 0 |
| 196 | W1955 Resveratrol Analogues with Potent Anticarcinogenic Properties. Gastroenterology, 2008, 134, A-741-A-742. | 1.3 | 0 |
| 197 | S1334h An Interdisciplinary Weight Management Program Improves Both Cardiovascular Risk Factors and Nonalcoholic Fatty Liver Disease in Obese Patients. Gastroenterology, 2008, 134, A-230. | 1.3 | 0 |
| 198 | M1682 Compound a (CpdA), a Selective Glucocorticoid Receptor Agonist (SEGRA), Positively Affects Wound Healing While Reducing NF-KappaB Activity in Intestinal Epithelial Cells. Gastroenterology, 2008, 134, A-396. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Non-invasive detection of colorectal cancer – do we still need the guaiac-based fecal occult blood test? 1. Laboratoriums Medizin, 2008, 32, -. | 0.6 | 0 |
| 200 | 187 Comparative Evaluation of a New Semi-Quantitative, Rapid, Office-Based Strip Test with An ELISA-Based Assay for Measuring Fecal Calprotectin to Assess Intestinal Inflammation: Prospective Multicenter Clinical Study. Gastroenterology, 2009, 136, A-34-A-35. | 1.3 | 0 |
| 201 | 696 Resveratrol Sensitizes Colorectal Cancer Cells to Oxaliplatin-Induced Cell Death via Intracellular Polyamine Depletion. Gastroenterology, 2009, 136, A-109. | 1.3 | 0 |
| 202 | S1274 Ursolic Acid Inhibits Pro-Angiogenic Factors in Colorectal Cancer Cells Independently of PPAR γ . Gastroenterology, 2009, 136, A-227. | 1.3 | 0 |
| 203 | M1092 Prospective Evaluation of Fecal Congranulin a in IBD Based On a New Immuno Assay. Gastroenterology, 2009, 136, A-348. | 1.3 | 0 |
| 204 | W1963 Molecular Mechanisms of SFN in the Chemoprevention of Colorectal Cancer: Crosstalk Between TGF- β 2 and the Protooncogenes COX-2 and ODC. Gastroenterology, 2009, 136, A-762. | 1.3 | 0 |
| 205 | S1721 The Selective Glucocorticoid Receptor Agonist CpdA Offers Anti-Inflammatory Action Without Affecting TGF- β 2 Mediated Intestinal Epithelial Wound Healing. Gastroenterology, 2009, 136, A-257. | 1.3 | 0 |
| 206 | T1118 New Glycogel Wound Dressing Reduces Wound Infection and Improves Wound Care of Peristomal PEG Sites. Gastroenterology, 2009, 136, A-503. | 1.3 | 0 |
| 207 | W1613 TNF-Alpha Induced COX-2 Expression By Is Mediated By SRC-Kinases, EGFR and p38 MAPK. Gastroenterology, 2009, 136, A-702. | 1.3 | 0 |
| 208 | 222 Isothiocyanate Sulforaphane Inhibits Protooncogenic Ornithine Decarboxylase Activity in Colorectal Cancer Cells via Induction of the TGF β 2/SMAD Signalling Pathway. Gastroenterology, 2010, 138, S-42. | 1.3 | 0 |
| 209 | 657 Comparative Evaluation of Fecal Calprotectin and S100A12 as Non-Invasive Markers in Predicting Microbiological Diagnosis for Acute Bacterial Diarrhea: Prospective Multicenter Study. Gastroenterology, 2010, 138, S-88. | 1.3 | 0 |
| 210 | M1806 TNF-Alpha Activates CREB and Induces COX-2 Expression by SRC-Kinases, EGFR and p38 MAPK. Gastroenterology, 2010, 138, S-423. | 1.3 | 0 |
| 211 | Sa1346 Evidence of Low Micronutrient Intake in Patients With Celiac Disease. Results From a German Dietary Survey. Gastroenterology, 2012, 142, S-278. | 1.3 | 0 |
| 212 | Editorial: Pharmazie in unserer Zeit 2/2012. Pharmazie in Unserer Zeit, 2012, 41, 103-103. | 0.0 | 0 |
| 213 | Su1303 Long-Term Effects of an Interdisciplinary 52-Week Weight Loss Program on Adipokines and Nonalcoholic Fatty Liver Disease in Obese Patients – A Prospective Evaluation. Gastroenterology, 2013, 144, S-453. | 1.3 | 0 |
| 214 | Mo1255 Diagnostic Accuracy of Zinc Protoporphyrin/Heme Ratio for Screening of Iron Deficiency Anaemia in Patients With Inflammatory Bowel Disease. Gastroenterology, 2014, 146, S-599. | 1.3 | 0 |
| 215 | Mo1771 Adiponectin Antagonises Leptin-Induced Hecpudin Expression in Human Liver Cells: New Insights Into Obesity-Associated Iron Deficiency. Gastroenterology, 2014, 146, S-656. | 1.3 | 0 |
| 216 | Mo1256 Serum Hecpudin Levels Predict Intestinal Iron Absorption in IBD Patients. Gastroenterology, 2014, 146, S-599. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Mo1789 Sulforaphane Inhibits Expression of the Central Iron Regulator Hepcidin STAT3-Independently in an Inflammatory Cell Model. <i>Gastroenterology</i> , 2014, 146, S-660. | 1.3 | 0 |
| 218 | Primary Manifestation of Inflammatory Bowel Disease Following Subcutaneous Autovaccination. <i>Journal of Crohn's and Colitis</i> , 2015, 9, 802-805. | 1.3 | 0 |
| 219 | Mo1742 New Insights in Iron Homeostasis and Inflammatory Diseases: Oncostatin M As a New Player. <i>Gastroenterology</i> , 2015, 148, S-699-S-700. | 1.3 | 0 |
| 220 | Su1191 Serum Hepcidin Levels Predict Intestinal Iron Absorption in IBD Patients. <i>Gastroenterology</i> , 2015, 148, S-432. | 1.3 | 0 |
| 221 | 1073 Analytical Performance of a New iPhone-Based Patient Monitoring System Comparable to ELISA for Measuring Fecal Calprotectin in IBD Patients. <i>Gastroenterology</i> , 2016, 150, S212. | 1.3 | 0 |
| 222 | Su1774 15-d-PGJ2 - A Possible Regulator of Iron Metabolism. <i>Gastroenterology</i> , 2016, 150, S546. | 1.3 | 0 |
| 223 | Su1840 The Efficacy of Intravenous Iron Therapy in IBD Patients With Active Disease Is Not Influenced by the Degree of Inflammatory Activity. <i>Gastroenterology</i> , 2016, 150, S567. | 1.3 | 0 |
| 224 | Mo1786 A Multi-Center, Double-Blind, Placebo Controlled, Parallel Group, Proof of Concept Study to Evaluate the Efficacy, Safety and Tolerability of the S1P Receptor Modulator Krp203 in Subjects With Moderately Active Refractory Ulcerative Colitis. <i>Gastroenterology</i> , 2016, 150, S775-S776. | 1.3 | 0 |
| 225 | Letter: inconsistency in reporting of hypophosphataemia after intravenous iron—authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 643-644. | 3.7 | 0 |
| 226 | Improvement in Glucose Metabolism after Bariatric Surgery: Comparison of Laparoscopic Roux-En-Y Gastric Bypass and Duodenojejunal Bypass. <i>Gastroenterology</i> , 2017, 152, S635-S636. | 1.3 | 0 |
| 227 | Is Re-Implantation of the Duodenal-Jejunal Bypass Liner Viable?. <i>Gastroenterology</i> , 2017, 152, S135. | 1.3 | 0 |
| 228 | A Prospective Cohort Study to Assess the Relevance of Vedolizumab Drug Level Monitoring in IBD Patients. <i>Gastroenterology</i> , 2017, 152, S753. | 1.3 | 0 |
| 229 | P553 Development of an enzyme-linked immunosorbent assay for therapeutic drug monitoring of golimumab. <i>Journal of Crohn's and Colitis</i> , 2018, 12, S386-S386. | 1.3 | 0 |
| 230 | P771 Diagnostic performance of low haemoglobin density (LHD%) for detecting iron deficiency in patients with inflammatory bowel disease. <i>Journal of Crohn's and Colitis</i> , 2018, 12, S500-S501. | 1.3 | 0 |
| 231 | P616 Utility of zinc protoporphyrin/haem ratio as a marker of iron deficiency with or without anaemia in patients with inflammatory bowel disease. <i>Journal of Crohn's and Colitis</i> , 2018, 12, S421-S421. | 1.3 | 0 |
| 232 | Tu1269 - 15-D-PGJ2 in the Regulation of Iron Homeostasis. <i>Gastroenterology</i> , 2018, 154, S-920. | 1.3 | 0 |
| 233 | P425 Development of an enzyme-linked immunosorbent assay for therapeutic drug monitoring of ustekinumab. <i>Journal of Crohn's and Colitis</i> , 2019, 13, S322-S322. | 1.3 | 0 |
| 234 | P168 Adjusting serum ferritin concentrations to remove the effects of acute-phase response in patients with IBD and iron deficiency: is using C-reactive protein sufficient?. <i>Journal of Crohn's and Colitis</i> , 2019, 13, S173-S173. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | P433 Aetiologies of iron deficiency-related anaemia in German patients with inflammatory bowel disease. Journal of Crohn's and Colitis, 2019, 13, S325-S326. | 1.3 | 0 |
| 236 | Letter: An Economic Evaluation of Iron Isomaltoside 1000 Versus Ferric Carboxymaltose in Patients with Inflammatory Bowel Disease and Iron Deficiency Anemia in Denmark. Advances in Therapy, 2019, 36, 1817-1820. | 2.9 | 0 |
| 237 | A75 COMPARISON OF TWO DIFFERENT ASSESSMENT TECHNIQUES FOR MEASUREMENT OF VEDOLIZUMAB TROUGH LEVELS IN ADULT PATIENTS WITH IBD. Journal of the Canadian Association of Gastroenterology, 2019, 2, 151-152. | 0.3 | 0 |
| 238 | A84 UPDATED SYSTEMATIC REVIEW WITH NETWORK METAANALYSIS ON COMPARATIVE EFFICACY AND TOLERABILITY OF DIFFERENT INTRAVENOUS IRON PRODUCTS FOR THE TREATMENT OF IRON DEFICIENCY ANEMIA IN PATIENTS WITH IBD. Journal of the Canadian Association of Gastroenterology, 2019, 2, 167-168. | 0.3 | 0 |
| 239 | A101 SYSTEMATIC REVIEW AND NETWORK META-ANALYSIS: SAFETY OF DIFFERENT INTRAVENOUS IRON PREPARATIONS FOR THE TREATMENT OF IRON DEFICIENCY ANEMIA IN IBD. Journal of the Canadian Association of Gastroenterology, 2019, 2, 201-202. | 0.3 | 0 |
| 240 | A92 ANALYTICAL PERFORMANCE OF A SMARTPHONE-BASED PATIENT MONITORING SYSTEM COMPARED TO ELISA FOR THE MEASUREMENT OF FECAL CALPROTECTIN IN IBD PATIENTS. Journal of the Canadian Association of Gastroenterology, 2019, 2, 183-184. | 0.3 | 0 |
| 241 | P719 Update of a network meta-analysis of efficacy and safety of different intravenous iron compounds in patients with IBD and anaemia. Journal of Crohn's and Colitis, 2019, 13, S481-S481. | 1.3 | 0 |
| 242 | A83 AN ENZYME-LINKED IMMUNOSORBENT ASSAY FOR THERAPEUTIC DRUG MONITORING OF GOLIMUMAB. Journal of the Canadian Association of Gastroenterology, 2019, 2, 166-166. | 0.3 | 0 |
| 243 | Letter to the editor: in response to: Richard F Pollock & Patrick Biggar. Indirect methods of comparison of the safety of ferric derisomaltose, iron sucrose and ferric carboxymaltose in the treatment of iron deficiency anemia. Expert Review of Hematology, 2021, , 1-2. | 2.2 | 0 |
| 244 | Wirksamkeit, Sicherheit und Kosten-Effektivität vom intragastrischen Magenballon im Vergleich zu einem multidisziplinären Gewichtsreduktionsprogramm (OPTIFAST) - eine Propensity-Score-gematchte Analyse. Zeitschrift Fur Gastroenterologie, 2021, 59, . | 0.5 | 0 |
| 245 | Hat Biotin-Mangel Einfluss auf die CED-Pathogenese? Vorläufige Ergebnisse einer Querschnittsstudie. , 2021, 59, . | | 0 |
| 246 | Resorptionstests. , 2002, , 91-101. | | 0 |
| 247 | Resorptionstests. , 2011, , 89-102. | | 0 |
| 248 | Entzündliche Erkrankungen des Dün- und Dickdarms. , 2015, , 221-286. | | 0 |
| 249 | Anwendbarkeitsstudie für einen Smartphone-basierten Calprotectin-Test zur Eigenanwendung für CED-Patienten. , 2017, 55, . | | 0 |
| 250 | Analytische Performance eines neuen iPhone-basierten Calprotectin-Testes. Zeitschrift Fur Gastroenterologie, 2017, 55, . | 0.5 | 0 |
| 251 | 30. Ernährungstherapie bei Morbus Crohn und Colitis ulcerosa. , 2018, , 493-512. | | 0 |
| 252 | Art und Durchführung von Pankreasfunktionsprüfungen. , 2020, , 153-172. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 253 | Percutaneous Endoscopic Gastrostomy (PEG). , 2020, , 208-216. | | 0 |
| 254 | Resorptionstests. , 2006, , 77-87. | | 0 |