

Juergen Stein

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8884387/juergen-stein-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

207 papers	7,185 citations	45 h-index	79 g-index
289 ext. papers	8,288 ext. citations	4.4 avg, IF	5.91 L-index

#	Paper	IF	Citations
207	Relevance of Biotin Deficiency in Patients with Inflammatory Bowel Disease and Utility of Serum 3 Hydroxyisovaleryl Carnitine as a Practical Everyday Marker.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	2
206	Glycemic control and BMI changes after endoscopic implantation of a duodenojejunal bypass liner compared with laparoscopic Roux-en-Y gastric bypass surgery: a propensity score matching analysis.. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022 , 1	5.2	0
205	Letter: the sphingosine 1 phosphate/sphingosine 1 phosphate receptor axis-a unique therapeutic target in inflammatory bowel disease.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 , 55, 1359	6.1	1
204	Flipside of the Coin: Iron Deficiency and Colorectal Cancer. <i>Frontiers in Immunology</i> , 2021 , 12, 635899	8.4	4
203	Chronic intestinal failure and short bowel syndrome in Crohn's disease. <i>World Journal of Gastroenterology</i> , 2021 , 27, 3440-3465	5.6	4
202	Diagnostic utility of low hemoglobin density to detect iron deficiency in patients with inflammatory bowel disease. <i>Annals of Gastroenterology</i> , 2021 , 34, 521-527	2.2	0
201	Zinc Protoporphyrin Is a Reliable Marker of Functional Iron Deficiency in Patients with Inflammatory Bowel Disease. <i>Diagnostics</i> , 2021 , 11,	3.8	3
200	Letter to the editor: in response to: Richard F Pollock & Patrick Biggar. Indirect methods of comparison of the safety of ferric derisomaltose, iron sucrose and ferric carboxymaltose in the treatment of iron deficiency anemia. <i>Expert Review of Hematology</i> , 2021 , 1-2	2.8	
199	Osteopontin Levels in Human Milk Are Related to Maternal Nutrition and Infant Health and Growth. <i>Nutrients</i> , 2021 , 13,	6.7	4
198	A Multicentre, Double-Blind, Placebo-Controlled, Parallel-Group Study to Evaluate the Efficacy, Safety, and Tolerability of the S1P Receptor Agonist KRP203 in Patients with Moderately Active Refractory Ulcerative Colitis. <i>Inflammatory Intestinal Diseases</i> , 2020 , 5, 180-190	2.5	11
197	Inflammation-Induced Mucosal KYNU Expression Identifies Human Ileal Crohn's Disease. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
196	Moderate endurance and muscle training is beneficial and safe in patients with quiescent or mildly active Crohn's disease. <i>United European Gastroenterology Journal</i> , 2020 , 8, 804-813	5.3	5
195	Measuring Vitamin D Status in Chronic Inflammatory Disorders: How does Chronic Inflammation Affect the Reliability of Vitamin D Metabolites in Patients with IBD?. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	7
194	Percutaneous Endoscopic Gastrostomy (PEG) 2020 , 208-216		
193	Resorptionstests 2020 , 113-150		
192	Art und Durchführung von Pankreasfunktionsprüfungen 2020 , 153-172		
191	Orale Eisensubstitution (therapie?) bei CED - weniger ist meist mehr? 2020 , 58,		1

190	Inflammation, but Not the Underlying Disease or Its Location, Predicts Oral Iron Absorption Capacity in Patients With Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2020 , 14, 316-322	1.5	5
189	Eisenmangelanämie bei gastrointestinalen Erkrankungen ist multifaktoriell. <i>Gastro-News</i> , 2020 , 7, 30-41	o	
188	A Pooled Analysis of Serum Phosphate Measurements and Potential Hypophosphataemia Events in 45 Interventional Trials with Ferric Carboxymaltose. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	8
187	Percutaneous endoscopic gastrostomy (PEG): a practical approach for long term management. <i>BMJ, The</i> , 2019 , 364, k5311	5.9	4
186	Letter: An Economic Evaluation of Iron Isomaltoside 1000 Versus Ferric Carboxymaltose in Patients with Inflammatory Bowel Disease and Iron Deficiency Anemia in Denmark. <i>Advances in Therapy</i> , 2019 , 36, 1817-1820	4.1	
185	A75 COMPARISON OF TWO DIFFERENT ASSESSMENT TECHNIQUES FOR MEASUREMENT OF VEDOLIZUMAB TROUGH LEVELS IN ADULT PATIENTS WITH IBD. <i>Journal of the Canadian Association of Gastroenterology</i> , 2019 , 2, 151-152	0.5	78
184	A84 UPDATED SYSTEMATIC REVIEW WITH NETWORK METAANALYSIS ON COMPARATIVE EFFICACY AND TOLERABILITY OF DIFFERENT INTRAVENOUS IRON PRODUCTS FOR THE TREATMENT OF IRON DEFICIENCY ANEMIA IN PATIENTS WITH IBD. <i>Journal of the Canadian Association of Gastroenterology</i> , 2019 , 2, 167-168	0.5	78
183	A101 SYSTEMATIC REVIEW AND NETWORK META-ANALYSIS: SAFETY OF DIFFERENT INTRAVENOUS IRON PREPARATIONS FOR THE TREATMENT OF IRON DEFICIENCY ANEMIA IN IBD. <i>Journal of the Canadian Association of Gastroenterology</i> , 2019 , 2, 201-202	0.5	78
182	A92 ANALYTICAL PERFORMANCE OF A SMARTPHONE-BASED PATIENT MONITORING SYSTEM COMPARED TO ELISA FOR THE MEASUREMENT OF FECAL CALPROTECTIN IN IBD PATIENTS. <i>Journal of the Canadian Association of Gastroenterology</i> , 2019 , 2, 183-184	0.5	78
181	Is Early Reimplantation of the Duodenal-Jejunal Bypass Liner Viable?. <i>Obesity Surgery</i> , 2019 , 29, 1690-1697	3.7	4
180	P701 The comparative safety of different intravenous iron preparations in inflammatory bowel disease: a systematic review and network meta-analysis. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, S471-S472	1.5	1
179	P719 Update of a network meta-analysis of efficacy and safety of different intravenous iron compounds in patients with IBD and anaemia. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, S481-S481	1.5	
178	A83 AN ENZYME-LINKED IMMUNOSORBENT ASSAY FOR THERAPEUTIC DRUG MONITORING OF GOLIMUMAB. <i>Journal of the Canadian Association of Gastroenterology</i> , 2019 , 2, 166-166	0.5	78
177	P425 Development of an enzyme-linked immunosorbent assay for therapeutic drug monitoring of ustekinumab. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, S322-S322	1.5	
176	P168 Adjusting serum ferritin concentrations to remove the effects of acute-phase response in patients with IBD and iron deficiency: is using C-reactive protein sufficient?. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, S173-S173	1.5	
175	P433 Aetiologies of iron deficiency-related anaemia in German patients with inflammatory bowel disease. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, S325-S326	1.5	
174	Serum Hepcidin Levels Predict Intestinal Iron Absorption in Patients with Inflammatory Bowel Disease. <i>Clinical Laboratory</i> , 2019 , 65,	2	6
173	Safety and Efficacy of Ferric Carboxymaltose in the Treatment of Iron Deficiency Anaemia in Patients with Inflammatory Bowel Disease, in Routine Daily Practice. <i>Journal of Crohn's and Colitis</i> , 2018 , 12, 826-834	1.5	4

172	A prospective cohort study to assess the relevance of vedolizumab drug level monitoring in IBD patients. <i>Scandinavian Journal of Gastroenterology</i> , 2018 , 53, 670-676	2.4	19
171	P616 Utility of zinc protoporphyrin/haem ratio as a marker of iron deficiency with or without anaemia in patients with inflammatory bowel disease. <i>Journal of Crohns and Colitis</i> , 2018 , 12, S421-S421 ^{1,5}		
170	Low Haemoglobin Density (LHD%) als neuer Biomarker zum Nachweis von Eisenmangel bei Patienten mit chronisch entzündlichen Darmerkrankungen. <i>Zeitschrift Fur Gastroenterologie</i> , 2018 , 56, e208-e208	1.6	
169	Wirksamkeit und Sicherheit von Ustekinumab bei mittelschwerem bis schwerem Morbus Crohn; Ergebnisse einer retrospektiven multizentrischen Studie. <i>Zeitschrift Fur Gastroenterologie</i> , 2018 , 56, e214-e214 ^{1,6}		
168	Validierung eines G12-basierten semiquantitativen Lateral-Flow Immunoassays (LFI) zum Monitoring einer glutenfreien Ernährung. <i>Zeitschrift Fur Gastroenterologie</i> , 2018 , 56, e188-e188	1.6	
167	P717 Comparison of two different techniques to assess vedolizumab trough levels in adult patients with IBD. <i>Journal of Crohns and Colitis</i> , 2018 , 12, S474-S474	1.5	1
166	P553 Development of an enzyme-linked immunosorbent assay for therapeutic drug monitoring of golimumab. <i>Journal of Crohns and Colitis</i> , 2018 , 12, S386-S386	1.5	
165	Safety and efficacy of intravenous iron isomaltoside for correction of anaemia in patients with inflammatory bowel disease in everyday clinical practice. <i>Scandinavian Journal of Gastroenterology</i> , 2018 , 53, 1059-1065	2.4	8
164	Design of the Weight-loss Endoscopy Trial (WET): a multi-center, randomized, controlled trial comparing weight loss in endoscopically implanted duodenal-jejunal bypass liners vs. intragastric balloons vs. a sham procedure. <i>BMC Gastroenterology</i> , 2018 , 18, 118	3	2
163	Oral versus intravenous iron therapy in patients with inflammatory bowel disease and iron deficiency with and without anemia in Germany - a real-world evidence analysis. <i>ClinicoEconomics and Outcomes Research</i> , 2018 , 10, 93-103	1.7	12
162	Limitations of Serum Ferritin in Diagnosing Iron Deficiency in Inflammatory Conditions. <i>International Journal of Chronic Diseases</i> , 2018 , 2018, 9394060	2.1	93
161	Systematic review with network meta-analysis: comparative efficacy and tolerability of different intravenous iron formulations for the treatment of iron deficiency anaemia in patients with inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 1303-1318	6.1	69
160	Letter: the importance of dosing and baseline haemoglobin when establishing the relative efficacy of intravenous iron therapies-authorsPreply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 705-706 ^{6,1}		4
159	Management of inflammatory bowel disease-related anemia and iron deficiency with specific reference to the role of intravenous iron in current practice. <i>Expert Opinion on Pharmacotherapy</i> , 2017 , 18, 1721-1737	4	18
158	Improvement of impaired diastolic left ventricular function after diet-induced weight reduction in severe obesity. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2017 , 10, 19-25	3.4	19
157	Letter: inconsistency in reporting of hypophosphataemia after intravenous iron-authorsPreply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 643-644	6.1	
156	Current evaluation and management of anemia in patients with inflammatory bowel disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 19-32	4.2	22
155	Anemia and iron deficiency in gastrointestinal and liver conditions. <i>World Journal of Gastroenterology</i> , 2016 , 22, 7908-25	5.6	67

154	Impact of Severe Obesity and Weight Loss on Systolic Left Ventricular Function and Morphology: Assessment by 2-Dimensional Speckle-Tracking Echocardiography. <i>Journal of Obesity</i> , 2016 , 2016, 2732613	3.7	12
153	Nichtalkoholische Fettleber (Volkskrankheit mit hohem kardiometabolischen Risiko. <i>Zeitschrift für Orthomolekulare Medizin</i> , 2016 , 4, 5-8	0.1	
152	Therapie der nichtalkoholischen Fettleber. <i>Zeitschrift für Orthomolekulare Medizin</i> , 2016 , 4, 24-27	0.1	
151	Nichtalkoholische Fettlebererkrankung. <i>Ernährung & Medizin</i> , 2016 , 31, 67-72	0	1
150	European consensus on the diagnosis and management of iron deficiency and anaemia in inflammatory bowel diseases. <i>Journal of Crohn's and Colitis</i> , 2015 , 9, 211-22	1.5	278
149	Structural modification of resveratrol leads to increased anti-tumor activity, but causes profound changes in the mode of action. <i>Toxicology and Applied Pharmacology</i> , 2015 , 287, 67-76	4.6	23
148	Anaemia in the Elderly IBD Patient. <i>Current Treatment Options in Gastroenterology</i> , 2015 , 13, 308-18	2.5	6
147	Primary Manifestation of Inflammatory Bowel Disease Following Subcutaneous Autovaccination. <i>Journal of Crohn's and Colitis</i> , 2015 , 9, 802-5	1.5	
146	Efficacy and Safety of Intravenous Ferric Carboxymaltose in Geriatric Inpatients at a German Tertiary University Teaching Hospital: A Retrospective Observational Cohort Study of Clinical Practice. <i>Anemia</i> , 2015 , 2015, 647930	1.6	9
145	Clinical significance of C-reactive protein levels in predicting responsiveness to iron therapy in patients with inflammatory bowel disease and iron deficiency anemia. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 1375-81	4	19
144	Entzündliche Erkrankungen des Dün- und Dickdarms 2015 , 221-286		
143	Wirksamkeit und Verträglichkeit einer intravenösen Eisentherapie bei geriatrischen Patienten mit Anämie. <i>MMW Fortschritte Der Medizin</i> , 2014 , 156, 48-53	0	4
142	Review article: The nutritional and pharmacological consequences of obesity surgery. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 582-609	6.1	162
141	Resveratrol-induced potentiation of the antitumor effects of oxaliplatin is accompanied by an altered cytokine profile of human monocyte-derived macrophages. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014 , 19, 1136-47	5.4	13
140	Current practice in the diagnosis and management of IBD-associated anaemia and iron deficiency in Germany: the German AnaemIBD Study. <i>Journal of Crohn's and Colitis</i> , 2014 , 8, 1308-14	1.5	36
139	Coeliac Disease - New Pathophysiological Findings and Their Implications for Therapy. <i>Viszeralmedizin</i> , 2014 , 30, 156-65		6
138	Gastroenteric tube feeding: techniques, problems and solutions. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8505-24	5.6	201
137	An etiologic profile of anemia in 405 geriatric patients. <i>Anemia</i> , 2014 , 2014, 932486	1.6	21

136	P139 Serum hepcidin levels predict intestinal iron absorption in IBD patients. <i>Journal of Crohn's and Colitis</i> , 2014 , 8, S120	1.5	4
135	Anhien 2014 , 2, 1-20		
134	Inadequate nutrient intake in patients with celiac disease: results from a German dietary survey. <i>Digestion</i> , 2013 , 87, 240-6	3.6	80
133	Second European evidence-based consensus on the diagnosis and management of ulcerative colitis part 3: special situations. <i>Journal of Crohn's and Colitis</i> , 2013 , 7, 1-33	1.5	361
132	Ferric carboxymaltose prevents recurrence of anemia in patients with inflammatory bowel disease. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 269-77	6.9	72
131	Anaemia management in patients with inflammatory bowel disease: routine practice across nine European countries. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 1456-63	2.2	41
130	Iron deficiency generates secondary thrombocytosis and platelet activation in IBD: the randomized, controlled thromboVIT trial. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 1609-16	4.5	45
129	Management of iron deficiency anemia in inflammatory bowel disease - a practical approach. <i>Annals of Gastroenterology</i> , 2013 , 26, 104-113	2.2	56
128	Future good scientific publishing practice will necessitate wider data transparency. <i>Current Medical Research and Opinion</i> , 2012 , 28, 1881-2	2.5	1
127	A glycerin hydrogel-based wound dressing prevents peristomal infections after percutaneous endoscopic gastrostomy (PEG): a prospective, randomized study. <i>Nutrition in Clinical Practice</i> , 2012 , 27, 422-5	3.6	17
126	Clinical case reports raise doubts about the therapeutic equivalence of an iron sucrose similar preparation compared with iron sucrose originator. <i>Current Medical Research and Opinion</i> , 2012 , 28, 241-3	3.5	42
125	Selective non-steroidal glucocorticoid receptor agonists attenuate inflammation but do not impair intestinal epithelial cell restitution in vitro. <i>PLoS ONE</i> , 2012 , 7, e29756	3.7	19
124	Phytochemicals resveratrol and sulforaphane as potential agents for enhancing the anti-tumor activities of conventional cancer therapies. <i>Current Pharmaceutical Biotechnology</i> , 2012 , 13, 137-46	2.6	30
123	Selective glucocorticoid receptor agonists for the treatment of inflammatory bowel disease: studies in mice with acute trinitrobenzene sulfonic acid colitis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 341, 68-80	4.7	33
122	Impaired Intestinal Iron Absorption in Inflammatory Bowel Disease Correlates With Disease Activity and Markers of Inflammation but is Independent of Disease Location. <i>Gastroenterology</i> , 2011 , 140, S-5	13.3	3
121	Interferon- γ modulates intestinal epithelial cell function in-vitro through a TGF β -dependent mechanism. <i>Regulatory Peptides</i> , 2011 , 168, 27-31		5
120	Sulforaphane potentiates oxaliplatin-induced cell growth inhibition in colorectal cancer cells via induction of different modes of cell death. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 1167-78	3.5	40
119	FERGICor, a randomized controlled trial on ferric carboxymaltose for iron deficiency anemia in inflammatory bowel disease. <i>Gastroenterology</i> , 2011 , 141, 846-853.e1-2	13.3	234

118 Resorptionstests **2011**, 89-102

117	T1282 Comparison of Two Commercially Available Serologic Kits for the Detection of Fecal Calprotectin. <i>Gastroenterology</i> , 2010 , 138, S-528	13.3	2
116	Diagnosis and management of iron deficiency anemia in patients with IBD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2010 , 7, 599-610	24.2	183
115	Significant differences between Crohn's disease and ulcerative colitis regarding the impact of body mass index and initial disease activity on responsiveness to azathioprine: results from a European multicenter study in 1,176 patients. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 1066-78	4	30
114	Isothiocyanate sulforaphane inhibits protooncogenic ornithine decarboxylase activity in colorectal cancer cells via induction of the TGF- β /Smad signaling pathway. <i>Molecular Nutrition and Food Research</i> , 2010 , 54, 1486-96	5.9	11
113	Histaminintoleranz und Glutamatunverträglichkeit. <i>Ernährung & Medizin</i> , 2009 , 24, 63-67	0	
112	Combined treatment of Caco-2 cells with butyrate and mesalazine inhibits cell proliferation and reduces Survivin protein level. <i>Cancer Letters</i> , 2009 , 273, 98-106	9.9	7
111	The dietary histone deacetylase inhibitor sulforaphane induces human beta-defensin-2 in intestinal epithelial cells. <i>Immunology</i> , 2008 , 125, 241-51	7.8	57
110	New introducer PEG gastropepy does not require prophylactic antibiotics: multicenter prospective randomized double-blind placebo-controlled study. <i>Gastrointestinal Endoscopy</i> , 2008 , 67, 620-8	5.2	48
109	Prospective multicenter study evaluating fecal calprotectin in adult acute bacterial diarrhea. <i>American Journal of Medicine</i> , 2008 , 121, 1099-106	2.4	80
108	PPARgamma is involved in mesalazine-mediated induction of apoptosis and inhibition of cell growth in colon cancer cells. <i>Carcinogenesis</i> , 2008 , 29, 1407-14	4.6	44
107	Nicht-invasive Diagnostik kolorektaler Tumore [Hat der Guaiac-Test ausgedient? / Non-invasive detection of colorectal cancer [Do we still need the guaiac-based fecal occult blood test?]. <i>Laboratoriums Medizin</i> , 2008 , 32, 158-167		2
106	Multicenter Study Using Air Filled Stomach Balloon As a Valid Option for Morbid Obesity. <i>Gastrointestinal Endoscopy</i> , 2007 , 65, AB281	5.2	2
105	Guidelines on the diagnosis and management of iron deficiency and anemia in inflammatory bowel diseases. <i>Inflammatory Bowel Diseases</i> , 2007 , 13, 1545-53	4.5	295
104	The TGFbeta/Smad 3-signaling pathway is involved in butyrate-mediated vitamin D receptor (VDR)-expression. <i>Journal of Cellular Biochemistry</i> , 2007 , 102, 1420-31	4.7	21
103	Prospective evaluation of faecal neutrophil-derived proteins in identifying intestinal inflammation: combination of parameters does not improve diagnostic accuracy of calprotectin. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 1035-42	6.1	79
102	Predictors of irritable bowel-type symptoms and healthcare-seeking behavior among adults with celiac disease. <i>Psychosomatic Medicine</i> , 2007 , 69, 370-6	3.7	20
101	Role of nuclear hormone receptors in butyrate-mediated up-regulation of the antimicrobial peptide cathelicidin in epithelial colorectal cells. <i>Molecular Immunology</i> , 2007 , 44, 2107-14	4.3	52

100	Involvement of different nuclear hormone receptors in butyrate-mediated inhibition of inducible NF kappa B signalling. <i>Molecular Immunology</i> , 2007 , 44, 3625-32	4.3	100
99	Predictors of reduced health-related quality of life in adults with coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 25, 569-78	6.1	75
98	Quantitative immunochemical fecal occult blood test for diagnosing colorectal neoplasia. <i>Annals of Internal Medicine</i> , 2007 , 147, 522-3; author reply 523	8	2
97	The German hospital malnutrition study. <i>Clinical Nutrition</i> , 2006 , 25, 563-72	5.9	462
96	The new low calcemic vitamin D analog 22-ene-25-oxa-vitamin D prominently ameliorates T helper cell type 1-mediated colitis in mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 319, 622-31	4.7	62
95	Combining infliximab with methotrexate for the induction and maintenance of remission in refractory Crohn's disease: a controlled pilot study. <i>European Journal of Gastroenterology and Hepatology</i> , 2006 , 18, 11-6	2.2	44
94	Health-related quality of life in adult coeliac disease in Germany: results of a national survey. <i>European Journal of Gastroenterology and Hepatology</i> , 2006 , 18, 747-54	2.2	79
93	Comparative evaluation of a new bedside faecal occult blood test in a prospective multicentre study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 145-54	6.1	27
92	Long-term effectiveness of azathioprine in IBD beyond 4 years: a European multicenter study in 1176 patients. <i>Digestive Diseases and Sciences</i> , 2006 , 51, 1516-24	4	66
91	PPARgamma is a key target of butyrate-induced caspase-3 activation in the colorectal cancer cell line Caco-2. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006 , 11, 1801-11	5.4	44
90	Resorptionstests 2006 , 77-87		
89	Resorptionstests 2006 , 93-123		3
88	Activation of PPARgamma is not involved in butyrate-induced epithelial cell differentiation. <i>Experimental Cell Research</i> , 2005 , 310, 196-204	4.2	13
87	Intravenous iron sucrose versus oral iron supplementation for the treatment of iron deficiency anemia in patients with inflammatory bowel disease--a randomized, controlled, open-label, multicenter study. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2503-9	0.7	165
86	22-ene-25-oxa-vitamin D: a new vitamin D analogue with profound immunosuppressive capacities. <i>European Journal of Clinical Investigation</i> , 2005 , 35, 343-9	4.6	18
85	Diätetische Beratung und Behandlung 2005 , 765-782		
84	Chronisch entzündliche Darmerkrankungen 2005 , 248-287		
83	Gastrointestinale Komplikationen 2005 , 211-245		3

82	Upregulation of 25-hydroxyvitamin D(3)-1(alpha)-hydroxylase by butyrate in Caco-2 cells. <i>World Journal of Gastroenterology</i> , 2005 , 11, 7136-41	5.6	7
81	Molecular mechanisms of the chemopreventive effects of resveratrol and its analogs in colorectal cancer: key role of polyamines?. <i>Journal of Nutrition</i> , 2004 , 134, 3219-22	4.1	66
80	Enteral Nutrition by Endoscopic Means; II. Complications and Management. <i>Zeitschrift Fur Gastroenterologie</i> , 2004 , 42, 1393-8	1.6	5
79	Enteral nutrition by endoscopic means; I. Techniques, indications, types of enteral feed. <i>Zeitschrift Fur Gastroenterologie</i> , 2004 , 42, 1385-92	1.6	11
78	A study for the evaluation of safety and tolerability of intravenous high-dose iron sucrose in patients with iron deficiency anemia due to gastrointestinal bleeding. <i>Zeitschrift Fur Gastroenterologie</i> , 2004 , 42, 663-7	1.6	25
77	Combining infliximab and methotrexate in fistulizing Crohn's disease resistant or intolerant to azathioprine. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 19, 295-301	6.1	55
76	Modulation of angiogenesis-related protein synthesis by valproic acid. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 316, 693-7	3.4	62
75	p38 MAPK signaling pathway is involved in butyrate-induced vitamin D receptor expression. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 324, 1220-6	3.4	25
74	Funktionsdiagnostik bei Erkrankungen des exokrinen Pankreas. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2003 , 28, 79-86	0.3	
73	Effect of an omega-3 fatty acid containing lipid emulsion alone and in combination with 5-fluorouracil (5-FU) on growth of the colon cancer cell line Caco-2. <i>European Journal of Nutrition</i> , 2003 , 42, 324-31	5.2	65
72	Regulation of mastoparan-induced increase of paracellular permeability in T84 cells by RhoA and basolateral potassium channels. <i>Biochemical Pharmacology</i> , 2003 , 65, 1151-61	6	3
71	Molecular and catalytic properties of three rat leukotriene C(4) synthase homologs. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 312, 271-6	3.4	22
70	Butyrate impairs intestinal tumor cell-induced angiogenesis by inhibiting HIF-1alpha nuclear translocation. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 300, 832-8	3.4	71
69	Low dose methotrexate in inflammatory bowel disease: current status and future directions. <i>American Journal of Gastroenterology</i> , 2003 , 98, 530-7	0.7	51
68	Resveratrol-induced modification of polyamine metabolism is accompanied by induction of c-Fos. <i>Carcinogenesis</i> , 2003 , 24, 469-74	4.6	34
67	Short-chain fatty acids and colon cancer cells: the vitamin D receptor--butyrate connection. <i>Recent Results in Cancer Research</i> , 2003 , 164, 247-57	1.5	36
66	Ernährung bei Krankheiten des Gastrointestinaltrakts 2003 , 582-626		3
65	Resveratrol enhances the differentiation induced by butyrate in caco-2 colon cancer cells. <i>Journal of Nutrition</i> , 2002 , 132, 2082-6	4.1	22

64	Anti-inflammatory drugs modulate C1q secretion in human peritoneal macrophages in vitro. <i>Biochemical Pharmacology</i> , 2002 , 64, 457-62	6	6
63	Insufficiently charged isosteric analogue of spermine: interaction with polyamine uptake, and effect on Caco-2 cell growth. <i>Biochemical Pharmacology</i> , 2002 , 64, 649-55	6	9
62	Nutrition entérale par voie endoscopique. Indications et limites. <i>Acta Endoscopica</i> , 2002 , 32, 719-737		
61	Effects of deoxycholate on human colon cancer cells: apoptosis or proliferation. <i>European Journal of Clinical Investigation</i> , 2002 , 32, 29-34	4.6	64
60	Regulation of alpha1-proteinase inhibitor release by proinflammatory cytokines in human intestinal epithelial cells. <i>Clinical and Experimental Immunology</i> , 2002 , 128, 279-84	6.2	14
59	A randomized prospective trial of immediate vs. next-day feeding after percutaneous endoscopic gastrostomy in intensive care patients. <i>Intensive Care Medicine</i> , 2002 , 28, 1656-60	14.5	40
58	Piceatannol, a natural analog of resveratrol, inhibits progression through the S phase of the cell cycle in colorectal cancer cell lines. <i>Journal of Nutrition</i> , 2002 , 132, 298-302	4.1	95
57	ZK 156718, a low calcemic, antiproliferative, and prodifferentiating vitamin D analog. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 290, 504-9	3.4	19
56	Resorptionstests 2002 , 91-101		
55	Tributylin, a stable and rapidly absorbed prodrug of butyric acid, enhances antiproliferative effects of dihydroxycholecalciferol in human colon cancer cells. <i>Journal of Nutrition</i> , 2001 , 131, 1839-43	4.1	40
54	Downregulation of the cyclin D1/Cdk4 complex occurs during resveratrol-induced cell cycle arrest in colon cancer cell lines. <i>Journal of Nutrition</i> , 2001 , 131, 2197-203	4.1	160
53	Flux of amino acids and energy substrates across the leg in weight-stable HIV-infected patients with acute opportunistic infections: indication of a slow protein wasting process. <i>Journal of Molecular Medicine</i> , 2001 , 79, 671-8	5.5	4
52	Nonsteroidal anti-inflammatory drugs stimulate spermidine/spermine acetyltransferase and deplete polyamine content in colon cancer cells. <i>European Journal of Clinical Investigation</i> , 2001 , 31, 887-93	4.6	37
51	Butyrate and the cytokine-induced alpha1-proteinase inhibitor release in intestinal epithelial cells. <i>European Journal of Clinical Investigation</i> , 2001 , 31, 1060-3	4.6	6
50	Hydroxylamine-containing inhibitors of polyamine biosynthesis and impairment of colon cancer cell growth. <i>Biochemical Pharmacology</i> , 2001 , 61, 199-206	6	25
49	Permeability characteristics of polyamines across intestinal epithelium using the Caco-2 monolayer system: comparison between transepithelial flux and mitogen-stimulated uptake into epithelial cells. <i>Nutrition</i> , 2001 , 17, 462-6	4.8	13
48	Modulation of epidermal growth factor-induced cell proliferation by an omega-3 fatty-acid-containing lipid emulsion on human pancreatic cancer cell line Mia Paca-2. <i>Nutrition</i> , 2001 , 17, 474-5	4.8	11
47	Folate and chemoprevention of colorectal cancer: Is 5-methyl-tetrahydrofolate an active antiproliferative agent in folate-treated colon-cancer cells?. <i>Nutrition</i> , 2001 , 17, 652-3	4.8	24

46	HMG-CoA reductase inhibitor mevastatin enhances the growth inhibitory effect of butyrate in the colorectal carcinoma cell line Caco-2. <i>Carcinogenesis</i> , 2001 , 22, 1061-7	4.6	95
45	Butyrate-induced differentiation of Caco-2 cells occurs independently from p27. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 281, 295-9	3.4	19
44	1,25-Dihydroxycholecalciferol enhances butyrate-induced p21(Waf1/Cip1) expression. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 283, 80-5	3.4	22
43	Butyrate-induced differentiation of Caco-2 cells is mediated by vitamin D receptor. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 288, 690-6	3.4	44
42	Deoxycholic acid stimulates migration in colon cancer cells. <i>European Journal of Gastroenterology and Hepatology</i> , 2001 , 13, 945-9	2.2	34
41	Transepithelial transport of putrescine across monolayers of the human intestinal epithelial cell line, Caco-2. <i>World Journal of Gastroenterology</i> , 2001 , 7, 193-7	5.6	13
40	Analysis of low-molecular-weight GTP-binding proteins in two functionally different intestinal epithelial cell lines. <i>Annals of the New York Academy of Sciences</i> , 2000 , 915, 223-30	6.5	1
39	Epidermal growth factor, polyamines, and epithelial remodeling in Caco-2 cells. <i>Annals of the New York Academy of Sciences</i> , 2000 , 915, 279-81	6.5	2
38	Effect of structural analogues of propionate and butyrate on colon cancer cell growth. <i>International Journal of Colorectal Disease</i> , 2000 , 15, 264-70	3	18
37	Rationale for the luminal provision of butyrate in intestinal diseases. <i>European Journal of Nutrition</i> , 2000 , 39, 164-71	5.2	191
36	Short-chain fatty acid (SCFA) uptake into Caco-2 cells by a pH-dependent and carrier mediated transport mechanism. <i>European Journal of Nutrition</i> , 2000 , 39, 121-5	5.2	70
35	Application of the colon-simulation technique for studying the effects of <i>Saccharomyces boulardii</i> on basic parameters of porcine cecal microbial metabolism disturbed by clindamycin. <i>Digestion</i> , 2000 , 61, 193-200	3.6	25
34	EGF-stimulated polyamine accumulation in the colon carcinoma cell line, Caco-2. <i>Digestion</i> , 2000 , 61, 230-6	3.6	9
33	Substrate and inhibitor specificity of butyrate uptake in apical membrane vesicles of the rat distal colon. <i>Digestion</i> , 2000 , 62, 152-8	3.6	22
32	Expression of 5-lipoxygenase by human colorectal carcinoma Caco-2 cells during butyrate-induced cell differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 268, 778-83	3.4	34
31	PPAR-gamma is selectively upregulated in Caco-2 cells by butyrate. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 272, 380-5	3.4	71
30	Low-dose deoxycholic acid stimulates putrescine uptake in colon cancer cells (Caco-2). <i>Cancer Letters</i> , 2000 , 154, 195-200	9.9	21
29	Superoxide: a major factor for stress protein induction in reoxygenation injury in the intestinal cell line Caco-2. <i>Digestion</i> , 1999 , 60, 238-45	3.6	21

28	Chemically defined structured lipids: current status and future directions in gastrointestinal diseases. <i>International Journal of Colorectal Disease</i> , 1999 , 14, 79-85	3	32
27	Mediation of differentiating effects of butyrate on the intestinal cell line Caco-2 by transforming growth factor-beta 1. <i>European Journal of Nutrition</i> , 1999 , 38, 45-50	5.2	23
26	Diseases of the small intestine. <i>European Journal of Gastroenterology and Hepatology</i> , 1999 , 11, 21-5	2.2	4
25	Sprue/Zölkakie 1999 , 283-294		3
24	Funktionsdiagnostik 1999 , 163-180		3
23	Influence of epidermal growth factor/transforming growth factor alpha and polyamines on Caco-2 cell proliferation. <i>Annals of the New York Academy of Sciences</i> , 1998 , 859, 198-200	6.5	3
22	Polyamine uptake across the basolateral membrane of the enterocyte is mediated by a high-affinity carrier: a study using isolated basolateral membrane vesicles. <i>Digestion</i> , 1998 , 59, 60-8	3.6	11
21	S-adenosylmethionine decarboxylase activity and utilization of exogenous putrescine are enhanced in colon cancer cells stimulated to grow by EGF. <i>Zeitschrift Fur Gastroenterologie</i> , 1998 , 36, 947-54	1.6	14
20	High-performance liquid chromatographic determination of biotin in biological materials after crown ether-catalyzed fluorescence derivatization with panacyl bromide. <i>Methods in Enzymology</i> , 1997 , 279, 286-95	1.7	3
19	Dual role for ALF4(-)-sensitive G proteins in the function of T84 epithelial cells: transport and barrier effects. <i>American Journal of Physiology - Cell Physiology</i> , 1997 , 272, C794-803	5.4	18
18	New Fecal Tests in the Diagnosis of Exocrine Pancreatic Insufficiency 1997 , 277-289		
17	Induction of glutathione-S-transferase-pi by short-chain fatty acids in the intestinal cell line Caco-2. <i>European Journal of Clinical Investigation</i> , 1996 , 26, 84-7	4.6	20
16	Isolation and characterization of apical membrane vesicles of the rat distal colon. <i>Research in Experimental Medicine</i> , 1995 , 195, 333-42		3
15	High-performance liquid chromatographic determination of nicotinic acid and nicotinamide in biological samples applying post-column derivatization resulting in bathmochrome absorption shifts. <i>Biomedical Applications</i> , 1995 , 665, 71-8		11
14	EGF stimulates polyamine uptake in Caco-2 cells. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 206, 962-8	3.4	39
13	Mercaptopropionate inhibits butyrate uptake in isolated apical membrane vesicles of the rat distal colon. <i>Gastroenterology</i> , 1995 , 108, 673-9	13.3	33
12	Epidermal growth factor receptor signaling in rat pancreatic acinar cells. <i>Pancreas</i> , 1995 , 10, 274-80	2.6	7
11	Characterization of putrescine transport across the intestinal epithelium: study using isolated brush border and basolateral membrane vesicles of the enterocyte. <i>European Journal of Clinical Investigation</i> , 1995 , 25, 97-105	4.6	32

10	Subcellular distribution of small GTP-binding proteins in the intestinal cell line Caco-2. <i>European Journal of Clinical Investigation</i> , 1995 , 25, 793-5	4.6	2
9	Rapid postabsorptive metabolism of nicotinic acid in rat small intestine may affect transport by metabolic trapping. <i>Journal of Nutrition</i> , 1994 , 124, 61-6	4.1	9
8	Simultaneous preparation of rabbit intestinal brush border and basolateral membrane vesicles. <i>Research in Experimental Medicine</i> , 1994 , 194, 305-12		3
7	Near-infrared reflectance analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 1994 , 6, 889-894	4.2	35
6	Preparation of basolateral membrane vesicles from rat enterocytes: influence of different gradient media. <i>Physiological Research</i> , 1994 , 43, 75-81	2.1	3
5	Reduced postheparin plasma diamine oxidase activity in patients with chronic renal failure. <i>Zeitschrift Fur Gastroenterologie</i> , 1994 , 32, 236-9	1.6	4
4	Fluorometric High-Performance Liquid Chromatography of Free Fatty Acids Using Panacyl Bromide. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1993 , 16, 2915-2922		9
3	Effects of guanine nucleotides on bombesin-stimulated signal transduction in rat pancreatic acinar cells. <i>Research in Experimental Medicine</i> , 1993 , 193, 323-35		2
2	High-performance liquid chromatographic determination of biotin in biological materials after crown ether-catalyzed fluorescence derivatization with panacyl bromide. <i>Analytical Biochemistry</i> , 1992 , 200, 89-94	3.1	15
1	Characteristics of putrescine uptake by human brush border membrane vesicles. <i>Zeitschrift Fur Gastroenterologie</i> , 1992 , 30, 841-5	1.6	3