

Roberto Samperi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8884521/roberto-samperi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

7,186
citations

51
h-index

79
g-index

139
ext. papers

7,634
ext. citations

5.6
avg. IF

5.49
L-index

#	Paper	IF	Citations
137	Investigation of free seleno-amino acids in extra-virgin olive oil by mixed mode solid phase extraction cleanup and enantioselective hydrophilic interaction liquid chromatography-tandem mass spectrometry. <i>Food Chemistry</i> , 2019 , 278, 17-25	8.5	4
136	Comprehensive polyphenol profiling of a strawberry extract (<i>Fragaria lananassa</i>) by ultra-high-performance liquid chromatography coupled with high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2127-2142	4.4	31
135	A new carbon-based magnetic material for the dispersive solid-phase extraction of UV filters from water samples before liquid chromatography-tandem mass spectrometry analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 4181-4194	4.4	22
134	Liquid chromatography-high resolution mass spectrometry for the analysis of phytochemicals in vegetal-derived food and beverages. <i>Food Research International</i> , 2017 , 100, 28-52	7	43
133	Mycoestrogen determination in cow milk: Magnetic solid-phase extraction followed by liquid chromatography and tandem mass spectrometry analysis. <i>Journal of Separation Science</i> , 2016 , 39, 4794-4804	2.4	12
132	Purification and identification of endogenous antioxidant and ACE-inhibitory peptides from donkey milk by multidimensional liquid chromatography and nanoHPLC-high resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 5657-66	4.4	55
131	Recent trends in the analysis of bioactive peptides in milk and dairy products. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 2677-85	4.4	100
130	Comments on the analysis interpretation by Rogers and Latendresse regarding samples coming from the Shroud of Turin. <i>Thermochimica Acta</i> , 2016 , 632, 52-55	2.9	
129	Multiresidue analysis of endocrine-disrupting compounds and perfluorinated sulfates and carboxylic acids in sediments by ultra-high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1438, 133-42	4.5	24
128	Phosphopeptide enrichment: Development of magnetic solid phase extraction method based on polydopamine coating and Ti(4+)-IMAC. <i>Analytica Chimica Acta</i> , 2016 , 909, 67-74	6.6	32
127	Polydopamine-coated magnetic nanoparticles for isolation and enrichment of estrogenic compounds from surface water samples followed by liquid chromatography-tandem mass spectrometry determination. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 4011-20	4.4	27
126	Food Proteins and Peptides. <i>Comprehensive Analytical Chemistry</i> , 2015 , 68, 309-357	1.9	8
125	Ultra-high-performance liquid chromatography-tandem mass spectrometry for the analysis of free and conjugated natural estrogens in cow milk without deconjugation. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 1705-19	4.4	18
124	There is no mass spectrometry evidence that the C14 sample from the Shroud of Turin comes from a medieval invisible mending. <i>Thermochimica Acta</i> , 2015 , 617, 169-171	2.9	5
123	Simultaneous Determination of Naturally Occurring Estrogens and Mycoestrogens in Milk by Ultrahigh-Performance Liquid Chromatography-Tandem Mass Spectrometry Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 8940-6	5.7	22
122	Identification of potential bioactive peptides generated by simulated gastrointestinal digestion of soybean seeds and soy milk proteins. <i>Journal of Food Composition and Analysis</i> , 2015 , 44, 205-213	4.1	96
121	Development of an analytical strategy for the identification of potential bioactive peptides generated by in vitro tryptic digestion of fish muscle proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 845-54	4.4	32

120	Natural estrogens in dairy products: Determination of free and conjugated forms by ultra high performance liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2015 , 38, 3599-606	3.4	14
119	Development of a Rapid LC-MS/MS Method for the Determination of Emerging Fusarium mycotoxins Enniatins and Beauvericin in Human Biological Fluids. <i>Toxins</i> , 2015 , 7, 3554-71	4.9	32
118	Recent advances and developments in matrix solid-phase dispersion. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 71, 186-193	14.6	80
117	Peptidome characterization and bioactivity analysis of donkey milk. <i>Journal of Proteomics</i> , 2015 , 119, 21-9	3.9	53
116	Heterosis profile of sunflower leaves: a label free proteomics approach. <i>Journal of Proteomics</i> , 2014 , 99, 101-10	3.9	29
115	Proteomic study of a tolerant genotype of durum wheat under salt-stress conditions. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 1423-35	4.4	42
114	Comparison of extraction methods for the identification and quantification of polyphenols in virgin olive oil by ultra-HPLC-QToF mass spectrometry. <i>Food Chemistry</i> , 2014 , 158, 392-400	8.5	62
113	Multiclass analysis of mycotoxins in biscuits by high performance liquid chromatography-tandem mass spectrometry. Comparison of different extraction procedures. <i>Journal of Chromatography A</i> , 2014 , 1343, 69-78	4.5	47
112	Comparative analysis of metabolic proteome variation in ascorbate-primed and unprimed wheat seeds during germination under salt stress. <i>Journal of Proteomics</i> , 2014 , 108, 238-57	3.9	50
111	Protein profile of mature soybean seeds and prepared soybean milk. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9893-9	5.7	32
110	Peroxiredoxin 2 nuclear levels are regulated by circadian clock synchronization in human keratinocytes. <i>International Journal of Biochemistry and Cell Biology</i> , 2014 , 53, 24-34	5.6	22
109	Multiresidue determination of UV filters in water samples by solid-phase extraction and liquid chromatography with tandem mass spectrometry analysis. <i>Journal of Separation Science</i> , 2014 , 37, 2882-91	3.4	20
108	Gel-free proteomics reveal potential biomarkers of priming-induced salt tolerance in durum wheat. <i>Journal of Proteomics</i> , 2013 , 91, 486-99	3.9	51
107	Determination of enantioselectivity and enantiomeric excess by mass spectrometry in the absence of chiral chromatographic separation: an overview. <i>Chemistry - A European Journal</i> , 2013 , 19, 11478-94	4.8	21
106	Proteomic characterization of human platelet-derived microparticles. <i>Analytica Chimica Acta</i> , 2013 , 776, 57-63	6.6	37
105	Label-free quantitative analysis for studying the interactions between nanoparticles and plasma proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 635-45	4.4	25
104	Recent trends in matrix solid-phase dispersion. <i>TrAC - Trends in Analytical Chemistry</i> , 2013 , 43, 53-66	14.6	80
103	High performance liquid chromatography tandem mass spectrometry determination of perfluorinated acids in cow milk. <i>Journal of Chromatography A</i> , 2013 , 1319, 72-9	4.5	21

102	Proteomic platform for the identification of proteins in olive (<i>Olea europaea</i>) pulp. <i>Analytica Chimica Acta</i> , 2013 , 800, 36-42	6.6	14
101	Analytical strategies based on chromatography-mass spectrometry for the determination of estrogen-mimicking compounds in food. <i>Journal of Chromatography A</i> , 2013 , 1313, 62-77	4.5	45
100	Proteome investigation of the non-model plant pomegranate (<i>Punica granatum</i> L.). <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 9301-9	4.4	16
99	Multiclass screening method based on solvent extraction and liquid chromatography-tandem mass spectrometry for the determination of antimicrobials and mycotoxins in egg. <i>Journal of Chromatography A</i> , 2012 , 1268, 84-90	4.5	61
98	Comparison of three different enrichment strategies for serum low molecular weight protein identification using shotgun proteomics approach. <i>Analytica Chimica Acta</i> , 2012 , 740, 58-65	6.6	38
97	Do plasma proteins distinguish between liposomes of varying charge density?. <i>Journal of Proteomics</i> , 2012 , 75, 1924-32	3.9	57
96	Polyphenol content in white table grape (<i>Vitis Vinifera</i>) berries of cultivar Italia: interactive effect of irrigation, delayed harvest and storage. <i>Natural Product Research</i> , 2012 , 26, 1787-95	2.3	2
95	Multiclass mycotoxin analysis in food, environmental and biological matrices with chromatography/mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2012 , 31, 466-503	11	105
94	Flavonoids: chemical properties and analytical methodologies of identification and quantitation in foods and plants. <i>Natural Product Research</i> , 2011 , 25, 469-95	2.3	122
93	Intact protein separation by chromatographic and/or electrophoretic techniques for top-down proteomics. <i>Journal of Chromatography A</i> , 2011 , 1218, 8760-76	4.5	67
92	Differential analysis of "protein corona" profile adsorbed onto different nonviral gene delivery systems. <i>Analytical Biochemistry</i> , 2011 , 419, 180-9	3.1	35
91	DNA affects the composition of lipoplex protein corona: a proteomics approach. <i>Proteomics</i> , 2011 , 11, 3349-58	4.8	26
90	Evaluation of different two-dimensional chromatographic techniques for proteomic analysis of mouse cardiac tissue. <i>Biomedical Chromatography</i> , 2011 , 25, 594-9	1.7	12
89	Effect of membrane charge density on the protein corona of cationic liposomes: Interplay between cationic charge and surface area. <i>Applied Physics Letters</i> , 2011 , 99, 033702	3.4	19
88	Determination of Aflatoxins and Ochratoxin A in Olive Oil 2010 , 645-652		2
87	Analysis of plasma protein adsorption onto DC-Chol-DOPE cationic liposomes by HPLC-CHIP coupled to a Q-TOF mass spectrometer. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 2895-903	4.4	36
86	Phenylpropanoate identification in young wheat plants by liquid chromatography/tandem mass spectrometry: monomeric and dimeric compounds. <i>Journal of Mass Spectrometry</i> , 2010 , 45, 1026-40	2.2	17
85	Immunoprecipitation on magnetic beads and liquid chromatography-tandem mass spectrometry for carbonic anhydrase II quantification in human serum. <i>Analytical Biochemistry</i> , 2010 , 400, 195-202	3.1	14

84	Recent developments in matrix solid-phase dispersion extraction. <i>Journal of Chromatography A</i> , 2010 , 1217, 2521-32	4.5	228
83	Development and validation of a liquid chromatography/atmospheric pressure photoionization-tandem mass spectrometric method for the analysis of mycotoxins subjected to commission regulation (EC) No. 1881/2006 in cereals. <i>Journal of Chromatography A</i> , 2010 , 1217, 6044-51	4.5	53
82	The interactive effects of irrigation, nitrogen fertilisation rate, delayed harvest and storage on the polyphenol content in red grape (<i>Vitis vinifera</i>) berries: A factorial experimental design. <i>Food Chemistry</i> , 2010 , 122, 1176-1184	8.5	17
81	HPLC-CHIP coupled to a triple quadrupole mass spectrometer for carbonic anhydrase II quantification in human serum. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 811-20	4.4	21
80	Liquid chromatography-negative ion atmospheric pressure photoionization tandem mass spectrometry for the determination of brominated flame retardants in environmental water and industrial effluents. <i>Journal of Chromatography A</i> , 2009 , 1216, 6400-9	4.5	41
79	Mass spectrometric identification of hemoglobin modifications induced by nitrosobenzene. <i>Ecotoxicology and Environmental Safety</i> , 2009 , 72, 1601-8	7	20
78	Analysis of drought responsive proteins in wheat (<i>Triticum durum</i>) by 2D-PAGE and MALDI-TOF mass spectrometry. <i>Plant Science</i> , 2009 , 177, 570-576	5.3	108
77	A label-free method based on MALDI-TOF mass spectrometry for the absolute quantitation of troponin T in mouse cardiac tissue. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 1969-76	4.4	17
76	Absolute quantification of cardiac troponin T by means of liquid chromatography/triple quadrupole tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 1159-67	2.2	10
75	Rapid-resolution liquid chromatography/mass spectrometry for determination and quantitation of polyphenols in grape berries. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 3089-99	2.2	85
74	Determination of aflatoxins in hazelnuts by various sample preparation methods and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1179, 182-9	4.5	64
73	Occurrence of organophosphorus flame retardant and plasticizers in three volcanic lakes of central Italy. <i>Environmental Science & Technology</i> , 2008 , 42, 1898-903	10.3	97
72	Determination of aflatoxins in olive oil by liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2007 , 596, 141-8	6.6	116
71	A sensitive confirmatory method for aflatoxins in maize based on liquid chromatography/electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 550-6	2.2	23
70	Liquid chromatography/tandem mass spectrometry determination of organophosphorus flame retardants and plasticizers in drinking and surface waters. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 1123-30	2.2	103
69	Flavonoid profile in soybeans by high-performance liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 2177-87	2.2	34
68	Evaluation of the atmospheric pressure photoionization source for the determination of benzidines and chloroanilines in water and industrial effluents by high performance liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2007 , 72, 419-26	6.2	5
67	Liquid chromatography/tandem mass spectrometric confirmatory method for determining aflatoxin M1 in cow milk: comparison between electrospray and atmospheric pressure photoionization sources. <i>Journal of Chromatography A</i> , 2006 , 1101, 69-78	4.5	112

66	Aflatoxin M1 determination in cheese by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1135, 135-41	4.5	41
65	Simultaneous quantitation of free and conjugated phytoestrogens in Leguminosae by liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2005 , 66, 1025-33	6.2	17
64	Automated on-line solid-phase extraction-liquid chromatography-electrospray tandem mass spectrometry method for the determination of ochratoxin A in wine and beer. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 5518-25	5.7	62
63	Determination of type B trichothecenes and macrocyclic lactone mycotoxins in field contaminated maize. <i>Food Chemistry</i> , 2005 , 92, 559-568	8.5	72
62	Determination of isoflavones and coumestrol in river water and domestic wastewater sewage treatment plants. <i>Analytica Chimica Acta</i> , 2005 , 531, 229-237	6.6	54
61	Determination of type B fumonisin mycotoxins in maize and maize-based products by liquid chromatography/tandem mass spectrometry using a QqQlinear ion trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 275-82	2.2	33
60	Development of a multiresidue method for analysis of major Fusarium mycotoxins in corn meal using liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 2085-93	2.2	104
59	Identification and mass spectrometric characterization of glycosylated flavonoids in Triticum durum plants by high-performance liquid chromatography with tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 3143-58	2.2	75
58	Application of an innovative matrix solid-phase dispersion-solid-phase extraction-liquid chromatography-tandem mass spectrometry analytical methodology to the study of the metabolism of the estrogenic mycotoxin zearalenone in rainbow trout liver and muscular tissue. <i>International Journal of Environmental Analytical Chemistry</i> , 2004 , 84, 1009-1016	1.8	17
57	A liquid chromatography-mass spectrometry assay for analyzing sulfonamide antibacterials in cattle and fish muscle tissues. <i>Analytical Chemistry</i> , 2003 , 75, 1798-804	7.8	104
56	A simple and sensitive liquid chromatography-mass spectrometry confirmatory method for analyzing sulfonamide antibacterials in milk and egg. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 558-66	5.7	51
55	Bioaccumulation of LAS in feral fish studied by a novel LC-MS/MS method. <i>Environmental Science & Technology</i> , 2003 , 37, 314-20	10.3	15
54	Determination of surfactants and some of their metabolites in untreated and anaerobically digested sewage sludge by subcritical water extraction followed by liquid chromatography-mass spectrometry. <i>Environmental Science & Technology</i> , 2002 , 36, 4156-61	10.3	65
53	Method development for measuring trace levels of penicillins in aqueous environmental samples. <i>Rapid Communications in Mass Spectrometry</i> , 2001 , 15, 1391-400	2.2	34
52	Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography-electrospray mass spectrometry. <i>Journal of Chromatography A</i> , 2001 , 923, 97-105	4.5	13
51	Solid-phase extraction followed by liquid chromatography-mass spectrometry for trace determination of beta-lactam antibiotics in bovine milk. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 3463-70	5.7	68
50	Simultaneous determination of acidic and non-acidic pesticides in natural waters by liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2000 , 878, 87-98	4.5	50
49	Hot phosphate-buffered water extraction coupled on-line with liquid chromatography/mass spectrometry for analyzing contaminants in soil. <i>Analytical Chemistry</i> , 2000 , 72, 3050-5	7.8	66

48	Monitoring Natural and Synthetic Estrogens at Activated Sludge Sewage Treatment Plants and in a Receiving River Water. <i>Environmental Science & Technology</i> , 2000 , 34, 5059-5066	10.3	756
47	Quantification of phenylurea herbicides and their free and humic acid-associated metabolites in natural waters. <i>Journal of Chromatography A</i> , 1999 , 852, 465-74	4.5	53
46	Fate of Linear Alkyl Benzenesulfonates, Coproducts, and Their Metabolites in Sewage Treatment Plants and in Receiving River Waters. <i>Environmental Science & Technology</i> , 1999 , 33, 4119-4125	10.3	44
45	Multiresidue herbicide analysis in soil: subcritical water extraction with an on-line sorbent trap. <i>Analytical Chemistry</i> , 1999 , 71, 2157-63	7.8	86
44	Subcritical Water Extraction Followed by Liquid Chromatography Mass Spectrometry for Determining Terbutylazine and Its Metabolites in Aged and Incubated Soils. <i>Environmental Science & Technology</i> , 1999 , 33, 3271-3277	10.3	47
43	Investigation of the Fate of Linear Alkyl Benzenesulfonates and Coproducts in a Laboratory Biodegradation Test by Using Liquid Chromatography/Mass Spectrometry. <i>Environmental Science & Technology</i> , 1999 , 33, 4112-4118	10.3	45
42	Characterization of Recalcitrant Intermediates from Biotransformation of the Branched Alkyl Side Chain of Nonylphenol Ethoxylate Surfactants. <i>Environmental Science & Technology</i> , 1998 , 32, 2401-2409	10.3	119
41	Liquid Chromatography- Electrospray-Mass Spectrometry as a Valuable Tool for Characterizing Biodegradation Intermediates of Branched Alcohol Ethoxylate Surfactants. <i>Environmental Science & Technology</i> , 1998 , 32, 711-718	10.3	49
40	Detection of Poly(Ethylene Glycols) and Related Acidic Forms in Environmental Waters By Liquid Chromatography/Electrospray/Mass Spectrometry. <i>Environmental Science & Technology</i> , 1997 , 31, 2679-2685	10.3	28
39	Development of a Multiresidue Method for Analyzing Pesticide Traces in Water Based on Solid-Phase Extraction and Electrospray Liquid Chromatography Mass Spectrometry. <i>Environmental Science & Technology</i> , 1997 , 31, 479-488	10.3	104
38	Ultratrace Determination of Atrazine and Its Six Major Degradation Products in Water by Solid-Phase Extraction and Liquid Chromatography/Electrospray/Mass Spectrometry. <i>Environmental Science & Technology</i> , 1997 , 31, 1658-1663	10.3	76
37	Trace Analysis of Sulfonylurea Herbicides in Water: Extraction and Purification by a Carbohydrate 4 Cartridge, Followed by Liquid Chromatography with UV Detection, and Confirmatory Analysis by an Electrospray/Mass Detector. <i>Analytical Chemistry</i> , 1997 , 69, 2819-2826	7.8	65
36	Simultaneous determination of alkylbenzenesulfonates and dialkyltetralinsulfonates in water by liquid chromatography. <i>Water Research</i> , 1996 , 30, 722-730	12.5	27
35	Evaluation of two new examples of graphitized carbon blacks for use in solid-phase extraction cartridges. <i>Journal of Chromatography A</i> , 1996 , 733, 41-55	4.5	61
34	High-performance liquid chromatographic-fluorescence determination of aliphatic alcohol polyethoxylates and poly(ethylene glycol)s in aqueous samples. <i>Journal of Chromatography A</i> , 1996 , 756, 159-174	4.5	45
33	Pesticide stability studies upon storage in a graphitized carbon black extraction cartridge. <i>Environmental Science & Technology</i> , 1995 , 29, 2185-90	10.3	39
32	Determination of Nonionic Polyethoxylate Surfactants in Environmental Waters by Liquid Chromatography/Electrospray Mass Spectrometry. <i>Analytical Chemistry</i> , 1995 , 67, 1797-1804	7.8	172
31	Determination of Acidic Pesticides in Water by a Benchtop Electrospray Liquid Chromatography Mass Spectrometer. <i>Analytical Chemistry</i> , 1995 , 67, 1968-1975	7.8	74

30	Determination of Phenol Pollutants in Water at Trace Levels: Extraction by a Reversible Graphitized Carbon Black Cartridge. <i>Journal of AOAC INTERNATIONAL</i> , 1994 , 77, 446-453	1.7	32
29	Monitoring aromatic surfactants and their biodegradation intermediates in raw and treated sewages by solid-phase extraction and liquid chromatography. <i>Environmental Science & Technology</i> , 1994 , 28, 850-8	10.3	187
28	Selective determination of phenols in water by a two-trap tandem extraction system followed by liquid chromatography. <i>Journal of Chromatography A</i> , 1993 , 642, 175-184	4.5	46
27	Graphitized carbon black extraction cartridges for monitoring polar pesticides in water. <i>Analytical Chemistry</i> , 1993 , 65, 907-912	7.8	118
26	Evaluation of graphitized carbon black as a selective adsorbent for extracting acidic organic compounds from water. <i>Journal of Chromatography A</i> , 1993 , 642, 163-174	4.5	85
25	Reversed-phase high-performance liquid chromatographic determination of linear alkylbenzene sulphonates, nonylphenol polyethoxylates and their carboxylic biotransformation products. <i>Journal of Chromatography A</i> , 1993 , 644, 59-71	4.5	93
24	Liquid chromatographic determination of linear alkylbenzenesulfonates in aqueous environmental samples. <i>Analytical Chemistry</i> , 1991 , 63, 1179-82	7.8	89
23	Antidepressants in serum determined by isolation with two on-line sorbent cartridges and liquid chromatography. <i>Biomedical Applications</i> , 1990 , 530, 359-66		8
22	Determination of chloroaniline traces in environmental waters by selective extraction with two traps in tandem and liquid chromatography. <i>Analytical Chemistry</i> , 1990 , 62, 1490-1494	7.8	67
21	Measurement of urinary estriol glucuronides during the menstrual cycle by high-performance liquid chromatography. <i>Biomedical Applications</i> , 1988 , 434, 61-70		9
20	Estrogen conjugates in late-pregnancy fluids: extraction and group separation by a graphitized carbon black cartridge and quantification by high-performance liquid chromatography. <i>Analytical Chemistry</i> , 1987 , 59, 1720-5	7.8	76
19	Rapid determination of simazine and atrazine in water at the parts per trillion (10(12) level. Extraction by a miniaturized carbopack B trap followed by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1987 , 405, 357-63	4.5	46
18	Improved high-performance liquid chromatographic assay for determining organic acids in wines. <i>Journal of Chromatography A</i> , 1986 , 362, 47-53	4.5	31
17	Evaluation of graphitized carbon black cartridges for rapid organic trace enrichment from water: application to priority pollutant phenols. <i>Analytical Chemistry</i> , 1986 , 58, 2048-2052	7.8	88
16	Correlations between baltic amber and Pinus resins. <i>Phytochemistry</i> , 1985 , 24, 859-861	4	15
15	Total oestriol in maternal serum or plasma as measured by liquid chromatography. <i>Biomedical Applications</i> , 1985 , 337, 379-83		3
14	Direct determination of valproate in minute whole blood samples. <i>Biomedical Applications</i> , 1984 , 310, 208-12		14
13	Reliable measurement of non-esterified long-chain fatty acid pattern in blood plasma. <i>Biomedical Applications</i> , 1984 , 311, 9-15		10

12	Rapid determination of acetate in plasma: adsorption and gas chromatography. <i>Clinica Chimica Acta</i> , 1982 , 126, 101-5	6.2	7
11	Gas chromatographic column for the rapid determination of congeners in potable spirits. <i>Journal of Chromatography A</i> , 1980 , 198, 347-353	4.5	8
10	Acid-washed graphitized carbon black for gas chromatography. <i>Analytical Chemistry</i> , 1980 , 52, 1345-1350.	8	27
9	Modified graphitized carbon black for the gas chromatographic analysis of alcoholic beverages. <i>Journal of Chromatography A</i> , 1979 , 170, 245-8	4.5	5
8	Improvements in the gas chromatographic determination of trace amounts of aliphatic amines in aqueous solution. <i>Journal of Chromatography A</i> , 1979 , 170, 325-329	4.5	27
7	Gas chromatographic separation at 50°C of C4 and C5 hydrocarbons. <i>Journal of Chromatography A</i> , 1976 , 117, 199-200	4.5	8
6	Gas chromatographic analysis of aliphatic and aromatic hydrocarbons with 2,4,5,7-tetranitrofluorenone-modified graphitized carbon black. <i>Journal of Chromatography A</i> , 1976 , 122, 459-468	4.5	27
5	Evaluation of modified graphitized carbon black for the analysis of light hydrocarbons. <i>Journal of Chromatography A</i> , 1975 , 107, 99-105	4.5	17
4	Rapid separation of C4 hydrocarbons at 50 deg. by modified gas-solid chromatography. <i>Analytical Chemistry</i> , 1975 , 47, 1853-1854	7.8	15
3	Determination of trace amounts of C2-C5 acids in aqueous solutions by gas chromatography. <i>Analytical Chemistry</i> , 1974 , 46, 140-143	7.8	46
2	Gas chromatographic determination at the parts-per-million level of aliphatic amines in aqueous solution. <i>Analytical Chemistry</i> , 1974 , 46, 977-981	7.8	51
1	Hydrogen-treated graphitized carbon blacks. <i>Journal of Chromatography A</i> , 1973 , 77, 277-287	4.5	9