

Muhammad I Asghar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8884747/publications.pdf>

Version: 2024-02-01

60
papers

2,237
citations

236612

25
h-index

223531

46
g-index

61
all docs

61
docs citations

61
times ranked

2330
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel LaFe ₂ O ₄ spinel structure with a large oxygen reduction response towards protonic ceramic fuel cell cathode. Journal of Rare Earths, 2023, 41, 413-421.	2.5	13
2	A review on solid oxide fuel cell durability: Latest progress, mechanisms, and study tools. Renewable and Sustainable Energy Reviews, 2022, 161, 112339.	8.2	116
3	Demonstrating the potential of iron-doped strontium titanate electrolyte with high-performance for low temperature ceramic fuel cells. Renewable Energy, 2022, 196, 901-911.	4.3	22
4	Coking resistant Ni-La _{0.8} Sr _{0.2} FeO ₃ composite anode improves the stability of syngas-fueled SOFC. International Journal of Hydrogen Energy, 2021, 46, 9809-9817.	3.8	15
5	Investigation of factors affecting the performance of a single-layer nanocomposite fuel cell. Catalysis Today, 2021, 364, 104-110.	2.2	9
6	Novel Perovskite Semiconductor Based on Co/Fe-Codoped LBZY (La _{0.5} Ba _{0.5}) _{1-x} Ti _x O ₃ Electrolyte in Ceramic Fuel Cells. ACS Applied Energy Materials, 2021, 4, 5798-5808.	2.5	36
7	Low-temperature solid oxide fuel cells based on Tm-doped SrCeO _{2-δ} semiconductor electrolytes. Materials Today Energy, 2021, 20, 100661.	2.5	17
8	Tailoring triple charge conduction in BaCo _{0.2} Fe _{0.1} Ce _{0.2} Tm _{0.1} Zr _{0.3} Y _{0.1} O _{3-δ} semiconductor electrolyte for boosting solid oxide fuel cell performance. Renewable Energy, 2021, 172, 336-349.	4.3	26
9	Low temperature ceramic fuel cells employing lithium compounds: A review. Journal of Power Sources, 2021, 503, 230070.	4.0	26
10	Advanced LT-SOFC Based on Reconstruction of the Energy Band Structure of the LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ -Sm _{0.2} Ce _{0.8} O _{2-δ} Heterostructure for Fast Ionic Transport. ACS Applied Energy Materials, 2021, 4, 8922-8932.	2.5	15
11	Interface engineering of bi-layer semiconductor SrCoSnO _{3-δ} -CeO _{2-δ} heterojunction electrolyte for boosting the electrochemical performance of low-temperature ceramic fuel cell. International Journal of Hydrogen Energy, 2021, 46, 33969-33977.	3.8	28
12	Promoted electrocatalytic activity and ionic transport simultaneously in dual functional Ba _{0.5} Sr _{0.5} Fe _{0.8} Sb _{0.2} O _{3-δ} -Sm _{0.2} Ce _{0.8} O _{2-δ} heterostructure. Applied Catalysis B: Environmental, 2021, 298, 120503.	10.8	78
13	Semiconductor Nb-Doped SrTiO _{3-δ} Perovskite Electrolyte for a Ceramic Fuel Cell. ACS Applied Energy Materials, 2021, 4, 365-375.	2.5	30
14	Electrochemical Properties of a Dual-Ion Semiconductor-Ionic Co _{0.2} Zn _{0.8} O-Sm _{0.20} Ce _{0.80} O _{2-δ} Composite for a High-Performance Low-Temperature Solid Oxide Fuel Cell. ACS Applied Energy Materials, 2021, 4, 194-207.	2.5	21
15	Systematic Analysis on the Effect of Sintering Temperature for Optimized Performance of LiNiZnO-GdCeO-LiCO-NaCO-KCO Based 3D Printed Single-Layer Ceramic Fuel Cell. Nanomaterials, 2021, 11, .	1.9	0
16	Systematic Analysis on the Effect of Sintering Temperature for Optimized Performance of Li _{0.15} Ni _{0.45} Zn _{0.40} O ₂ -Gd _{0.2} Ce _{0.8} O ₂ -Li ₂ CO ₃ -Na ₂ CO ₃ -K ₂ CO ₃ Based 3D Printed Single-Layer Ceramic Fuel Cell. Nanomaterials, 2021, 11, 2180.	1.9	2
17	Nanocrystalline Surface Layer of WO ₃ for Enhanced Proton Transport during Fuel Cell Operation. Crystals, 2021, 11, 1595.	1.0	7
18	Intriguing electrochemistry in low-temperature single layer ceramic fuel cells based on CuFe ₂ O ₄ . International Journal of Hydrogen Energy, 2020, 45, 24083-24092.	3.8	8

#	ARTICLE	IF	CITATIONS
19	Non-doped CeO ₂ -carbonate nanocomposite electrolyte for low temperature solid oxide fuel cells. <i>Ceramics International</i> , 2020, 46, 29290-29296.	2.3	23
20	Application of a Triple-Conducting Heterostructure Electrolyte of Ba _{0.5} Sr _{0.5} Co _{0.1} Fe _{0.7} Zr _{0.1} Y _{0.1} O _{3-δ} and Ca _{0.04} Ce _{0.80} Sm _{0.16} O _{2-δ} in a High-Performance Low-Temperature Solid Oxide Fuel Cell. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 35071-35080.	4.0	84
21	The effect of dodecylammonium chloride on the film morphology, crystallinity, and performance of lead-free Bi-based solution-processed photovoltaics devices. <i>Solar Energy</i> , 2020, 207, 1356-1363.	2.9	18
22	Influence of sintering temperature on ceramic fuel cell electrolyte conductivity with lithium-compound electrode. <i>Ceramics International</i> , 2020, 46, 17545-17552.	2.3	19
23	Mechanism for Major Improvement in SOFC Electrolyte Conductivity When Using Lithium Compounds as Anode. <i>ACS Applied Energy Materials</i> , 2020, 3, 4134-4138.	2.5	39
24	Semiconductor Fe-doped SrTiO _{3-δ} perovskite electrolyte for low-temperature solid oxide fuel cell (LT-SOFC) operating below 520°C. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 14470-14479.	3.8	52
25	Electrochemical mechanisms of an advanced low-temperature fuel cell with a SrTiO ₃ electrolyte. <i>Journal of Materials Chemistry A</i> , 2019, 7, 9638-9645.	5.2	90
26	Tri-doped ceria (M _{0.2} Ce _{0.8} O _{2-δ} , M= Sm _{0.1} , Ca _{0.05} , Gd _{0.05}) electrolyte for hydrogen and ethanol-based fuel cells. <i>Journal of Alloys and Compounds</i> , 2019, 773, 548-554.	2.8	15
27	An efficient Sm and Ge co-doped ceria nanocomposite electrolyte for low temperature solid oxide fuel cells. <i>Ceramics International</i> , 2018, 44, 170-174.	2.3	32
28	Wide bandgap oxides for low-temperature single-layered nanocomposite fuel cell. <i>Nano Energy</i> , 2018, 53, 391-397.	8.2	55
29	Microscopic techniques for analysis of ceramic fuel cells. <i>Wiley Interdisciplinary Reviews: Energy and Environment</i> , 2018, 7, e299.	1.9	2
30	Remarkable ionic conductivity and catalytic activity in ceramic nanocomposite fuel cells. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 12892-12899.	3.8	18
31	High performance ceramic nanocomposite fuel cells utilizing LiNiCuZn-oxide anode based on slurry method. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 12797-12802.	3.8	13
32	Comparative analysis of ceramic-carbonate nanocomposite fuel cells using composite GDC/NLC electrolyte with different perovskite structured cathode materials. <i>Frontiers of Chemical Science and Engineering</i> , 2018, 12, 162-173.	2.3	9
33	Device stability of perovskite solar cells – A review. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 77, 131-146.	8.2	345
34	High conductive (LiNaK) ₂ CO ₃ Ce _{0.85} Sm _{0.15} O ₂ electrolyte compositions for IT-SOFC applications. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 20904-20909.	3.8	29
35	Advanced low-temperature ceramic nanocomposite fuel cells using ultra high ionic conductivity electrolytes synthesized through freeze-dried method and solid-route. <i>Materials Today Energy</i> , 2017, 5, 338-346.	2.5	38
36	A hybrid lithium-ion battery model for system-level analyses. <i>International Journal of Energy Research</i> , 2016, 40, 1576-1592.	2.2	14

#	ARTICLE	IF	CITATIONS
37	Intriguing Photochemistry of the Additives in the Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2016, 120, 27768-27781.	1.5	10
38	Improving catalyst stability in nano-structured solar and fuel cells. <i>Catalysis Today</i> , 2016, 259, 259-265.	2.2	17
39	Investigation of LiNiCuZn-oxide electrodes prepared by different methods: Synthesis, characterization and properties for ceramic carbonate composite fuel cells. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 7609-7613.	3.8	9
40	Analysis of dye degradation products and assessment of the dye purity in dye-sensitized solar cells. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 2245-2251.	0.7	8
41	Photovoltaic properties of dye sensitised solar cells using TiO ₂ nanotube arrays for photoanodes: Role of hydrochloric acid treatment. <i>Applied Surface Science</i> , 2015, 355, 256-261.	3.1	14
42	Rediscovering a Key Interface in Dye-Sensitized Solar Cells: Guanidinium and Iodine Competition for Binding Sites at the Dye/Electrolyte Surface. <i>Journal of the American Chemical Society</i> , 2014, 136, 7286-7294.	6.6	43
43	Effect of electrolyte bleaching on the stability and performance of dye solar cells. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 6092.	1.3	50
44	Do Counter Electrodes on Metal Substrates Work with Cobalt Complex Based Electrolyte in Dye Sensitized Solar Cells?. <i>Journal of the Electrochemical Society</i> , 2013, 160, H132-H137.	1.3	32
45	Comparison of Plastic Based Counter Electrodes for Dye Sensitized Solar Cells. <i>Journal of the Electrochemical Society</i> , 2012, 159, H656-H661.	1.3	12
46	Effect of molecular filtering and electrolyte composition on the spatial variation in performance of dye solar cells. <i>Journal of Electroanalytical Chemistry</i> , 2012, 664, 63-72.	1.9	19
47	In situ image processing method to investigate performance and stability of dye solar cells. <i>Solar Energy</i> , 2012, 86, 331-338.	2.9	47
48	Charge Transport and Photocurrent Generation Characteristics in Dye Solar Cells Containing Thermally Degraded N719 Dye Molecules. <i>Journal of Physical Chemistry C</i> , 2011, 115, 15598-15606.	1.5	39
49	Review of materials and manufacturing options for large area flexible dye solar cells. <i>Renewable and Sustainable Energy Reviews</i> , 2011, 15, 3717-3732.	8.2	185
50	Stabilization of metal counter electrodes for dye solar cells. <i>Journal of Electroanalytical Chemistry</i> , 2011, 653, 93-99.	1.9	32
51	Experimental study of iron redistribution between bulk defects and boron doped layer in silicon wafers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 2430-2436.	0.8	2
52	A carbon gel catalyst layer for the roll-to-roll production of dye solar cells. <i>Carbon</i> , 2011, 49, 528-532.	5.4	36
53	Review of stability for advanced dye solar cells. <i>Energy and Environmental Science</i> , 2010, 3, 418.	15.6	260
54	As-grown iron precipitates and gettering in multicrystalline silicon. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 159-160, 248-252.	1.7	16

#	ARTICLE	IF	CITATIONS
55	Gettering in silicon-on-insulator wafers with polysilicon layer. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 159-160, 259-263.	1.7	6
56	Effect of internal gettering of iron on electrical characteristics of devices. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 159-160, 269-273.	1.7	0
57	Competitive iron gettering between internal gettering sites and boron implantation in CZ-silicon. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 159-160, 224-227.	1.7	6
58	Gettering of iron in silicon by boron implantation. <i>Journal of Materials Science: Materials in Electronics</i> , 2008, 19, 41-45.	1.1	13
59	Modeling boron diffusion gettering of iron in silicon solar cells. <i>Applied Physics Letters</i> , 2008, 92, 021902.	1.5	21
60	Effect of Oxygen in Low Temperature Boron and Phosphorus Diffusion Gettering of Iron in Czochralski-Grown Silicon. <i>Solid State Phenomena</i> , 0, 156-158, 395-400.	0.3	1