

David W Sibbritt

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8886075/david-w-sibbritt-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

328
papers

6,118
citations

38
h-index

62
g-index

342
ext. papers

7,273
ext. citations

2.9
avg, IF

6.17
L-index

#	Paper	IF	Citations
328	The Hunter Serotonin Toxicity Criteria: simple and accurate diagnostic decision rules for serotonin toxicity. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2003 , 96, 635-42	2.7	705
327	Women's use of complementary and alternative medicine during pregnancy: a critical review of the literature. <i>Birth</i> , 2009 , 36, 237-45	3.1	148
326	Reproducibility and comparative validity of a food frequency questionnaire for Australian children and adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 62	8.4	145
325	Effects of undernutrition on mortality and morbidity among adults living with HIV in sub-Saharan Africa: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2021 , 21, 1	4	122
324	The profile of women who consult alternative health practitioners in Australia. <i>Medical Journal of Australia</i> , 2003 , 179, 297-300	4	109
323	Prevalence and determinants of complementary and alternative medicine use during pregnancy: results from a nationally representative sample of Australian pregnant women. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 347-52	1.7	94
322	The use of complementary and alternative medicine by 7427 Australian women with cyclic perimenstrual pain and discomfort: a cross-sectional study. <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 129	4.7	91
321	Antioxidant restriction and oxidative stress in short-duration exhaustive exercise. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 63-71	1.2	88
320	Aspiration pneumonitis in an overdose population: frequency, predictors, and outcomes. <i>Critical Care Medicine</i> , 2004 , 32, 88-93	1.4	82
319	Maternal and perinatal outcomes by planned place of birth among women with low-risk pregnancies in high-income countries: A systematic review and meta-analysis. <i>Midwifery</i> , 2018 , 62, 240-255	2.8	77
318	Alprazolam is relatively more toxic than other benzodiazepines in overdose. <i>British Journal of Clinical Pharmacology</i> , 2004 , 58, 88-95	3.8	76
317	Complementary medicine use in the Australian population: Results of a nationally-representative cross-sectional survey. <i>Scientific Reports</i> , 2018 , 8, 17325	4.9	68
316	Diet quality, measured by fruit and vegetable intake, predicts weight change in young women. <i>Journal of Obesity</i> , 2013 , 2013, 525161	3.7	67
315	Utilisation of complementary and alternative medicine (CAM) practitioners within maternity care provision: results from a nationally representative cohort study of 1,835 pregnant women. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 146	3.2	64
314	Prevalence, patterns, and predictors of massage practitioner utilization: Results of a US nationally representative survey. <i>Musculoskeletal Science and Practice</i> , 2017 , 32, 31-37	2.4	56
313	Zinc supplementation for improving glucose handling in pre-diabetes: A double blind randomized placebo controlled pilot study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 115, 39-46	7.4	55
312	Distribution of complementary and alternative medicine (CAM) providers in rural New South Wales, Australia: a step towards explaining high CAM use in rural health?. <i>Australian Journal of Rural Health</i> , 2011 , 19, 197-204	1.3	55

311	Is there an association between the use of oral contraception and depressive symptoms in young Australian women?. <i>Contraception</i> , 2007 , 75, 27-31	2.5	54
310	Weight gain in childhood and body composition at 18 years of age in Brazilian males. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 96, 296-300	3.1	53
309	Experiences of occupational violence in Australian urban general practice: a cross-sectional study of GPs. <i>Medical Journal of Australia</i> , 2005 , 183, 352-6	4	53
308	The use of complementary and alternative medicine during pregnancy: a longitudinal study of Australian women. <i>Birth</i> , 2011 , 38, 200-6	3.1	50
307	An integrative review of complementary and alternative medicine use for back pain: a focus on prevalence, reasons for use, influential factors, self-perceived effectiveness, and communication. <i>Spine Journal</i> , 2015 , 15, 1870-83	4	48
306	Factors associated with adolescents' physical inactivity in Xi'an City, China. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 2075-85	1.2	48
305	A workforce survey of Australian chiropractic: the profile and practice features of a nationally representative sample of 2,005 chiropractors. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 14	4.7	47
304	Attitudes and referral practices of maternity care professionals with regard to complementary and alternative medicine: an integrative review. <i>Journal of Advanced Nursing</i> , 2011 , 67, 472-83	3.1	47
303	Exploring the relationship between women's health and the use of complementary and alternative medicine. <i>Complementary Therapies in Medicine</i> , 2003 , 11, 156-8	3.5	46
302	The urban-rural divide in complementary and alternative medicine use: a longitudinal study of 10,638 women. <i>BMC Complementary and Alternative Medicine</i> , 2011 , 11, 2	4.7	45
301	A comparison of complementary and alternative medicine users and use across geographical areas: a national survey of 1,427 women. <i>BMC Complementary and Alternative Medicine</i> , 2011 , 11, 85	4.7	45
300	Birthplace in New South Wales, Australia: an analysis of perinatal outcomes using routinely collected data. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 206	3.2	44
299	The influence of tai chi and yoga on balance and falls in a residential care setting: A randomised controlled trial. <i>Contemporary Nurse</i> , 2014 , 48, 76-87	1.5	44
298	Living with urinary incontinence: a longitudinal study of older women. <i>Age and Ageing</i> , 2009 , 38, 333-8; discussion 251	3	44
297	Critical review of complementary and alternative medicine use in menopause: focus on prevalence, motivation, decision-making, and communication. <i>Menopause</i> , 2014 , 21, 536-48	2.5	41
296	Identification of diabetes, heart disease, hypertension and stroke in mid- and older-aged women: Comparing self-report and administrative hospital data records. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 95-102	2.9	41
295	Women's Use and Self-Prescription of Herbal Medicine during Pregnancy: An Examination of 1,835 Pregnant Women. <i>Women's Health Issues</i> , 2015 , 25, 396-402	2.6	39
294	Prevalence of overweight and obesity in preschool children and associated socio-demographic factors in Ho Chi Minh City, Vietnam. <i>Pediatric Obesity</i> , 2007 , 2, 40-50		39

293	Validity, reliability and clinical feasibility of a Needs Assessment Tool for people with progressive cancer. <i>Psycho-Oncology</i> , 2010 , 19, 726-33	3.9	38
292	Factors associated with adolescents' overweight and obesity at community, school and household levels in Xi'an City, China: results of hierarchical analysis. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 635-43	5.2	38
291	Dietary habits and overweight/obesity in adolescents in Xi'an City, China. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2010 , 19, 76-82	1	38
290	A workforce survey of Australian osteopathy: analysis of a nationally-representative sample of osteopaths from the Osteopathy Research and Innovation Network (ORION) project. <i>BMC Health Services Research</i> , 2018 , 18, 352	2.9	36
289	Volunteering and older women: psychosocial and health predictors of participation. <i>Aging and Mental Health</i> , 2010 , 14, 917-27	3.5	36
288	Is dietary zinc protective for type 2 diabetes? Results from the Australian longitudinal study on women's health. <i>BMC Endocrine Disorders</i> , 2013 , 13, 40	3.3	35
287	Factors associated with adolescent overweight/obesity in Ho Chi Minh city. <i>Pediatric Obesity</i> , 2010 , 5, 396-403		35
286	The use of complementary and alternative therapies by patients with cancer. <i>Oncology Research</i> , 2005 , 15, 281-9	4.8	35
285	Risk factors associated with intestinal permeability in an adult population: A systematic review. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13385	2.9	34
284	Majority of women are influenced by nonprofessional information sources when deciding to consult a complementary and alternative medicine practitioner during pregnancy. <i>Journal of Alternative and Complementary Medicine</i> , 2014 , 20, 571-7	2.4	34
283	Improving outcomes for people with progressive cancer: interrupted time series trial of a needs assessment intervention. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 569-81	4.8	33
282	A longitudinal analysis of mid-age women's use of complementary and alternative medicine (CAM) in Australia, 1996-1998. <i>Women and Health</i> , 2004 , 40, 41-56	1.7	33
281	The influence of perceived stress on the onset of arthritis in women: findings from the Australian Longitudinal Study on women's health. <i>Annals of Behavioral Medicine</i> , 2013 , 46, 9-18	4.5	32
280	Factors associated with physical inactivity in adolescents in Ho Chi Minh City, Vietnam. <i>Medicine and Science in Sports and Exercise</i> , 2009 , 41, 1374-83	1.2	32
279	The effectiveness of complementary manual therapies for pregnancy-related back and pelvic pain: A systematic review with meta-analysis. <i>Medicine (United States)</i> , 2016 , 95, e4723	1.8	32
278	The use of traditional, complementary and alternative medicine in Sri Lankan cancer care: results from a survey of 500 cancer patients. <i>Public Health</i> , 2010 , 124, 232-7	4	31
277	Vibrotactile threshold measurement for detecting peripheral neuropathy: defining variability and a normal range for clinical and research use. <i>Diabetologia</i> , 2007 , 50, 2305-12	10.3	31
276	Estimating the prevalence of urinary and faecal incontinence in Australia: systematic review. <i>Australasian Journal on Ageing</i> , 2005 , 24, 19-27	1.5	31

275	Does nurses' health affect their intention to remain in their current position?. <i>Journal of Nursing Management</i> , 2016 , 24, 1088-1097	4.9	31
274	Use of pharmacological and non-pharmacological labour pain management techniques and their relationship to maternal and infant birth outcomes: examination of a nationally representative sample of 1835 pregnant women. <i>Midwifery</i> , 2015 , 31, 458-63	2.8	30
273	The profiles of adults who consult alternative health practitioners and/or general practitioners. <i>Scandinavian Journal of Primary Health Care</i> , 2007 , 25, 86-92	2.7	30
272	Health, workforce characteristics, quality of life and intention to leave: The 'Fit for the Future' survey of Australian nurses and midwives. <i>Journal of Advanced Nursing</i> , 2017 , 73, 2745-2756	3.1	29
271	Validity and reliability of an FFQ for use with adolescents in Ho Chi Minh City, Vietnam. <i>Public Health Nutrition</i> , 2010 , 13, 368-75	3.3	29
270	Overweight and obesity are rapidly emerging among adolescents in Ho Chi Minh City, Vietnam, 2002-2004. <i>Pediatric Obesity</i> , 2007 , 2, 194-201		29
269	Comparison of Health Information Technology Use Between American Adults With and Without Chronic Health Conditions: Findings From The National Health Interview Survey 2012. <i>Journal of Medical Internet Research</i> , 2017 , 19, e335	7.6	29
268	A critical review of manual therapy use for headache disorders: prevalence, profiles, motivations, communication and self-reported effectiveness. <i>BMC Neurology</i> , 2017 , 17, 61	3.1	27
267	A critical review of complementary and alternative medicine use among people with arthritis: a focus upon prevalence, cost, user profiles, motivation, decision-making, perceived benefits and communication. <i>Rheumatology International</i> , 2017 , 37, 337-351	3.6	27
266	Use of complementary and alternative medicine by mid-age women with back pain: a national cross-sectional survey. <i>BMC Complementary and Alternative Medicine</i> , 2012 , 12, 98	4.7	27
265	Naturopathy/herbalism consultations by mid-aged Australian women who have cancer. <i>European Journal of Cancer Care</i> , 2005 , 14, 443-7	2.4	27
264	Complementary and Alternative Medicine Use Among US Adults With Headache or Migraine: Results from the 2012 National Health Interview Survey. <i>Headache</i> , 2017 , 57, 1228-1242	4.2	27
263	Acute heart failure admissions in New South Wales and the Australian Capital Territory: the NSW HF Snapshot Study. <i>Medical Journal of Australia</i> , 2016 , 204, 113.e1-8	4	27
262	Purpose and pleasure in late life: Conceptualising older women's participation in art and craft activities. <i>Journal of Aging Studies</i> , 2013 , 27, 330-8	2.2	26
261	Efficacy of Tai Chi and qigong for the prevention of stroke and stroke risk factors: A systematic review with meta-analysis. <i>Medicine (United States)</i> , 2017 , 96, e8517	1.8	26
260	The prevalence and characteristics of young and mid-age women who use yoga and meditation: results of a nationally representative survey of 19,209 Australian women. <i>Complementary Therapies in Medicine</i> , 2011 , 19, 71-7	3.5	26
259	Back pain amongst 8,910 young Australian women: a longitudinal analysis of the use of conventional providers, complementary and alternative medicine (CAM) practitioners and self-prescribed CAM. <i>Clinical Rheumatology</i> , 2010 , 29, 25-32	3.9	26
258	Physical activity and sedentary behavior in adolescents in Xi'an City, China. <i>Journal of Adolescent Health</i> , 2007 , 41, 99-101	5.8	26

257	Use of complementary medicine products: a nationally representative cross-sectional survey of 2019 Australian adults. <i>BMJ Open</i> , 2019 , 9, e024198	3	26
256	Is the practice of yoga or meditation associated with a healthy lifestyle? Results of a national cross-sectional survey of 28,695 Australian women. <i>Journal of Psychosomatic Research</i> , 2017 , 101, 104-109	4.1	25
255	'Mental health day' sickness absence amongst nurses and midwives: workplace, workforce, psychosocial and health characteristics. <i>Journal of Advanced Nursing</i> , 2017 , 73, 1172-1181	3.1	25
254	A longitudinal analysis of older Australian women's consultations with complementary and alternative medicine (CAM) practitioners, 1996-2005. <i>Age and Ageing</i> , 2009 , 38, 93-9	3	25
253	Generating pre-test probabilities: a neglected area in clinical decision making. <i>Medical Journal of Australia</i> , 2004 , 180, 449-54	4	25
252	Complementary and alternative medicine (CAM) use among elderly Australian women who have cancer. <i>Supportive Care in Cancer</i> , 2003 , 11, 548-50	3.9	25
251	An Overview of the Practitioner Research and Collaboration Initiative (PRACI): a practice-based research network for complementary medicine. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 87	4.7	24
250	A profile of middle-aged women who consult a chiropractor or osteopath: findings from a survey of 11,143 Australian women. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2006 , 29, 349-53	1.3	24
249	Lifestyle Health Behaviors of Nurses and Midwives: The 'Fit for the Future' Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	23
248	Complementary and alternative medicine consultations in urban and nonurban areas: a national survey of 1427 Australian women. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2013 , 36, 12-9	1.3	23
247	Effects of Polyphenols in a Mediterranean Diet on Symptoms of Depression: A Systematic Literature Review. <i>Advances in Nutrition</i> , 2020 , 11, 602-615	10	22
246	Determinants of women consulting with a complementary and alternative medicine practitioner for pregnancy-related health conditions. <i>Women and Health</i> , 2014 , 54, 127-44	1.7	22
245	A qualitative study of influences on older women's practitioner choices for back pain care. <i>BMC Health Services Research</i> , 2014 , 14, 131	2.9	21
244	Differences between Male and Female Consumers of Complementary and Alternative Medicine in a National US Population: A Secondary Analysis of 2012 NIH Data. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 413173	2.3	21
243	Providing general practice needs-based care for carers of people with advanced cancer: a randomised controlled trial. <i>British Journal of General Practice</i> , 2013 , 63, e683-90	1.6	21
242	Consultations with complementary and alternative medicine practitioners amongst wider care options for back pain: a study of a nationally representative sample of 1,310 Australian women aged 60-65 years. <i>Clinical Rheumatology</i> , 2014 , 33, 253-62	3.9	20
241	Worsening renal function in heart failure: the need for a consensus definition. <i>International Journal of Cardiology</i> , 2014 , 174, 484-91	3.2	20
240	The influence of complementary and alternative medicine use in pregnancy on labor pain management choices: results from a nationally representative sample of 1,835 women. <i>Journal of Alternative and Complementary Medicine</i> , 2014 , 20, 87-97	2.4	20

239	Back pain amongst mid-age Australian women: a longitudinal analysis of provider use and self-prescribed treatments. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 275-82	3.5	20
238	Health service use among persons with self-reported depression: a longitudinal analysis of 7,164 women. <i>Archives of Psychiatric Nursing</i> , 2012 , 26, 181-91	2.1	20
237	Who uses glucosamine and why? A study of 266,848 Australians aged 45 years and older. <i>PLoS ONE</i> , 2012 , 7, e41540	3.7	20
236	Relationship between complementary and alternative medicine use and incidence of adverse birth outcomes: an examination of a nationally representative sample of 1835 Australian women. <i>Midwifery</i> , 2014 , 30, 1157-65	2.8	19
235	A cross-sectional examination of the profile of chiropractors recruited to the Australian Chiropractic Research Network (ACORN): a sustainable resource for future chiropractic research. <i>BMJ Open</i> , 2017 , 7, e015830	3	19
234	Facilitating needs based cancer care for people with a chronic disease: Evaluation of an intervention using a multi-centre interrupted time series design. <i>BMC Palliative Care</i> , 2010 , 9, 2	3	19
233	Factors associated with decline in physical functional health in a cohort of older women. <i>Age and Ageing</i> , 2007 , 36, 382-8	3	19
232	An examination of the prescription and dispensing of medicines by Western herbal therapists: a national survey in Australia. <i>Complementary Therapies in Medicine</i> , 2007 , 15, 13-20	3.5	19
231	Establishing the ACORN National Practitioner Database: Strategies to Recruit Practitioners to a National Practice-Based Research Network. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2016 , 39, 594-602	1.3	19
230	My health, my responsibility? Complementary medicine and self (health) care. <i>Journal of Sociology</i> , 2014 , 50, 515-530	2	18
229	Evaluating the impact of cancer on complementary and alternative medicine use, distress and health related QoL among Australian women: a prospective longitudinal investigation. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 61-9	3.5	18
228	Acupuncture in Australian general practice: trends in reimbursed acupuncture services from 1995 to 2011. <i>Acupuncture in Medicine</i> , 2013 , 31, 45-50	1.9	18
227	Effects of occupational violence on Australian general practitioners' provision of home visits and after-hours care: a cross-sectional study. <i>Journal of Evaluation in Clinical Practice</i> , 2008 , 14, 336-42	2.5	18
226	Socio-demographic characteristics and health perceptions among male and female visitors to CAM practitioners in a total population study. <i>Research in Complementary Medicine</i> , 2008 , 15, 146-51		18
225	Psychosocial assessment of expectant fathers. <i>Archives of Women's Mental Health</i> , 2008 , 11, 27-32	5	18
224	A critical review of traditional medicine and traditional healer use for malaria and among people in malaria-endemic areas: contemporary research in low to middle-income Asia-Pacific countries. <i>Malaria Journal</i> , 2015 , 14, 98	3.6	17
223	What impact do essential newborn care practices have on neonatal mortality in low and lower-middle income countries? Evidence from Bangladesh. <i>Journal of Perinatology</i> , 2016 , 36, 225-30	3.1	17
222	Associations between yoga/meditation use, body satisfaction, and weight management methods: Results of a national cross-sectional survey of 8009 Australian women. <i>Nutrition</i> , 2017 , 34, 58-64	4.8	17

221	Implications of a needs assessment intervention for people with progressive cancer: impact on clinical assessment, response and service utilisation. <i>Psycho-Oncology</i> , 2012 , 21, 550-7	3.9	17
220	Weight catch-up and achieved schooling at 18 years of age in Brazilian males. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 369-74	5.2	17
219	The relationship between social support and mental health problems during pregnancy: a systematic review and meta-analysis. <i>Reproductive Health</i> , 2021 , 18, 162	3.5	17
218	Helping address the national research and research capacity needs of Australian chiropractic: introducing the Australian Chiropractic Research Network (ACORN) project. <i>Chiropractic & Manual Therapies</i> , 2015 , 23, 12	1.8	16
217	Health care utilisation and out-of-pocket expenditure associated with back pain: a nationally representative survey of Australian women. <i>PLoS ONE</i> , 2013 , 8, e83559	3.7	16
216	A GP Caregiver Needs Toolkit versus usual care in the management of the needs of caregivers of patients with advanced cancer: a randomized controlled trial. <i>Trials</i> , 2010 , 11, 115	2.8	16
215	Consultations with a naturopath or herbalist: the prevalence of use and profile of users amongst mid-aged women in Australia. <i>Public Health</i> , 2007 , 121, 954-7	4	16
214	Diet Quality and Weight Change in Adults Over Time: A Systematic Review of Cohort Studies. <i>Current Nutrition Reports</i> , 2015 , 4, 88-101	6	15
213	The Effects of Twelve Weeks of Tai Chi Practice on Anxiety in Stressed But Healthy People Compared to Exercise and Wait-List Groups-A Randomized Controlled Trial. <i>Journal of Clinical Psychology</i> , 2018 , 74, 83-92	2.8	15
212	Complementary/alternative and conventional medicine use amongst menopausal women: results from the Australian Longitudinal Study on Women's Health. <i>Maturitas</i> , 2014 , 79, 340-2	5	15
211	The characteristics, experiences and perceptions of naturopathic and herbal medicine practitioners: results from a national survey in New Zealand. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 114	4.7	15
210	Developing a multi-modality complementary medicine practice-based research network: The PRACI project. <i>Advances in Integrative Medicine</i> , 2014 , 1, 113-118	1.6	15
209	Short- and long-term outcomes after valve replacement surgery for rheumatic heart disease in the South Pacific, conducted by a fly-in/fly-out humanitarian surgical team: a 20-year retrospective study for the years 1991 to 2011. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 1996-2003	1.5	15
208	Bodies of knowledge: nature, holism and women's plural health practices. <i>Health (United Kingdom)</i> , 2013 , 17, 300-18	1.9	15
207	An assessment of adolescent overweight and obesity in Xi'an City, China. <i>Pediatric Obesity</i> , 2006 , 1, 50-8		15
206	A cross-sectional analysis of traditional medicine use for malaria alongside free antimalarial drugs treatment amongst adults in high-risk malaria endemic provinces of Indonesia. <i>PLoS ONE</i> , 2017 , 12, e0173522	3.7	15
205	The influence of tai chi and yoga on balance and falls in a residential care setting: A randomised controlled trial. <i>Contemporary Nurse</i> , 2014 , 48, 76-87	1.5	15
204	Long-term outcomes from Healthy Eating and Exercise Lifestyle Program for overweight people with heart disease and diabetes. <i>European Journal of Cardiovascular Nursing</i> , 2016 , 15, 91-9	3.3	14

203	The Australian Recommended Food Score did not predict weight gain in middle-aged Australian women during six years of follow-up. <i>Australian and New Zealand Journal of Public Health</i> , 2013 , 37, 322-8	3.3	14
202	An examination of the clinical practices and perceptions of professional herbalists providing patient care concurrently with conventional medical practice in Australia. <i>Complementary Therapies in Medicine</i> , 2008 , 16, 228-32	3.5	14
201	Smart Devices and Wearable Technologies to Detect and Monitor Mental Health Conditions and Stress: A Systematic Review. <i>Sensors</i> , 2021 , 21,	3.8	14
200	A critical review of complementary and alternative medicine use by women with cyclic perimenstrual pain and discomfort: a focus upon prevalence, patterns and applications of use and users' motivations, information seeking and self-perceived efficacy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 27, 241-74	3.8	14
199	The interface with naturopathy in rural primary health care: a survey of referral practices of general practitioners in rural and regional New South Wales, Australia. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 238	4.7	13
198	Self-prescribed complementary and alternative medicine use for back pain amongst a range of care options: results from a nationally representative sample of 1310 women aged 60-65 years. <i>Complementary Therapies in Medicine</i> , 2014 , 22, 133-40	3.5	13
197	Incidence of ventilator-associated pneumonia in Australasian intensive care units: use of a consensus-developed clinical surveillance checklist in a multisite prospective audit. <i>BMJ Open</i> , 2015 , 5, e008924	3	13
196	Trends in overweight and obesity in pre-school children in urban areas of Ho Chi Minh City, Vietnam, from 2002 to 2005. <i>Public Health Nutrition</i> , 2009 , 12, 702-9	3.3	13
195	Emergency department performance indicators that encompass the patient journey. <i>Quality Management in Health Care</i> , 2006 , 15, 27-38	1	13
194	Descriptive epidemiology of infectious gastrointestinal illnesses in Sydney, Australia, 2007-2010. <i>Western Pacific Surveillance and Response Journal: WPSAR</i> , 2015 , 6, 7-16	1	13
193	Is energy healing an effective non-pharmacological therapy for improving symptom management of chronic illnesses? A systematic review. <i>Complementary Therapies in Clinical Practice</i> , 2016 , 25, 26-41	3.5	13
192	Use of Complementary and Alternative Medicine in Women With Heart Disease, Hypertension and Diabetes (from the Australian Longitudinal Study on Women's Health). <i>American Journal of Cardiology</i> , 2015 , 115, 1691-5	3	12
191	Unsaturated fat intakes and mental health outcomes in young women from the Australian Longitudinal Study on Women's Health. <i>Public Health Nutrition</i> , 2015 , 18, 546-53	3.3	12
190	Referral to Chinese medicine practitioners in Australian primary care: a survey of New South Wales rural and regional general practitioners. <i>Chinese Medicine</i> , 2013 , 8, 8	4.7	12
189	Networks of knowledge or just old wives' tales?: A diary-based analysis of women's self-care practices and everyday lay expertise. <i>Health (United Kingdom)</i> , 2014 , 18, 335-51	1.9	12
188	Well-being outcomes of chiropractic intervention for lower back pain: a systematic review. <i>Clinical Rheumatology</i> , 2013 , 32, 167-80	3.9	12
187	{Omega}-3 fatty acid supplement use in the 45 and Up Study Cohort. <i>BMJ Open</i> , 2013 , 3,	3	12
186	Health service utilisation by pregnant women over a seven-year period. <i>Midwifery</i> , 2011 , 27, 474-6	2.8	12

185	Use of Traditional Indigenous Medicine and Complementary Medicine Among Indigenous Cancer Patients in Queensland, Australia. <i>Integrative Cancer Therapies</i> , 2015 , 14, 359-65	3	11
184	Severity of back pain may influence choice and order of practitioner consultations across conventional, allied and complementary health care: a cross-sectional study of 1851 mid-age Australian women. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 393	2.8	11
183	Predictors of warfarin non-adherence in younger adults after valve replacement surgery in the South Pacific. <i>Heart Asia</i> , 2016 , 8, 18-23	1.9	11
182	A national cross-sectional survey of back pain care amongst Australian women aged 60-85. <i>European Journal of Integrative Medicine</i> , 2013 , 5, 36-43	1.7	11
181	The self-prescribed use of aromatherapy oils by pregnant women. <i>Women and Birth</i> , 2014 , 27, 41-5	3.3	11
180	Acupuncture referrals in rural primary healthcare: a survey of general practitioners in rural and regional New South Wales, Australia. <i>Acupuncture in Medicine</i> , 2013 , 31, 375-82	1.9	11
179	Complementary and alternative medicine practitioner consultations among those who have or have had cancer in a Norwegian total population (Nord-Trøndelag Health Study): prevalence, socio-demographics and health perceptions. <i>European Journal of Cancer Care</i> , 2010 , 19, 346-51	2.4	11
178	Energy and macronutrient intakes in preschool children in urban areas of Ho Chi Minh City, Vietnam. <i>BMC Pediatrics</i> , 2008 , 8, 44	2.6	11
177	The Prevalence, Patterns, and Predictors of Chiropractic Use Among US Adults: Results From the 2012 National Health Interview Survey. <i>Spine</i> , 2017 , 42, 1810-1816	3.3	10
176	Composite outcome measures in a pragmatic clinical trial of chronic heart failure management: A comparative assessment. <i>International Journal of Cardiology</i> , 2015 , 185, 62-8	3.2	10
175	The Australian Complementary Medicine Workforce: A Profile of 1,306 Practitioners from the PRACI Study. <i>Journal of Alternative and Complementary Medicine</i> , 2018 , 24, 385-394	2.4	10
174	Efficacy of Chinese herbal medicine for stroke modifiable risk factors: a systematic review. <i>Chinese Medicine</i> , 2017 , 12, 25	4.7	10
173	A critical review of traditional Chinese medicine use amongst women with menopausal symptoms. <i>Climacteric</i> , 2014 , 17, 635-44	3.1	10
172	"Just get on with it": qualitative insights of coming to terms with a deteriorating body for older women with osteoarthritis. <i>PLoS ONE</i> , 2015 , 10, e0120507	3.7	10
171	A Qualitative Study of Medical Oncologists' Experiences of Their Profession and Workforce Sustainability. <i>PLoS ONE</i> , 2016 , 11, e0166302	3.7	10
170	Maternal and perinatal outcomes by planned place of birth in Australia 2000 - 2012: a linked population data study. <i>BMJ Open</i> , 2019 , 9, e029192	3	10
169	Complementary and Alternative Medicine Use by U.S. Adults with Self-Reported Doctor-Diagnosed Arthritis: Results from the 2012 National Health Interview Survey. <i>PM and R</i> , 2019 , 11, 1059-1069	2.2	9
168	Introducing national osteopathy practice-based research networks in Australia and New Zealand: an overview to inform future osteopathic research. <i>Scientific Reports</i> , 2020 , 10, 846	4.9	9

167	Western herbal medicine consultations for common menstrual problems; practitioner experiences and perceptions of treatment. <i>Phytotherapy Research</i> , 2018 , 32, 531-541	6.7	9
166	Healthcare utilisation of pregnant women who experience sciatica, leg cramps and/or varicose veins: A cross-sectional survey of 1835 pregnant women. <i>Women and Birth</i> , 2016 , 29, 35-40	3.3	9
165	Sex differences in the use of complementary and alternative medicine in older men and women. <i>Australasian Journal on Ageing</i> , 2012 , 31, 78-82	1.5	9
164	Rurality, mobility, identity: women's use of complementary and alternative medicine in rural Australia. <i>Health and Place</i> , 2013 , 20, 75-80	4.6	9
163	Women's use of herbal and alternative medicines for preconception care. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015 , 55, 222-6	1.7	9
162	Prayer or spiritual healing as adjuncts to conventional care: a cross sectional analysis of prevalence and characteristics of use among women. <i>BMJ Open</i> , 2015 , 5, e007345	3	9
161	Protocol: the effect of 12 weeks of Tai Chi practice on anxiety in healthy but stressed people compared to exercise and wait-list comparison groups: a randomized controlled trial. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2014 , 7, 159-65	1.2	9
160	The relative importance of psychosocial factors in arthritis: findings from 10,509 Australian women. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 251-6	4.1	9
159	Influence of contextual and individual level risk factors on adiposity in a preschool child cohort in Ho Chi Minh City, Vietnam. <i>Pediatric Obesity</i> , 2011 , 6, e487-500		9
158	Mid-age women's consultations with acupuncturists: a longitudinal analysis of 11,200 women, 2001-2007. <i>Journal of Alternative and Complementary Medicine</i> , 2011 , 17, 735-40	2.4	9
157	The effective use of a summary table and decision tree methodology to analyze very large healthcare datasets. <i>Health Care Management Science</i> , 2004 , 7, 163-71	4	9
156	Prevalence and profile of Australian chiropractors treating athletes or sports people: A cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2018 , 39, 56-61	3.5	9
155	The Association Between Diet Quality and Weight Change in Adults Over Time: A Systematic Review of Prospective Cohort Studies 2013 , 3-27		9
154	The influence of communication and information sources upon decision-making around complementary and alternative medicine use for back pain among Australian women aged 60-65 years. <i>Health and Social Care in the Community</i> , 2017 , 25, 114-122	2.6	8
153	Prevalence and factors associated with the use of acupuncture and Chinese medicine: results of a nationally representative survey of 17161 Australian women. <i>Acupuncture in Medicine</i> , 2017 , 35, 189-199 ¹⁻⁹		8
152	Associations between yoga practice and joint problems: a cross-sectional survey among 9151 Australian women. <i>Rheumatology International</i> , 2017 , 37, 1145-1148	3.6	8
151	Referral to massage therapy in primary health care: a survey of medical general practitioners in rural and regional New South Wales, Australia. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2013 , 36, 595-603	1.3	8
150	The Characteristics of Women Who Use Complementary Medicine While Attempting to Conceive: Results from a Nationally Representative Sample of 13,224 Australian Women. <i>Women's Health Issues</i> , 2017 , 27, 67-74	2.6	8

149	The relationship between psychiatric illnesses and skin disease: a longitudinal analysis of young Australian women. <i>Archives of Dermatology</i> , 2009 , 145, 896-902		8
148	The characteristics of middle aged Australian women who consult acupuncturists. <i>Acupuncture in Medicine</i> , 2007 , 25, 22-8	1.9	8
147	Tai chi and yoga in residential aged care: Perspectives of participants: A qualitative study. <i>Journal of Clinical Nursing</i> , 2018 , 27, 4390-4399	3.2	8
146	The outcomes of complementary and alternative medicine use among pregnant and birthing women: current trends and future directions. <i>Women's Health</i> , 2015 , 11, 309-23	3	7
145	The treatment of migraine patients within chiropractic: analysis of a nationally representative survey of 1869 chiropractors. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 519	4.7	7
144	Special diets in modern America: Analysis of the 2012 National Health Interview Survey data. <i>Nutrition and Health</i> , 2018 , 24, 11-18	2.1	7
143	Painting pictures and playing musical instruments: change in participation and relationship to health in older women. <i>Australasian Journal on Ageing</i> , 2012 , 31, 218-21	1.5	7
142	The personal cancer screening behaviours of nurses and midwives. <i>Journal of Advanced Nursing</i> , 2017 , 73, 1403-1420	3.1	7
141	A longitudinal analysis of self-prescribed complementary and alternative medicine use by a nationally representative sample of 19,783 Australian women, 2006-2010. <i>Complementary Therapies in Medicine</i> , 2015 , 23, 699-704	3.5	7
140	Research challenges for a complementary medicine higher education institution: Results from an organisational climate survey. <i>European Journal of Integrative Medicine</i> , 2015 , 7, 442-449	1.7	7
139	A longitudinal analysis of complementary and alternative medicine use by a representative cohort of young Australian women with asthma, 1996-2006. <i>Journal of Asthma</i> , 2011 , 48, 380-6	1.9	7
138	Referral to yoga therapists in rural primary health care: A survey of general practitioners in rural and regional New South Wales, Australia. <i>International Journal of Yoga</i> , 2014 , 7, 9-16	1.6	7
137	Is Health Practitioner Regulation Keeping Pace with the Changing Practitioner and Health-Care Landscape? An Australian Perspective. <i>Frontiers in Public Health</i> , 2016 , 4, 91	6	7
136	Longitudinal analysis of associations between women's consultations with complementary and alternative medicine practitioners/use of self-prescribed complementary and alternative medicine and menopause-related symptoms, 2007-2010. <i>Menopause</i> , 2016 , 23, 74-80	2.5	7
135	The determinants of essential newborn care for home births in Bangladesh. <i>Public Health</i> , 2016 , 141, 7-16	4	7
134	What impact does antenatal and postnatal care have on neonatal deaths in low- and lower-middle-income countries? Evidence from Bangladesh. <i>Health Care for Women International</i> , 2017 , 38, 848-860	1.5	6
133	Health-related quality of life of patients after mechanical valve replacement surgery: an integrative review. <i>European Journal of Cardiovascular Nursing</i> , 2015 , 14, 16-25	3.3	6
132	The Utilization of Health Services and Self-Care by Older Women With Sleeping Problems: Results From a Nationally Representative Sample of 9,110 Women. <i>Journal of Aging and Health</i> , 2018 , 30, 540-558	2.6	6

131	Prevalence and characteristics of women who consult with osteopathic practitioners during pregnancy; a report from the Australian Longitudinal Study on Women's Health (ALSWH). <i>Journal of Bodywork and Movement Therapies</i> , 2016 , 20, 168-172	1.6	6
130	Global service learning and health systems strengthening: An integrative literature review. <i>Heliyon</i> , 2018 , 4, e00713	3.6	6
129	Suffering, recognition and reframing: Healthcare choices and plural care pathways for women with chronic back pain. <i>Current Sociology</i> , 2015 , 63, 652-668	1.7	6
128	The prevalence and determinants of Chinese medicine use by Australian women: analysis of a cohort of 10,287 women aged 56-61 years. <i>The American Journal of Chinese Medicine</i> , 2013 , 41, 281-91	6	6
127	Older Australian women's use of dentists: a longitudinal analysis over 6 years. <i>Australasian Journal on Ageing</i> , 2010 , 29, 14-20	1.5	6
126	Developing a decision tree algorithm for the diagnosis of suspected spider bites. <i>EMA - Emergency Medicine Australasia</i> , 2004 , 16, 161-6	1.5	6
125	The Characteristics, Experiences and Perceptions of Registered Massage Therapists in New Zealand: Results from a National Survey of Practitioners. <i>International Journal of Therapeutic Massage & Bodywork</i> , 2018 , 11, 11-24	0.4	6
124	The value of care provided by student doulas: an examination of the perceptions of women in their care. <i>Journal of Perinatal Education</i> , 2013 , 22, 39-48	0.7	6
123	Rehabilitation of stroke patients using traditional Thai massage, herbal treatments and physical therapies. <i>Zhong Xi Yi Jie He Xue Bao</i> , 2012 , 10, 743-50		6
122	Prevalence of Glucosamine and Omega-3 Fatty Acid Use and Characteristics of Users among Mid-Age Women: Analysis of a Nationally Representative Sample of 10,638 Women. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 637-44	5.2	6
121	Complementary and alternative medicine research in practice-based research networks: A critical review. <i>Complementary Therapies in Medicine</i> , 2019 , 43, 7-19	3.5	6
120	Utilization of complementary and alternative medicine and conventional medicine for headache or migraine during pregnancy: A cross-sectional survey of 1,835 pregnant women. <i>Complementary Therapies in Medicine</i> , 2018 , 41, 192-195	3.5	6
119	Development of a Novel Questionnaire for the Traditional Chinese Medicine Pattern Diagnosis of Stress. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2017 , 10, 276-285	1.2	5
118	Health Behavior Change and Complementary Medicine Use: National Health Interview Survey 2012. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	5
117	Prevalence and practice characteristics of urban and rural or remote Australian chiropractors: Analysis of a nationally representative sample of 1830 chiropractors. <i>Australian Journal of Rural Health</i> , 2019 , 27, 34-41	1.3	5
116	Physical activity and depression symptoms in women with chronic illness and the mediating role of health-related quality of life. <i>Journal of Affective Disorders</i> , 2019 , 252, 294-299	6.6	5
115	Association between use of self-prescribed complementary and alternative medicine and menopause-related symptoms: a cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2015 , 23, 666-73	3.5	5
114	The characteristics of women who birth at home, in a birth centre or in a hospital labour ward: A study of a nationally-representative sample of 1835 pregnant women. <i>Sexual and Reproductive Healthcare</i> , 2015 , 6, 132-7	2.4	5

113	Development and preliminary validation of the Complementary Medicine Disclosure Index. <i>Patient Education and Counseling</i> , 2020 , 103, 1237-1244	3.1	5
112	The use of conventional and complementary health services and self-prescribed treatments amongst young women with constipation: An Australian national cohort study. <i>Digestive and Liver Disease</i> , 2016 , 48, 1308-1313	3.3	5
111	Healthcare practitioner utilisation for back pain, neck pain and/or pelvic pain during pregnancy: an analysis of 1835 pregnant women in Australia. <i>International Journal of Clinical Practice</i> , 2016 , 70, 825-831	2.9	5
110	Health-care utilisation amongst pregnant women who experience sleeping problems and/or tiredness or fatigue: secondary analysis of a cross-sectional survey of 1835 pregnant women. <i>Sleep and Breathing</i> , 2016 , 20, 355-62	3.1	5
109	The profile of women who consult midwives in Australia. <i>Women and Birth</i> , 2013 , 26, 240-5	3.3	5
108	Health-related factors associated with participation in creative hobbies by Australian women aged in their eighties. <i>Arts and Health</i> , 2014 , 6, 132-142	1.7	5
107	Health services use among young Australian women with allergies, hayfever and sinusitis: a longitudinal analysis. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 135-42	3.5	5
106	Transforming the SF-36 to account for death in longitudinal studies with three-year follow-up. <i>Medical Care</i> , 2006 , 44, 956-9	3.1	5
105	Diet quality and six-year risk of overweight and obesity among mid-age Australian women who were initially in the healthy weight range. <i>Health Promotion Journal of Australia</i> , 2016 , 27, 29-35	1.7	5
104	Complementary and alternative medicine practitioner use prior to pregnancy predicts use during pregnancy. <i>Women and Health</i> , 2016 , 56, 926-39	1.7	5
103	Complementary and alternative medicine use for constipation: a critical review focusing upon prevalence, type, cost, and users' profile, perception and motivations. <i>International Journal of Clinical Practice</i> , 2016 , 70, 712-22	2.9	5
102	Generational differences in complementary medicine use in young Australian women: Repeated cross-sectional dataset analysis from the Australian longitudinal study on women's health. <i>Complementary Therapies in Medicine</i> , 2019 , 43, 66-72	3.5	5
101	Cyclic Perimenstrual Pain and Discomfort and Australian Women's Associated Use of Complementary and Alternative Medicine: A Longitudinal Study. <i>Journal of Women's Health</i> , 2018 , 27, 40-50	3	5
100	The management of common recurrent headaches by chiropractors: a descriptive analysis of a nationally representative survey. <i>BMC Neurology</i> , 2018 , 18, 171	3.1	5
99	The prevalence and determinants of physical activity promotion by Australian chiropractors: A cross sectional study. <i>Complementary Therapies in Medicine</i> , 2019 , 45, 172-178	3.5	4
98	Characteristics of yoga and meditation users among older Australian women - results from the 45 and up study. <i>Complementary Therapies in Clinical Practice</i> , 2019 , 35, 219-223	3.5	4
97	Treating people with arthritis with traditional Chinese medicine (TCM): an examination of the perception of TCM practitioners. <i>Acupuncture in Medicine</i> , 2018 , 36, 228-239	1.9	4
96	How are complementary health professions regulated in Australia? An examination of complementary health professions in the national registration and accreditation scheme. <i>Complementary Therapies in Medicine</i> , 2018 , 37, 6-12	3.5	4

95	Managing the pain of labour: factors associated with the use of labour pain management for pregnant Australian women. <i>Health Expectations</i> , 2015 , 18, 1633-44	3.7	4
94	Health-related quality of life of patients after mechanical valve replacement surgery for rheumatic heart disease in a developing country. <i>Heart Asia</i> , 2014 , 6, 172-8	1.9	4
93	Homeopathy in rural Australian primary health care: a survey of general practitioner referral and practice in rural and regional New South Wales, Australia. <i>Homeopathy</i> , 2013 , 102, 199-206	1.4	4
92	Researching the Utilisation of Complementary and Alternative Medicine. <i>Evidence - Based Integrative Medicine</i> , 2004 , 1, 169-172		4
91	The characteristics of women who use hypnotherapy for intrapartum pain management: Preliminary insights from a nationally-representative sample of Australian women. <i>Complementary Therapies in Medicine</i> , 2016 , 25, 67-70	3.5	4
90	The Australian Medical Oncologist Workforce Survey: The profile and challenges of medical oncology. <i>Seminars in Oncology</i> , 2018 , 45, 284-290	5.5	4
89	Research capacity building in traditional, complementary and integrative medicine: Grassroots action towards a broader vision 2012 , 275-281		4
88	The characteristics, experiences and perceptions of homeopaths in New Zealand: results from a national survey of practitioners. <i>Homeopathy</i> , 2017 , 106, 11-17	1.4	3
87	Associations between complementary medicine utilization and influenza/pneumococcal vaccination: Results of a national cross-sectional survey of 9151 Australian women. <i>Preventive Medicine</i> , 2017 , 105, 184-189	4.3	3
86	Association between consultations with complementary/alternative medicine practitioners and menopause-related symptoms: a cross-sectional study. <i>Climacteric</i> , 2015 , 18, 551-8	3.1	3
85	Characteristics of women who practice yoga in different locations during pregnancy. <i>BMJ Open</i> , 2015 , 5, e008641	3	3
84	A randomised controlled trial assessing the effect of a Mediterranean diet on the symptoms of depression in young men (the 'AMMEND' study): a study protocol. <i>British Journal of Nutrition</i> , 2021 , 126, 730-737	3.6	3
83	A mixed methods analysis of experiences and expectations among early-career medical oncologists in Australia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018 , 14, e521-e527	1.9	3
82	Primary care practitioner perceptions and attitudes of complementary medicine: a content analysis of free-text responses from a survey of non-metropolitan Australian general practitioners. <i>Primary Health Care Research and Development</i> , 2018 , 19, 246-255	1.6	3
81	Workforce Interventions to Deliver Postnatal Care to Improve Neonatal Outcomes in Low- and Lower-Middle-Income Countries: A Narrative Synthesis. <i>Asia-Pacific Journal of Public Health</i> , 2016 , 28, 659-681	2	3
80	Does Australia's Health Policy Environment Create Unintended Outcomes for Birthing Women?. <i>Birth</i> , 2016 , 43, 273-276	3.1	3
79	Prevalence and characteristics of Australian women who use prayer or spiritual healing: A nationally representative cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2016 , 27, 35-42	3.5	3
78	The association between regular yoga and meditation practice and falls and injuries: Results of a national cross-sectional survey among Australian women. <i>Maturitas</i> , 2016 , 84, 38-41	5	3

77	Prevalence and factors associated with the use of primary headache diagnostic criteria by chiropractors. <i>Chiropractic & Manual Therapies</i> , 2019 , 27, 33	1.8	3
76	Higher unprocessed red meat, chicken and fish intake is associated with a higher vegetable intake in mid-age non-vegetarian women. <i>Nutrition and Dietetics</i> , 2012 , 69, 293-299	2.5	3
75	Back pain sufferers' attitudes toward consultations with CAM practitioners and self-prescribed CAM products: A study of a nationally representative sample of 1310 Australian women aged 60-65 years. <i>Complementary Therapies in Medicine</i> , 2015 , 23, 782-8	3.5	3
74	Tyrosine supplementation as an adjunct treatment in anorexia nervosa: a noradrenergic repletion hypothesis. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013 , 1, 161-168		3
73	A preliminary profile of Australian women accessing doula care: findings from the Australian Longitudinal Study on Women's Health. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 589-92	1.7	3
72	No association between previous Caesarean-section delivery and back pain in mid-aged Australian women: an observational study. <i>Australian Journal of Physiotherapy</i> , 2008 , 54, 269-72		3
71	The features and burden of headaches within a chiropractic clinical population: A cross-sectional analysis. <i>Complementary Therapies in Medicine</i> , 2020 , 48, 102276	3.5	3
70	Investigation into the diets and nutritional knowledge of young men with depression: The MENDDS survey. <i>Nutrition</i> , 2020 , 78, 110946	4.8	3
69	Prevalence and profile of Australian osteopaths treating older people. <i>Complementary Therapies in Medicine</i> , 2019 , 43, 125-130	3.5	3
68	The rapid response system: an integrative review. <i>Contemporary Nurse</i> , 2019 , 55, 139-155	1.5	2
67	Formal and informal healthcare behaviours of women with chronic illness: A cross-sectional analysis of 1925 women. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13343	2.9	2
66	Health care utilisation and out-of-pocket expenditure associated with hypertension: an analysis of Australian adults from the 45 and Up Study. <i>Journal of Human Hypertension</i> , 2020 , 34, 833-840	2.6	2
65	Associations between complementary medicine, satisfaction with body weight and shape, and the use of methods to lose or control weight: Results of a national survey of 8009 Australian women. <i>Complementary Therapies in Medicine</i> , 2018 , 36, 100-106	3.5	2
64	Substantial out-of-pocket expenditure on maternity care practitioner consultations and treatments during pregnancy: estimates from a nationally-representative sample of pregnant women in Australia. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 114	3.2	2
63	Changes in neonatal mortality and newborn health-care practices: descriptive data from the Bangladesh Demographic and Health Surveys 2011 and 2014. <i>WHO South-East Asia Journal of Public Health</i> , 2018 , 7, 43-50	2.3	2
62	The association between social support and antenatal depressive and anxiety symptoms among Australian women. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 708	3.2	2
61	Complementary medicine practitioner consultations amongst 1,314 individuals with chronic conditions: Characteristics of users, reasons for and predictors of use. <i>Complementary Therapies in Clinical Practice</i> , 2020 , 40, 101194	3.5	2
60	A Phase 2 Randomised Clinical Trial Assessing the Tolerability of Two Different Ratios of Medicinal Cannabis in Patients With High Grade Gliomas. <i>Frontiers in Oncology</i> , 2021 , 11, 649555	5.3	2

59	Hypertension: What are the self-care and health-care-seeking behaviours in women over time?. <i>Journal of Human Hypertension</i> , 2016 , 30, 783-787	2.6	2
58	Risk Factors for Developing Comorbid Sleeping Problems: Results of a Survey of 1,925 Women Over 50 With a Chronic Health Condition. <i>Journal of Aging and Health</i> , 2020 , 32, 472-480	2.6	2
57	Improving diet quality over nine-years is associated with less weight gain in mid-age Australian women: A cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 223-232	4.5	2
56	Utilisation of self-care products and practices and its associated factors among stroke survivors. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13821	2.9	2
55	Antimicrobial prescription patterns and ventilator associated pneumonia: findings from a 10-site prospective audit. <i>BMC Research Notes</i> , 2018 , 11, 769	2.3	2
54	Efficacy of acupuncture for lifestyle risk factors for stroke: A systematic review. <i>PLoS ONE</i> , 2018 , 13, e0206288	3.7	2
53	Associations Between Cancer Screening Behavior and Complementary Medicine Use: Results of a National Cross-Sectional Survey of 9151 Australian Women. <i>Integrative Cancer Therapies</i> , 2018 , 17, 979-985	3.8	2
52	Sphygmomanometers--an audit in general practice. <i>Australian Family Physician</i> , 2004 , 33, 952-4		2
51	Stress Watch: The Use of Heart Rate and Heart Rate Variability to Detect Stress: A Pilot Study Using Smart Watch Wearables.. <i>Sensors</i> , 2021 , 22,	3.8	2
50	Health care utilization among young Australian women with severe tiredness: Results from the Australian Longitudinal Study on Women's Health (ALSWH). <i>Health Care for Women International</i> , 2017 , 38, 983-995	1.5	1
49	Exploring Sick Leave in Integrative Care-Retrospective Observations and Future Study Recommendations. <i>Journal of Alternative and Complementary Medicine</i> , 2019 , 25, 377-384	2.4	1
48	Are traditional Thai therapies better than conventional treatment for stroke rehabilitation? A quasi-experimental study. <i>European Journal of Integrative Medicine</i> , 2015 , 7, 16-22	1.7	1
47	The health care utilization and out-of-pocket expenditure associated with asthma amongst a sample of Australian women aged over 45 years: analysis from the '45 and up' study. <i>Journal of Asthma</i> , 2021 , 58, 865-873	1.9	1
46	A critical review of self-care for sleep disturbances: prevalence, profile, motivation, perceived effectiveness and medical provider communication. <i>Sleep Science and Practice</i> , 2020 , 4,	1.2	1
45	Massage therapy utilisation by Australian women: Prevalence and determinants. <i>Journal of Bodywork and Movement Therapies</i> , 2020 , 24, 29-37	1.6	1
44	The health of working nurses: Hypertension prevalence, awareness, treatment and control by medication. <i>Journal of Nursing Management</i> , 2018 , 26, 403-410	4.9	1
43	Is there a role for Western herbal medicine in treating cyclic perimenstrual pain and discomfort?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, 154-156	1.7	1
42	Does nurses' role, health or symptoms influence their personal use of ingestible complementary and alternative medicines?. <i>Complementary Therapies in Medicine</i> , 2017 , 35, 39-46	3.5	1

41	Complementary and Conventional Health-care Utilization Among Young Australian Women With Urinary Incontinence. <i>Urology</i> , 2017 , 99, 92-99	1.6	1
40	The use of <i>Benincasa hispida</i> for the treatment of uninvestigated dyspepsia: Preliminary results of a non-randomised open label pilot clinical trial. <i>Advances in Integrative Medicine</i> , 2015 , 2, 130-134	1.6	1
39	Complementary and alternative medicine for victims of intimate partner abuse: a systematic review of use and efficacy. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014 , 2014, 963967	2.3	1
38	Prevalence and characteristics of older Australian women who consult dentists. <i>Australian Journal of Rural Health</i> , 2007 , 15, 387-8	1.3	1
37	Disclosure of conventional and complementary medicine use to medical doctors and complementary medicine practitioners: A survey of rates and reasons amongst those with chronic conditions. <i>PLoS ONE</i> , 2021 , 16, e0258901	3.7	1
36	Women's distinct diabetes self-management behaviours demand gender-specific diabetes research: improving chronic disease management and addressing clinical governance issues.. <i>Journal of Primary Health Care</i> , 2021 , 13, 308-312	0.8	1
35	Developing and promoting public health methods for integrative medicine: examples from the field in Australia. <i>Zhong Xi Yi Jie He Xue Bao</i> , 2011 , 9, 233-6		1
34	Occupational and Leisure-Time Physical Activity Have Different Relationships With Health: A Cross-Sectional Survey Study of Working Nurses. <i>Journal of Physical Activity and Health</i> , 2021 , 1-8	2.5	1
33	Annual out-of-pocket expenditure associated with healthcare use among Australian older women with osteoporosis: a cross-sectional study. <i>Archives of Osteoporosis</i> , 2021 , 16, 148	2.9	1
32	Is Depression Associated with Unhealthy Behaviors among Middle-Aged and Older Women with Hypertension or Heart Disease?. <i>Women's Health Issues</i> , 2020 , 30, 35-40	2.6	1
31	Frequency and variety of usual intakes of healthy foods, fruit, and vegetables predicts lower 6-year weight gain in young women. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 945-952	5.2	1
30	How can human resources for health interventions contribute to sexual, reproductive, maternal, and newborn healthcare quality across the continuum in low- and lower-middle-income countries? A systematic review. <i>Human Resources for Health</i> , 2021 , 19, 54	4.6	1
29	Modelling the cost of place of birth: a pathway analysis. <i>BMC Health Services Research</i> , 2021 , 21, 816	2.9	1
28	Health-seeking behaviour, views and preferences of adults with suspected increased intestinal permeability: A cross-sectional survey of Australian adults. <i>Integrative Medicine Research</i> , 2022 , 11, 100737	2.7	1
27	The use of herbal medicines for the treatment of menopausal symptoms. A pilot study of women attending general practice. <i>Australian Family Physician</i> , 2004 , 33, 955-6		1
26	What is the healthcare utilisation and out-of-pocket expenditure associated with osteoarthritis? A cross-sectional study.. <i>BMJ Open</i> , 2022 , 12, e055468	3	1
25	The mediational role of social support in the relationship between stress and antenatal anxiety and depressive symptoms among Australian women: a mediational analysis.. <i>Reproductive Health</i> , 2021 , 18, 250	3.5	1
24	An examination of modifiable risk factors in stroke survivors, with a view to recurrent stroke prevention.. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022 , 31, 106547	2.8	1

23	Is there an association between women's consultations with a massage therapist and health-related quality of life? Analyses of 1800 women aged 56-61 years. <i>Journal of Bodywork and Movement Therapies</i> , 2016 , 20, 734-739	1.6	0
22	Prevalence and characteristics of Australian women aged 45 and older who consult acupuncturists for their osteoarthritis. <i>International Journal of Clinical Practice</i> , 2017 , 71, e13040	2.9	0
21	The characteristics of women using different forms of botanical medicines to manage pregnancy-related health conditions: A preliminary cross-sectional analysis. <i>Advances in Integrative Medicine</i> , 2014 , 1, 138-143	1.6	0
20	Weight change after antiretroviral therapy initiation among adults living with HIV in Northwest Ethiopia: a longitudinal data analysis.. <i>BMJ Open</i> , 2022 , 12, e055266	3	0
19	Prevalence and determinants of low social support during pregnancy among Australian women: a community-based cross-sectional study. <i>Reproductive Health</i> , 2021 , 18, 158	3.5	0
18	Integrative health services use for depression in middle-aged and older Australian women. <i>European Journal of Integrative Medicine</i> , 2021 , 46, 101367	1.7	0
17	Effects of undernutrition on opportunistic infections among adults living with HIV on ART in Northwest Ethiopia: Using inverse-probability weighting.. <i>PLoS ONE</i> , 2022 , 17, e0264843	3.7	0
16	Author Reply. <i>Urology</i> , 2017 , 99, 98-99	1.6	
15	Health care utilisation of women who experience pregnancy-related reflux, nausea and/or vomiting. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 1938-1943	2	
14	Clinical characteristics of osteopaths treating work-related injuries in Australia: A cross-sectional study. <i>International Journal of Osteopathic Medicine</i> , 2020 , 38, 50-56	1.9	
13	Predictors of Complementary and Alternative Medicine (CAM) use in two cohorts of Australian women. <i>International Psychogeriatrics</i> , 2013 , 25, 168-70	3.4	
12	The annual variation in activity and funding for acute public hospitals in NSW, 1988-89 to 1992-93. <i>Australian Health Review</i> , 1996 , 19, 52-67	1.8	
11	The association between diet quality and weight change in adults over time: A systematic review of studies with follow up. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2011 , 9, 1-9	1.6	
10	Women's use of complementary and alternative medicine during pregnancy: A critical review of the literature 2012 , 35-43		
9	Utilizing existing data sets to investigate complementary and alternative medicine consumption: Cohort studies and longitudinal analyses 2012 , 26-32		
8	Do women who consult with naturopaths or herbalists have a healthy lifestyle?: a secondary analysis of the Australian longitudinal study on women's health. <i>BMC Complementary Medicine and Therapies</i> , 2020 , 20, 349	2.9	
7	Associations between complementary medicine utilisation and the use of contraceptive methods: Results of a national cross-sectional survey. <i>Complementary Therapies in Clinical Practice</i> , 2018 , 33, 100-108	3.5	
6	The utilisation of public and private health care among Australian women with diabetes: Findings from the 45 and Up Study. <i>PLoS ONE</i> , 2021 , 16, e0255573	3.7	

5	The Subjective Well-being and Health-Related Quality of Life of Australian Adults with Increased Intestinal Permeability and Associations with Treatment Interventions. <i>Journal of Alternative and Complementary Medicine</i> , 2021 , 27, 1136-1146	2.4
4	Influence of COVID-19 on the preventive health behaviours of indigenous peoples of Australia residing in New South Wales: a mixed-method study protocol. <i>BMJ Open</i> , 2021 , 11, e047404	3
3	The health care utilisation and out-of-pocket expenditure associated with Australian stroke survivors aged 55 and over.. <i>PLoS ONE</i> , 2022 , 17, e0265907	3.7
2	Does undernutrition increase the risk of lost to follow-up in adults living with HIV in sub-Saharan Africa? Protocol for a systematic review and meta-analysis.. <i>BMJ Open</i> , 2021 , 11, e048022	3
1	Associations Between Fatigue and Disability, Depression, Health-Related Hardiness and Quality of Life in People with Stroke.. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022 , 31, 106543	2.8