

David W Sibbritt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8886075/david-w-sibbritt-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

328
papers

6,118
citations

38
h-index

62
g-index

342
ext. papers

7,273
ext. citations

2.9
avg, IF

6.17
L-index

#	Paper	IF	Citations
328	Weight change after antiretroviral therapy initiation among adults living with HIV in Northwest Ethiopia: a longitudinal data analysis.. <i>BMJ Open</i> , 2022 , 12, e055266	3	0
327	Health-seeking behaviour, views and preferences of adults with suspected increased intestinal permeability: A cross-sectional survey of Australian adults. <i>Integrative Medicine Research</i> , 2022 , 11, 100757	2.7	1
326	The health care utilisation and out-of-pocket expenditure associated with Australian stroke survivors aged 55 and over.. <i>PLoS ONE</i> , 2022 , 17, e0265907	3.7	
325	Effects of undernutrition on opportunistic infections among adults living with HIV on ART in Northwest Ethiopia: Using inverse-probability weighting.. <i>PLoS ONE</i> , 2022 , 17, e0264843	3.7	0
324	What is the healthcare utilisation and out-of-pocket expenditure associated with osteoarthritis? A cross-sectional study.. <i>BMJ Open</i> , 2022 , 12, e055468	3	1
323	Associations Between Fatigue and Disability, Depression, Health-Related Hardiness and Quality of Life in People with Stroke.. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022 , 31, 106543	2.8	
322	An examination of modifiable risk factors in stroke survivors, with a view to recurrent stroke prevention.. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022 , 31, 106547	2.8	1
321	A randomised controlled trial assessing the effect of a Mediterranean diet on the symptoms of depression in young men (the 'AMMEND' study): a study protocol. <i>British Journal of Nutrition</i> , 2021 , 126, 730-737	3.6	3
320	The health care utilization and out-of-pocket expenditure associated with asthma amongst a sample of Australian women aged over 45 years: analysis from the '45 and up' study. <i>Journal of Asthma</i> , 2021 , 58, 865-873	1.9	1
319	Disclosure of conventional and complementary medicine use to medical doctors and complementary medicine practitioners: A survey of rates and reasons amongst those with chronic conditions. <i>PLoS ONE</i> , 2021 , 16, e0258901	3.7	1
318	Women's distinct diabetes self-management behaviours demand gender-specific diabetes research: improving chronic disease management and addressing clinical governance issues.. <i>Journal of Primary Health Care</i> , 2021 , 13, 308-312	0.8	1
317	Occupational and Leisure-Time Physical Activity Have Different Relationships With Health: A Cross-Sectional Survey Study of Working Nurses. <i>Journal of Physical Activity and Health</i> , 2021 , 1-8	2.5	1
316	Annual out-of-pocket expenditure associated with healthcare use among Australian older women with osteoporosis: a cross-sectional study. <i>Archives of Osteoporosis</i> , 2021 , 16, 148	2.9	1
315	The association between social support and antenatal depressive and anxiety symptoms among Australian women. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 708	3.2	2
314	How can human resources for health interventions contribute to sexual, reproductive, maternal, and newborn healthcare quality across the continuum in low- and lower-middle-income countries? A systematic review. <i>Human Resources for Health</i> , 2021 , 19, 54	4.6	1
313	Smart Devices and Wearable Technologies to Detect and Monitor Mental Health Conditions and Stress: A Systematic Review. <i>Sensors</i> , 2021 , 21,	3.8	14
312	A Phase 2 Randomised Clinical Trial Assessing the Tolerability of Two Different Ratios of Medicinal Cannabis in Patients With High Grade Gliomas. <i>Frontiers in Oncology</i> , 2021 , 11, 649555	5.3	2

311	The relationship between social support and mental health problems during pregnancy: a systematic review and meta-analysis. <i>Reproductive Health</i> , 2021 , 18, 162	3.5	17
310	Utilisation of self-care products and practices and its associated factors among stroke survivors. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13821	2.9	2
309	Effects of undernutrition on mortality and morbidity among adults living with HIV in sub-Saharan Africa: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2021 , 21, 1	4	122
308	Prevalence and determinants of low social support during pregnancy among Australian women: a community-based cross-sectional study. <i>Reproductive Health</i> , 2021 , 18, 158	3.5	0
307	Modelling the cost of place of birth: a pathway analysis. <i>BMC Health Services Research</i> , 2021 , 21, 816	2.9	1
306	The utilisation of public and private health care among Australian women with diabetes: Findings from the 45 and Up Study. <i>PLoS ONE</i> , 2021 , 16, e0255573	3.7	
305	The Subjective Well-being and Health-Related Quality of Life of Australian Adults with Increased Intestinal Permeability and Associations with Treatment Interventions. <i>Journal of Alternative and Complementary Medicine</i> , 2021 , 27, 1136-1146	2.4	
304	Influence of COVID-19 on the preventive health behaviours of indigenous peoples of Australia residing in New South Wales: a mixed-method study protocol. <i>BMJ Open</i> , 2021 , 11, e047404	3	
303	Integrative health services use for depression in middle-aged and older Australian women. <i>European Journal of Integrative Medicine</i> , 2021 , 46, 101367	1.7	0
302	The mediational role of social support in the relationship between stress and antenatal anxiety and depressive symptoms among Australian women: a mediational analysis.. <i>Reproductive Health</i> , 2021 , 18, 250	3.5	1
301	Does undernutrition increase the risk of lost to follow-up in adults living with HIV in sub-Saharan Africa? Protocol for a systematic review and meta-analysis.. <i>BMJ Open</i> , 2021 , 11, e048022	3	
300	Stress Watch: The Use of Heart Rate and Heart Rate Variability to Detect Stress: A Pilot Study Using Smart Watch Wearables.. <i>Sensors</i> , 2021 , 22,	3.8	2
299	Clinical characteristics of osteopaths treating work-related injuries in Australia: A cross-sectional study. <i>International Journal of Osteopathic Medicine</i> , 2020 , 38, 50-56	1.9	
298	Effects of Polyphenols in a Mediterranean Diet on Symptoms of Depression: A Systematic Literature Review. <i>Advances in Nutrition</i> , 2020 , 11, 602-615	10	22
297	A critical review of self-care for sleep disturbances: prevalence, profile, motivation, perceived effectiveness and medical provider communication. <i>Sleep Science and Practice</i> , 2020 , 4,	1.2	1
296	Health care utilisation and out-of-pocket expenditure associated with hypertension: an analysis of Australian adults from the 45 and Up Study. <i>Journal of Human Hypertension</i> , 2020 , 34, 833-840	2.6	2
295	Introducing national osteopathy practice-based research networks in Australia and New Zealand: an overview to inform future osteopathic research. <i>Scientific Reports</i> , 2020 , 10, 846	4.9	9
294	Development and preliminary validation of the Complementary Medicine Disclosure Index. <i>Patient Education and Counseling</i> , 2020 , 103, 1237-1244	3.1	5

293	Massage therapy utilisation by Australian women: Prevalence and determinants. <i>Journal of Bodywork and Movement Therapies</i> , 2020 , 24, 29-37	1.6	1
292	Complementary medicine practitioner consultations amongst 1,314 individuals with chronic conditions: Characteristics of users, reasons for and predictors of use. <i>Complementary Therapies in Clinical Practice</i> , 2020 , 40, 101194	3.5	2
291	Is Depression Associated with Unhealthy Behaviors among Middle-Aged and Older Women with Hypertension or Heart Disease?. <i>Women's Health Issues</i> , 2020 , 30, 35-40	2.6	1
290	The features and burden of headaches within a chiropractic clinical population: A cross-sectional analysis. <i>Complementary Therapies in Medicine</i> , 2020 , 48, 102276	3.5	3
289	Frequency and variety of usual intakes of healthy foods, fruit, and vegetables predicts lower 6-year weight gain in young women. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 945-952	5.2	1
288	Investigation into the diets and nutritional knowledge of young men with depression: The MENDDS survey. <i>Nutrition</i> , 2020 , 78, 110946	4.8	3
287	Do women who consult with naturopaths or herbalists have a healthy lifestyle?: a secondary analysis of the Australian longitudinal study on women's health. <i>BMC Complementary Medicine and Therapies</i> , 2020 , 20, 349	2.9	
286	Risk Factors for Developing Comorbid Sleeping Problems: Results of a Survey of 1,925 Women Over 50 With a Chronic Health Condition. <i>Journal of Aging and Health</i> , 2020 , 32, 472-480	2.6	2
285	Improving diet quality over nine-years is associated with less weight gain in mid-age Australian women: A cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 223-232	4.5	2
284	Health Behavior Change and Complementary Medicine Use: National Health Interview Survey 2012. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	5
283	The rapid response system: an integrative review. <i>Contemporary Nurse</i> , 2019 , 55, 139-155	1.5	2
282	The prevalence and determinants of physical activity promotion by Australian chiropractors: A cross sectional study. <i>Complementary Therapies in Medicine</i> , 2019 , 45, 172-178	3.5	4
281	Exploring Sick Leave in Integrative Care-Retrospective Observations and Future Study Recommendations. <i>Journal of Alternative and Complementary Medicine</i> , 2019 , 25, 377-384	2.4	1
280	Formal and informal healthcare behaviours of women with chronic illness: A cross-sectional analysis of 1925 women. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13343	2.9	2
279	Prevalence and practice characteristics of urban and rural or remote Australian chiropractors: Analysis of a nationally representative sample of 1830 chiropractors. <i>Australian Journal of Rural Health</i> , 2019 , 27, 34-41	1.3	5
278	Characteristics of yoga and meditation users among older Australian women - results from the 45 and up study. <i>Complementary Therapies in Clinical Practice</i> , 2019 , 35, 219-223	3.5	4
277	Physical activity and depression symptoms in women with chronic illness and the mediating role of health-related quality of life. <i>Journal of Affective Disorders</i> , 2019 , 252, 294-299	6.6	5
276	Complementary and Alternative Medicine Use by U.S. Adults with Self-Reported Doctor-Diagnosed Arthritis: Results from the 2012 National Health Interview Survey. <i>PM and R</i> , 2019 , 11, 1059-1069	2.2	9

275	Is there a role for Western herbal medicine in treating cyclic perimenstrual pain and discomfort?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, 154-156	1.7	1
274	Prevalence and factors associated with the use of primary headache diagnostic criteria by chiropractors. <i>Chiropractic & Manual Therapies</i> , 2019 , 27, 33	1.8	3
273	Risk factors associated with intestinal permeability in an adult population: A systematic review. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13385	2.9	34
272	Prevalence and profile of Australian osteopaths treating older people. <i>Complementary Therapies in Medicine</i> , 2019 , 43, 125-130	3.5	3
271	Use of complementary medicine products: a nationally representative cross-sectional survey of 2019 Australian adults. <i>BMJ Open</i> , 2019 , 9, e024198	3	26
270	Maternal and perinatal outcomes by planned place of birth in Australia 2000 - 2012: a linked population data study. <i>BMJ Open</i> , 2019 , 9, e029192	3	10
269	Complementary and alternative medicine research in practice-based research networks: A critical review. <i>Complementary Therapies in Medicine</i> , 2019 , 43, 7-19	3.5	6
268	Generational differences in complementary medicine use in young Australian women: Repeated cross-sectional dataset analysis from the Australian longitudinal study on women's health. <i>Complementary Therapies in Medicine</i> , 2019 , 43, 66-72	3.5	5
267	Treating people with arthritis with traditional Chinese medicine (TCM): an examination of the perception of TCM practitioners. <i>Acupuncture in Medicine</i> , 2018 , 36, 228-239	1.9	4
266	A mixed methods analysis of experiences and expectations among early-career medical oncologists in Australia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018 , 14, e521-e527	1.9	3
265	Maternal and perinatal outcomes by planned place of birth among women with low-risk pregnancies in high-income countries: A systematic review and meta-analysis. <i>Midwifery</i> , 2018 , 62, 240-255	2.8	77
264	The health of working nurses: Hypertension prevalence, awareness, treatment and control by medication. <i>Journal of Nursing Management</i> , 2018 , 26, 403-410	4.9	1
263	Primary care practitioner perceptions and attitudes of complementary medicine: a content analysis of free-text responses from a survey of non-metropolitan Australian general practitioners. <i>Primary Health Care Research and Development</i> , 2018 , 19, 246-255	1.6	3
262	Associations between complementary medicine, satisfaction with body weight and shape, and the use of methods to lose or control weight: Results of a national survey of 8009 Australian women. <i>Complementary Therapies in Medicine</i> , 2018 , 36, 100-106	3.5	2
261	Western herbal medicine consultations for common menstrual problems; practitioner experiences and perceptions of treatment. <i>Phytotherapy Research</i> , 2018 , 32, 531-541	6.7	9
260	The Australian Complementary Medicine Workforce: A Profile of 1,306 Practitioners from the PRACI Study. <i>Journal of Alternative and Complementary Medicine</i> , 2018 , 24, 385-394	2.4	10
259	How are complementary health professions regulated in Australia? An examination of complementary health professions in the national registration and accreditation scheme. <i>Complementary Therapies in Medicine</i> , 2018 , 37, 6-12	3.5	4
258	The Effects of Twelve Weeks of Tai Chi Practice on Anxiety in Stressed But Healthy People Compared to Exercise and Wait-List Groups-A Randomized Controlled Trial. <i>Journal of Clinical Psychology</i> , 2018 , 74, 83-92	2.8	15

257	The Utilization of Health Services and Self-Care by Older Women With Sleeping Problems: Results From a Nationally Representative Sample of 9,110 Women. <i>Journal of Aging and Health</i> , 2018 , 30, 540-558	2.6	6
256	Special diets in modern America: Analysis of the 2012 National Health Interview Survey data. <i>Nutrition and Health</i> , 2018 , 24, 11-18	2.1	7
255	Lifestyle Health Behaviors of Nurses and Midwives: The 'Fit for the Future' Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	23
254	A workforce survey of Australian osteopathy: analysis of a nationally-representative sample of osteopaths from the Osteopathy Research and Innovation Network (ORION) project. <i>BMC Health Services Research</i> , 2018 , 18, 352	2.9	36
253	Global service learning and health systems strengthening: An integrative literature review. <i>Heliyon</i> , 2018 , 4, e00713	3.6	6
252	The Characteristics, Experiences and Perceptions of Registered Massage Therapists in New Zealand: Results from a National Survey of Practitioners. <i>International Journal of Therapeutic Massage & Bodywork</i> , 2018 , 11, 11-24	0.4	6
251	Changes in neonatal mortality and newborn health-care practices: descriptive data from the Bangladesh Demographic and Health Surveys 2011 and 2014. <i>WHO South-East Asia Journal of Public Health</i> , 2018 , 7, 43-50	2.3	2
250	Cyclic Perimenstrual Pain and Discomfort and Australian Women's Associated Use of Complementary and Alternative Medicine: A Longitudinal Study. <i>Journal of Womens Health</i> , 2018 , 27, 40-50	3	5
249	The Australian Medical Oncologist Workforce Survey: The profile and challenges of medical oncology. <i>Seminars in Oncology</i> , 2018 , 45, 284-290	5.5	4
248	Antimicrobial prescription patterns and ventilator associated pneumonia: findings from a 10-site prospective audit. <i>BMC Research Notes</i> , 2018 , 11, 769	2.3	2
247	Complementary medicine use in the Australian population: Results of a nationally-representative cross-sectional survey. <i>Scientific Reports</i> , 2018 , 8, 17325	4.9	68
246	Utilization of complementary and alternative medicine and conventional medicine for headache or migraine during pregnancy: A cross-sectional survey of 1,835 pregnant women. <i>Complementary Therapies in Medicine</i> , 2018 , 41, 192-195	3.5	6
245	Efficacy of acupuncture for lifestyle risk factors for stroke: A systematic review. <i>PLoS ONE</i> , 2018 , 13, e0206288	3.7	2
244	The management of common recurrent headaches by chiropractors: a descriptive analysis of a nationally representative survey. <i>BMC Neurology</i> , 2018 , 18, 171	3.1	5
243	Associations between complementary medicine utilisation and the use of contraceptive methods: Results of a national cross-sectional survey. <i>Complementary Therapies in Clinical Practice</i> , 2018 , 33, 100-108	3.5	108
242	Associations Between Cancer Screening Behavior and Complementary Medicine Use: Results of a National Cross-Sectional Survey of 9151 Australian Women. <i>Integrative Cancer Therapies</i> , 2018 , 17, 979-985	3	2
241	Prevalence and profile of Australian chiropractors treating athletes or sports people: A cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2018 , 39, 56-61	3.5	9
240	Tai chi and yoga in residential aged care: Perspectives of participants: A qualitative study. <i>Journal of Clinical Nursing</i> , 2018 , 27, 4390-4399	3.2	8

239	The influence of communication and information sources upon decision-making around complementary and alternative medicine use for back pain among Australian women aged 60-65 years. <i>Health and Social Care in the Community</i> , 2017 , 25, 114-122	2.6	8
238	Author Reply. <i>Urology</i> , 2017 , 99, 98-99	1.6	
237	A workforce survey of Australian chiropractic: the profile and practice features of a nationally representative sample of 2,005 chiropractors. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 14	4.7	47
236	The characteristics, experiences and perceptions of homeopaths in New Zealand: results from a national survey of practitioners. <i>Homeopathy</i> , 2017 , 106, 11-17	1.4	3
235	Prevalence and factors associated with the use of acupuncture and Chinese medicine: results of a nationally representative survey of 17161 Australian women. <i>Acupuncture in Medicine</i> , 2017 , 35, 189-199 ^{1.9}	1.9	8
234	Health care utilisation of women who experience pregnancy-related reflux, nausea and/or vomiting. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 1938-1943	2	
233	What impact does antenatal and postnatal care have on neonatal deaths in low- and lower-middle-income countries? Evidence from Bangladesh. <i>Health Care for Women International</i> , 2017 , 38, 848-860	1.5	6
232	The Prevalence, Patterns, and Predictors of Chiropractic Use Among US Adults: Results From the 2012 National Health Interview Survey. <i>Spine</i> , 2017 , 42, 1810-1816	3.3	10
231	Health care utilization among young Australian women with severe tiredness: Results from the Australian Longitudinal Study on Women's Health (ALSWH). <i>Health Care for Women International</i> , 2017 , 38, 983-995	1.5	1
230	Associations between yoga practice and joint problems: a cross-sectional survey among 9151 Australian women. <i>Rheumatology International</i> , 2017 , 37, 1145-1148	3.6	8
229	Health, workforce characteristics, quality of life and intention to leave: The 'Fit for the Future' survey of Australian nurses and midwives. <i>Journal of Advanced Nursing</i> , 2017 , 73, 2745-2756	3.1	29
228	Development of a Novel Questionnaire for the Traditional Chinese Medicine Pattern Diagnosis of Stress. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2017 , 10, 276-285	1.2	5
227	A critical review of manual therapy use for headache disorders: prevalence, profiles, motivations, communication and self-reported effectiveness. <i>BMC Neurology</i> , 2017 , 17, 61	3.1	27
226	Associations between complementary medicine utilization and influenza/pneumococcal vaccination: Results of a national cross-sectional survey of 9151 Australian women. <i>Preventive Medicine</i> , 2017 , 105, 184-189	4.3	3
225	The treatment of migraine patients within chiropractic: analysis of a nationally representative survey of 1869 chiropractors. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 519	4.7	7
224	Does nurses' role, health or symptoms influence their personal use of ingestible complementary and alternative medicines?. <i>Complementary Therapies in Medicine</i> , 2017 , 35, 39-46	3.5	1
223	Prevalence, patterns, and predictors of massage practitioner utilization: Results of a US nationally representative survey. <i>Musculoskeletal Science and Practice</i> , 2017 , 32, 31-37	2.4	56
222	Is the practice of yoga or meditation associated with a healthy lifestyle? Results of a national cross-sectional survey of 28,695 Australian women. <i>Journal of Psychosomatic Research</i> , 2017 , 101, 104-109 ^{4.1}	4.1	25

221	Efficacy of Tai Chi and qigong for the prevention of stroke and stroke risk factors: A systematic review with meta-analysis. <i>Medicine (United States)</i> , 2017 , 96, e8517	1.8	26
220	Prevalence and characteristics of Australian women aged 45 and older who consult acupuncturists for their osteoarthritis. <i>International Journal of Clinical Practice</i> , 2017 , 71, e13040	2.9	0
219	Substantial out-of-pocket expenditure on maternity care practitioner consultations and treatments during pregnancy: estimates from a nationally-representative sample of pregnant women in Australia. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 114	3.2	2
218	An Overview of the Practitioner Research and Collaboration Initiative (PRACI): a practice-based research network for complementary medicine. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 87	4.7	24
217	Complementary and Conventional Health-care Utilization Among Young Australian Women With Urinary Incontinence. <i>Urology</i> , 2017 , 99, 92-99	1.6	1
216	The Characteristics of Women Who Use Complementary Medicine While Attempting to Conceive: Results from a Nationally Representative Sample of 13,224 Australian Women. <i>Women's Health Issues</i> , 2017 , 27, 67-74	2.6	8
215	Associations between yoga/meditation use, body satisfaction, and weight management methods: Results of a national cross-sectional survey of 8009 Australian women. <i>Nutrition</i> , 2017 , 34, 58-64	4.8	17
214	A critical review of complementary and alternative medicine use among people with arthritis: a focus upon prevalence, cost, user profiles, motivation, decision-making, perceived benefits and communication. <i>Rheumatology International</i> , 2017 , 37, 337-351	3.6	27
213	'Mental health day' sickness absence amongst nurses and midwives: workplace, workforce, psychosocial and health characteristics. <i>Journal of Advanced Nursing</i> , 2017 , 73, 1172-1181	3.1	25
212	The personal cancer screening behaviours of nurses and midwives. <i>Journal of Advanced Nursing</i> , 2017 , 73, 1403-1420	3.1	7
211	Efficacy of Chinese herbal medicine for stroke modifiable risk factors: a systematic review. <i>Chinese Medicine</i> , 2017 , 12, 25	4.7	10
210	A cross-sectional examination of the profile of chiropractors recruited to the Australian Chiropractic Research Network (ACORN): a sustainable resource for future chiropractic research. <i>BMJ Open</i> , 2017 , 7, e015830	3	19
209	Complementary and Alternative Medicine Use Among US Adults With Headache or Migraine: Results from the 2012 National Health Interview Survey. <i>Headache</i> , 2017 , 57, 1228-1242	4.2	27
208	A cross-sectional analysis of traditional medicine use for malaria alongside free antimalarial drugs treatment amongst adults in high-risk malaria endemic provinces of Indonesia. <i>PLoS ONE</i> , 2017 , 12, e0173522	2.7	15
207	Comparison of Health Information Technology Use Between American Adults With and Without Chronic Health Conditions: Findings From The National Health Interview Survey 2012. <i>Journal of Medical Internet Research</i> , 2017 , 19, e335	7.6	29
206	Long-term outcomes from Healthy Eating and Exercise Lifestyle Program for overweight people with heart disease and diabetes. <i>European Journal of Cardiovascular Nursing</i> , 2016 , 15, 91-9	3.3	14
205	The use of conventional and complementary health services and self-prescribed treatments amongst young women with constipation: An Australian national cohort study. <i>Digestive and Liver Disease</i> , 2016 , 48, 1308-1313	3.3	5
204	Healthcare practitioner utilisation for back pain, neck pain and/or pelvic pain during pregnancy: an analysis of 1835 pregnant women in Australia. <i>International Journal of Clinical Practice</i> , 2016 , 70, 825-831	2.9	5

203	The use of complementary and alternative medicine by 7427 Australian women with cyclic perimenstrual pain and discomfort: a cross-sectional study. <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 129	4.7	91
202	Workforce Interventions to Deliver Postnatal Care to Improve Neonatal Outcomes in Low- and Lower-Middle-Income Countries: A Narrative Synthesis. <i>Asia-Pacific Journal of Public Health</i> , 2016 , 28, 659-681	2	3
201	Does Australia's Health Policy Environment Create Unintended Outcomes for Birthing Women?. <i>Birth</i> , 2016 , 43, 273-276	3.1	3
200	Severity of back pain may influence choice and order of practitioner consultations across conventional, allied and complementary health care: a cross-sectional study of 1851 mid-age Australian women. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 393	2.8	11
199	Predictors of warfarin non-adherence in younger adults after valve replacement surgery in the South Pacific. <i>Heart Asia</i> , 2016 , 8, 18-23	1.9	11
198	Is there an association between women's consultations with a massage therapist and health-related quality of life? Analyses of 1800 women aged 56-61 years. <i>Journal of Bodywork and Movement Therapies</i> , 2016 , 20, 734-739	1.6	0
197	Prevalence and characteristics of Australian women who use prayer or spiritual healing: A nationally representative cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2016 , 27, 35-42	3.5	3
196	Health-care utilisation amongst pregnant women who experience sleeping problems and/or tiredness or fatigue: secondary analysis of a cross-sectional survey of 1835 pregnant women. <i>Sleep and Breathing</i> , 2016 , 20, 355-62	3.1	5
195	Zinc supplementation for improving glucose handling in pre-diabetes: A double blind randomized placebo controlled pilot study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 115, 39-46	7.4	55
194	Prevalence and characteristics of women who consult with osteopathic practitioners during pregnancy; a report from the Australian Longitudinal Study on Women's Health (ALSWH). <i>Journal of Bodywork and Movement Therapies</i> , 2016 , 20, 168-172	1.6	6
193	What impact do essential newborn care practices have on neonatal mortality in low and lower-middle income countries? Evidence from Bangladesh. <i>Journal of Perinatology</i> , 2016 , 36, 225-30	3.1	17
192	The association between regular yoga and meditation practice and falls and injuries: Results of a national cross-sectional survey among Australian women. <i>Maturitas</i> , 2016 , 84, 38-41	5	3
191	Healthcare utilisation of pregnant women who experience sciatica, leg cramps and/or varicose veins: A cross-sectional survey of 1835 pregnant women. <i>Women and Birth</i> , 2016 , 29, 35-40	3.3	9
190	Acute heart failure admissions in New South Wales and the Australian Capital Territory: the NSW HF Snapshot Study. <i>Medical Journal of Australia</i> , 2016 , 204, 113.e1-8	4	27
189	A Qualitative Study of Medical Oncologists' Experiences of Their Profession and Workforce Sustainability. <i>PLoS ONE</i> , 2016 , 11, e0166302	3.7	10
188	Is Health Practitioner Regulation Keeping Pace with the Changing Practitioner and Health-Care Landscape? An Australian Perspective. <i>Frontiers in Public Health</i> , 2016 , 4, 91	6	7
187	A critical review of complementary and alternative medicine use by women with cyclic perimenstrual pain and discomfort: a focus upon prevalence, patterns and applications of use and users' motivations, information seeking and self-perceived efficacy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 861-71	3.8	14
186	Longitudinal analysis of associations between women's consultations with complementary and alternative medicine practitioners/use of self-prescribed complementary and alternative medicine and menopause-related symptoms, 2007-2010. <i>Menopause</i> , 2016 , 23, 74-80	2.5	7

185	Diet quality and six-year risk of overweight and obesity among mid-age Australian women who were initially in the healthy weight range. <i>Health Promotion Journal of Australia</i> , 2016 , 27, 29-35	1.7	5
184	Does nurses' health affect their intention to remain in their current position?. <i>Journal of Nursing Management</i> , 2016 , 24, 1088-1097	4.9	31
183	The effectiveness of complementary manual therapies for pregnancy-related back and pelvic pain: A systematic review with meta-analysis. <i>Medicine (United States)</i> , 2016 , 95, e4723	1.8	32
182	Complementary and alternative medicine practitioner use prior to pregnancy predicts use during pregnancy. <i>Women and Health</i> , 2016 , 56, 926-39	1.7	5
181	Prevalence of Glucosamine and Omega-3 Fatty Acid Use and Characteristics of Users among Mid-Age Women: Analysis of a Nationally Representative Sample of 10,638 Women. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 637-44	5.2	6
180	The characteristics of women who use hypnotherapy for intrapartum pain management: Preliminary insights from a nationally-representative sample of Australian women. <i>Complementary Therapies in Medicine</i> , 2016 , 25, 67-70	3.5	4
179	Hypertension: What are the self-care and health-care-seeking behaviours in women over time?. <i>Journal of Human Hypertension</i> , 2016 , 30, 783-787	2.6	2
178	Establishing the ACORN National Practitioner Database: Strategies to Recruit Practitioners to a National Practice-Based Research Network. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2016 , 39, 594-602	1.3	19
177	Is energy healing an effective non-pharmacological therapy for improving symptom management of chronic illnesses? A systematic review. <i>Complementary Therapies in Clinical Practice</i> , 2016 , 25, 26-41	3.5	13
176	The determinants of essential newborn care for home births in Bangladesh. <i>Public Health</i> , 2016 , 141, 7-16	4	7
175	Complementary and alternative medicine use for constipation: a critical review focusing upon prevalence, type, cost, and users' profile, perception and motivations. <i>International Journal of Clinical Practice</i> , 2016 , 70, 712-22	2.9	5
174	Identification of diabetes, heart disease, hypertension and stroke in mid- and older-aged women: Comparing self-report and administrative hospital data records. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 95-102	2.9	41
173	Diet Quality and Weight Change in Adults Over Time: A Systematic Review of Cohort Studies. <i>Current Nutrition Reports</i> , 2015 , 4, 88-101	6	15
172	Use of Complementary and Alternative Medicine in Women With Heart Disease, Hypertension and Diabetes (from the Australian Longitudinal Study on Women's Health). <i>American Journal of Cardiology</i> , 2015 , 115, 1691-5	3	12
171	Unsaturated fat intakes and mental health outcomes in young women from the Australian Longitudinal Study on Women's Health. <i>Public Health Nutrition</i> , 2015 , 18, 546-53	3.3	12
170	An integrative review of complementary and alternative medicine use for back pain: a focus on prevalence, reasons for use, influential factors, self-perceived effectiveness, and communication. <i>Spine Journal</i> , 2015 , 15, 1870-83	4	48
169	Composite outcome measures in a pragmatic clinical trial of chronic heart failure management: A comparative assessment. <i>International Journal of Cardiology</i> , 2015 , 185, 62-8	3.2	10
168	A critical review of traditional medicine and traditional healer use for malaria and among people in malaria-endemic areas: contemporary research in low to middle-income Asia-Pacific countries. <i>Malaria Journal</i> , 2015 , 14, 98	3.6	17

167	Helping address the national research and research capacity needs of Australian chiropractic: introducing the Australian Chiropractic Research Network (ACORN) project. <i>Chiropractic & Manual Therapies</i> , 2015 , 23, 12	1.8	16
166	Use of Traditional Indigenous Medicine and Complementary Medicine Among Indigenous Cancer Patients in Queensland, Australia. <i>Integrative Cancer Therapies</i> , 2015 , 14, 359-65	3	11
165	Association between consultations with complementary/alternative medicine practitioners and menopause-related symptoms: a cross-sectional study. <i>Climacteric</i> , 2015 , 18, 551-8	3.1	3
164	Association between use of self-prescribed complementary and alternative medicine and menopause-related symptoms: a cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2015 , 23, 666-73	3.5	5
163	The characteristics of women who birth at home, in a birth centre or in a hospital labour ward: A study of a nationally-representative sample of 1835 pregnant women. <i>Sexual and Reproductive Healthcare</i> , 2015 , 6, 132-7	2.4	5
162	Characteristics of women who practice yoga in different locations during pregnancy. <i>BMJ Open</i> , 2015 , 5, e008641	3	3
161	The outcomes of complementary and alternative medicine use among pregnant and birthing women: current trends and future directions. <i>Women's Health</i> , 2015 , 11, 309-23	3	7
160	Health-related quality of life of patients after mechanical valve replacement surgery: an integrative review. <i>European Journal of Cardiovascular Nursing</i> , 2015 , 14, 16-25	3.3	6
159	Are traditional Thai therapies better than conventional treatment for stroke rehabilitation? A quasi-experimental study. <i>European Journal of Integrative Medicine</i> , 2015 , 7, 16-22	1.7	1
158	Managing the pain of labour: factors associated with the use of labour pain management for pregnant Australian women. <i>Health Expectations</i> , 2015 , 18, 1633-44	3.7	4
157	Incidence of ventilator-associated pneumonia in Australasian intensive care units: use of a consensus-developed clinical surveillance checklist in a multisite prospective audit. <i>BMJ Open</i> , 2015 , 5, e008924	3	13
156	A longitudinal analysis of self-prescribed complementary and alternative medicine use by a nationally representative sample of 19,783 Australian women, 2006-2010. <i>Complementary Therapies in Medicine</i> , 2015 , 23, 699-704	3.5	7
155	Women's use of herbal and alternative medicines for preconception care. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015 , 55, 222-6	1.7	9
154	Suffering, recognition and reframing: Healthcare choices and plural care pathways for women with chronic back pain. <i>Current Sociology</i> , 2015 , 63, 652-668	1.7	6
153	Differences between Male and Female Consumers of Complementary and Alternative Medicine in a National US Population: A Secondary Analysis of 2012 NIHS Data. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 413173	2.3	21
152	Women's Use and Self-Prescription of Herbal Medicine during Pregnancy: An Examination of 1,835 Pregnant Women. <i>Women's Health Issues</i> , 2015 , 25, 396-402	2.6	39
151	The characteristics, experiences and perceptions of naturopathic and herbal medicine practitioners: results from a national survey in New Zealand. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 114	4.7	15
150	Back pain sufferers' attitudes toward consultations with CAM practitioners and self-prescribed CAM products: A study of a nationally representative sample of 1310 Australian women aged 60-65 years. <i>Complementary Therapies in Medicine</i> , 2015 , 23, 782-8	3.5	3

149	Prayer or spiritual healing as adjuncts to conventional care: a cross sectional analysis of prevalence and characteristics of use among women. <i>BMJ Open</i> , 2015 , 5, e007345	3	9
148	The use of <i>Benincasa hispida</i> for the treatment of uninvestigated dyspepsia: Preliminary results of a non-randomised open label pilot clinical trial. <i>Advances in Integrative Medicine</i> , 2015 , 2, 130-134	1.6	1
147	Research challenges for a complementary medicine higher education institution: Results from an organisational climate survey. <i>European Journal of Integrative Medicine</i> , 2015 , 7, 442-449	1.7	7
146	Use of pharmacological and non-pharmacological labour pain management techniques and their relationship to maternal and infant birth outcomes: examination of a nationally representative sample of 1835 pregnant women. <i>Midwifery</i> , 2015 , 31, 458-63	2.8	30
145	"Just get on with it": qualitative insights of coming to terms with a deteriorating body for older women with osteoarthritis. <i>PLoS ONE</i> , 2015 , 10, e0120507	3.7	10
144	Descriptive epidemiology of infectious gastrointestinal illnesses in Sydney, Australia, 2007-2010. <i>Western Pacific Surveillance and Response Journal: WPSAR</i> , 2015 , 6, 7-16	1	13
143	Majority of women are influenced by nonprofessional information sources when deciding to consult a complementary and alternative medicine practitioner during pregnancy. <i>Journal of Alternative and Complementary Medicine</i> , 2014 , 20, 571-7	2.4	34
142	Complementary/alternative and conventional medicine use amongst menopausal women: results from the Australian Longitudinal Study on Women's Health. <i>Maturitas</i> , 2014 , 79, 340-2	5	15
141	Birthplace in New South Wales, Australia: an analysis of perinatal outcomes using routinely collected data. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 206	3.2	44
140	The interface with naturopathy in rural primary health care: a survey of referral practices of general practitioners in rural and regional New South Wales, Australia. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 238	4.7	13
139	Consultations with complementary and alternative medicine practitioners amongst wider care options for back pain: a study of a nationally representative sample of 1,310 Australian women aged 60-65 years. <i>Clinical Rheumatology</i> , 2014 , 33, 253-62	3.9	20
138	A qualitative study of influences on older women's practitioner choices for back pain care. <i>BMC Health Services Research</i> , 2014 , 14, 131	2.9	21
137	Worsening renal function in heart failure: the need for a consensus definition. <i>International Journal of Cardiology</i> , 2014 , 174, 484-91	3.2	20
136	Self-prescribed complementary and alternative medicine use for back pain amongst a range of care options: results from a nationally representative sample of 1310 women aged 60-65 years. <i>Complementary Therapies in Medicine</i> , 2014 , 22, 133-40	3.5	13
135	Relationship between complementary and alternative medicine use and incidence of adverse birth outcomes: an examination of a nationally representative sample of 1835 Australian women. <i>Midwifery</i> , 2014 , 30, 1157-65	2.8	19
134	Complementary and alternative medicine for victims of intimate partner abuse: a systematic review of use and efficacy. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014 , 2014, 963967	2.3	1
133	The characteristics of women using different forms of botanical medicines to manage pregnancy-related health conditions: A preliminary cross-sectional analysis. <i>Advances in Integrative Medicine</i> , 2014 , 1, 138-143	1.6	0
132	My health, my responsibility? Complementary medicine and self (health) care. <i>Journal of Sociology</i> , 2014 , 50, 515-530	2	18

131	The influence of tai chi and yoga on balance and falls in a residential care setting: A randomised controlled trial. <i>Contemporary Nurse</i> , 2014 , 48, 76-87	1.5	44
130	Determinants of women consulting with a complementary and alternative medicine practitioner for pregnancy-related health conditions. <i>Women and Health</i> , 2014 , 54, 127-44	1.7	22
129	Health-related factors associated with participation in creative hobbies by Australian women aged in their eighties. <i>Arts and Health</i> , 2014 , 6, 132-142	1.7	5
128	The influence of complementary and alternative medicine use in pregnancy on labor pain management choices: results from a nationally representative sample of 1,835 women. <i>Journal of Alternative and Complementary Medicine</i> , 2014 , 20, 87-97	2.4	20
127	Developing a multi-modality complementary medicine practice-based research network: The PRACI project. <i>Advances in Integrative Medicine</i> , 2014 , 1, 113-118	1.6	15
126	Critical review of complementary and alternative medicine use in menopause: focus on prevalence, motivation, decision-making, and communication. <i>Menopause</i> , 2014 , 21, 536-48	2.5	41
125	Health-related quality of life of patients after mechanical valve replacement surgery for rheumatic heart disease in a developing country. <i>Heart Asia</i> , 2014 , 6, 172-8	1.9	4
124	Networks of knowledge or just old wives' tales?: A diary-based analysis of women's self-care practices and everyday lay expertise. <i>Health (United Kingdom)</i> , 2014 , 18, 335-51	1.9	12
123	A critical review of traditional Chinese medicine use amongst women with menopausal symptoms. <i>Climacteric</i> , 2014 , 17, 635-44	3.1	10
122	Protocol: the effect of 12 weeks of Tai Chi practice on anxiety in healthy but stressed people compared to exercise and wait-list comparison groups: a randomized controlled trial. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2014 , 7, 159-65	1.2	9
121	Short- and long-term outcomes after valve replacement surgery for rheumatic heart disease in the South Pacific, conducted by a fly-in/fly-out humanitarian surgical team: a 20-year retrospective study for the years 1991 to 2011. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 1996-2003	1.5	15
120	The self-prescribed use of aromatherapy oils by pregnant women. <i>Women and Birth</i> , 2014 , 27, 41-5	3.3	11
119	Referral to yoga therapists in rural primary health care: A survey of general practitioners in rural and regional New South Wales, Australia. <i>International Journal of Yoga</i> , 2014 , 7, 9-16	1.6	7
118	The influence of tai chi and yoga on balance and falls in a residential care setting: A randomised controlled trial. <i>Contemporary Nurse</i> , 2014 , 48, 76-87	1.5	15
117	Referral to Chinese medicine practitioners in Australian primary care: a survey of New South Wales rural and regional general practitioners. <i>Chinese Medicine</i> , 2013 , 8, 8	4.7	12
116	The influence of perceived stress on the onset of arthritis in women: findings from the Australian Longitudinal Study on women's health. <i>Annals of Behavioral Medicine</i> , 2013 , 46, 9-18	4.5	32
115	Referral to massage therapy in primary health care: a survey of medical general practitioners in rural and regional New South Wales, Australia. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2013 , 36, 595-603	1.3	8
114	A national cross-sectional survey of back pain care amongst Australian women aged 60-85. <i>European Journal of Integrative Medicine</i> , 2013 , 5, 36-43	1.7	11

113	Is dietary zinc protective for type 2 diabetes? Results from the Australian longitudinal study on women's health. <i>BMC Endocrine Disorders</i> , 2013 , 13, 40	3.3	35
112	The Australian Recommended Food Score did not predict weight gain in middle-aged Australian women during six years of follow-up. <i>Australian and New Zealand Journal of Public Health</i> , 2013 , 37, 322-8	3.3	14
111	The profile of women who consult midwives in Australia. <i>Women and Birth</i> , 2013 , 26, 240-5	3.3	5
110	Rurality, mobility, identity: women's use of complementary and alternative medicine in rural Australia. <i>Health and Place</i> , 2013 , 20, 75-80	4.6	9
109	Purpose and pleasure in late life: Conceptualising older women's participation in art and craft activities. <i>Journal of Aging Studies</i> , 2013 , 27, 330-8	2.2	26
108	Complementary and alternative medicine consultations in urban and nonurban areas: a national survey of 1427 Australian women. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2013 , 36, 12-9	1.3	23
107	Tyrosine supplementation as an adjunct treatment in anorexia nervosa: a noradrenergic repletion hypothesis. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013 , 1, 161-168		3
106	Well-being outcomes of chiropractic intervention for lower back pain: a systematic review. <i>Clinical Rheumatology</i> , 2013 , 32, 167-80	3.9	12
105	Homeopathy in rural Australian primary health care: a survey of general practitioner referral and practice in rural and regional New South Wales, Australia. <i>Homeopathy</i> , 2013 , 102, 199-206	1.4	4
104	{Omega}-3 fatty acid supplement use in the 45 and Up Study Cohort. <i>BMJ Open</i> , 2013 , 3,	3	12
103	Acupuncture in Australian general practice: trends in reimbursed acupuncture services from 1995 to 2011. <i>Acupuncture in Medicine</i> , 2013 , 31, 45-50	1.9	18
102	Acupuncture referrals in rural primary healthcare: a survey of general practitioners in rural and regional New South Wales, Australia. <i>Acupuncture in Medicine</i> , 2013 , 31, 375-82	1.9	11
101	Bodies of knowledge: nature, holism and women's plural health practices. <i>Health (United Kingdom)</i> , 2013 , 17, 300-18	1.9	15
100	A preliminary profile of Australian women accessing doula care: findings from the Australian Longitudinal Study on Women's Health. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 589-92	1.7	3
99	Prevalence and determinants of complementary and alternative medicine use during pregnancy: results from a nationally representative sample of Australian pregnant women. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 347-52	1.7	94
98	The prevalence and determinants of Chinese medicine use by Australian women: analysis of a cohort of 10,287 women aged 56-61 years. <i>The American Journal of Chinese Medicine</i> , 2013 , 41, 281-91	6	6
97	Providing general practice needs-based care for carers of people with advanced cancer: a randomised controlled trial. <i>British Journal of General Practice</i> , 2013 , 63, e683-90	1.6	21
96	Predictors of Complementary and Alternative Medicine (CAM) use in two cohorts of Australian women. <i>International Psychogeriatrics</i> , 2013 , 25, 168-70	3.4	

95	Health care utilisation and out-of-pocket expenditure associated with back pain: a nationally representative survey of Australian women. <i>PLoS ONE</i> , 2013 , 8, e83559	3.7	16
94	Diet quality, measured by fruit and vegetable intake, predicts weight change in young women. <i>Journal of Obesity</i> , 2013 , 2013, 525161	3.7	67
93	The value of care provided by student doulas: an examination of the perceptions of women in their care. <i>Journal of Perinatal Education</i> , 2013 , 22, 39-48	0.7	6
92	The Association Between Diet Quality and Weight Change in Adults Over Time: A Systematic Review of Prospective Cohort Studies 2013 , 3-27		9
91	Sex differences in the use of complementary and alternative medicine in older men and women. <i>Australasian Journal on Ageing</i> , 2012 , 31, 78-82	1.5	9
90	Painting pictures and playing musical instruments: change in participation and relationship to health in older women. <i>Australasian Journal on Ageing</i> , 2012 , 31, 218-21	1.5	7
89	Higher unprocessed red meat, chicken and fish intake is associated with a higher vegetable intake in mid-age non-vegetarian women. <i>Nutrition and Dietetics</i> , 2012 , 69, 293-299	2.5	3
88	Improving outcomes for people with progressive cancer: interrupted time series trial of a needs assessment intervention. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 569-81	4.8	33
87	The relative importance of psychosocial factors in arthritis: findings from 10,509 Australian women. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 251-6	4.1	9
86	Back pain amongst mid-age Australian women: a longitudinal analysis of provider use and self-prescribed treatments. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 275-82	3.5	20
85	Health service use among persons with self-reported depression: a longitudinal analysis of 7,164 women. <i>Archives of Psychiatric Nursing</i> , 2012 , 26, 181-91	2.1	20
84	Evaluating the impact of cancer on complementary and alternative medicine use, distress and health related QoL among Australian women: a prospective longitudinal investigation. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 61-9	3.5	18
83	Health services use among young Australian women with allergies, hayfever and sinusitis: a longitudinal analysis. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 135-42	3.5	5
82	Utilisation of complementary and alternative medicine (CAM) practitioners within maternity care provision: results from a nationally representative cohort study of 1,835 pregnant women. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 146	3.2	64
81	Use of complementary and alternative medicine by mid-age women with back pain: a national cross-sectional survey. <i>BMC Complementary and Alternative Medicine</i> , 2012 , 12, 98	4.7	27
80	Who uses glucosamine and why? A study of 266,848 Australians aged 45 years and older. <i>PLoS ONE</i> , 2012 , 7, e41540	3.7	20
79	Implications of a needs assessment intervention for people with progressive cancer: impact on clinical assessment, response and service utilisation. <i>Psycho-Oncology</i> , 2012 , 21, 550-7	3.9	17
78	Rehabilitation of stroke patients using traditional Thai massage, herbal treatments and physical therapies. <i>Zhong Xi Yi Jie He Xue Bao</i> , 2012 , 10, 743-50		6

77	Women's use of complementary and alternative medicine during pregnancy: A critical review of the literature 2012 , 35-43		
76	Utilizing existing data sets to investigate complementary and alternative medicine consumption: Cohort studies and longitudinal analyses 2012 , 26-32		
75	Research capacity building in traditional, complementary and integrative medicine: Grassroots action towards a broader vision 2012 , 275-281		4
74	Influence of contextual and individual level risk factors on adiposity in a preschool child cohort in Ho Chi Minh City, Vietnam. <i>Pediatric Obesity</i> , 2011 , 6, e487-500		9
73	Health service utilisation by pregnant women over a seven-year period. <i>Midwifery</i> , 2011 , 27, 474-6	2.8	12
72	Distribution of complementary and alternative medicine (CAM) providers in rural New South Wales, Australia: a step towards explaining high CAM use in rural health?. <i>Australian Journal of Rural Health</i> , 2011 , 19, 197-204	1.3	55
71	Attitudes and referral practices of maternity care professionals with regard to complementary and alternative medicine: an integrative review. <i>Journal of Advanced Nursing</i> , 2011 , 67, 472-83	3.1	47
70	The use of complementary and alternative medicine during pregnancy: a longitudinal study of Australian women. <i>Birth</i> , 2011 , 38, 200-6	3.1	50
69	The urban-rural divide in complementary and alternative medicine use: a longitudinal study of 10,638 women. <i>BMC Complementary and Alternative Medicine</i> , 2011 , 11, 2	4.7	45
68	A comparison of complementary and alternative medicine users and use across geographical areas: a national survey of 1,427 women. <i>BMC Complementary and Alternative Medicine</i> , 2011 , 11, 85	4.7	45
67	A longitudinal analysis of complementary and alternative medicine use by a representative cohort of young Australian women with asthma, 1996-2006. <i>Journal of Asthma</i> , 2011 , 48, 380-6	1.9	7
66	The prevalence and characteristics of young and mid-age women who use yoga and meditation: results of a nationally representative survey of 19,209 Australian women. <i>Complementary Therapies in Medicine</i> , 2011 , 19, 71-7	3.5	26
65	Mid-age women's consultations with acupuncturists: a longitudinal analysis of 11,200 women, 2001-2007. <i>Journal of Alternative and Complementary Medicine</i> , 2011 , 17, 735-40	2.4	9
64	Developing and promoting public health methods for integrative medicine: examples from the field in Australia. <i>Zhong Xi Yi Jie He Xue Bao</i> , 2011 , 9, 233-6		1
63	The association between diet quality and weight change in adults over time: A systematic review of studies with follow up. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2011 , 9, 1-9	1.6	
62	Older Australian women's use of dentists: a longitudinal analysis over 6 years. <i>Australasian Journal on Ageing</i> , 2010 , 29, 14-20	1.5	6
61	Complementary and alternative medicine practitioner consultations among those who have or have had cancer in a Norwegian total population (Nord-Trøndelag Health Study): prevalence, socio-demographics and health perceptions. <i>European Journal of Cancer Care</i> , 2010 , 19, 346-51	2.4	11
60	Validity and reliability of an FFQ for use with adolescents in Ho Chi Minh City, Vietnam. <i>Public Health Nutrition</i> , 2010 , 13, 368-75	3.3	29

59	Volunteering and older women: psychosocial and health predictors of participation. <i>Aging and Mental Health</i> , 2010 , 14, 917-27	3.5	36
58	The use of traditional, complementary and alternative medicine in Sri Lankan cancer care: results from a survey of 500 cancer patients. <i>Public Health</i> , 2010 , 124, 232-7	4	31
57	Validity, reliability and clinical feasibility of a Needs Assessment Tool for people with progressive cancer. <i>Psycho-Oncology</i> , 2010 , 19, 726-33	3.9	38
56	Back pain amongst 8,910 young Australian women: a longitudinal analysis of the use of conventional providers, complementary and alternative medicine (CAM) practitioners and self-prescribed CAM. <i>Clinical Rheumatology</i> , 2010 , 29, 25-32	3.9	26
55	Factors associated with adolescent overweight/obesity in Ho Chi Minh city. <i>Pediatric Obesity</i> , 2010 , 5, 396-403		35
54	Facilitating needs based cancer care for people with a chronic disease: Evaluation of an intervention using a multi-centre interrupted time series design. <i>BMC Palliative Care</i> , 2010 , 9, 2	3	19
53	A GP Caregiver Needs Toolkit versus usual care in the management of the needs of caregivers of patients with advanced cancer: a randomized controlled trial. <i>Trials</i> , 2010 , 11, 115	2.8	16
52	Dietary habits and overweight/obesity in adolescents in Xi'an City, China. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2010 , 19, 76-82	1	38
51	Trends in overweight and obesity in pre-school children in urban areas of Ho Chi Minh City, Vietnam, from 2002 to 2005. <i>Public Health Nutrition</i> , 2009 , 12, 702-9	3.3	13
50	The relationship between psychiatric illnesses and skin disease: a longitudinal analysis of young Australian women. <i>Archives of Dermatology</i> , 2009 , 145, 896-902		8
49	Weight catch-up and achieved schooling at 18 years of age in Brazilian males. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 369-74	5.2	17
48	Women's use of complementary and alternative medicine during pregnancy: a critical review of the literature. <i>Birth</i> , 2009 , 36, 237-45	3.1	148
47	Reproducibility and comparative validity of a food frequency questionnaire for Australian children and adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 62	8.4	145
46	Factors associated with physical inactivity in adolescents in Ho Chi Minh City, Vietnam. <i>Medicine and Science in Sports and Exercise</i> , 2009 , 41, 1374-83	1.2	32
45	A longitudinal analysis of older Australian women's consultations with complementary and alternative medicine (CAM) practitioners, 1996-2005. <i>Age and Ageing</i> , 2009 , 38, 93-9	3	25
44	Living with urinary incontinence: a longitudinal study of older women. <i>Age and Ageing</i> , 2009 , 38, 333-8; discussion 251	3	44
43	Factors associated with adolescents' overweight and obesity at community, school and household levels in Xi'an City, China: results of hierarchical analysis. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 635-43	5.2	38
42	Effects of occupational violence on Australian general practitioners' provision of home visits and after-hours care: a cross-sectional study. <i>Journal of Evaluation in Clinical Practice</i> , 2008 , 14, 336-42	2.5	18

41	Energy and macronutrient intakes in preschool children in urban areas of Ho Chi Minh City, Vietnam. <i>BMC Pediatrics</i> , 2008 , 8, 44	2.6	11
40	An examination of the clinical practices and perceptions of professional herbalists providing patient care concurrently with conventional medical practice in Australia. <i>Complementary Therapies in Medicine</i> , 2008 , 16, 228-32	3.5	14
39	No association between previous Caesarean-section delivery and back pain in mid-aged Australian women: an observational study. <i>Australian Journal of Physiotherapy</i> , 2008 , 54, 269-72		3
38	Socio-demographic characteristics and health perceptions among male and female visitors to CAM practitioners in a total population study. <i>Research in Complementary Medicine</i> , 2008 , 15, 146-51		18
37	Psychosocial assessment of expectant fathers. <i>Archives of Womens Mental Health</i> , 2008 , 11, 27-32	5	18
36	The profiles of adults who consult alternative health practitioners and/or general practitioners. <i>Scandinavian Journal of Primary Health Care</i> , 2007 , 25, 86-92	2.7	30
35	Prevalence and characteristics of older Australian women who consult dentists. <i>Australian Journal of Rural Health</i> , 2007 , 15, 387-8	1.3	1
34	Weight gain in childhood and body composition at 18 years of age in Brazilian males. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 96, 296-300	3.1	53
33	Prevalence of overweight and obesity in preschool children and associated socio-demographic factors in Ho Chi Minh City, Vietnam. <i>Pediatric Obesity</i> , 2007 , 2, 40-50		39
32	Overweight and obesity are rapidly emerging among adolescents in Ho Chi Minh City, Vietnam, 2002-2004. <i>Pediatric Obesity</i> , 2007 , 2, 194-201		29
31	Vibrotactile threshold measurement for detecting peripheral neuropathy: defining variability and a normal range for clinical and research use. <i>Diabetologia</i> , 2007 , 50, 2305-12	10.3	31
30	The characteristics of middle aged Australian women who consult acupuncturists. <i>Acupuncture in Medicine</i> , 2007 , 25, 22-8	1.9	8
29	Factors associated with decline in physical functional health in a cohort of older women. <i>Age and Ageing</i> , 2007 , 36, 382-8	3	19
28	Consultations with a naturopath or herbalist: the prevalence of use and profile of users amongst mid-aged women in Australia. <i>Public Health</i> , 2007 , 121, 954-7	4	16
27	Is there an association between the use of oral contraception and depressive symptoms in young Australian women?. <i>Contraception</i> , 2007 , 75, 27-31	2.5	54
26	An examination of the prescription and dispensing of medicines by Western herbal therapists: a national survey in Australia. <i>Complementary Therapies in Medicine</i> , 2007 , 15, 13-20	3.5	19
25	Physical activity and sedentary behavior in adolescents in Xi'an City, China. <i>Journal of Adolescent Health</i> , 2007 , 41, 99-101	5.8	26
24	An assessment of adolescent overweight and obesity in Xi'an City, China. <i>Pediatric Obesity</i> , 2006 , 1, 50-8		15

23	A profile of middle-aged women who consult a chiropractor or osteopath: findings from a survey of 11,143 Australian women. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2006 , 29, 349-53	1.3	24
22	Emergency department performance indicators that encompass the patient journey. <i>Quality Management in Health Care</i> , 2006 , 15, 27-38	1	13
21	Transforming the SF-36 to account for death in longitudinal studies with three-year follow-up. <i>Medical Care</i> , 2006 , 44, 956-9	3.1	5
20	Factors associated with adolescents' physical inactivity in Xi'an City, China. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 2075-85	1.2	48
19	Naturopathy/herbalism consultations by mid-aged Australian women who have cancer. <i>European Journal of Cancer Care</i> , 2005 , 14, 443-7	2.4	27
18	Estimating the prevalence of urinary and faecal incontinence in Australia: systematic review. <i>Australasian Journal on Ageing</i> , 2005 , 24, 19-27	1.5	31
17	Experiences of occupational violence in Australian urban general practice: a cross-sectional study of GPs. <i>Medical Journal of Australia</i> , 2005 , 183, 352-6	4	53
16	The use of complementary and alternative therapies by patients with cancer. <i>Oncology Research</i> , 2005 , 15, 281-9	4.8	35
15	Antioxidant restriction and oxidative stress in short-duration exhaustive exercise. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 63-71	1.2	88
14	A longitudinal analysis of mid-age women's use of complementary and alternative medicine (CAM) in Australia, 1996-1998. <i>Women and Health</i> , 2004 , 40, 41-56	1.7	33
13	Generating pre-test probabilities: a neglected area in clinical decision making. <i>Medical Journal of Australia</i> , 2004 , 180, 449-54	4	25
12	Alprazolam is relatively more toxic than other benzodiazepines in overdose. <i>British Journal of Clinical Pharmacology</i> , 2004 , 58, 88-95	3.8	76
11	Developing a decision tree algorithm for the diagnosis of suspected spider bites. <i>EMA - Emergency Medicine Australasia</i> , 2004 , 16, 161-6	1.5	6
10	The effective use of a summary table and decision tree methodology to analyze very large healthcare datasets. <i>Health Care Management Science</i> , 2004 , 7, 163-71	4	9
9	Researching the Utilisation of Complementary and Alternative Medicine. <i>Evidence - Based Integrative Medicine</i> , 2004 , 1, 169-172		4
8	Aspiration pneumonitis in an overdose population: frequency, predictors, and outcomes. <i>Critical Care Medicine</i> , 2004 , 32, 88-93	1.4	82
7	Sphygmomanometers--an audit in general practice. <i>Australian Family Physician</i> , 2004 , 33, 952-4		2
6	The use of herbal medicines for the treatment of menopausal symptoms. A pilot study of women attending general practice. <i>Australian Family Physician</i> , 2004 , 33, 955-6		1

5	The profile of women who consult alternative health practitioners in Australia. <i>Medical Journal of Australia</i> , 2003 , 179, 297-300	4	109
4	Complementary and alternative medicine (CAM) use among elderly Australian women who have cancer. <i>Supportive Care in Cancer</i> , 2003 , 11, 548-50	3.9	25
3	Exploring the relationship between women's health and the use of complementary and alternative medicine. <i>Complementary Therapies in Medicine</i> , 2003 , 11, 156-8	3.5	46
2	The Hunter Serotonin Toxicity Criteria: simple and accurate diagnostic decision rules for serotonin toxicity. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2003 , 96, 635-42	2.7	705
1	The annual variation in activity and funding for acute public hospitals in NSW, 1988-89 to 1992-93. <i>Australian Health Review</i> , 1996 , 19, 52-67	1.8	