
Fangsen Xu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8887152/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Rice <scp>ACID PHOSPHATASE</scp> 1 regulates Pi stress adaptation by maintaining intracellular Pi homeostasis. Plant, Cell and Environment, 2022, 45, 191-205.	5.7	19
2	Genotypic differences in the synergistic effect of nitrogen and boron on the seed yield and nitrogen use efficiency of <i>Brassica napus</i> . Journal of the Science of Food and Agriculture, 2022, 102, 3563-3571.	3.5	6
3	The Xyloglucan Endotransglucosylase/Hydrolase Gene XTH22/TCH4 Regulates Plant Growth by Disrupting the Cell Wall Homeostasis in Arabidopsis under Boron Deficiency. International Journal of Molecular Sciences, 2022, 23, 1250.	4.1	18
4	Effects of different nitrogen application rates on the quality and metabolomics of cigar tobacco. Agronomy Journal, 2022, 114, 1155-1167.	1.8	8
5	Genetic Control of Seed Phytate Accumulation and the Development of Low-Phytate Crops: A Review and Perspective. Journal of Agricultural and Food Chemistry, 2022, 70, 3375-3390.	5.2	3
6	Effect of balanced application of boron and phosphorus fertilizers on soil bacterial community, seed yield and phosphorus use efficiency of Brassica napus. Science of the Total Environment, 2021, 751, 141644.	8.0	10
7	JASMONATE RESISTANT 1 negatively regulates root growth under boron deficiency in Arabidopsis. Journal of Experimental Botany, 2021, 72, 3108-3121.	4.8	14
8	Vascular tissue-specific expression of BnaC4.BOR1;1c, an efflux boron transporter gene, is regulated in response to boron availability for efficient boron acquisition in Brassica napus. Plant and Soil, 2021, 465, 171-184.	3.7	7
9	Specific and multipleâ€target gene silencing reveals function diversity of <i><scp>BnaA2</scp>.<scp>NIP5</scp>;1</i> and <i><scp>BnaA3</scp>.<scp>NIP5</scp>;1</i> in <i>Brassica napus</i> . Plant, Cell and Environment, 2021, 44, 3184-3194.	5.7	3
10	High level of zinc triggers phosphorus starvation by inhibiting root-to-shoot translocation and preferential distribution of phosphorus in rice plants. Environmental Pollution, 2021, 277, 116778.	7.5	18
11	Genetic variation of BnaA3.NIP5;1 expressing in the lateral root cap contributes to boron deficiency tolerance in Brassica napus. PLoS Genetics, 2021, 17, e1009661.	3.5	13
12	Boron deficiencyâ€induced root growth inhibition is mediated by brassinosteroid signalling regulation in Arabidopsis. Plant Journal, 2021, 107, 564-578.	5.7	16
13	Genome-wide association study dissects the genetic control of plant height and branch number in response to low-phosphorus stress in <i>Brassica napus</i> . Annals of Botany, 2021, 128, 919-930.	2.9	17
14	Integrating a genome-wide association study with transcriptomic data to predict candidate genes and favourable haplotypes influencing <i>Brassica napus</i> seed phytate. DNA Research, 2021, 28, .	3.4	14
15	Integrated transcriptome and metabolome analysis reveals the physiological and molecular responses of allotetraploid rapeseed to ammonium toxicity. Environmental and Experimental Botany, 2021, 189, 104550.	4.2	11
16	The rapeseed genotypes with contrasting NUE response discrepantly to varied provision of ammonium and nitrate by regulating photosynthesis, root morphology, nutritional status, and oxidative stress response. Plant Physiology and Biochemistry, 2021, 166, 348-360.	5.8	15
17	Repression of transcription factor AtWRKY47 confers tolerance to boron toxicity in Arabidopsis thaliana. Ecotoxicology and Environmental Safety, 2021, 220, 112406.	6.0	9
18	Improved the Activity of Phosphite Dehydrogenase and its Application in Plant Biotechnology. Frontiers in Bioengineering and Biotechnology, 2021, 9, 764188.	4.1	1

Fangsen Xu

#	Article	IF	CITATIONS
19	Transcription factor BnaA9.WRKY47 contributes to the adaptation of <i>Brassica napus</i> to low boron stress by upâ€regulating the boric acid channel gene <i>BnaA3.NIP5;1</i> . Plant Biotechnology Journal, 2020, 18, 1241-1254.	8.3	47
20	Comparative genome and transcriptome analysis unravels key factors of nitrogen use efficiency in <scp><i>Brassica napus</i></scp> L. Plant, Cell and Environment, 2020, 43, 712-731.	5.7	41
21	Dynamic transcriptome analysis indicates extensive and discrepant transcriptomic reprogramming of two rapeseed genotypes with contrasting NUE in response to nitrogen deficiency. Plant and Soil, 2020, 456, 369-390.	3.7	6
22	Genome-Wide Systematic Characterization of the NPF Family Genes and Their Transcriptional Responses to Multiple Nutrient Stresses in Allotetraploid Rapeseed. International Journal of Molecular Sciences, 2020, 21, 5947.	4.1	22
23	Boron and Phosphorus Act Synergistically to Modulate Absorption and Distribution of Phosphorus and Growth of <i>Brassica napus</i> . Journal of Agricultural and Food Chemistry, 2020, 68, 7830-7838.	5.2	8
24	The Effects of Condensed Molasses Soluble on the Growth and Development of Rapeseed through Seed Germination, Hydroponics and Field Trials. Agriculture (Switzerland), 2020, 10, 260.	3.1	10
25	Purple acid phosphatase 10c encodes a major acid phosphatase that regulates plant growth under phosphate-deficient conditions in rice. Journal of Experimental Botany, 2020, 71, 4321-4332.	4.8	48
26	A high activity zinc transporter OsZIP9 mediates zinc uptake in rice. Plant Journal, 2020, 103, 1695-1709.	5.7	81
27	Molecular identification of the phosphate transporter family 1 (PHT1) genes and their expression profiles in response to phosphorus deprivation and other abiotic stresses in Brassica napus. PLoS ONE, 2019, 14, e0220374.	2.5	33
28	Accumulation of ammonium and reactive oxygen mediated drought-induced rice growth inhibition by disturbed nitrogen metabolism and photosynthesis. Plant and Soil, 2018, 431, 107-117.	3.7	10
29	Genetic variants associated with the root system architecture of oilseed rape (Brassica napus L.) under contrasting phosphate supply. DNA Research, 2017, 24, 407-417.	3.4	52
30	The boron transporter <i>BnaC4.BOR1;1c</i> is critical for inflorescence development and fertility under boron limitation in <scp><i>Brassica napus</i></scp> . Plant, Cell and Environment, 2017, 40, 1819-1833.	5.7	69
31	Genome-scale mRNA transcriptomic insights into the responses of oilseed rape (Brassica napus L.) to varying boron availabilities. Plant and Soil, 2017, 416, 205-225.	3.7	25
32	Effect of boron deficiency on anatomical structure and chemical composition of petioles and photosynthesis of leaves in cotton (Gossypium hirsutum L.). Scientific Reports, 2017, 7, 4420.	3.3	26
33	Genome-Wide Identification and Characterization of the Aquaporin Gene Family and Transcriptional Responses to Boron Deficiency in Brassica napus. Frontiers in Plant Science, 2017, 8, 1336.	3.6	54
34	Physiological and Transcriptional Analyses Reveal Differential Phytohormone Responses to Boron Deficiency in Brassica napus Genotypes. Frontiers in Plant Science, 2016, 7, 221.	3.6	36
35	Transcriptomicsâ€assisted quantitative trait locus fine mapping for the rapid identification of a nodulin 26â€like intrinsic protein gene regulating boron efficiency in allotetraploid rapeseed. Plant, Cell and Environment, 2016, 39, 1601-1618.	5.7	71
36	QTL meta-analysis of root traits in Brassica napus under contrasting phosphorus supply in two growth systems. Scientific Reports, 2016, 6, 33113.	3.3	55

Fangsen Xu

#	Article	IF	CITATIONS
37	Physiological, genomic and transcriptional diversity in responses to boron deficiency in rapeseed genotypes. Journal of Experimental Botany, 2016, 67, 5769-5784.	4.8	38
38	Identification and characterization of improved nitrogen efficiency in interspecific hybridized new-type Brassica napus. Annals of Botany, 2014, 114, 549-559.	2.9	52
39	Physiological and genetic responses to boron deficiency in <i>Brassica napus</i> : A review. Soil Science and Plant Nutrition, 2014, 60, 304-313.	1.9	54

A High-Density Genetic Map Identifies a Novel Major QTL for Boron Efficiency in Oilseed Rape (Brassica) Tj ETQq0 0.0 rgBT /Overlock 10

41	QTL for Yield Traits and Their Association with Functional Genes in Response to Phosphorus Deficiency in Brassica napus. PLoS ONE, 2013, 8, e54559.	2.5	43
42	Quantitative trait loci for seed yield and yield-related traits, and their responses to reduced phosphorus supply in Brassica napus. Annals of Botany, 2012, 109, 747-759.	2.9	132
43	Brassica napus root mutants insensitive to exogenous cytokinin show phosphorus efficiency. Plant and Soil, 2012, 358, 61-74.	3.7	17
44	Characterization of phosphorus starvation-induced gene BnSPX3 in Brassica napus. Plant and Soil, 2012, 350, 339-351.	3.7	14
45	Cloning and characterization of boron transporters in Brassica napus. Molecular Biology Reports, 2012, 39, 1963-1973.	2.3	37
46	Detection of QTL for phosphorus efficiency at vegetative stage in Brassica napus. Plant and Soil, 2011, 339, 97-111.	3.7	63
47	Quantitative trait loci for root morphology in response to low phosphorus stress in Brassica napus. Theoretical and Applied Genetics, 2010, 121, 181-193.	3.6	90
48	Boron Nutrition and Boron Application in Crops. , 2007, , 93-101.		27
49	Plant Nutriomics in China: An Overview. Annals of Botany, 2006, 98, 473-482.	2.9	167
50	INHERITANCE OF BORON NUTRITION EFFICIENCY INBRASSICA NAPUS. Journal of Plant Nutrition, 2002, 25, 901-912.	1.9	31