

# Francesco Di Virgilio

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8888104/publications.pdf>

Version: 2024-02-01

321  
papers

35,705  
citations

2423

97  
h-index

4101

175  
g-index

358  
all docs

358  
docs citations

358  
times ranked

31066  
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. <i>Cell Death and Differentiation</i> , 2018, 25, 486-541.	5.0	4,036
2	Autophagy-Dependent Anticancer Immune Responses Induced by Chemotherapeutic Agents in Mice. <i>Science</i> , 2011, 334, 1573-1577.	6.0	1,159
3	The P2X7 Receptor: A Key Player in IL-1 Processing and Release. <i>Journal of Immunology</i> , 2006, 176, 3877-3883.	0.4	949
4	Adenosine 5â€™-triphosphate and adenosine as endogenous signaling molecules in immunity and inflammation. , 2006, 112, 358-404.		870
5	The P2X7 Receptor in Infection and Inflammation. <i>Immunity</i> , 2017, 47, 15-31.	6.6	853
6	Nucleotide receptors: an emerging family of regulatory molecules in blood cells. <i>Blood</i> , 2001, 97, 587-600.	0.6	645
7	Extracellular ATP triggers and maintains asthmatic airway inflammation by activating dendritic cells. <i>Nature Medicine</i> , 2007, 13, 913-919.	15.2	559
8	Increased Level of Extracellular ATP at Tumor Sites: In Vivo Imaging with Plasma Membrane Luciferase. <i>PLoS ONE</i> , 2008, 3, e2599.	1.1	546
9	The Ca <sup>2+</sup> concentration of the endoplasmic reticulum is a key determinant of ceramide-induced apoptosis: significance for the molecular mechanism of Bcl-2 action. <i>EMBO Journal</i> , 2001, 20, 2690-2701.	3.5	533
10	Extracellular ATP and P2 purinergic signalling in the tumour microenvironment. <i>Nature Reviews Cancer</i> , 2018, 18, 601-618.	12.8	491
11	Purinergic Modulation of Interleukin-1 $\beta$ Release from Microglial Cells Stimulated with Bacterial Endotoxin. <i>Journal of Experimental Medicine</i> , 1997, 185, 579-582.	4.2	457
12	Liaisons dangereuses: P2X7 and the inflammasome. <i>Trends in Pharmacological Sciences</i> , 2007, 28, 465-472.	4.0	446
13	Calcium and apoptosis: facts and hypotheses. <i>Oncogene</i> , 2003, 22, 8619-8627.	2.6	439
14	Reduced Loading of Intracellular Ca <sup>2+</sup> Stores and Downregulation of Capacitative Ca <sup>2+</sup> Influx in Bcl-2â€™Overexpressing Cells. <i>Journal of Cell Biology</i> , 2000, 148, 857-862.	2.3	435
15	Extracellular purines, purinergic receptors and tumor growth. <i>Oncogene</i> , 2017, 36, 293-303.	2.6	428
16	Caloric Restriction Mimetics Enhance Anticancer Immunosurveillance. <i>Cancer Cell</i> , 2016, 30, 147-160.	7.7	410
17	Graft-versus-host disease is enhanced by extracellular ATP activating P2X7R. <i>Nature Medicine</i> , 2010, 16, 1434-1438.	15.2	376
18	The P2Z purinoceptor: an intriguing role in immunity, inflammation and cell death. <i>Trends in Immunology</i> , 1995, 16, 524-528.	7.5	355

#	ARTICLE	IF	CITATIONS
19	Protein kinase C activation of physiological processes in human neutrophils at vanishingly small cytosolic Ca <sup>2+</sup> levels. <i>Nature</i> , 1984, 310, 691-693.	13.7	348
20	Expression of P2X7 Receptor Increases <i>In Vivo</i> Tumor Growth. <i>Cancer Research</i> , 2012, 72, 2957-2969.	0.4	324
21	Inhibition of Fura-2 sequestration and secretion with organic anion transport blockers. <i>Cell Calcium</i> , 1990, 11, 57-62.	1.1	299
22	A Novel Recombinant Plasma Membrane-targeted Luciferase Reveals a New Pathway for ATP Secretion. <i>Molecular Biology of the Cell</i> , 2005, 16, 3659-3665.	0.9	283
23	The P2X7 receptor: A main player in inflammation. <i>Biochemical Pharmacology</i> , 2018, 151, 234-244.	2.0	282
24	Inositol 1,4,5-trisphosphate induces calcium release from sarcoplasmic reticulum of skeletal muscle. <i>Nature</i> , 1985, 316, 347-349.	13.7	273
25	ATP-mediated cytotoxicity in microglial cells. <i>Neuropharmacology</i> , 1997, 36, 1295-1301.	2.0	269
26	Kinetics and Mechanism of ATP-Dependent IL-1 $\beta$ Release from Microglial Cells. <i>Journal of Immunology</i> , 2000, 164, 4893-4898.	0.4	258
27	Purines, Purinergic Receptors, and Cancer. <i>Cancer Research</i> , 2012, 72, 5441-5447.	0.4	258
28	Purinergic signalling and cancer. <i>Purinergic Signalling</i> , 2013, 9, 491-540.	1.1	258
29	Activation of Microglia by Amyloid $\beta$ Requires P2X7 Receptor Expression. <i>Journal of Immunology</i> , 2009, 182, 4378-4385.	0.4	256
30	p53 at the endoplasmic reticulum regulates apoptosis in a Ca <sup>2+</sup> -dependent manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1779-1784.	3.3	247
31	Cytolytic P2X purinoceptors. <i>Cell Death and Differentiation</i> , 1998, 5, 191-199.	5.0	243
32	Basal Activation of the P2X7 ATP Receptor Elevates Mitochondrial Calcium and Potential, Increases Cellular ATP Levels, and Promotes Serum-independent Growth. <i>Molecular Biology of the Cell</i> , 2005, 16, 3260-3272.	0.9	242
33	THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: Ion channels. <i>British Journal of Pharmacology</i> , 2019, 176, S142-S228.	2.7	242
34	Stimulation of P2 receptors causes release of IL-1 $\beta$ -loaded microvesicles from human dendritic cells. <i>Blood</i> , 2007, 109, 3856-3864.	0.6	229
35	The purinergic P2Z receptor of human macrophage cells. Characterization and possible physiological role. <i>Journal of Clinical Investigation</i> , 1995, 95, 1207-1216.	3.9	219
36	Trophic activity of a naturally occurring truncated isoform of the P2X7 receptor. <i>FASEB Journal</i> , 2010, 24, 3393-3404.	0.2	218

#	ARTICLE	IF	CITATIONS
37	Ca <sup>2+</sup> -dependent and Ca <sup>2+</sup> -independent phagocytosis in human neutrophils. <i>Nature</i> , 1985, 315, 509-511.	13.7	213
38	Purinergic signalling in inflammation of the central nervous system. <i>Trends in Neurosciences</i> , 2009, 32, 79-87.	4.2	212
39	The Elusive P2X7 Macropore. <i>Trends in Cell Biology</i> , 2018, 28, 392-404.	3.6	205
40	Extracellular ATP Induces a Distorted Maturation of Dendritic Cells and Inhibits Their Capacity to Initiate Th1 Responses. <i>Journal of Immunology</i> , 2001, 166, 1611-1617.	0.4	199
41	Structural and functional aspects of calcium homeostasis in eukaryotic cells. <i>FEBS Journal</i> , 1990, 193, 599-622.	0.2	196
42	The Serotonergic Receptors of Human Dendritic Cells: Identification and Coupling to Cytokine Release. <i>Journal of Immunology</i> , 2004, 172, 6011-6019.	0.4	190
43	Fc receptor-mediated phagocytosis occurs in macrophages at exceedingly low cytosolic Ca <sup>2+</sup> levels.. <i>Journal of Cell Biology</i> , 1988, 106, 657-666.	2.3	189
44	Purinergic signaling in the immune system. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015, 191, 117-123.	1.4	189
45	Increased Proliferation Rate of Lymphoid Cells Transfected with the P2X7 ATP Receptor. <i>Journal of Biological Chemistry</i> , 1999, 274, 33206-33208.	1.6	187
46	THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: Ion channels. <i>British Journal of Pharmacology</i> , 2021, 178, S157-S245.	2.7	187
47	Alerting and tuning the immune response by extracellular nucleotides. <i>Journal of Leukocyte Biology</i> , 2003, 73, 339-343.	1.5	184
48	P2X7 receptor expression in evolutive and indolent forms of chronic B lymphocytic leukemia. <i>Blood</i> , 2002, 99, 706-708.	0.6	179
49	Sphingosine 1-phosphate induces Chemotaxis of immature dendritic cells and modulates cytokine-release in mature human dendritic cells for emergence of Th2 immune responses. <i>FASEB Journal</i> , 2002, 16, 625-627.	0.2	177
50	Tumor promoter phorbol 12-myristate, 13-acetate inhibits phosphoinositide hydrolysis and cytosolic Ca <sup>2+</sup> rise induced by the activation of muscarinic receptors in PC12 cells. <i>Biochemical and Biophysical Research Communications</i> , 1985, 127, 310-317.	1.0	176
51	An ATP-activated channel is involved in mitogenic stimulation of human T lymphocytes. <i>Blood</i> , 1996, 87, 682-690.	0.6	174
52	Extracellular Adenosine Triphosphate and Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 181, 928-934.	2.5	174
53	Ca(2+)-independent F-actin assembly and disassembly during Fc receptor-mediated phagocytosis in mouse macrophages.. <i>Journal of Cell Biology</i> , 1991, 113, 757-767.	2.3	173
54	5-Hydroxytryptamine modulates cytokine and chemokine production in LPS-primed human monocytes via stimulation of different 5-HTR subtypes. <i>International Immunology</i> , 2005, 17, 599-606.	1.8	171

#	ARTICLE	IF	CITATIONS
55	From purines to purinergic signalling: molecular functions and human diseases. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 162.	7.1	171
56	The P2X7 receptor directly interacts with the NLRP3 inflammasome scaffold protein. <i>FASEB Journal</i> , 2015, 29, 2450-2461.	0.2	169
57	Update of P2X receptor properties and their pharmacology: IUPHAR Review 30. <i>British Journal of Pharmacology</i> , 2021, 178, 489-514.	2.7	165
58	Inhibitors of membrane transport system for organic anions block fura-2 excretion from PC12 and N2A cells. <i>Biochemical Journal</i> , 1988, 256, 959-963.	1.7	161
59	Spontaneous Cell Fusion in Macrophage Cultures Expressing High Levels of the P2Z/P2X7 Receptor. <i>Journal of Cell Biology</i> , 1997, 138, 697-706.	2.3	160
60	Accelerated Tumor Progression in Mice Lacking the ATP Receptor P2X7. <i>Cancer Research</i> , 2015, 75, 635-644.	0.4	157
61	Extracellular nucleotides and nucleosides as signalling molecules. <i>Immunology Letters</i> , 2019, 205, 16-24.	1.1	154
62	The P2 purinergic receptors of human dendritic cells: identification and coupling to cytokine release. <i>FASEB Journal</i> , 2000, 14, 2466-2476.	0.2	149
63	Use of luciferase probes to measure ATP in living cells and animals. <i>Nature Protocols</i> , 2017, 12, 1542-1562.	5.5	149
64	Nucleotides induce chemotaxis and actin polymerization in immature but not mature human dendritic cells via activation of pertussis toxin-sensitive P2y receptors. <i>Blood</i> , 2002, 100, 925-932.	0.6	144
65	A His-155 to Tyr Polymorphism Confers Gain-of-Function to the Human P2X7 Receptor of Human Leukemic Lymphocytes. <i>Journal of Immunology</i> , 2005, 175, 82-89.	0.4	144
66	The P2X7 receptor modulates immune cells infiltration, ectonucleotidases expression and extracellular ATP levels in the tumor microenvironment. <i>Oncogene</i> , 2019, 38, 3636-3650.	2.6	144
67	The Therapeutic Potential of Modifying Inflammasomes and NOD-Like Receptors. <i>Pharmacological Reviews</i> , 2013, 65, 872-905.	7.1	143
68	The P2X7 Receptor-Interleukin-1 Liaison. <i>Frontiers in Pharmacology</i> , 2017, 8, 123.	1.6	142
69	The purinergic receptor P2Y <sub>2</sub> receptor mediates chemotaxis of dendritic cells and eosinophils in allergic lung inflammation. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 1545-1553.	2.7	141
70	The P2X7 Receptor Sustains the Growth of Human Neuroblastoma Cells through a Substance P-Dependent Mechanism. <i>Cancer Research</i> , 2006, 66, 907-914.	0.4	137
71	5-Hydroxytryptamine Modulates Migration, Cytokine and Chemokine Release and T-Cell Priming Capacity of Dendritic Cells In Vitro and In Vivo. <i>PLoS ONE</i> , 2009, 4, e6453.	1.1	137
72	ATP in the tumour microenvironment drives expression of nP2X7, a key mediator of cancer cell survival. <i>Oncogene</i> , 2019, 38, 194-208.	2.6	136

#	ARTICLE	IF	CITATIONS
73	Expression and function of histamine receptors in human monocyte-derived dendritic cells. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 839-846.	1.5	135
74	P2X <sub>7</sub> Receptor Signaling in the Pathogenesis of Smoke-Induced Lung Inflammation and Emphysema. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011, 44, 423-429.	1.4	130
75	P2 receptors and extracellular ATP: a novel homeostatic pathway in inflammation. <i>Frontiers in Bioscience - Scholar</i> , 2011, S3, 1443.	0.8	130
76	Acute retinal ganglion cell injury caused by intraocular pressure spikes is mediated by endogenous extracellular ATP. <i>European Journal of Neuroscience</i> , 2007, 25, 2741-2754.	1.2	128
77	A role for P2X <sub>7</sub> in microglial proliferation. <i>Journal of Neurochemistry</i> , 2006, 99, 745-758.	2.1	127
78	Purinergic signaling, DAMPs, and inflammation. <i>American Journal of Physiology - Cell Physiology</i> , 2020, 318, C832-C835.	2.1	127
79	P2X <sub>7</sub> receptor: Death or life?. <i>Purinergic Signalling</i> , 2005, 1, 219-227.	1.1	126
80	Extracellular ATP Activates the NLRP3 Inflammasome and Is an Early Danger Signal of Skin Allograft Rejection. <i>Cell Reports</i> , 2017, 21, 3414-3426.	2.9	126
81	Extracellular ATP: A Feasible Target for Cancer Therapy. <i>Cells</i> , 2020, 9, 2496.	1.8	126
82	The adjuvant MF59 induces ATP release from muscle that potentiates response to vaccination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 21095-21100.	3.3	125
83	Extracellular ATP Causes ROCK I-dependent Bleb Formation in P2X <sub>7</sub> -transfected HEK293 Cells. <i>Molecular Biology of the Cell</i> , 2003, 14, 2655-2664.	0.9	124
84	P2X <sub>7</sub> : a growth-promoting receptorâ€™ implications for cancer. <i>Purinergic Signalling</i> , 2009, 5, 251-256.	1.1	124
85	Increased P2X <sub>7</sub> Receptor Expression and Function in Thyroid Papillary Cancer: A New Potential Marker of the Disease?. <i>Endocrinology</i> , 2008, 149, 389-396.	1.4	123
86	P2X <sub>7</sub> receptorâ€™ stimulation causes fever <i>via</i> PGE <sub>2</sub> and IL-1 $\beta$ release. <i>FASEB Journal</i> , 2012, 26, 2951-2962.	0.2	123
87	The Human Cathelicidin LL-37 Modulates the Activities of the P2X <sub>7</sub> Receptor in a Structure-dependent Manner. <i>Journal of Biological Chemistry</i> , 2008, 283, 30471-30481.	1.6	121
88	Extracellular ATP Exerts Opposite Effects on Activated and Regulatory CD4 <sup>+</sup> T Cells via Purinergic P2 Receptor Activation. <i>Journal of Immunology</i> , 2012, 189, 1303-1310.	0.4	121
89	Proinflammatory Cytokines Inhibit Secretion in Rat Bile Duct Epithelium. <i>Gastroenterology</i> , 2001, 121, 156-169.	0.6	119
90	Purinergic Receptor Inhibition Prevents the Development of Smoke-Induced Lung Injury and Emphysema. <i>Journal of Immunology</i> , 2010, 185, 688-697.	0.4	119

#	ARTICLE	IF	CITATIONS
91	The P2X7 receptor is a key modulator of aerobic glycolysis. <i>Cell Death and Disease</i> , 2012, 3, e370-e370.	2.7	117
92	Extracellular ATP as a possible mediator of cell-mediated cytotoxicity. <i>Trends in Immunology</i> , 1990, 11, 274-277.	7.5	116
93	Dendritic cells exposed to extracellular adenosine triphosphate acquire the migratory properties of mature cells and show a reduced capacity to attract type 1 T lymphocytes. <i>Blood</i> , 2002, 99, 1715-1722.	0.6	115
94	Detecting adenosine triphosphate in the pericellular space. <i>Interface Focus</i> , 2013, 3, 20120101.	1.5	115
95	P2 receptors: new potential players in atherosclerosis. <i>British Journal of Pharmacology</i> , 2002, 135, 831-842.	2.7	113
96	Extracellular nucleotides are potent stimulators of human hematopoietic stem cells in vitro and in vivo. <i>Blood</i> , 2004, 104, 1662-1670.	0.6	111
97	Extracellular nucleotides as negative modulators of immunity. <i>Current Opinion in Pharmacology</i> , 2009, 9, 507-513.	1.7	107
98	ATP and cancer immunosurveillance. <i>EMBO Journal</i> , 2021, 40, e108130.	3.5	105
99	Ion fluxes through the progesterone-activated channel of the sperm plasma membrane. <i>Biochemical Journal</i> , 1993, 294, 279-283.	1.7	103
100	ATP/P2X7 axis modulates myeloid-derived suppressor cell functions in neuroblastoma microenvironment. <i>Cell Death and Disease</i> , 2014, 5, e1135-e1135.	2.7	102
101	P2X7 in Cancer: From Molecular Mechanisms to Therapeutics. <i>Frontiers in Pharmacology</i> , 2020, 11, 793.	1.6	102
102	Tyrosine Phosphorylation of HSP90 within the P2X7 Receptor Complex Negatively Regulates P2X7 Receptors. <i>Journal of Biological Chemistry</i> , 2003, 278, 37344-37351.	1.6	98
103	Expression of the P2X7 Receptor Increases the Ca <sup>2+</sup> Content of the Endoplasmic Reticulum, Activates NFATc1, and Protects from Apoptosis. <i>Journal of Biological Chemistry</i> , 2009, 284, 10120-10128.	1.6	95
104	Characterization of the cytotoxic effect of extracellular ATP in J774 mouse macrophages. <i>Biochemical Journal</i> , 1992, 288, 897-901.	1.7	94
105	Apoptosis Is Dependent on Intracellular Zinc and Independent of Intracellular Calcium in Lymphocytes. <i>Experimental Cell Research</i> , 1994, 211, 339-343.	1.2	93
106	The extracellular nucleotide UTP is a potent inducer of hematopoietic stem cell migration. <i>Blood</i> , 2007, 109, 533-542.	0.6	93
107	Extracellular ATP causes lysis of mouse thymocytes and activates a plasma membrane ion channel. <i>Biochemical Journal</i> , 1991, 274, 139-144.	1.7	92
108	Inositol phosphate formation in fMet-Leu-Phe-stimulated human neutrophils does not require an increase in the cytosolic free Ca <sup>2+</sup> concentration. <i>Biochemical Journal</i> , 1985, 229, 361-367.	1.7	90

#	ARTICLE	IF	CITATIONS
109	The P2Y <sub>14</sub> Receptor of Airway Epithelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2005, 33, 601-609.	1.4	90
110	Intracellular calcium store depletion and acrosome reaction in human spermatozoa: role of calcium and plasma membrane potential. <i>Molecular Human Reproduction</i> , 2001, 7, 119-128.	1.3	87
111	The Influence of Lysophosphatidic Acid on the Functions of Human Dendritic Cells. <i>Journal of Immunology</i> , 2002, 169, 4129-4135.	0.4	87
112	Stimulation of P2 (P2X <sub>7</sub> ) receptors in human dendritic cells induces the release of tissue factor-bearing microparticles. <i>FASEB Journal</i> , 2007, 21, 1926-1933.	0.2	87
113	Intercellular Calcium Signaling Induced by ATP Potentiates Macrophage Phagocytosis. <i>Cell Reports</i> , 2019, 27, 1-10.e4.	2.9	85
114	Purinergic signalling in the immune system. A brief update. <i>Purinergic Signalling</i> , 2007, 3, 1-3.	1.1	84
115	Dysregulation of P2X <sub>7</sub> receptor-inflammasome axis in SAPHO syndrome: successful treatment with anakinra. <i>Rheumatology</i> , 2010, 49, 1416-1418.	0.9	84
116	The sixth sense: hematopoietic stem cells detect danger through purinergic signaling. <i>Blood</i> , 2012, 120, 2365-2375.	0.6	83
117	Macrophage P2X <sub>4</sub> receptors augment bacterial killing and protect against sepsis. <i>JCI Insight</i> , 2018, 3, .	2.3	82
118	P2X <sub>7</sub> receptor drives osteoclast fusion by increasing the extracellular adenosine concentration. <i>FASEB Journal</i> , 2011, 25, 1264-1274.	0.2	81
119	Agonists and Antagonists Acting at P2X <sub>7</sub> Receptor. <i>Current Topics in Medicinal Chemistry</i> , 2004, 4, 1707-1717.	1.0	80
120	Adenosine triphosphate-induced oxygen radical production and CD11b up-regulation: Ca <sup>++</sup> mobilization and actin reorganization in human eosinophils. <i>Blood</i> , 2000, 95, 973-978.	0.6	79
121	The Antibiotic Polymyxin B Modulates P2X <sub>7</sub> Receptor Function. <i>Journal of Immunology</i> , 2004, 173, 4652-4660.	0.4	79
122	Purinergic mechanism in the immune system: A signal of danger for dendritic cells. <i>Purinergic Signalling</i> , 2005, 1, 205-209.	1.1	79
123	Muscarinic receptor-induced phosphoinositide hydrolysis at resting cytosolic Ca <sup>2+</sup> concentration in PC12 cells. <i>Journal of Cell Biology</i> , 1985, 100, 1330-1333.	2.3	78
124	Trophic Activity of Human P2X <sub>7</sub> Receptor Isoforms A and B in Osteosarcoma. <i>PLoS ONE</i> , 2014, 9, e107224.	1.1	78
125	Cyclic AMP inhibition of fMet-Leu-Phe-dependent metabolic responses in human neutrophils is not due to its effects on cytosolic Ca <sup>2+</sup> . <i>Biochemical Journal</i> , 1984, 224, 629-635.	1.7	77
126	Dysfunctional inflammasome in Schnitzler's syndrome. <i>Rheumatology</i> , 2009, 48, 1304-1308.	0.9	77



#	ARTICLE	IF	CITATIONS
127	Dr. Jekyll/Mr. Hyde: the dual role of extracellular ATP. <i>Journal of the Autonomic Nervous System</i> , 2000, 81, 59-63.	1.9	76
128	P2X7 purinergic receptors and extracellular ATP mediate apoptosis of human monocytes/macrophages infected with <i>Mycobacterium tuberculosis</i> reducing the intracellular bacterial viability. <i>Cellular Immunology</i> , 2006, 244, 10-18.	1.4	75
129	Purinergic P2Y2 Receptors Promote Neutrophil Infiltration and Hepatocyte Death in Mice With Acute Liver Injury. <i>Gastroenterology</i> , 2012, 143, 1620-1629.e4.	0.6	75
130	Purinergic stimulation of human mesenchymal stem cells potentiates their chemotactic response to CXCL12 and increases the homing capacity and production of proinflammatory cytokines. <i>Experimental Hematology</i> , 2011, 39, 360-374.e5.	0.2	73
131	ATP Release from Chemotherapy-Treated Dying Leukemia Cells Elicits an Immune Suppressive Effect by Increasing Regulatory T Cells and Tolerogenic Dendritic Cells. <i>Frontiers in Immunology</i> , 2017, 8, 1918.	2.2	72
132	Non-nucleotide Agonists Triggering P2X7 Receptor Activation and Pore Formation. <i>Frontiers in Pharmacology</i> , 2018, 9, 39.	1.6	70
133	P2X Receptors and Inflammation. <i>Current Medicinal Chemistry</i> , 2015, 22, 866-877.	1.2	70
134	Chapter 29 The P2Z/P2X7 receptor of microglial cells: A novel immunomodulatory receptor. <i>Progress in Brain Research</i> , 1999, 120, 355-368.	0.9	69
135	Synthesis and Biological Activity of N-Arylpiperazine-Modified Analogues of KN-62, a Potent Antagonist of the Purinergic P2X7 Receptor. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 1318-1329.	2.9	69
136	Calcium and inositol phosphates in the activation of T cell-mediated cytotoxicity. <i>Journal of Experimental Medicine</i> , 1987, 166, 33-42.	4.2	68
137	Role of the Purinergic P2Z Receptor in Spontaneous Cell Death in J774 Macrophage Cultures. <i>Biochemical and Biophysical Research Communications</i> , 1996, 218, 176-181.	1.0	68
138	Stimulation of P2 purinergic receptors induces the release of eosinophil cationic protein and interleukin-8 from human eosinophils. <i>British Journal of Pharmacology</i> , 2003, 138, 1244-1250.	2.7	68
139	Activation of muscarinic receptors in PC12 cells. Stimulation of Ca <sup>2+</sup> influx and redistribution. <i>Biochemical Journal</i> , 1986, 234, 547-553.	1.7	66
140	Neuronal death induced by endogenous extracellular ATP in retinal cholinergic neuron density control. <i>Development (Cambridge)</i> , 2005, 132, 2873-2882.	1.2	66
141	Involvement of the Purinergic P2X7 Receptor in the Formation of Multinucleated Giant Cells. <i>Journal of Immunology</i> , 2006, 177, 7257-7265.	0.4	66
142	P2 purinergic receptors of human eosinophils: characterization and coupling to oxygen radical production. <i>FEBS Letters</i> , 2000, 486, 217-224.	1.3	65
143	IL-18 associates to microvesicles shed from human macrophages by a LPS/TLR4 independent mechanism in response to P2X receptor stimulation. <i>European Journal of Immunology</i> , 2012, 42, 3334-3345.	1.6	65
144	Purinergic modulation of mesangial extracellular matrix production: Role in diabetic and other glomerular diseases. <i>Kidney International</i> , 2005, 67, 875-885.	2.6	63

#	ARTICLE	IF	CITATIONS
145	Modulation of innate and adaptive immunity by P2X ion channels. <i>Current Opinion in Immunology</i> , 2018, 52, 51-59.	2.4	63
146	Transient P2X7 Receptor Activation Triggers Macrophage Death Independent of Toll-like Receptors 2 and 4, Caspase-1, and Pannexin-1 Proteins. <i>Journal of Biological Chemistry</i> , 2012, 287, 10650-10663.	1.6	62
147	P2X <sub>7</sub> Receptor and Polykation Formation. <i>Molecular Biology of the Cell</i> , 2000, 11, 3169-3176.	0.9	61
148	A rationale for targeting the P2X7 receptor in Coronavirus disease 19. <i>British Journal of Pharmacology</i> , 2020, 177, 4990-4994.	2.7	60
149	Cell-mediated cytotoxicity: ATP as an effector and the role of target cells. <i>Current Opinion in Immunology</i> , 1991, 3, 71-75.	2.4	59
150	Novel data point to a broader mechanism of action of oxidized ATP: the P2X7 receptor is not the only target. <i>British Journal of Pharmacology</i> , 2003, 140, 441-443.	2.7	59
151	New Pathways for Reactive Oxygen Species Generation in Inflammation and Potential Novel Pharmacological Targets. <i>Current Pharmaceutical Design</i> , 2004, 10, 1647-1652.	0.9	58
152	Effect of cytochalasins on cytosolic-free calcium concentration and phosphoinositide metabolism in leukocytes. <i>Experimental Cell Research</i> , 1987, 168, 285-298.	1.2	57
153	Activation of Human Alveolar Macrophages via P2 Receptors: Coupling to Intracellular Ca <sup>2+</sup> Increases and Cytokine Secretion. <i>Journal of Immunology</i> , 2008, 181, 2181-2188.	0.4	57
154	Assignment of ecto-ATPase expression to microglia and vasculature of the brain. <i>European Journal of Neuroscience</i> , 2000, 12, 4357-4366.	1.2	55
155	Activation of muscarinic receptors in PC12 cells. Correlation between cytosolic Ca <sup>2+</sup> rise and phosphoinositide hydrolysis. <i>Biochemical Journal</i> , 1986, 234, 555-562.	1.7	53
156	Anti-Tumor Activity of a miR-199-dependent Oncolytic Adenovirus. <i>PLoS ONE</i> , 2013, 8, e73964.	1.1	53
157	Purinergic signaling inhibits human acute myeloblastic leukemia cell proliferation, migration, and engraftment in immunodeficient mice. <i>Blood</i> , 2012, 119, 217-226.	0.6	52
158	Lactate Rewires Lipid Metabolism and Sustains a Metabolic-Epigenetic Axis in Prostate Cancer. <i>Cancer Research</i> , 2022, 82, 1267-1282.	0.4	52
159	Role of inositol 1,4,5-trisphosphate in excitation-contraction coupling in skeletal muscle. <i>FEBS Letters</i> , 1986, 197, 1-4.	1.3	51
160	Chapter 21 Organic-Anion Transport Inhibitors to Facilitate Measurement of Cytosolic Free Ca <sup>2+</sup> with Fura-2. <i>Methods in Cell Biology</i> , 1989, 31, 453-462.	0.5	51
161	High glucose modulates P2X <sub>7</sub> receptor-mediated function in human primary fibroblasts. <i>Diabetologia</i> , 2000, 43, 1248-1256.	2.9	51
162	Stimulation of Purinergic Receptors Modulates Chemokine Expression in Human Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2007, 127, 660-667.	0.3	51

#	ARTICLE	IF	CITATIONS
163	Enhanced P2X7 Activity in Human Fibroblasts From Diabetic Patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1240-1245.	1.1	50
164	P2 receptors and immunity. <i>Microbes and Infection</i> , 2012, 14, 1254-1262.	1.0	50
165	Design, synthesis and evaluation in an LPS rodent model of neuroinflammation of a novel 18F-labelled PET tracer targeting P2X7. <i>EJNMMI Research</i> , 2017, 7, 31.	1.1	50
166	ATP secreted by endothelial cells blocks CX3CL1-elicited natural killer cell chemotaxis and cytotoxicity via P2Y11 receptor activation. <i>Blood</i> , 2010, 116, 4492-4500.	0.6	49
167	Is a guanine nucleotide-binding protein involved in excitation-contraction coupling in skeletal muscle?. <i>EMBO Journal</i> , 1986, 5, 259-262.	3.5	48
168	Identification, kinetic properties and intracellular localization of the (Ca <sup>2+</sup> -Mg <sup>2+</sup> )-ATPase from the intracellular stores of chicken cerebellum. <i>Biochemical Journal</i> , 1991, 275, 555-561.	1.7	47
169	The P2X7 Receptor and Pannexin-1 Are Both Required for the Promotion of Multinucleated Macrophages by the Inflammatory Cytokine GM-CSF. <i>Journal of Immunology</i> , 2011, 187, 3878-3887.	0.4	47
170	Involvement of the P2X7-NLRP3 axis in leukemic cell proliferation and death. <i>Scientific Reports</i> , 2016, 6, 26280.	1.6	47
171	A role for calcium in Bcl-2 action?. <i>Biochimie</i> , 2002, 84, 195-201.	1.3	46
172	H <sup>+</sup> /site, charge/site, and ATP/site ratios in mitochondrial electron transport. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979, 76, 2123-2127.	3.3	45
173	Involvement of osmo-sensitive calcium influx in human sperm activation. <i>Molecular Human Reproduction</i> , 1996, 2, 903-909.	1.3	45
174	Nimodipine inhibits IL-1 $\beta$ release stimulated by amyloid $\beta$ from microglia. <i>British Journal of Pharmacology</i> , 2012, 167, 1702-1711.	2.7	45
175	Amyloid $\beta$ -dependent mitochondrial toxicity in mouse microglia requires P2X7 receptor expression and is prevented by nimodipine. <i>Scientific Reports</i> , 2019, 9, 6475.	1.6	45
176	Extracellular ATP induces apoptosis through P2X7R activation in acute myeloid leukemia cells but not in normal hematopoietic stem cells. <i>Oncotarget</i> , 2017, 8, 5895-5908.	0.8	45
177	Extracellular ATP is a danger signal activating P2X7 receptor in a LPS mediated inflammation (ARDS/ALI). <i>Oncotarget</i> , 2018, 9, 30635-30648.	0.8	45
178	Role of P2-purinergic receptors in rat Leydig cell steroidogenesis. <i>Biochemical Journal</i> , 1996, 320, 499-504.	1.7	44
179	Purinoreceptor function in the immune system. <i>Drug Development Research</i> , 1996, 39, 319-329.	1.4	43
180	1513A&gt;C Polymorphism in the P2X7 Receptor Gene in Patients with Papillary Thyroid Cancer: Correlation with Histological Variants and Clinical Parameters. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 695-698.	1.8	43

#	ARTICLE	IF	CITATIONS
181	P2 receptors in cancer progression and metastatic spreading. <i>Current Opinion in Pharmacology</i> , 2016, 29, 17-25.	1.7	43
182	Mechanism of human sperm activation by extracellular ATP. <i>American Journal of Physiology - Cell Physiology</i> , 1996, 270, C1709-C1714.	2.1	42
183	ATP receptors and giant cell formation. <i>Journal of Leukocyte Biology</i> , 1999, 66, 723-726.	1.5	42
184	P2 <sup>U</sup> targeting inhibits growth of human mesothelioma. <i>Oncotarget</i> , 2016, 7, 49664-49676.	0.8	42
185	Interaction of lymphokine-activated killer cells with susceptible targets does not induce second messenger generation and cytolytic granule exocytosis. <i>Journal of Experimental Medicine</i> , 1989, 170, 665-677.	4.2	41
186	Differential Modulation by Protein Kinase C of Progesterone-Activated Responses in Human Sperm. <i>Biochemical and Biophysical Research Communications</i> , 1995, 206, 408-413.	1.0	40
187	Possible protective role of the 489C>T P2X7R polymorphism in Alzheimer's disease. <i>Experimental Gerontology</i> , 2014, 60, 117-119.	1.2	40
188	Molecular Mechanisms Related to Oxidative Stress in Retinitis Pigmentosa. <i>Antioxidants</i> , 2021, 10, 848.	2.2	40
189	Extracellular ATP activates different signalling pathways in rat Sertoli cells. <i>Biochemical Journal</i> , 1995, 311, 269-274.	1.7	39
190	Purinergic P2X7 receptor: A pivotal role in inflammation and immunomodulation. <i>Drug Development Research</i> , 1998, 45, 207-213.	1.4	39
191	Extracellular ATP induces cell death in CD4 <sup>+</sup> /CD8 <sup>+</sup> double-positive thymocytes in mice infected with <i>Trypanosoma cruzi</i> . <i>Microbes and Infection</i> , 2003, 5, 1363-1371.	1.0	39
192	Differential sensitivity of acute myeloid leukemia cells to daunorubicin depends on P2X7A versus P2X7B receptor expression. <i>Cell Death and Disease</i> , 2020, 11, 876.	2.7	39
193	Role of the P2X7 receptor in tumor-associated inflammation. <i>Current Opinion in Pharmacology</i> , 2019, 47, 59-64.	1.7	38
194	Leukocyte P2 Receptors: A Novel Target for Anti-inflammatory and Antitumor Therapy. <i>Current Drug Targets Cardiovascular &amp; Haematological Disorders</i> , 2005, 5, 85-99.	2.0	36
195	P2X7 Receptor Activity Limits Accumulation of T Cells within Tumors. <i>Cancer Research</i> , 2020, 80, 3906-3919.	0.4	36
196	Functional characterization of P2Y and P2X receptors in human eosinophils. <i>Journal of Cellular Physiology</i> , 2001, 188, 329-336.	2.0	35
197	Structure, function and techniques of investigation of the P2X7 receptor (P2X7R) in mammalian cells. <i>Methods in Enzymology</i> , 2019, 629, 115-150.	0.4	35
198	Extracellular ATP Acting at the P2X7 Receptor Inhibits Secretion of Soluble HLA-G from Human Monocytes. <i>Journal of Immunology</i> , 2009, 183, 4302-4311.	0.4	34

#	ARTICLE	IF	CITATIONS
199	Modulation of P2X7 receptor functions by polymyxin B: crucial role of the hydrophobic tail of the antibiotic molecule. <i>British Journal of Pharmacology</i> , 2007, 150, 445-454.	2.7	33
200	Why myotoxin-containing snake venoms possess powerful nucleotidases?. <i>Biochemical and Biophysical Research Communications</i> , 2013, 430, 1289-1293.	1.0	33
201	Ectonucleotidases in Acute and Chronic Inflammation. <i>Frontiers in Pharmacology</i> , 2020, 11, 619458.	1.6	32
202	Tenidap enhances P2Z/P2X7 receptor signalling in macrophages. <i>European Journal of Pharmacology</i> , 1998, 355, 235-244.	1.7	31
203	P2X7 promotes metastatic spreading and triggers release of miRNA-containing exosomes and microvesicles from melanoma cells. <i>Cell Death and Disease</i> , 2021, 12, 1088.	2.7	31
204	Effects of Extracellular ATP on Mononuclear Phagocytes. <i>Annals of the New York Academy of Sciences</i> , 1990, 603, 120-128.	1.8	30
205	Synthesis of conformationally constrained analogues of KN62, a potent antagonist of the P2X 7 -receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000, 10, 681-684.	1.0	30
206	Multiple P2X receptors are involved in the modulation of apoptosis in human mesangial cells: evidence for a role of P2X4. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F1537-F1547.	1.3	30
207	Purinergic signalling in autoimmunity: A role for the P2X7R in systemic lupus erythematosus?. <i>Biomedical Journal</i> , 2016, 39, 326-338.	1.4	30
208	Pharmacological blockade of the P2X7 receptor reverses retinal damage in a rat model of type 1 diabetes. <i>Acta Diabetologica</i> , 2019, 56, 1031-1036.	1.2	30
209	Mitochondrial P2X7 Receptor Localization Modulates Energy Metabolism Enhancing Physical Performance. <i>Function</i> , 2021, 2, zqab005.	1.1	29
210	Resting and stimulated cytosolic free calcium levels in neutrophils from patients with Bartter's syndrome. <i>Clinical Science</i> , 1987, 72, 483-488.	1.8	28
211	ATP as a death factor. <i>BioFactors</i> , 1998, 8, 301-303.	2.6	28
212	P2 Purinoceptors in the Immune System. <i>Novartis Foundation Symposium</i> , 1996, 198, 290-308.	1.2	28
213	The purinergic receptor subtype P2Y2 mediates chemotaxis of neutrophils and fibroblasts in fibrotic lung disease. <i>Oncotarget</i> , 2017, 8, 35962-35972.	0.8	28
214	Activation of human eosinophils via P2 receptors: novel findings and future perspectives. <i>Journal of Leukocyte Biology</i> , 2006, 79, 7-15.	1.5	27
215	P2Y6 Receptor Activation Promotes Inflammation and Tissue Remodeling in Pulmonary Fibrosis. <i>Frontiers in Immunology</i> , 2017, 8, 1028.	2.2	27
216	Detection of Extracellular ATP in the Tumor Microenvironment, Using the pmELUC Biosensor. <i>Methods in Molecular Biology</i> , 2020, 2041, 183-195.	0.4	27

#	ARTICLE	IF	CITATIONS
217	Assignment of ecto-nucleoside triphosphate diphosphohydrolase-1/cd39 expression to microglia and vasculature of the brain. <i>European Journal of Neuroscience</i> , 2000, 12, 4357-4366.	1.2	27
218	Role of Extracellular ATP in Cell-Mediated Cytotoxicity: A Study with ATP-Sensitive and ATP-Resistant Macrophages. <i>Cellular Immunology</i> , 1994, 156, 458-467.	1.4	26
219	Defective P2Y purinergic receptor function: A possible novel mechanism for impaired glucose transport. <i>Journal of Cellular Physiology</i> , 2003, 197, 435-444.	2.0	26
220	The P2X7 Receptor Is Shed Into Circulation: Correlation With C-Reactive Protein Levels. <i>Frontiers in Immunology</i> , 2019, 10, 793.	2.2	26
221	Role of the P2X7 receptor in <i>in vitro</i> and <i>in vivo</i> glioma tumor growth. <i>Oncotarget</i> , 2019, 10, 4840-4856.	0.8	26
222	Assessing Extracellular ATP as Danger Signal In Vivo: The pmLuc System. <i>Methods in Molecular Biology</i> , 2016, 1417, 115-129.	0.4	25
223	Macrophages loaded with doxorubicin by ATP-mediated permeabilization: Potential carriers for antitumor therapy. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1994, 1224, 269-276.	1.9	24
224	Irradiation causes senescence, ATP release, and P2X7 receptor isoform switch in glioblastoma. <i>Cell Death and Disease</i> , 2022, 13, 80.	2.7	24
225	P2RX7: A receptor with a split personality in inflammation and cancer. <i>Molecular and Cellular Oncology</i> , 2016, 3, e1010937.	0.3	23
226	P2X7 Receptor Expression in Patients With Serositis Related to Systemic Lupus Erythematosus. <i>Frontiers in Pharmacology</i> , 2019, 10, 435.	1.6	23
227	Signalling by extracellular nucleotides in health and disease. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2022, 1869, 119237.	1.9	23
228	Extracellular Adenosine 5'-Triphosphate Modulates Interleukin-6 Production by Human Thyrocytes through Functional Purinergic P2 Receptors. <i>Endocrinology</i> , 2005, 146, 3172-3178.	1.4	21
229	Cytosol Mg <sup>2+</sup> modulates Ca <sup>2+</sup> ionophore induced secretion from rabbit neutrophils. <i>FEBS Letters</i> , 1983, 163, 315-318.	1.3	20
230	P2X receptors in cancer growth and progression. <i>Biochemical Pharmacology</i> , 2021, 187, 114350.	2.0	20
231	Molecular machinery and signaling events in apoptosis. <i>Drug Development Research</i> , 2001, 52, 558-570.	1.4	19
232	Astrocytes-derived extracellular vesicles in motion at the neuron surface: Involvement of the prion protein. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12114.	5.5	19
233	Mechanism of desensitization of neutrophil response to N-formylmethionylleucylphenylalanine by slow rate of receptor occupancy. Studies on changes in Ca <sup>2+</sup> concentration and phosphatidylinositol turnover. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1985, 838, 23-31.	1.1	18
234	The P2X7 receptor of CLL lymphocytes-a molecule with a split personality. <i>Lancet, The</i> , 2002, 360, 1898-1899.	6.3	18

#	ARTICLE	IF	CITATIONS
235	Microglia P2X4 receptors as pharmacological targets for demyelinating diseases. <i>EMBO Molecular Medicine</i> , 2018, 10, .	3.3	18
236	Ionic regulation of endonuclease activity in PC12 cells. <i>Biochemical Journal</i> , 1995, 311, 1033-1038.	1.7	17
237	Recent progress in the discovery of antagonists acting at P2X7receptor. <i>Expert Opinion on Therapeutic Patents</i> , 2005, 15, 271-287.	2.4	17
238	Functional and structural alterations in the endoplasmic reticulum and mitochondria during apoptosis triggered by C2-ceramide and CD95/APO-1/FAS receptor stimulation. <i>Biochemical and Biophysical Research Communications</i> , 2010, 391, 575-581.	1.0	17
239	Islet-Derived eATP Fuels Autoreactive CD8+ T Cells and Facilitates the Onset of Type 1 Diabetes. <i>Diabetes</i> , 2018, 67, 2038-2053.	0.3	17
240	The P2X7 Receptor: A Promising Pharmacological Target in Diabetic Retinopathy. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7110.	1.8	17
241	Sidedness of e <sup>+</sup> Donation and Stoichiometry of H <sup>+</sup> Pumps at Sites II + III in Mitochondria from Rat Liver. <i>FEBS Journal</i> , 1981, 117, 225-231.	0.2	16
242	The P2X7 Receptor 489C>T Gain of Function Polymorphism Favors HHV-6A Infection and Associates With Female Idiopathic Infertility. <i>Frontiers in Pharmacology</i> , 2020, 11, 96.	1.6	16
243	<i>In Vivo</i> Detection of Extracellular Adenosine Triphosphate in a Mouse Model of Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021, 38, 655-664.	1.7	16
244	Purinergic Signalling between Axons and Microglia. <i>Novartis Foundation Symposium</i> , 2006, 276, 253-262.	1.2	16
245	A Defect in Glycogen Synthesis Characterizes Insulin Resistance in Hypertensive Patients With Type 2 Diabetes. <i>Hypertension</i> , 2001, 37, 1492-1496.	1.3	15
246	Extracellular ATP, P2 receptors, and inflammation. <i>Drug Development Research</i> , 2003, 59, 171-174.	1.4	15
247	P2X <sub>7</sub> gene polymorphisms do not appear to be a susceptibility gene locus in sporadic cases of systemic lupus erythematosus. <i>Tissue Antigens</i> , 2008, 72, 487-490.	1.0	14
248	Denatonium as a Bitter Taste Receptor Agonist Modifies Transcriptomic Profile and Functions of Acute Myeloid Leukemia Cells. <i>Frontiers in Oncology</i> , 2020, 10, 1225.	1.3	14
249	The P2RX7B splice variant modulates osteosarcoma cell behaviour and metastatic properties. <i>Journal of Bone Oncology</i> , 2021, 31, 100398.	1.0	14
250	P2X7 is a cytotoxic receptor – maybe not: implications for cancer. <i>Purinergic Signalling</i> , 2021, 17, 55-61.	1.1	13
251	A3 Adenosine and P2X7 Purinergic Receptors as New Targets for an Innovative Pharmacological Therapy of Malignant Pleural Mesothelioma. <i>Frontiers in Oncology</i> , 2021, 11, 679285.	1.3	13
252	Extracellular ATP is increased by release of ATP-loaded microparticles triggered by nutrient deprivation. <i>Theranostics</i> , 2022, 12, 859-874.	4.6	13

#	ARTICLE	IF	CITATIONS
253	Synthesis, radiolabeling, and preliminary biological evaluation of [3H]-1-[(S)-N,O-bis-(isoquinolinesulfonyl)-N-methyl-tyrosyl]-4-(o-tolyl)-piperazine, a potent antagonist radioligand for the P2X7 receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 5709-5712.	1.0	12
254	TRPP2 dysfunction decreases ATP-evoked calcium, induces cell aggregation and stimulates proliferation in T lymphocytes. <i>BMC Nephrology</i> , 2019, 20, 355.	0.8	12
255	The P2X7 Receptor Is Overexpressed in the Lesional Skin of Subjects Affected by Hidradenitis Suppurativa: A Preliminary Study. <i>Dermatology</i> , 2021, 237, 111-118.	0.9	12
256	Synergistic Effect of Extracellular Adenosine 5â€²-Triphosphate and Tumor Necrosis Factor on DNA Degradation. <i>Cellular Immunology</i> , 1993, 152, 110-119.	1.4	11
257	Proapoptotic plasma membrane pore: P2X7 receptor. <i>Drug Development Research</i> , 2001, 52, 571-578.	1.4	11
258	Intracellular Free Calcium Abnormalities in Fibroblasts From Nonâ€“Insulin-Dependent Diabetic Patients With and Without Arterial Hypertension. <i>Hypertension</i> , 1997, 29, 1007-1013.	1.3	11
259	Diadenosine Homodinucleotide Products of ADP-ribosyl Cyclases Behave as Modulators of the Purinergic Receptor P2X7. <i>Journal of Biological Chemistry</i> , 2010, 285, 21165-21174.	1.6	10
260	Expression and function of the P2X7 receptor in human osteoblasts: The role of NFATc1 transcription factor. <i>Journal of Cellular Physiology</i> , 2021, 236, 641-652.	2.0	10
261	Increased sensitivity to extracellular ATP of fibroblasts from patients affected by systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1124-1125.	0.5	9
262	AMP Affects Intracellular Ca <sup>2+</sup> Signaling, Migration, Cytokine Secretion and T Cell Priming Capacity of Dendritic Cells. <i>PLoS ONE</i> , 2012, 7, e37560.	1.1	9
263	Synthesis, Biological Activity and Molecular Modeling Studies of 1,2,3,4-Tetrahydroiso-quinoline Derivatives as Conformationally Constrained Analogues of KN62, a Potent Antagonist of the P2X7-Receptor Containing a Tyrosine Moiety. <i>Arzneimittelforschung</i> , 2002, 52, 273-285.	0.5	8
264	In Vitro Cytotoxic Effects of Extracellular ATP. <i>ATLA Alternatives To Laboratory Animals</i> , 1992, 20, 66-70.	0.7	7
265	Capacitative calcium entry in rat Sertoli cells. <i>Journal of Endocrinological Investigation</i> , 1996, 19, 516-523.	1.8	7
266	Purinergic Regulation of Airway Inflammation. <i>Sub-Cellular Biochemistry</i> , 2011, 55, 159-193.	1.0	7
267	Intracellular calcium handling by fibroblasts from non-insulin dependent diabetic patients with and without hypertension and microalbuminuria. <i>Kidney International</i> , 1996, 50, 618-626.	2.6	6
268	â€œHemophagocytic Lymphohistiocytosis after EBV reactivation and ibrutinib treatment in relapsed/refractory Chronic Lymphocytic Leukemiaâ€• <i>Leukemia Research Reports</i> , 2017, 7, 11-13.	0.2	6
269	The P2X7 purinergic receptor in intervertebral disc degeneration. <i>Journal of Cellular Physiology</i> , 2022, 237, 1418-1428.	2.0	6
270	P2 Receptors: Novel Disease Markers and Metabolic Checkpoints in Immune Cells. <i>Biomolecules</i> , 2022, 12, 983.	1.8	6



#	ARTICLE	IF	CITATIONS
271	Physiological Roles for P2 Receptors in Platelets, Visceral Smooth Muscle, and the Immune and Endocrine Systems. , 1998, , 361-411.		5
272	A2A Receptor Contributes to Tumor Progression in P2X7 Null Mice. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, .	1.8	5
273	Identification of novel immunosuppressive pathways paves the way for drug discovery. <i>Current Opinion in Pharmacology</i> , 2009, 9, 445-446.	1.7	4
274	European meeting â€œP2 receptors: new targets for the treatment of osteoporosisâ€• <i>Purinergic Signalling</i> , 2011, 7, 275-276.	1.1	4
275	Special issue on cell and molecular biology of purinergic signalling: an introduction. <i>Purinergic Signalling</i> , 2012, 8, 341-341.	1.1	4
276	Extreme thrombocytosis in systemic juvenile idiopathic arthritis. A case report. <i>Italian Journal of Pediatrics</i> , 2019, 45, 73.	1.0	4
277	Editorial overview: Purinergic P2X receptors in innate immunity and inflammation. <i>Current Opinion in Pharmacology</i> , 2019, 47, 141-144.	1.7	4
278	Association of Hypomorphic P2X7 Receptor Genotype With Age. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 8.	1.4	4
279	P2X7: a receptor with a split personality that raises new hopes for anti-cancer therapy. <i>Purinergic Signalling</i> , 2021, 17, 175-178.	1.1	4
280	The Purinergic Landscape of Type 2 Diabetes Mellitus. <i>Molecules</i> , 2022, 27, 1838.	1.7	4
281	Mechanisms of Neutrophil and Macrophage Motility. <i>Advances in Experimental Medicine and Biology</i> , 1991, 297, 13-22.	0.8	3
282	Hemophagocytic Lymphohistiocytosis in a Patient with Relapsed Chronic Lymphocytic Leukemia Treated with Ibrutinib. <i>Blood</i> , 2015, 126, 4616-4616.	0.6	3
283	P2X7 receptor is essential for cross-dressing of bone marrow-derived dendritic cells. <i>IScience</i> , 2021, 24, 103520.	1.9	3
284	Measurement of calcium release from sarcoplasmic reticulum of skeletal muscle: Effect of calcium and inositol 1,4,5-trisphosphate. <i>Methods in Enzymology</i> , 1987, 141, 3-18.	0.4	2
285	Enhanced Effects of Insulin and Angiotensin II on Intracellular pH and Free Cytosolic Calcium in Fibroblasts from Microalbuminuric Patients with Non-Insulin-Dependent Diabetes Mellitus. <i>Clinical Science</i> , 1996, 91, 703-710.	1.8	2
286	Venous Leg Ulcers And Apoptosis: A TIMP-3-Mediated Pathway?. <i>Journal of Investigative Dermatology</i> , 2004, 123, 1210-1212.	0.3	2
287	A Commentary on "PTX3 is an Extrinsic Oncosuppressor Regulating Complement-Dependent Inflammation in Cancer" <i>Frontiers in Oncology</i> , 2015, 5, 118.	1.3	2
288	P2X receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .	0.2	2

#	ARTICLE	IF	CITATIONS
289	C27 A novel pathway for fibroblasts activation and IL-6 release: Possible implications in atheroma formation. <i>Atherosclerosis</i> , 1999, 145, S7.	0.4	1
290	Extracellular ATP activates transcription factor NFAT in mouse microglial cells. <i>Drug Development Research</i> , 2001, 52, 213-219.	1.4	1
291	Reply to: "The discovery of a new class of synaptic transmitters in smooth muscle fifty years ago and amelioration of coronary artery thrombosis"™. <i>Acta Physiologica</i> , 2013, 208, 139-140.	1.8	1
292	Maria Teresa Miras Portugal (1948–2021): in memoriam. <i>Purinergic Signalling</i> , 2021, 17, 515-517.	1.1	1
293	P2X7 receptor-stimulation causes fever via PGE2 and IL-1 $\beta$ release. , 2012, 26, 2951.		1
294	Purinergic Signaling Modulates Human Bone Marrow-Derived Mesenchymal Stem Cells Function.. <i>Blood</i> , 2009, 114, 1441-1441.	0.6	1
295	P2X receptors (version 2020.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2020, 2020, .	0.2	1
296	Modulation of Cell Energy Metabolism by the P2X7 Receptor. <i>Methods in Molecular Biology</i> , 2022, , 53-63.	0.4	1
297	Relationship between neurotransmitter release and cytosolic free calcium in PC12 cells. <i>Biochemical Society Transactions</i> , 1984, 12, 1077-1077.	1.6	0
298	Cytochalasins increase the intracellular free Ca <sup>2+</sup> concentration in human neutrophils. <i>Cell Biology International Reports</i> , 1986, 10, 158-158.	0.7	0
299	Chapter 12 The Basis of Intracellular Calcium Homeostasis in Eukaryotic Cells. <i>Principles of Medical Biology</i> , 1996, , 305-327.	0.1	0
300	ROLE OF PURINERGIC RECEPTORS IN CELL DEATH AND CYTOKINE RELEASE IN THE IMMUNE SYSTEM. <i>Biochemical Society Transactions</i> , 1996, 24, 560S-560S.	1.6	0
301	Reply to Persechini et al.. <i>Trends in Immunology</i> , 1996, 17, 293-294.	7.5	0
302	Spermatozoa. <i>Expert Opinion on Therapeutic Targets</i> , 1997, 1, 215-217.	1.0	0
303	First international workshop on nucleotides and their receptors in the immune system. <i>Drug Development Research</i> , 2001, 53, 51-51.	1.4	0
304	First joint Italian-German Purine Club meeting "Progress in Purinergic Receptor Pharmacology and Function"². <i>Purinergic Signalling</i> , 2006, 2, 573-574.	1.1	0
305	Editorial. <i>Purinergic Signalling</i> , 2009, 5, 127-128.	1.1	0
306	Editorial overview: Cancer. <i>Current Opinion in Pharmacology</i> , 2016, 29, v-vii.	1.7	0

#	ARTICLE	IF	CITATIONS
307	AB0595â€¦Descriptive Analysis of A Single Center Series of 23 Patients with Positive PM-SCL Antibody. Annals of the Rheumatic Diseases, 2016, 75, 1108.1-1108.	0.5	0
308	AB0169â€¦SNP (1513A>C AND 489C>T) OF P2X7 RECEPTOR IN SYSTEMIC LUPUS ERYTHEMATOSUS WITH SEROSITIS. , 2019, , .		0
309	Geoffrey Burnstock â€œ An accidental pharmacologist. Biochemical Pharmacology, 2021, 187, 114300.	2.0	0
310	Editorial overview: Immunometabolism. Current Opinion in Pharmacology, 2021, 60, 168-169.	1.7	0
311	In Vitro and In Vivo Induction of Human Hematopoietic Stem Cell Migration by Extracellular UTP.. Blood, 2005, 106, 1730-1730.	0.6	0
312	Purinergic Signaling in Inflammation and Immunomodulation. , 2006, , 159-193.		0
313	The Inflammation Signaling Molecule ATP Regulates Human CD4+ T Cell Functions. Blood, 2010, 116, 3901-3901.	0.6	0
314	Purinergic Stimulation of Human Bone Marrow-Derived Mesenchymal Stem Cells Modulate Their Function and Differentiation Potential.. Blood, 2010, 116, 3848-3848.	0.6	0
315	Review Structural and functional aspects of calcium homeostasis in eukaryotic cells. , 1990, , 217-240.		0
316	Cell-Permeabilizing Properties of Extracellular ATP in Relation to Lymphocyte-Mediated Cytotoxicity. , 1993, , 314-320.		0
317	P2 Purinoceptors and Regulation of the Function of Platelets, Erythrocytes and Mast Cells. Developments in Cardiovascular Medicine, 1998, , 290-301.	0.1	0
318	P2X7 Receptor Activation By ATP As Target of Novel Therapies in Acute Myeloid Leukemia. Blood, 2015, 126, 3684-3684.	0.6	0
319	The Induction of Inhibitory Pathways in Dendritic Cells May Hamper the Efficient Activation of Anti-Leukemia T Cells within Chemotherapy-Induced Immunogenic Cell Death. Blood, 2015, 126, 1019-1019.	0.6	0
320	Chemotherapy-Dependent ATP Release from Leukemia Dying Cells Induces Indoleamine 2,3-Dioxygenase 1 in Dendritic Cells. Blood, 2016, 128, 3711-3711.	0.6	0
321	SAT0006â€¦P2x7 receptor in systemic lupus erythematosus (SLE). exploring a novel pathogenetic pathway in lupus related serositis. , 2018, , .		0