

Björn E Wahlin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8888471/publications.pdf>

Version: 2024-02-01

21
papers

805
citations

687363

13
h-index

794594

19
g-index

22
all docs

22
docs citations

22
times ranked

1324
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Clinical effects of a single dose of cannabinoids to patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2022, , 1-11. | 1.3 | 4 |
| 2 | The value of complete remission according to positron emission tomography prior to autologous stem cell transplantation in lymphoma: a population-based study showing improved outcome. <i>BMC Cancer</i> , 2021, 21, 500. | 2.6 | 5 |
| 3 | M7â€FLIPI is not prognostic in follicular lymphoma patients with firstâ€line rituximab chemoâ€free therapy. <i>British Journal of Haematology</i> , 2020, 188, 259-267. | 2.5 | 40 |
| 4 | Absolute B cell counts in blood predict long-term response in follicular lymphoma patients treated with rituximab without chemotherapy. <i>Annals of Hematology</i> , 2020, 99, 2357-2366. | 1.8 | 1 |
| 5 | The Karolinska experience of autologous stem-cell transplantation for lymphoma: a population-based study of all 433 patients 1994â€2016. <i>Experimental Hematology and Oncology</i> , 2019, 8, 7. | 5.0 | 14 |
| 6 | Expression of GNAZ , encoding the GÎ± z protein, predicts survival in mantle cell lymphoma. <i>British Journal of Haematology</i> , 2019, 185, 708-712. | 2.5 | 4 |
| 7 | Follicular lymphoma in Sweden: nationwide improved survival in the rituximab era, particularly in elderly women: a Swedish Lymphoma Registry Study. <i>Leukemia</i> , 2015, 29, 668-676. | 7.2 | 95 |
| 8 | Two courses of four weekly infusions of rituximab with or without interferon-Î±2a: final results from a randomized phase III study in symptomatic indolent B-cell lymphomas. <i>Leukemia and Lymphoma</i> , 2015, 56, 2598-2607. | 1.3 | 24 |
| 9 | Higher World Health Organization grades of follicular lymphoma correlate with better outcome in two Nordic Lymphoma Group trials of rituximab without chemotherapy. <i>Leukemia and Lymphoma</i> , 2014, 55, 288-295. | 1.3 | 11 |
| 10 | T-Cell Levels Are Prognostic in Mantle Cell Lymphoma. <i>Clinical Cancer Research</i> , 2014, 20, 6096-6104. | 7.0 | 33 |
| 11 | The reliability of immunohistochemical analysis of the tumor microenvironment in follicular lymphoma: a validation study from the Lunenburg Lymphoma Biomarker Consortium. <i>Haematologica</i> , 2014, 99, 715-725. | 3.5 | 52 |
| 12 | Perturbations of the endocannabinoid system in mantle cell lymphoma: correlations to clinical and pathological features. <i>Oncoscience</i> , 2014, 1, 550-557. | 2.2 | 17 |
| 13 | Entourage: the immune microenvironment following follicular lymphoma. <i>Blood Cancer Journal</i> , 2012, 2, e52-e52. | 6.2 | 30 |
| 14 | Autologous hematopoietic stem cell transplantation in multiple myeloma and lymphoma: an analysis of factors influencing stem cell collection and hematological recovery. <i>Medical Oncology</i> , 2012, 29, 2191-2199. | 2.5 | 20 |
| 15 | Association between P-glycoprotein and lymphoid antigen expression on myeloblasts versus therapy response and survival in de novo acute myeloid leukemia: long-term follow-up results. <i>Medical Oncology</i> , 2012, 29, 2070-2076. | 2.5 | 0 |
| 16 | Clinical significance of the WHO grades of follicular lymphoma in a populationâ€based cohort of 505 patients with long followâ€up times. <i>British Journal of Haematology</i> , 2012, 156, 225-233. | 2.5 | 116 |
| 17 | Hyperferritinemia is associated with low incidence of graft versus host disease, high relapse rate, and impaired survival in patients with blood disorders receiving allogeneic hematopoietic stem cell grafts. <i>Medical Oncology</i> , 2011, 28, 552-558. | 2.5 | 13 |
| 18 | T Cells in Tumors and Blood Predict Outcome in Follicular Lymphoma Treated with Rituximab. <i>Clinical Cancer Research</i> , 2011, 17, 4136-4144. | 7.0 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A Unifying Microenvironment Model in Follicular Lymphoma: Outcome Is Predicted by Programmed Death-1 ⁺ Positive, Regulatory, Cytotoxic, and Helper T Cells and Macrophages. <i>Clinical Cancer Research</i> , 2010, 16, 637-650. | 7.0 | 151 |
| 20 | CD8 ⁺ T-Cell Content in Diagnostic Lymph Nodes Measured by Flow Cytometry Is a Predictor of Survival in Follicular Lymphoma. <i>Clinical Cancer Research</i> , 2007, 13, 388-397. | 7.0 | 133 |
| 21 | Excellent survival after R ² Hyper ⁺ CVAD in hospitalized patients with high ⁺ risk large B ⁺ cell lymphoma: The Karolinska experience. <i>EJHaem</i> , 0, , . | 1.0 | 0 |