

Anna Maria Gori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/888881/publications.pdf>

Version: 2024-02-01

173
papers

7,705
citations

71004

43
h-index

66518

82
g-index

174
all docs

174
docs citations

174
times ranked

9210
citing authors

#	ARTICLE	IF	CITATIONS
1	“Tailored” antiplatelet bridging therapy with cangrelor: moving toward personalized medicine. <i>Platelets</i> , 2022, 33, 687-691.	1.1	6
2	12-month survival in nonagenarians inside the Mugello study: on the way to live a century. <i>BMC Geriatrics</i> , 2022, 22, 194.	1.1	3
3	Detection of Platelet-Activating Antibodies Associated with Vaccine-Induced Thrombotic Thrombocytopenia by Flow Cytometry: An Italian Experience. <i>Viruses</i> , 2022, 14, 1133.	1.5	3
4	Plasma PCSK9 levels and sepsis severity: an early assessment in the emergency department. <i>Clinical and Experimental Medicine</i> , 2021, 21, 101-107.	1.9	14
5	Lipid and metabolite correlation networks specific to clinical and biochemical covariate show differences associated with sexual dimorphism in a cohort of nonagenarians. <i>GeroScience</i> , 2021, , 1.	2.1	2
6	Analysis of Metabolite and Lipid Association Networks Reveals Molecular Mechanisms Associated with 3-Month Mortality and Poor Functional Outcomes in Patients with Acute Ischemic Stroke after Thrombolytic Treatment with Recombinant Tissue Plasminogen Activator. <i>Journal of Proteome Research</i> , 2021, 20, 4758-4770.	1.8	8
7	Diffuse prothrombotic syndrome after ChAdOx1 nCoV-19 vaccine administration: a case report. <i>Journal of Medical Case Reports</i> , 2021, 15, 496.	0.4	11
8	Circulating endothelial and progenitor cells in age-related macular degeneration. <i>European Journal of Ophthalmology</i> , 2020, 30, 956-965.	0.7	1
9	Differential Network Analysis Reveals Metabolic Determinants Associated with Mortality in Acute Myocardial Infarction Patients and Suggests Potential Mechanisms Underlying Different Clinical Scores Used To Predict Death. <i>Journal of Proteome Research</i> , 2020, 19, 949-961.	1.8	27
10	Platelet Reactivity in Hepatitis C Virus-Infected Patients on Dual Antiplatelet Therapy for Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2020, 9, e016441.	1.6	7
11	Sanger Validation of High-Throughput Sequencing in Genetic Diagnosis: Still the Best Practice?. <i>Frontiers in Genetics</i> , 2020, 11, 592588.	1.1	20
12	Association Between Motor and Cognitive Performances in Elderly With Atrial Fibrillation: Strat-AF Study. <i>Frontiers in Neurology</i> , 2020, 11, 571978.	1.1	6
13	Sars-CoV-2 Induced Coagulopathy and Prognosis in Hospitalized Patients: A Snapshot from Italy. <i>Thrombosis and Haemostasis</i> , 2020, 120, 1233-1236.	1.8	15
14	Clinical Implications of “Tailored” Antiplatelet Therapy in Patients With Chronic Total Occlusion. <i>Journal of the American Heart Association</i> , 2020, 9, e014676.	1.6	9
15	Genetic and nutritional factors determining circulating levels of lipoprotein(a): results of the “Montignoso Study” <i>Internal and Emergency Medicine</i> , 2020, 15, 1239-1245.	1.0	1
16	Role of lipoprotein (a) and LPA KIV2 repeat polymorphism in bicuspid aortic valve stenosis and calcification: a proof of concept study. <i>Internal and Emergency Medicine</i> , 2019, 14, 45-50.	1.0	14
17	Antiplatelet treatment in acute coronary syndrome patients: Real-world data from the START-Antiplatelet Italian Registry. <i>PLoS ONE</i> , 2019, 14, e0219676.	1.1	16
18	Cytokines, chemokines, and flare in the anterior chamber after femtosecond laser-assisted cataract surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2019, 45, 910-914.	0.7	11

#	ARTICLE	IF	CITATIONS
19	Role of Biological Markers for Cerebral Bleeding Risk STRATification in Patients with Atrial Fibrillation on Oral Anticoagulants for Primary or Secondary Prevention of Ischemic Stroke (Strat-AF) Tj ETQq1 1 0.784314 rgBT /Over	1.0	1
20	Tight systolic blood pressure control with combination therapy decreases type 2 endoleaks in patients undergoing endovascular aneurysm repair. <i>International Journal of Cardiology</i> , 2019, 285, 97-102.	0.8	1
21	CLOCK gene polymorphisms and quality of aging in a cohort of nonagenarians â€“ The MUGELLO Study. <i>Scientific Reports</i> , 2019, 9, 1472.	1.6	17
22	Small vessel disease and biomarkers of endothelial dysfunction after ischaemic stroke. <i>European Stroke Journal</i> , 2019, 4, 119-126.	2.7	32
23	NMR-based metabolomics identifies patients at high risk of death within two years after acute myocardial infarction in the AMI-Florence II cohort. <i>BMC Medicine</i> , 2019, 17, 3.	2.3	66
24	Prognostic value of sepsis-induced coagulation abnormalities: an early assessment in the emergency department. <i>Internal and Emergency Medicine</i> , 2019, 14, 459-466.	1.0	16
25	Relation between postâ€“myocardial infarct remodelling and gelatinase activity in patients enrolled in the TIPTOP trial. <i>European Journal of Heart Failure</i> , 2019, 21, 127-129.	2.9	1
26	Small Vessel Disease Is Associated with Tissue Inhibitor of Matrix Metalloproteinase-4 After Ischaemic Stroke. <i>Translational Stroke Research</i> , 2019, 10, 44-51.	2.3	8
27	Low-Calorie Vegetarian Versus Mediterranean Diets for Reducing Body Weight and Improving Cardiovascular Risk Profile. <i>Circulation</i> , 2018, 137, 1103-1113.	1.6	186
28	A Khorasan Wheat-Based Replacement Diet Improves Risk Profile of Patients With Nonalcoholic Fatty Liver Disease (NAFLD): A Randomized Clinical Trial. <i>Journal of the American College of Nutrition</i> , 2018, 37, 508-514.	1.1	17
29	The impact of gender on mortality after NSTEMI. <i>Internal and Emergency Medicine</i> , 2018, 13, 269-271.	1.0	0
30	On-Treatment Platelet Reactivity is a Predictor of Adverse Events in Peripheral Artery Disease Patients Undergoing Percutaneous Angioplasty. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 56, 545-552.	0.8	10
31	Reperfusion Injury after ischemic Stroke Study (RISKS): single-centre (Florence, Italy), prospective observational protocol study. <i>BMJ Open</i> , 2018, 8, e021183.	0.8	5
32	A khorasan wheat-based replacement diet improves risk profile of patients with type 2 diabetes mellitus (T2DM): a randomized crossover trial. <i>European Journal of Nutrition</i> , 2017, 56, 1191-1200.	1.8	35
33	Inflammatory and metalloproteinases profiles predict three-month poor outcomes in ischemic stroke treated with thrombolysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3253-3261.	2.4	35
34	Early changes of left ventricular filling pattern after reperfused ST-elevation myocardial infarction and doxycycline therapy: Insights from the TIPTOP trial. <i>International Journal of Cardiology</i> , 2017, 240, 43-48.	0.8	9
35	Feasibility and relevance of right parasternal view for assessing severity and rate of progression of aortic valve stenosis in primary care. <i>International Journal of Cardiology</i> , 2017, 240, 446-451.	0.8	15
36	Red blood cell transfusions can induce proinflammatory cytokines in preterm infants. <i>Transfusion</i> , 2017, 57, 1304-1310.	0.8	55

#	ARTICLE	IF	CITATIONS
37	Cardiovascular benefits from ancient grain bread consumption: findings from a double-blinded randomized crossover intervention trial. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 97-103.	1.3	21
38	Circulating Biomarkers in Cerebral Autosomal Dominant Arteriopathy with Subcortical Infarcts and Leukoencephalopathy Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 823-833.	0.7	12
39	An Unresolved Question. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 2557-2559.	1.1	0
40	Erythrocyte Membrane Fluidity Alterations in Sudden Sensorineural Hearing Loss Patients: The Role of Oxidative Stress. <i>Thrombosis and Haemostasis</i> , 2017, 117, 2334-2345.	1.8	24
41	Symptomatic efficacy of buckwheat products in Non-Celiac Gluten Sensitivity (NCGS). <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017, 26, 630-636.	0.3	8
42	Bleeding events and maintenance dose of prasugrel: BLESS pilot study. <i>Open Heart</i> , 2016, 3, e000460.	0.9	8
43	Prevalence of thrombophilic disorders in takotsubo patients: the (ThRombophilia in TAKotsubo) Tj ETQq1 1 0.784314 rgBT /Overlock 15	1.5	15
44	Increased homocysteine and lipoprotein(a) levels highlight systemic atherosclerotic burden in patients with a history of acute coronary syndromes. <i>Journal of Vascular Surgery</i> , 2016, 64, 163-170.	0.6	16
45	Residual thrombin potential predicts cardiovascular death in acute coronary syndrome patients undergoing percutaneous coronary intervention. <i>Thrombosis Research</i> , 2016, 147, 52-57.	0.8	20
46	High on-aspirin platelet reactivity predicts cardiac death in acute coronary syndrome patients undergoing PCI. <i>European Journal of Internal Medicine</i> , 2016, 30, 49-54.	1.0	17
47	Unbalanced Metalloproteinase-9 and Tissue Inhibitors of Metalloproteinases Ratios Predict Hemorrhagic Transformation of Lesion in Ischemic Stroke Patients Treated with Thrombolysis: Results from the MAGIC Study. <i>Frontiers in Neurology</i> , 2015, 6, 121.	1.1	26
48	Inflammatory and Antioxidant Pattern Unbalance in α -Clopidogrel-Resistant Patients during Acute Coronary Syndrome. <i>Mediators of Inflammation</i> , 2015, 2015, 1-12.	1.4	17
49	Left ventricular mass and progenitor cells in chronic heart failure patients. <i>Internal and Emergency Medicine</i> , 2015, 10, 329-335.	1.0	5
50	Residual platelet reactivity to predict long-term clinical outcomes after clopidogrel loading in patients with acute coronary syndromes: comparison of different cutoff values by light transmission aggregometry from the responsiveness to clopidogrel and stent thrombosis 2-acute coronary syndrome (RECLOSE 2-ACS) study. <i>Journal of Thrombosis and Thrombolysis</i> , 2015, 40, 76-82.	1.0	27
51	Prognostic impact of high residual platelet reactivity after chronic total occlusion percutaneous coronary intervention in patients with diabetes mellitus. <i>International Journal of Cardiology</i> , 2015, 201, 561-567.	0.8	7
52	A time course study of high on treatment platelet reactivity in acute coronary syndrome male patients on dual antiplatelet therapy. <i>Thrombosis Research</i> , 2015, 136, 613-619.	0.8	4
53	Matrix metalloproteinases and their tissue inhibitor after reperfused ST-elevation myocardial infarction treated with doxycycline. Insights from the TIPTOP trial. <i>International Journal of Cardiology</i> , 2015, 197, 147-153.	0.8	23
54	Effect of <i>Triticum turgidum</i> subsp. <i>turanicum</i> wheat on irritable bowel syndrome: a double-blinded randomised dietary intervention trial. <i>British Journal of Nutrition</i> , 2014, 111, 1992-1999.	1.2	42

#	ARTICLE	IF	CITATIONS
55	Oxidative Modification of Fibrinogen Is Associated With Altered Function and Structure in the Subacute Phase of Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1355-1361.	1.1	77
56	Global platelet hyperreactivity and elevated C-reactive protein levels predict long term mortality in STEMI patients. <i>Thrombosis Research</i> , 2014, 134, 884-888.	0.8	16
57	Effects of cryoablation and radiofrequency ablation on endothelial and blood clotting activation. <i>Internal and Emergency Medicine</i> , 2014, 9, 853-860.	1.0	3
58	Adherence to lifestyle modifications after a cardiac rehabilitation program and endothelial progenitor cells. <i>Thrombosis and Haemostasis</i> , 2014, 112, 196-204.	1.8	7
59	Bioequivalence in the Real World Is a Complex Challenge. <i>Journal of the American College of Cardiology</i> , 2013, 61, 594-595.	1.2	14
60	The Mugello Study, a survey of nonagenarians living in Tuscany: Design, methods and participants' general characteristics. <i>European Journal of Internal Medicine</i> , 2013, 24, 745-749.	1.0	38
61	Platelet and leukocyte ROS production and lipoperoxidation are associated with high platelet reactivity in Non-ST elevation myocardial infarction (NSTEMI) patients on dual antiplatelet treatment. <i>Atherosclerosis</i> , 2013, 231, 392-400.	0.4	43
62	Impact of a cardiac rehabilitation program and inflammatory state on endothelial progenitor cells in acute coronary syndrome patients. <i>International Journal of Cardiology</i> , 2013, 167, 1854-1859.	0.8	40
63	MMP9 Variation After Thrombolysis Is Associated With Hemorrhagic Transformation of Lesion and Death. <i>Stroke</i> , 2013, 44, 2901-2903.	1.0	81
64	Characterization of Khorasan wheat (Kamut) and impact of a replacement diet on cardiovascular risk factors: cross-over dietary intervention study. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 190-195.	1.3	59
65	Reticulated platelets predict cardiovascular death in acute coronary syndrome patients. <i>Thrombosis and Haemostasis</i> , 2013, 109, 846-853.	1.8	119
66	The atherosclerotic risk profile is affected differently by fish flesh with a similar EPA and DHA content but different n-6/n-3 ratio. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2013, 22, 32-40.	0.3	9
67	Current status of clopidogrel pharmacogenomics. <i>Pharmacogenomics</i> , 2012, 13, 1671-1674.	0.6	8
68	Relationship Among Endothelial Response to Hyperemia, Bone Marrow-Derived Progenitor Cells, and Parathyroid Hormone in Renal Transplantation. <i>Transplantation</i> , 2012, 93, 835-841.	0.5	4
69	High on-treatment platelet reactivity by ADP and increased risk of MACE in good clopidogrel metabolizers. <i>Platelets</i> , 2012, 23, 586-593.	1.1	18
70	Thrombosis and Acute coronary syndrome. <i>Thrombosis Research</i> , 2012, 129, 235-240.	0.8	77
71	Risk and Determinants of Dementia in Patients with Mild Cognitive Impairment and Brain Subcortical Vascular Changes: A Study of Clinical, Neuroimaging, and Biological Markers—The VMCI-Tuscany Study: Rationale, Design, and Methodology. <i>International Journal of Alzheimer's Disease</i> , 2012, 2012, 1-7.	1.1	26
72	Physical activity and circulating endothelial progenitor cells: an intervention study. <i>European Journal of Clinical Investigation</i> , 2012, 42, 927-932.	1.7	14

#	ARTICLE	IF	CITATIONS
73	Cytochrome P450 2C19*2 polymorphism and cardiovascular recurrences in patients taking clopidogrel: a meta-analysis. <i>Pharmacogenomics Journal</i> , 2011, 11, 199-206.	0.9	152
74	Platelet aggregability is modulated by eNOS locus in non-type 2 diabetic patients with acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 11-17.	1.1	8
75	High sensitivity C-reactive protein predicts the development of new carotid artery plaques in older persons. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 776-782.	1.1	18
76	Lifestyle modifications after acute coronary syndromes in a subset of the AMI-Florence 2 Registry. <i>Acta Cardiologica</i> , 2011, 66, 791-796.	0.3	6
77	Light Transmittance Aggregometry Induced by Different Concentrations of Adenosine Diphosphate to Monitor Clopidogrel Therapy: A Methodological Study. <i>Therapeutic Drug Monitoring</i> , 2011, 33, 94-98.	1.0	16
78	Effects of de-alcoholised wines with different polyphenol content on DNA oxidative damage, gene expression of peripheral lymphocytes, and haemorheology: an intervention study in post-menopausal women. <i>European Journal of Nutrition</i> , 2011, 50, 19-29.	1.8	24
79	High Residual Platelet Reactivity After Clopidogrel Loading and Long-term Cardiovascular Events Among Patients With Acute Coronary Syndromes Undergoing PCI. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 1215.	3.8	361
80	Determinants to optimize response to clopidogrel in acute coronary syndrome. <i>Pharmacogenomics and Personalized Medicine</i> , 2010, 3, 33.	0.4	17
81	High on-treatment platelet reactivity by more than one agonist predicts 12-month follow-up cardiovascular death and non-fatal myocardial infarction in acute coronary syndrome patients receiving coronary stenting. <i>Thrombosis and Haemostasis</i> , 2010, 104, 279-286.	1.8	45
82	Comparison of methods for monitoring residual platelet reactivity after clopidogrel by point-of-care tests on whole blood in high-risk patients. <i>Thrombosis and Haemostasis</i> , 2010, 104, 587-292.	1.8	64
83	High platelet turnover and reactivity in renal transplant recipients patients. <i>Thrombosis and Haemostasis</i> , 2010, 104, 804-810.	1.8	16
84	Relation of CYP2C19 loss-of-function polymorphism to the occurrence of stent thrombosis. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2010, 6, 393-407.	1.5	20
85	Effects of Short-Term Consumption of Bread Obtained by an Old Italian Grain Variety on Lipid, Inflammatory, and Hemorheological Variables: An Intervention Study. <i>Journal of Medicinal Food</i> , 2010, 13, 615-620.	0.8	36
86	Bone Marrow-Derived Progenitor Cells in Cerebral Autosomal Dominant Arteriopathy With Subcortical Infarcts and Leukoencephalopathy. <i>Stroke</i> , 2010, 41, 218-223.	1.0	28
87	Clopidogrel non-responsiveness and risk of cardiovascular morbidity. <i>Thrombosis and Haemostasis</i> , 2010, 103, 00-00.	1.8	177
88	Effect of atorvastatin on circulating hsCRP concentrations: A sub-study of the Achieve Cholesterol Targets Fast with Atorvastatin Stratified Titration (ACTFAST) study. <i>International Journal of Cardiology</i> , 2010, 142, 257-264.	0.8	14
89	Effects of a dairy product (pecorino cheese) naturally rich in cis-9, trans-11 conjugated linoleic acid on lipid, inflammatory and haemorheological variables: A dietary intervention study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 20, 117-124.	1.1	140
90	Reticulated Platelets and Platelet Reactivity in Renal Transplant Recipients Receiving Antiplatelet Therapy. <i>Transplantation Proceedings</i> , 2010, 42, 1156-1157.	0.3	11

#	ARTICLE	IF	CITATIONS
91	Cardiovascular Death and Nonfatal Myocardial Infarction in Acute Coronary Syndrome Patients Receiving Coronary Stenting Are Predicted by Residual Platelet Reactivity to ADP Detected by a Point-of-Care Assay. <i>Circulation</i> , 2009, 119, 237-242.	1.6	502
92	Assessment of Platelet Function on Whole Blood by Multiple Electrode Aggregometry in High-Risk Patients With Coronary Artery Disease Receiving Antiplatelet Therapy. <i>American Journal of Clinical Pathology</i> , 2009, 131, 834-842.	0.4	107
93	eNOS gene influences platelet phenotype in acute coronary syndrome patients on dual antiplatelet treatment. <i>Platelets</i> , 2009, 20, 548-554.	1.1	9
94	Assessment of Platelet Function in Whole Blood by Multiple Electrode Aggregometry: Transport of Samples Using a Pneumatic Tube System The Authors' Reply. <i>American Journal of Clinical Pathology</i> , 2009, 132, 802-804.	0.4	12
95	Response to Letter Regarding Article, "Cardiovascular Death and Nonfatal Myocardial Infarction in Acute Coronary Syndrome Patients Receiving Coronary Stenting Are Predicted by Residual Platelet Reactivity to ADP Detected by a Point-of-Care Assay: A 12-Month Follow-Up" <i>Circulation</i> , 2009, 120, .	1.6	0
96	Anti-inflammatory effects of low molecular weight heparin derivative in a rat model of carrageenan-induced pleurisy. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2704-2712.	1.6	21
97	Relation of Cytochrome P450 2C19 Loss-of-Function Polymorphism to Occurrence of Drug-Eluting Coronary Stent Thrombosis. <i>American Journal of Cardiology</i> , 2009, 103, 806-811.	0.7	211
98	Bone Marrow-Derived Progenitor Cells in the Early Phase of Ischemic Stroke: Relation with Stroke Severity and Discharge Outcome. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 1983-1990.	2.4	19
99	Genome-wide Association Study of Vitamin B6, Vitamin B12, Folate, and Homocysteine Blood Concentrations. <i>American Journal of Human Genetics</i> , 2009, 84, 477-482.	2.6	225
100	Genome-wide Association Study of Vitamin B6, Vitamin B12, Folate, and Homocysteine Blood Concentrations. <i>American Journal of Human Genetics</i> , 2009, 84, 712.	2.6	1
101	Relationship between blood viscosity and infarct size in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2009, 134, 189-194.	0.8	30
102	Lipid, inflammatory and haemorheological profiles are significantly affected by farmed fish eating: an intervention study. <i>International Journal of Food Sciences and Nutrition</i> , 2009, 60, 50-59.	1.3	8
103	The balance between pro- and anti-inflammatory cytokines is associated with platelet aggregability in acute coronary syndrome patients. <i>Atherosclerosis</i> , 2009, 202, 255-262.	0.4	74
104	Research Highlights: CYP2C19 genetic variants and clopidogrel responsiveness in acute coronary syndrome: are we ready for individualized therapy?. <i>Pharmacogenomics</i> , 2009, 10, 1131-1133.	0.6	0
105	Anti-inflammatory effects of low molecular weight heparin derivative in a rat model of carrageenan-induced pleurisy. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2704-2712.	1.6	11
106	Relationship between exercise capacity, endothelial progenitor cells and cytochemokines in patients undergoing cardiac rehabilitation. <i>Thrombosis and Haemostasis</i> , 2009, 101, 521-526.	1.8	37
107	Relationship between exercise capacity, endothelial progenitor cells and cytochemokines in patients undergoing cardiac rehabilitation. <i>Thrombosis and Haemostasis</i> , 2009, 101, 521-6.	1.8	14
108	High-Throughput Multiplex Single-Nucleotide Polymorphism (SNP) Analysis in Genes Involved in Methionine Metabolism. <i>Biochemical Genetics</i> , 2008, 46, 406-423.	0.8	7

#	ARTICLE	IF	CITATIONS
109	Severe periodontitis in young adults is associated with subclinical atherosclerosis. <i>Journal of Clinical Periodontology</i> , 2008, 35, 465-472.	2.3	74
110	Comparison of Hemorheological Variables in ST-Elevation Myocardial Infarction Versus Those in Non-ST-Elevation Myocardial Infarction or Unstable Angina Pectoris. <i>American Journal of Cardiology</i> , 2008, 102, 125-128.	0.7	20
111	Incidence and Clinical Impact of Dual Nonresponsiveness to Aspirin and Clopidogrel in Patients With Drug-Eluting Stents. <i>Journal of the American College of Cardiology</i> , 2008, 52, 734-739.	1.2	189
112	Residual platelet reactivity on aspirin therapy and recurrent cardiovascular events – A meta-analysis. <i>International Journal of Cardiology</i> , 2008, 128, 166-171.	0.8	73
113	ADAMTS-13 activity in the presence of elevated von Willebrand factor levels as a novel mechanism of residual platelet reactivity in high risk coronary patients on antiplatelet treatment. <i>Thrombosis Research</i> , 2008, 123, 130-136.	0.8	13
114	Role of glycoprotein Ia gene polymorphisms in determining platelet function in myocardial infarction patients undergoing percutaneous coronary intervention on dual antiplatelet treatment. <i>Atherosclerosis</i> , 2008, 196, 341-348.	0.4	32
115	NT-proBNP and the anti-inflammatory cytokines are correlated with endothelial progenitor cells™ response to cardiac surgery. <i>Atherosclerosis</i> , 2008, 199, 138-146.	0.4	26
116	Intensive antiplatelet therapy for reduction of ischaemic events. <i>Lancet, The</i> , 2008, 372, 531.	6.3	1
117	Relationship between high platelet turnover and platelet function in high-risk patients with coronary artery disease on dual antiplatelet therapy. <i>Thrombosis and Haemostasis</i> , 2008, 99, 930-935.	1.8	142
118	Thrombotic events in high risk patients are predicted by evaluating different pathways of platelet function. <i>Thrombosis and Haemostasis</i> , 2008, 100, 1136-1145.	1.8	41
119	Association between homocysteine, vitamin B6 concentrations and inflammation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1728-36.	1.4	24
120	Comparison of Different Methods to Evaluate the Effect of Aspirin on Platelet Function in High-Risk Patients With Ischemic Heart Disease Receiving Dual Antiplatelet Treatment. <i>American Journal of Clinical Pathology</i> , 2007, 128, 143-149.	0.4	54
121	Modifications of protein Z and interleukin-6 during the acute phase of coronary artery disease. <i>Blood Coagulation and Fibrinolysis</i> , 2007, 18, 85-86.	0.5	15
122	Cytochrome P450 2C19 loss-of-function polymorphism, but not CYP3A4 IVS10+12G/A and P2Y12 T744C polymorphisms, is associated with response variability to dual antiplatelet treatment in high-risk vascular patients. <i>Pharmacogenetics and Genomics</i> , 2007, 17, 1057-1064.	0.7	204
123	Coffee consumption and risk of coronary heart disease: A meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 209-223.	1.1	119
124	Adherence to a healthful life attenuates lipid parameters among a healthy Italian population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 642-648.	1.1	17
125	Lone and secondary nonvalvular atrial fibrillation: Role of a genetic susceptibility. <i>International Journal of Cardiology</i> , 2007, 120, 59-65.	0.8	42
126	Residual platelet reactivity is associated with clinical and laboratory characteristics in patients with ischemic heart disease undergoing PCI on dual antiplatelet therapy. <i>Atherosclerosis</i> , 2007, 195, e217-e223.	0.4	42

#	ARTICLE	IF	CITATIONS
127	Fish intake and LPA 93C>T polymorphism: Gene-environment interaction in modulating lipoprotein (a) concentrations. <i>Atherosclerosis</i> , 2007, 195, e147-e154.	0.4	15
128	Impact of Platelet Reactivity After Clopidogrel Administration on Drug-Eluting Stent Thrombosis. <i>Journal of the American College of Cardiology</i> , 2007, 49, 2312-2317.	1.2	607
129	Relation of Inflammatory Status to Major Adverse Cardiac Events and Reverse Remodeling in Patients Undergoing Cardiac Resynchronization Therapy. <i>Journal of Cardiac Failure</i> , 2007, 13, 207-210.	0.7	26
130	Role of C677T and A1298C MTHFR, A2756G MTR and -786 C/T eNOS Gene Polymorphisms in Atrial Fibrillation Susceptibility. <i>PLoS ONE</i> , 2007, 2, e495.	1.1	20
131	Residual platelet reactivity is an independent predictor of myocardial injury in acute myocardial infarction patients on antiaggregant therapy. <i>Thrombosis and Haemostasis</i> , 2007, 98, 844-851.	1.8	43
132	Leisure time but not occupational physical activity significantly affects cardiovascular risk factors in an adult population. <i>European Journal of Clinical Investigation</i> , 2007, 37, 947-953.	1.7	87
133	Different methodologies for evaluating the effect of clopidogrel on platelet function in high-risk coronary artery disease patients. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 1839-1847.	1.9	180
134	Residual platelet reactivity is an independent predictor of myocardial injury in acute myocardial infarction patients on antiaggregant therapy. <i>Thrombosis and Haemostasis</i> , 2007, 98, 844-51.	1.8	11
135	Homocysteine as an emerging risk factor for cardiovascular disease in the elderly. <i>Aging Health</i> , 2006, 2, 983-997.	0.3	1
136	Markers of hypercoagulability and inflammation predict mortality in patients with heart failure. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1017-1022.	1.9	78
137	Usefulness of Aspirin Resistance After Percutaneous Coronary Intervention for Acute Myocardial Infarction in Predicting One-Year Major Adverse Coronary Events. <i>American Journal of Cardiology</i> , 2006, 98, 1156-1159.	0.7	95
138	Analysis of minK and eNOS genes as candidate loci for predisposition to non-valvular atrial fibrillation. <i>European Heart Journal</i> , 2006, 27, 1712-1718.	1.0	84
139	Protein Z levels and prognosis in patients with acute coronary syndromes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 1098-102.	1.4	5
140	Predictors of Vitamin B6 and Folate Concentrations in Older Persons: The InCHIANTI Study. <i>Clinical Chemistry</i> , 2006, 52, 1318-1324.	1.5	48
141	Erythrocyte deformability and white blood cell count are associated with aspirin resistance in high-risk vascular patients. <i>Clinical Hemorheology and Microcirculation</i> , 2006, 35, 175-81.	0.9	25
142	A proinflammatory state is associated with hyperhomocysteinemia in the elderly. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 335-341.	2.2	78
143	Hyperhomocysteinemia: cause or effect of disease?. <i>Blood</i> , 2005, 105, 3382-3384.	0.6	10
144	Homocysteine and tissue factor pathway inhibitor levels in patients with Fabry's disease. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 2117-2119.	1.9	13

#	ARTICLE	IF	CITATIONS
145	Dietary habits, lifestyle and cardiovascular risk factors in a clinically healthy Italian population: the "Florence" diet is not Mediterranean. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 584-591.	1.3	63
146	A proinflammatory state is associated with hyperhomocysteinemia in the elderly. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 335-341.	2.2	83
147	In vivo effect of Chianti red wine on Tissue Factor, Tissue Factor Pathway Inhibitor and Homocysteine levels. <i>Thrombosis and Haemostasis</i> , 2005, 94, 689-689.	1.8	2
148	Endothelial Nitric Oxide Synthase ϵ^{786T} ;C, but Not ϵ^{894G} ;T and ϵ^{4a4b} , Polymorphism Influences Plasma Homocysteine Concentrations in Persons with Normal Vitamin Status. <i>Clinical Chemistry</i> , 2005, 51, 1159-1164.	1.5	29
149	Impaired fibrinolysis in retinal vein occlusion: a role for genetic determinants of PAI-1 levels. <i>Thrombosis and Haemostasis</i> , 2004, 92, 54-60.	1.8	36
150	Cytokine gene expression and production by human LPS-stimulated mononuclear cells are inhibited by sulfated heparin-like semi-synthetic derivatives. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 1657-1662.	1.9	31
151	Influence of endothelial nitric oxide synthase gene polymorphisms (ϵ^{894T} , ϵ^{4a4b} , ϵ^{786C}) and hyperhomocysteinemia on the predisposition to acute coronary syndromes. <i>American Heart Journal</i> , 2004, 147, 516-521.	1.2	76
152	Increased plasma levels of lipoprotein(a) and the risk of idiopathic and recurrent venous thromboembolism. <i>American Journal of Medicine</i> , 2003, 115, 601-605.	0.6	91
153	Hypercoagulability, high tissue factor and low tissue factor pathway inhibitor levels in severe ovarian hyperstimulation syndrome: possible association with clinical outcome. <i>Blood Coagulation and Fibrinolysis</i> , 2003, 14, 277-282.	0.5	40
154	Cardiovascular and thrombophilic risk factors for central retinal vein occlusion. <i>European Journal of Internal Medicine</i> , 2002, 13, 163-169.	1.0	42
155	Tissue factor and tissue factor pathway inhibitor levels in unstable angina patients during short-term low-molecular-weight heparin administration. <i>British Journal of Haematology</i> , 2002, 117, 693-698.	1.2	11
156	Activation of the immune system and coronary artery disease: the role of anti-endothelial cell antibodies. <i>Atherosclerosis</i> , 2001, 154, 429-436.	0.4	26
157	Angiotensin converting enzyme DD genotype affects the changes of plasma plasminogen activator inhibitor-1 activity after primary percutaneous transluminal coronary angioplasty in acute myocardial infarction patients. <i>International Journal of Clinical and Laboratory Research</i> , 2000, 30, 179-185.	1.0	11
158	Videolaparoscopic cholecystectomy induces a hemostasis activation of lower grade than does open surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2000, 14, 170-174.	1.3	56
159	Microheterogeneity in the Distribution of the $\epsilon^{844ins68}$ in the Cystathionine ϵ^2 -Synthase Gene in Italy. <i>Thrombosis Research</i> , 1999, 94, 249-254.	0.8	14
160	Acquired Activated Protein C Resistance in Postmenopausal Women Is Dependent on Factor VIII:c Levels. <i>American Journal of Clinical Pathology</i> , 1999, 111, 769-772.	0.4	20
161	Monitoring of low-molecular-weight heparins in cardiovascular disease. <i>American Journal of Cardiology</i> , 1998, 82, 33L-36L.	0.7	56
162	Role of platelet glycoprotein PLA1/A2 polymorphism in restenosis after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1998, 82, 524-525.	0.7	27

#	ARTICLE	IF	CITATIONS
163	Effect of low-dose heparin on fibrinogen levels in patients with chronic ischemic heart disease. International Journal of Clinical and Laboratory Research, 1998, 28, 170-173.	1.0	8
164	Factor II 20210 Gât'A Polymorphism Associated to Factor V Leiden. Thrombosis Research, 1998, 89, 249-252.	0.8	6
165	Elevated Tissue Factor and Tissue Factor Pathway Inhibitor Circulating Levels in Ischaemic Heart Disease Patients. Thrombosis and Haemostasis, 1998, 79, 495-499.	1.8	108
166	Prevalence of Factor V Leiden Mutation in Non-European Populations. Thrombosis and Haemostasis, 1997, 77, 329-331.	1.8	76
167	Different Distribution of the Double Mutant "T833C/68 bp Insertion" in Cystathionine Î²-Synthase Gene in Northern and Southern Italian Populations. Thrombosis and Haemostasis, 1997, 78, 1293-1293.	1.8	9
168	PLATELET AND BLOOD CLOTTING ACTIVATION IN PATIENTS WITH MITRAL VALVE PROLAPSE. Thrombosis Research, 1996, 83, 299-306.	0.8	22
169	n-3 PUFA supplementation, monocyte PCA expression and interleukin-6 production. Prostaglandins Leukotrienes and Essential Fatty Acids, 1996, 54, 439-444.	1.0	45
170	Interleukin-6 and acute-phase proteins in head and neck cancer. European Archives of Oto-Rhino-Laryngology, 1995, 252, 159-62.	0.8	40
171	The role of extraplatelet thromboxane A2 in unstable angina investigated with a dual thromboxane A2 inhibitor. Coronary Artery Disease, 1994, 5, 137-146.	0.3	25
172	Monocyte Tumor Necrosis Factor Production in Head and Neck Squamous Cell Carcinoma. Laryngoscope, 1992, 102, 447-450.	1.1	13
173	Activity of dipyron on intraplatelet arachidonic acid metabolism: An in vitro study. Pharmacological Research, 1989, 21, 43-50.	3.1	9