Ali Eftekhari

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8889239/ali-eftekhari-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 7,076 142 44 h-index g-index citations papers 8,089 7.69 156 5.6 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
142	Supercapacitors: Electrical Characteristics, Modeling, Applications, and Future Trends. <i>IEEE Access</i> , 2019 , 7, 50869-50896	3.5	74
141	Lithium Batteries for Electric Vehicles: From Economy to Research Strategy. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 5602-5613	8.3	111
140	Surface Diffusion and Adsorption in Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3692-3701	8.3	40
139	Metrics for Fast Supercapacitors as Energy Storage Devices. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3688-3691	8.3	19
138	On the Theoretical Capacity/Energy of Lithium Batteries and Their Counterparts. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3684-3687	8.3	73
137	On the mechanism of microporous carbon supercapacitors. <i>Materials Today Chemistry</i> , 2018 , 7, 1-4	6.2	27
136	Graphene oxide membranes for electrochemical energy storage and conversion. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 2307-2326	6.7	26
135	The mechanism of ultrafast supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 2866-2876	13	185
134	Metal-organic framework/carbon nanotube-coated polyethylene separator for improving the cycling performance of lithium-sulfur cells. <i>Electrochimica Acta</i> , 2018 , 283, 1291-1299	6.7	45
133	Sodium-ion batteries: New opportunities beyond energy storage by lithium. <i>Journal of Power Sources</i> , 2018 , 395, 336-348	8.9	140
132	Ni-Doped SnO2 Nanoparticles for Sensing and Photocatalysis. ACS Applied Nano Materials, 2018, 1, 582	3 5 836	26
131	High-Energy Aqueous Lithium Batteries. Advanced Energy Materials, 2018, 8, 1801156	21.8	97
130	Molybdenum diselenide (MoSe2) for energy storage, catalysis, and optoelectronics. <i>Applied Materials Today</i> , 2017 , 8, 1-17	6.6	228
129	Low voltage anode materials for lithium-ion batteries. <i>Energy Storage Materials</i> , 2017 , 7, 157-180	19.4	133
128	The rise of lithiumBelenium batteries. Sustainable Energy and Fuels, 2017 , 1, 14-29	5.8	159
127	LiFePO4/C nanocomposites for lithium-ion batteries. <i>Journal of Power Sources</i> , 2017 , 343, 395-411	8.9	138
126	Polyaniline supercapacitors. <i>Journal of Power Sources</i> , 2017 , 347, 86-107	8.9	514

(2017-2017)

125	The necessity of structural irregularities for the chemical applications of graphene. <i>Materials Today Chemistry</i> , 2017 , 4, 1-16	6.2	79
124	Ordered mesoporous materials for lithium-ion batteries. <i>Microporous and Mesoporous Materials</i> , 2017 , 243, 355-369	5.3	48
123	Electrocatalysts for hydrogen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 11053-11077	6.7	438
122	Lithium-Ion Batteries with High Rate Capabilities. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 2799-2816	8.3	77
121	From pseudocapacitive redox to intermediary adsorption in oxygen evolution reaction. <i>Materials Today Chemistry</i> , 2017 , 4, 117-132	6.2	38
120	Electrochemical energy storage by aluminum as a lightweight and cheap anode/charge carrier. Sustainable Energy and Fuels, 2017, 1, 1246-1264	5.8	44
119	Tuning the electrocatalysts for oxygen evolution reaction. <i>Materials Today Energy</i> , 2017 , 5, 37-57	7	68
118	Cathode materials for lithiumBulfur batteries: a practical perspective. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 17734-17776	13	167
117	Supercapacitors utilising ionic liquids. Energy Storage Materials, 2017, 9, 47-69	19.4	163
116	In pursuit of catalytic cathodes for lithiumBxygen batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 7710-7731	13	71
115	Photoelectrode nanomaterials for photoelectrochemical water splitting. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 11078-11109	6.7	103
114	Synthesis and properties of polymerized ionic liquids. <i>European Polymer Journal</i> , 2017 , 90, 245-272	5.2	126
113	Ordered mesoporous carbon and its applications for electrochemical energy storage and conversion. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 1001-1027	7.8	130
112	Energy efficiency: a critically important but neglected factor in battery research. <i>Sustainable Energy and Fuels</i> , 2017 , 1, 2053-2060	5.8	131
111	Electrochemical hydrogen storage: Opportunities for fuel storage, batteries, fuel cells, and supercapacitors. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 25143-25165	6.7	156
110	Tungsten dichalcogenides (WS2, WSe2, and WTe2): materials chemistry and applications. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 18299-18325	13	197
109	Room-Temperature Performance of Poly(Ethylene Ether Carbonate)-Based Solid Polymer Electrolytes for All-Solid-State Lithium Batteries. <i>Scientific Reports</i> , 2017 , 7, 17482	4.9	46
108	Tailoring pseudocapacitive materials from a mechanistic perspective. <i>Materials Today Energy</i> , 2017 , 6, 211-229	7	86

107	Potassium Secondary Batteries. ACS Applied Materials & Interfaces, 2017, 9, 4404-4419	9.5	590
106	Structural Sensitivity of Carbon Monoxide Hydrogenation by Nano-Structured Iron Catalyst. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 5856-64	1.3	3
105	Different roles of ionic liquids in lithium batteries. <i>Journal of Power Sources</i> , 2016 , 334, 221-239	8.9	127
104	Carbon nanotube-assisted electrodeposition. Part II: Superior pseudo-capacitive behavior of manganese oxide film electrodeposited at high current densities. <i>Journal of Power Sources</i> , 2015 , 274, 1315-1321	8.9	17
103	Carbon nanotube-assisted electrodeposition. Part I: Battery performance of manganese oxide films electrodeposited at low current densities. <i>Journal of Power Sources</i> , 2015 , 274, 1306-1314	8.9	19
102	Galvanodynamic synthesis of polyaniline: A flexible method for the deposition of electroactive materials. <i>Journal of Electroanalytical Chemistry</i> , 2014 , 717-718, 110-118	4.1	7
101	Curly Graphene with Specious Interlayers Displaying Superior Capacity for Hydrogen Storage. Journal of Physical Chemistry C, 2013 , 117, 25845-25851	3.8	43
100	Morphological effects of Ni nanostructures on electropolymerization of aniline. <i>Journal of Applied Polymer Science</i> , 2011 , 122, 1579-1586	2.9	6
99	2010,		47
98	Comment on Carbon nanowalls as material for electrochemical transducers[Appl. Phys. Lett. 95, 014104 (2009)]. <i>Applied Physics Letters</i> , 2010 , 96, 126102	3.4	3
97	Comment on A Linear Actuation of Polymeric Nanofibrous Bundle for Artificial Muscles (Chemistry of Materials, 2010 , 22, 2689-2690	9.6	6
96	History of Conductive Polymers 2010, 1-17		2
95	Single Conducting-Polymer Nanowires 2010 , 411-466		1
94	Conductive Polymer Micro- and Nanocontainers 2010 , 467-501		1
93	Magnetic and Electron Transport Behaviors of Conductive-Polymer Nanocomposites 2010 , 503-529		
92	Charge Transfer and Charge Separation in Conjugated Polymer Solar Cells 2010 , 531-562		1
91			
	Nanostructured Conducting Polymers for (Electro)chemical Sensors 2010 , 563-598		2

(2006-2010)

89	Electroactive Conducting Polymers for the Protection of Metals against Corrosion: from Micro- to Nanostructured Films 2010 , 631-680		3
88	Electrocatalysis by Nanostructured Conducting Polymers 2010 , 681-705		
87	Nanostructured Conductive Polymers as Biomaterials 2010 , 707-736		4
86	Nanocomposites of Polymers Made Conductive by Nanofillers 2010 , 737-763		
85	Polyaniline Nanostructures 2010 , 19-98		17
84	Nanoscale Inhomogeneity of Conducting-Polymer-Based Materials 2010 , 99-159		1
83	Nanostructured Conductive Polymers by Electrospinning 2010 , 161-207		6
82	Composites Based on Conducting Polymers and Carbon Nanotubes 2010 , 209-260		5
81	Inorganic-Based Nanocomposites of Conductive Polymers 2010 , 261-288		5
80	Metallic-Based Nanocomposites of Conductive Polymers 2010 , 289-340		10
79	Spectroscopy of Nanostructured Conducting Polymers 2010 , 341-373		4
78	Atomic Force Microscopy Study of Conductive Polymers 2010 , 375-410		
77	Comments on L i diffusion in LiNi0.5Mn0.5O2 thin film electrodes prepared by pulsed laser deposition L by Xia et al <i>Electrochimica Acta</i> , 2010 , 55, 3434	6.7	5
76	Initiating electropolymerization on graphene sheets in graphite oxide structure. <i>Journal of Polymer Science Part A</i> , 2010 , 48, 2204-2213	2.5	45
75	2008,		57
74	Inspecting plastic deformation of Pd by means of fractal geometry. <i>Physica B: Condensed Matter</i> , 2007 , 387, 92-97	2.8	2
73	Electrodeposition of smooth and adherent film of polypyrrole on lead electrode. <i>Progress in Organic Coatings</i> , 2006 , 57, 371-375	4.8	12
72	Synthesis of nanostructured large particles of polyaniline. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 6060-6063	2.9	9

71	A PRACTICAL APPROACH FOR SENSING SURFACE NANOSTRUCTURES IN ELECTROCHEMICAL EXPERIMENTS. <i>Surface Review and Letters</i> , 2006 , 13, 703-710	1.1	
70	LIMITATIONS OF ELECTROCHEMICAL METHODS FOR SURFACE ANALYSIS AT SMALL FRACTALITY SCALES. <i>Surface Review and Letters</i> , 2006 , 13, 809-814	1.1	2
69	EFFECTS OF NANOSCALE SURFACE DEFECTS ON ELECTROPOLYMERIZATION. Surface Review and Letters, 2006 , 13, 753-758	1.1	
68	Complicated surface structure of flower-like bunches of LiV0.1Mn1.9O4 nanofibers. <i>Journal of Experimental Nanoscience</i> , 2006 , 1, 211-219	1.9	
67	Electropolymerization of Aniline on Plastically Deformed Pd Surface: Structure at Micro- and Nano-Scale. <i>Polymer Journal</i> , 2006 , 38, 329-334	2.7	8
66	Significant Effect of Dopant Size on Nanoscale Fractal Structure of Polypyrrole Film. <i>Polymer Journal</i> , 2006 , 38, 781-785	2.7	17
65	Polymerization of Aniline through Simultaneous Chemical and Electrochemical Routes. <i>Polymer Journal</i> , 2006 , 38, 651-658	2.7	22
64	Fractal geometry of texts: An initial application to the works of Shakespeare. <i>Journal of Quantitative Linguistics</i> , 2006 , 13, 177-193	0.5	13
63	Electrochemical properties of LiMn2O4 cathode material doped with an actinide. <i>Journal of Alloys and Compounds</i> , 2006 , 424, 225-230	5.7	14
62	Electrochemical synthesis of polypyrrole macro-tubes on aluminum substrate. <i>Synthetic Metals</i> , 2006 , 156, 643-647	3.6	4
61	Catalytic Chemical Vapor Deposition Preparation of Multi-wall Carbon Nanotubes with Cone-like Heads. <i>Chemistry Letters</i> , 2006 , 35, 138-139	1.7	18
60	Electrochemical polymerization of aniline in phosphoric acid. <i>Journal of Polymer Science Part A</i> , 2006 , 44, 3304-3311	2.5	23
59	High-yield synthesis of carbon nanotubes using a water-soluble catalyst support in catalytic chemical vapor deposition. <i>Carbon</i> , 2006 , 44, 1343-1345	10.4	59
58	Effects of metal source in metal substitution of lithium manganese oxide spinel. <i>Electrochimica Acta</i> , 2006 , 52, 1491-1498	6.7	14
57	Flower-like bundles of ZnO nanosheets as an intermediate between hollow nanosphere and nanoparticles. <i>Materials Science & Camp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 437, 446-450	5.3	44
56	Bundled nanofibers of V-doped LiMn2O4 spinel. <i>Solid State Communications</i> , 2006 , 140, 391-394	1.6	7
55	Influence of atomic-scale irregularities in fractal analysis of electrode surfaces. <i>Applied Surface Science</i> , 2005 , 239, 311-319	6.7	23
54	Rectangular structure of manganese oxide nanowires. <i>Materials Science and Engineering B:</i> Solid-State Materials for Advanced Technology, 2005 , 122, 110-114	3.1	1

(2004-2005)

53	Comments on Spurious potential dependence of diffusion coefficients in Li+ insertion electrodes measured with PITTIl Electrochimica Acta, 2005, 50, 2541-2543	6.7	8
52	Quantitative surface analysis of plastic deformation of Pd electrodes in nanoscale. <i>Applied Surface Science</i> , 2005 , 242, 82-87	6.7	8
51	A simple synthesis of manganese oxide nanowires. <i>Mendeleev Communications</i> , 2005 , 15, 75-76	1.9	5
50	Effect of Na diffusion on the formation of fibrous microcrystals of manganese oxide. <i>Materials Research Bulletin</i> , 2005 , 40, 2205-2211	5.1	18
49	Template-free preparation of bunches of aligned manganese oxide nanowires. <i>Journal Physics D: Applied Physics</i> , 2005 , 38, 628-631	3	17
48	Auto-Release of Fe(CN)6 4- from Conductive Polymer at a Sensing System. <i>Chemical Engineering Communications</i> , 2005 , 192, 897-907	2.2	2
47	Electrochemical Deposition and Modification of LiFePO[sub 4] for the Preparation of Cathode with Enhanced Battery Performance. <i>Journal of the Electrochemical Society</i> , 2004 , 151, A1816	3.9	48
46	Surface Modification of Thin-Film Based LiCoPO[sub 4] 5 V Cathode with Metal Oxide. <i>Journal of the Electrochemical Society</i> , 2004 , 151, A1456	3.9	73
45	Pulsed electrodeposition of soft magnetic CoNiFe films under centrifugal forces. <i>Philosophical Magazine Letters</i> , 2004 , 84, 587-592	1	4
44	Electrochemical Properties of Lanthanum Hexacyanoferrate Particles Immobilized onto Electrode Surface by Au-Codeposition Method. <i>Electroanalysis</i> , 2004 , 16, 1324-1329	3	5
43	Aluminum oxide as a multi-function agent for improving battery performance of LiMn2O4 cathode. <i>Solid State Ionics</i> , 2004 , 167, 237-242	3.3	58
42	Potassium secondary cell based on Prussian blue cathode. <i>Journal of Power Sources</i> , 2004 , 126, 221-228	8 8.9	399
41	Time-dependency of impedance spectroscopic studies of oscillatory systems. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2004 , 332, 382-388	2.3	3
40	LiMn2O4 electrode prepared by gold E itanium codeposition with improved cyclability. <i>Journal of Power Sources</i> , 2004 , 130, 260-265	8.9	24
39	Fabrication of 5 V lithium rechargeable micro-battery. <i>Journal of Power Sources</i> , 2004 , 132, 240-243	8.9	29
38	Fabrication of all-solid-state thin-film secondary cells using hexacyanometallate-based electrode materials. <i>Journal of Power Sources</i> , 2004 , 132, 291-295	8.9	26
37	Fractal studies of Au films deposited on liquid liquid and liquid gas interfaces. <i>Applied Surface Science</i> , 2004 , 227, 331-340	6.7	15
36	Electrochemical Behavior of Gallium Hexacyanoferrate Film Directly Modified Electrode in a Cool Environment. <i>Journal of the Electrochemical Society</i> , 2004 , 151, E297	3.9	11

35	Fractal Dimension of Electrochemical Reactions. <i>Journal of the Electrochemical Society</i> , 2004 , 151, E291	3.9	17
34	Enhanced stability and conductivity of polypyrrole film prepared electrochemically in the presence of centrifugal forces. <i>Synthetic Metals</i> , 2004 , 142, 305-308	3.6	13
33	Electropolymerization of aniline onto passivated substrate and its application for preparation of enzyme-modified electrode. <i>Synthetic Metals</i> , 2004 , 145, 211-216	3.6	29
32	Improving Cyclability of 5 V Cathodes by Electrochemical Surface Modification. <i>Chemistry Letters</i> , 2004 , 33, 616-617	1.7	24
31	Mixed-Metals Codeposition as a Novel Method for the Preparation of LiMn[sub 2]O[sub 4] Electrodes with Reduced Capacity Fades. <i>Journal of the Electrochemical Society</i> , 2003 , 150, A966	3.9	13
30	Soft magnetic CoNiFe films electrodeposited under centrifugal forces. <i>Journal Physics D: Applied Physics</i> , 2003 , 36, 1183-1187	3	18
29	Electrochemical Behavior and Enhanced Stability of a Thin Film of Prussian Blue Deposited under Magnetic Field. <i>Zeitschrift Fur Physikalische Chemie</i> , 2003 , 217, 1369-1386	3.1	9
28	A new anode material for inorganic-based rechargeable batteries. <i>Journal of Materials Science Letters</i> , 2003 , 22, 1251-1253		8
27	Electrocatalysis and Amperometric Detection of Hydrogen Peroxide at an Aluminum Microelectrode Modified with Cobalt Hexacyanoferrate Film. <i>Mikrochimica Acta</i> , 2003 , 141, 15-21	5.8	30
26	Electrochemical technique for the determination of fractal dimension of dental surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , 2003 , 32, 375-381	6	11
25	Diffusion of electrolytes in solution under gravitational forces. Chemical Physics Letters, 2003, 381, 427-	433	3
24	On the Onsager® phenomenological coefficient of Prussian blue electrochemical redox system. <i>Chemical Physics Letters</i> , 2003 , 374, 164-169	2.5	10
23	Variations of phenomenological coefficient of an electrochemical redox system in the course of cycling and aging. <i>Chemical Physics Letters</i> , 2003 , 378, 89-94	2.5	8
22	Deposition of stable electroactive films of polynuclear cyanides onto silicon surface. <i>Journal of Electroanalytical Chemistry</i> , 2003 , 558, 75-82	4.1	7
21	A high-voltage solid-state secondary cell based on chromium hexacyanometallates. <i>Journal of Power Sources</i> , 2003 , 117, 249-254	8.9	32
20	Electrochemical performance and cyclability of LiFe0.5Mn1.5O4 as a 5 V cathode material for lithium batteries. <i>Journal of Power Sources</i> , 2003 , 124, 182-190	8.9	39
19	3D Deposition of LiMn2O4: enhancement of lithium battery performance. <i>Solid State Ionics</i> , 2003 , 161, 41-47	3.3	21
18	Improving Cu metallization of Si by electrodeposition under centrifugal fields. <i>Microelectronic Engineering</i> , 2003 , 69, 17-25	2.5	33

LIST OF PUBLICATIONS

17	Fractal study of Nill Mo alloy for dental applications: effect of beryllium. <i>Applied Surface Science</i> , 2003 , 220, 343-348	6.7	15
16	On the fractal study of LiMn2O4 electrode surface. <i>Electrochimica Acta</i> , 2003 , 48, 2831-2839	6.7	30
15	pH sensor based on deposited film of lead oxide on aluminum substrate electrode. <i>Sensors and Actuators B: Chemical</i> , 2003 , 88, 234-238	8.5	69
14	Silver Hexacyanoferrate Film Directly Modified Electrode as a Potentiometric Sensor for Potassium Ion. <i>Analytical Letters</i> , 2003 , 36, 263-276	2.2	5
13	Fractal study of LiMn2O4 film electrode surface for lithium batteries application. <i>Electrochimica Acta</i> , 2002 , 47, 4347-4350	6.7	18
12	Erratum to B ractal study of LiMn2O4 film electrode surface for lithium batteries application <i>Electrochimica Acta</i> , 2002 , 48, 290	6.7	3
11	Electrochemical behavior and electrocatalytic activity of a zinc hexacyanoferrate film directly modified electrode. <i>Journal of Electroanalytical Chemistry</i> , 2002 , 537, 59-66	4.1	47
10	Effect of centrifugal fields on the solid-state film formation as applied to gold electrodeposits. <i>Mendeleev Communications</i> , 2002 , 12, 122-123	1.9	16
9	Enhanced stability of hexacyanoferrate-based modified electrodes prepared under centrifugal fields. <i>Mendeleev Communications</i> , 2002 , 12, 206-207	1.9	12
8	CHEMICAL SENSOR BASED ON SILVER/SILVER SULFIDE MICROELECTRODE. <i>Analytical Letters</i> , 2001 , 34, 1087-1095	2.2	8
7	Glycerol biosensor based on glycerol dehydrogenase incorporated into polyaniline modified aluminum electrode using hexacyanoferrate as mediator. <i>Sensors and Actuators B: Chemical</i> , 2001 , 80, 283-289	8.5	48
6	Electrochemical behavior of thin-film LiMn2O4 electrode in aqueous media. <i>Electrochimica Acta</i> , 2001 , 47, 495-499	6.7	67
5	SILVER HEXACYANOFERRATE(II) FILM DIRECT MODIFIED ELECTRODE AS AMPEROMETRIC SENSOR FOR THE DETERMINATION OF SILVER. <i>Analytical Letters</i> , 2001 , 34, 541-551	2.2	14
4	OSCILLATORY BEHAVIOR AS ELECTROCHEMICAL FLUCTUATIONS DURING THE TRANSPASSIVE ELECTRODISSOLUTION OF COPPER IN PHOSPHORIC ACID. <i>Fluctuation and Noise Letters</i> , 2001 , 01, L171	-[:1 80	1
3	Aluminum as a suitable substrate for the deposition of conducting polymers: application to polyaniline and enzyme-modified electrode. <i>Synthetic Metals</i> , 2001 , 125, 295-300	3.6	45
2	Aluminum electrode modified with manganese hexacyanoferrate as a chemical sensor for hydrogen peroxide. <i>Talanta</i> , 2001 , 55, 395-402	6.2	48
1	Silver-Selective Electrode Based on a Direct Modified Electrode Silver Hexacyanoferrate(II) Film. <i>Analytical Letters</i> , 2000 , 33, 2873-2882	2.2	9