

V Harjutsalo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8889478/v-harjutsalo-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

3,338
citations

30
h-index

56
g-index

93
ext. papers

3,947
ext. citations

9
avg, IF

5.03
L-index

#	Paper	IF	Citations
89	Response to Comment on Parente et al. The Relationship Between Body Fat Distribution and Nonalcoholic Fatty Liver in Adults With Type 1 Diabetes. <i>Diabetes Care</i> 2021;44:1706-1713.. <i>Diabetes Care</i> , 2022 , 45, e8-e9	14.6	
88	Genetic Profile of Endotoxemia Reveals an Association With Thromboembolism and Stroke. <i>Journal of the American Heart Association</i> , 2021 , 10, e022482	6	2
87	Response to Comment on Tynjälä et al. Arterial Stiffness Predicts Mortality in Individuals With Type 1 Diabetes. <i>Diabetes Care</i> 2020;43:2266-2271. <i>Diabetes Care</i> , 2021 , 44, e71-e72	14.6	0
86	Remnant cholesterol predicts progression of diabetic nephropathy and retinopathy in type 1 diabetes. <i>Journal of Internal Medicine</i> , 2021 , 290, 632-645	10.8	5
85	Depression Is Associated With Progression of Diabetic Nephropathy in Type 1 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 174-180	14.6	2
84	Genome-wide search for genes affecting the age at diagnosis of type 1 diabetes. <i>Journal of Internal Medicine</i> , 2021 , 289, 662-674	10.8	3
83	Novel Linkage Peaks Discovered for Diabetic Nephropathy in Individuals With Type 1 Diabetes. <i>Diabetes</i> , 2021 , 70, 986-995	0.9	2
82	The impact of parental risk factors on the risk of stroke in type 1 diabetes. <i>Acta Diabetologica</i> , 2021 , 58, 911-917	3.9	1
81	The Low-Expression Variant of Is Associated With Cardiovascular Disease in Type 1 Diabetes. <i>Diabetes</i> , 2021 , 70, 2391-2401	0.9	0
80	Every Fifth Individual With Type 1 Diabetes Suffers From an Additional Autoimmune Disease: A Finnish Nationwide Study. <i>Diabetes Care</i> , 2020 , 43, 1041-1047	14.6	15
79	Resistant Hypertension and Risk of Adverse Events in Individuals With Type 1 Diabetes: A Nationwide Prospective Study. <i>Diabetes Care</i> , 2020 , 43, 1885-1892	14.6	4
78	Arterial Stiffness Predicts Mortality in Individuals With Type 1 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 2266-2271	14.6	9
77	The association between bacterial infections and the risk of coronary heart disease in type 1 diabetes. <i>Journal of Internal Medicine</i> , 2020 , 288, 711-724	10.8	6
76	Response to Comment on Mäkimattila et al. Every Fifth Individual With Type 1 Diabetes Suffers From an Additional Autoimmune Disease: A Finnish Nationwide Study. <i>Diabetes Care</i> 2020;43:1041-1047. <i>Diabetes Care</i> , 2020 , 43, e106-e107	14.6	
75	Perceived Stress and Adherence to the Dietary Recommendations and Blood Glucose Levels in Type 1 Diabetes. <i>Journal of Diabetes Research</i> , 2020 , 2020, 3548520	3.9	1
74	The Long-Term Incidence of Hospitalization for Ketoacidosis in Adults with Established T1D-A Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	4
73	Whole-Genome Sequencing of Finnish Type 1 Diabetic Siblings Discordant for Kidney Disease Reveals DNA Variants associated with Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 309-323	12.7	4

72	Body Mass Index and Mortality in Individuals With Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5195-5204	5.6	9
71	Genetic Determinants of Glycated Hemoglobin in Type 1 Diabetes. <i>Diabetes</i> , 2019 , 68, 858-867	0.9	7
70	Response to Comment on Pongrac Barlovic et al. The Association of Severe Diabetic Retinopathy With Cardiovascular Outcomes in Long-standing Type 1 Diabetes: A Longitudinal Follow-up. <i>Diabetes Care</i> 2018;41:2487-2494. <i>Diabetes Care</i> , 2019 , 42, e49-e50	14.6	0
69	The role of blood pressure in risk of ischemic and hemorrhagic stroke in type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2019 , 18, 88	8.7	9
68	Genome-Wide Association Study of Diabetic Kidney Disease Highlights Biology Involved in Glomerular Basement Membrane Collagen. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 2000-2016	12.7	66
67	Associations of dietary macronutrient and fibre intake with glycaemia in individuals with Type 1 diabetes. <i>Diabetic Medicine</i> , 2019 , 36, 1391-1398	3.5	8
66	Variations in Risk of End-Stage Renal Disease and Risk of Mortality in an International Study of Patients With Type 1 Diabetes and Advanced Nephropathy. <i>Diabetes Care</i> , 2019 , 42, 93-101	14.6	24
65	Long-term Mortality After Kidney Transplantation in a Nationwide Cohort of Patients With Type 1 Diabetes in Finland. <i>Diabetes Care</i> , 2019 , 42, 55-61	14.6	8
64	Association between habitual coffee consumption and metabolic syndrome in type 1 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 470-476	4.5	10
63	Excess Mortality in Patients With Type 1 Diabetes Without Albuminuria-Separating the Contribution of Early and Late Risks. <i>Diabetes Care</i> , 2018 , 41, 748-754	14.6	17
62	Differential Association of Microvascular Attributions With Cardiovascular Disease in Patients With Long Duration of Type 1 Diabetes. <i>Diabetes Care</i> , 2018 , 41, 815-822	14.6	17
61	Incidence of End-Stage Renal Disease in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2018 , 41, 434-439	14.6	41
60	Confirmation of GLRA3 as a susceptibility locus for albuminuria in Finnish patients with type 1 diabetes. <i>Scientific Reports</i> , 2018 , 8, 12408	4.9	7
59	The Association of Severe Diabetic Retinopathy With Cardiovascular Outcomes in Long-standing Type 1 Diabetes: A Longitudinal Follow-up. <i>Diabetes Care</i> , 2018 , 41, 2487-2494	14.6	23
58	Ambulatory blood pressure and arterial stiffness in individuals with type 1 diabetes. <i>Diabetologia</i> , 2018 , 61, 1935-1945	10.3	11
57	Risk of coronary artery disease and stroke according to sex and presence of diabetic nephropathy in type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2759-2767	6.7	21
56	Data-driven metabolic subtypes predict future adverse events in individuals with type 1 diabetes. <i>Diabetologia</i> , 2017 , 60, 1234-1243	10.3	13
55	Physical Activity Reduces Risk of Premature Mortality in Patients With Type 1 Diabetes With and Without Kidney Disease. <i>Diabetes Care</i> , 2017 , 40, 1727-1732	14.6	37

54	Genetic determinants of serum 25-hydroxyvitamin D concentration during pregnancy and type 1 diabetes in the child. <i>PLoS ONE</i> , 2017 , 12, e0184942	3.7	14
53	Dietary patterns reflecting healthy food choices are associated with lower serum LPS activity. <i>Scientific Reports</i> , 2017 , 7, 6511	4.9	42
52	Prognosis and Its Predictors After Incident Stroke in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2017 , 40, 1394-1400	14.6	5
51	Association of serum 25-hydroxyvitamin D concentration with HLA-B, -DRB1 and -DQB1 genetic polymorphisms. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 128-131	5.2	3
50	The Genetic Landscape of Renal Complications in Type 1 Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 557-574	12.7	69
49	Variation in SLC19A3 and Protection From Microvascular Damage in Type 1 Diabetes. <i>Diabetes</i> , 2016 , 65, 1022-30	0.9	23
48	Age at menarche and the risk of diabetic microvascular complications in patients with type 1 diabetes. <i>Diabetologia</i> , 2016 , 59, 472-80	10.3	21
47	The impact of smoking on the effect of the rs4972593 genetic variant on end-stage renal disease. <i>Diabetic Medicine</i> , 2016 , 33, 1301-3	3.5	
46	Maternal VDR variants rather than 25-hydroxyvitamin D concentration during early pregnancy are associated with type 1 diabetes in the offspring. <i>Diabetologia</i> , 2015 , 58, 2278-83	10.3	15
45	Bacterial infections in patients with type 1 diabetes: a 14-year follow-up study. <i>BMJ Open Diabetes Research and Care</i> , 2015 , 3, e000067	4.5	36
44	The consequences of failure to achieve targets of guidelines for prevention and treatment of diabetic complications in patients with type 1 diabetes. <i>Acta Diabetologica</i> , 2015 , 52, 31-8	3.9	7
43	Different lipid variables predict incident coronary artery disease in patients with type 1 diabetes with or without diabetic nephropathy: the FinnDiane study. <i>Diabetes Care</i> , 2014 , 37, 2374-82	14.6	17
42	Osteopontin is a strong predictor of incipient diabetic nephropathy, cardiovascular disease, and all-cause mortality in patients with type 1 diabetes. <i>Diabetes Care</i> , 2014 , 37, 2593-600	14.6	48
41	Genome-wide association study of urinary albumin excretion rate in patients with type 1 diabetes. <i>Diabetologia</i> , 2014 , 57, 1143-53	10.3	38
40	Novel genetic susceptibility loci for diabetic end-stage renal disease identified through robust naive Bayes classification. <i>Diabetologia</i> , 2014 , 57, 1611-22	10.3	17
39	Epidemiology and risk factors for diabetic kidney disease. <i>Advances in Chronic Kidney Disease</i> , 2014 , 21, 260-6	4.7	76
38	Patients with Type 1 diabetes consuming alcoholic spirits have an increased risk of microvascular complications. <i>Diabetic Medicine</i> , 2014 , 31, 156-64	3.5	12
37	Impact of sex and age at onset of diabetes on mortality from ischemic heart disease in patients with type 1 diabetes. <i>Diabetes Care</i> , 2014 , 37, 144-8	14.6	38

36	Renin-angiotensin-aldosterone-blockade is associated with decreased use of antidepressant therapy in patients with type 1 diabetes and diabetic nephropathy. <i>Acta Diabetologica</i> , 2014 , 51, 529-33	3.9	7
35	HbA1c variability is associated with an increased risk of retinopathy requiring laser treatment in type 1 diabetes. <i>Diabetologia</i> , 2013 , 56, 737-45	10.3	50
34	Associations and interactions between lipid profiles, retinopathy and nephropathy in patients with type 1 diabetes: the FinnDiane Study. <i>Journal of Internal Medicine</i> , 2013 , 274, 469-79	10.8	21
33	Longitudinal trends in use and costs of prescription medication in patients with type 1 diabetes: the impact of renal disease. <i>Annals of Medicine</i> , 2013 , 45, 112-9	1.5	2
32	Subarachnoid hemorrhage in type 1 diabetes: a prospective cohort study of 4,083 patients with diabetes. <i>Diabetes Care</i> , 2013 , 36, 3754-8	14.6	8
31	Association of dietary sodium intake with atherogenesis in experimental diabetes and with cardiovascular disease in patients with Type 1 diabetes. <i>Clinical Science</i> , 2013 , 124, 617-26	6.5	13
30	Osteoprotegerin is an independent predictor of vascular events in Finnish adults with type 1 diabetes. <i>Diabetes Care</i> , 2013 , 36, 1827-33	14.6	33
29	Chromosome 2q31.1 associates with ESRD in women with type 1 diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 1537-43	12.7	54
28	Incidence of stroke according to presence of diabetic nephropathy and severe diabetic retinopathy in patients with type 1 diabetes. <i>Diabetes Care</i> , 2013 , 36, 4140-6	14.6	55
27	Purchase of antidepressant agents by patients with type 1 diabetes is associated with increased mortality rates in women but not in men. <i>Diabetologia</i> , 2012 , 55, 73-9	10.3	12
26	Association testing of previously reported variants in a large case-control meta-analysis of diabetic nephropathy. <i>Diabetes</i> , 2012 , 61, 2187-94	0.9	67
25	Serum 25-hydroxyvitamin D level during early pregnancy and type 1 diabetes risk in the offspring. <i>Diabetologia</i> , 2012 , 55, 1291-4	10.3	51
24	Hyperfiltration in type 1 diabetes: does it exist and does it matter for nephropathy?. <i>Diabetologia</i> , 2012 , 55, 1505-13	10.3	28
23	Serum concentration of cystatin C and risk of end-stage renal disease in diabetes. <i>Diabetes Care</i> , 2012 , 35, 2311-6	14.6	48
22	New susceptibility loci associated with kidney disease in type 1 diabetes. <i>PLoS Genetics</i> , 2012 , 8, e1002971	11.1	176
21	Menopause in women with type 1 diabetes. <i>Menopause</i> , 2011 , 18, 158-63	2.5	30
20	Cumulative cost of prescription medication in outpatients with type 1 diabetes in Finland. <i>Diabetologia</i> , 2011 , 54, 496-503	10.3	4
19	Sex-related differences in the long-term risk of microvascular complications by age at onset of type 1 diabetes. <i>Diabetologia</i> , 2011 , 54, 1992-9	10.3	49

18	Time trends in mortality in patients with type 1 diabetes: nationwide population based cohort study. <i>BMJ, The</i> , 2011 , 343, d5364	5.9	108
17	The association between dietary sodium intake, ESRD, and all-cause mortality in patients with type 1 diabetes. <i>Diabetes Care</i> , 2011 , 34, 861-6	14.6	246
16	Pulse pressure predicts incident cardiovascular disease but not diabetic nephropathy in patients with type 1 diabetes (The FinnDiane Study). <i>Diabetes Care</i> , 2011 , 34, 886-91	14.6	28
15	Decline in the cumulative incidence of severe diabetic retinopathy in patients with type 1 diabetes. <i>Diabetes Care</i> , 2011 , 34, 2005-7	14.6	29
14	Age at onset of type 1 diabetes in parents and recurrence risk in offspring. <i>Diabetes</i> , 2010 , 59, 210-4	0.9	20
13	Age at onset and the risk of proliferative retinopathy in type 1 diabetes. <i>Diabetes Care</i> , 2010 , 33, 1315-9	14.6	71
12	Single-nucleotide polymorphisms in the IL2RA gene are associated with age at diagnosis in late-onset Finnish type 1 diabetes subjects. <i>Immunogenetics</i> , 2010 , 62, 101-7	3.2	23
11	A population-specific diabetogenic haplotype HLA-A2,Cw1,B56,DR4,DQ8 is associated with high birthweight in Finnish diabetic families. <i>Genes and Immunity</i> , 2008 , 9, 207-13	4.4	5
10	Time trends in the incidence of type 1 diabetes in Finnish children: a cohort study. <i>Lancet, The</i> , 2008 , 371, 1777-82	40	467
9	Genetic random effects model for family data with long-term survivors: analysis of diabetic nephropathy in type 1 diabetes. <i>Genetic Epidemiology</i> , 2007 , 31, 697-708	2.6	6
8	Early mortality in EURODIAB population-based cohorts of type 1 diabetes diagnosed in childhood since 1989. <i>Diabetologia</i> , 2007 , 50, 2439-42	10.3	135
7	Differential transmission of type 1 diabetes from diabetic fathers and mothers to their offspring. <i>Diabetes</i> , 2006 , 55, 1517-24	0.9	61
6	Type 1 diabetes and autism: is there a link?. <i>Diabetes Care</i> , 2006 , 29, 484-5; discussion 485	14.6	13
5	Genetic and environmental effects on fasting and postchallenge plasma glucose and serum insulin values in Finnish twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2642-7	5.6	20
4	Cumulative incidence of type 1 diabetes in 10,168 siblings of Finnish young-onset type 1 diabetic patients. <i>Diabetes</i> , 2005 , 54, 563-9	0.9	58
3	Population-based assessment of familial clustering of diabetic nephropathy in type 1 diabetes. <i>Diabetes</i> , 2004 , 53, 2449-54	0.9	80
2	Genetic liability of type 1 diabetes and the onset age among 22,650 young Finnish twin pairs: a nationwide follow-up study. <i>Diabetes</i> , 2003 , 52, 1052-5	0.9	320
1	Long-term mortality in nationwide cohorts of childhood-onset type 1 diabetes in Japan and Finland. <i>Diabetes Care</i> , 2003 , 26, 2037-42	14.6	71

