

Zhe Wang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/888976/zhe-wang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

3,828
citations

37
h-index

57
g-index

134
ext. papers

4,801
ext. citations

4.3
avg, IF

5.88
L-index

#	Paper	IF	Citations
128	Materials, technological status, and fundamentals of PEM fuel cells [A review]. <i>Materials Today</i> , 2020 , 32, 178-203	21.8	300
127	Efficient intermolecular iron-catalyzed amidation of C-H bonds in the presence of N-bromosuccinimide. <i>Organic Letters</i> , 2008 , 10, 1863-6	6.2	163
126	Laser-induced breakdown spectroscopy in China. <i>Frontiers of Physics</i> , 2014 , 9, 419-438	3.7	153
125	Performance and Mechanism of Uranium Adsorption from Seawater to Poly(dopamine)-Inspired Sorbents. <i>Environmental Science & Technology</i> , 2017 , 51, 4606-4614	10.3	110
124	Heteroatom-Doped Carbon Dots (CDs) as a Class of Metal-Free Photocatalysts for PET-RAFT Polymerization under Visible Light and Sunlight. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 12037-12042	16.4	89
123	A PLS model based on dominant factor for coal analysis using laser-induced breakdown spectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 3261-71	4.4	83
122	Impact of SO ₂ concentration on the corrosion rate of X70 steel and iron in water-saturated supercritical CO ₂ mixed with SO ₂ . <i>Journal of Supercritical Fluids</i> , 2011 , 58, 286-294	4.2	83
121	A multi-region optimization planning model for China's power sector. <i>Applied Energy</i> , 2015 , 137, 413-426	10.7	82
120	Visualization of Adsorption: Luminescent Mesoporous Silica-Carbon Dots Composite for Rapid and Selective Removal of U(VI) and in Situ Monitoring the Adsorption Behavior. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 7392-7398	9.5	80
119	A spectrum standardization approach for laser-induced breakdown spectroscopy measurements. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2012 , 68, 58-64	3.1	76
118	Coal property analysis using laser-induced breakdown spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2013 , 28, 1045	3.7	76
117	A hybrid quantification model and its application for coal analysis using laser induced breakdown spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 722-736	3.7	71
116	Microplasma-assisted rapid synthesis of luminescent nitrogen-doped carbon dots and their application in pH sensing and uranium detection. <i>Nanoscale</i> , 2015 , 7, 20743-8	7.7	69
115	A partial least squares and wavelet-transform hybrid model to analyze carbon content in coal using laser-induced breakdown spectroscopy. <i>Analytica Chimica Acta</i> , 2014 , 807, 29-35	6.6	68
114	A simplified spectrum standardization method for laser-induced breakdown spectroscopy measurements. <i>Journal of Analytical Atomic Spectrometry</i> , 2011 , 26, 2274	3.7	68
113	Study to reduce laser-induced breakdown spectroscopy measurement uncertainty using plasma characteristic parameters. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2010 , 65, 549-556	3.1	67
112	Coal analysis by laser-induced breakdown spectroscopy: a tutorial review. <i>Journal of Analytical Atomic Spectrometry</i> , 2019 , 34, 1047-1082	3.7	66

111	Thermodynamic analysis of a hybrid thermal-compressed air energy storage system for the integration of wind power. <i>Applied Thermal Engineering</i> , 2014 , 66, 519-527	5.8	65
110	Utilization of moderate cylindrical confinement for precision improvement of laser-induced breakdown spectroscopy signal. <i>Optics Express</i> , 2012 , 20 Suppl 6, A1011-8	3.3	64
109	Major elements analysis in bituminous coals under different ambient gases by laser-induced breakdown spectroscopy with PLS modeling. <i>Frontiers of Physics</i> , 2012 , 7, 708-713	3.7	63
108	Signal quality improvement using cylindrical confinement for laser induced breakdown spectroscopy. <i>Optics Express</i> , 2013 , 21, 15974-9	3.3	62
107	The upper limit of moisture content for supercritical CO ₂ pipeline transport. <i>Journal of Supercritical Fluids</i> , 2012 , 67, 14-21	4.2	60
106	Direct polymerization of a novel sulfonated poly(arylene ether ketone sulfone)/sulfonated poly(vinylalcohol) crosslinked membrane for direct methanol fuel cell applications. <i>Journal of Membrane Science</i> , 2015 , 492, 505-517	9.6	56
105	Combination of cylindrical confinement and spark discharge for signal improvement using laser induced breakdown spectroscopy. <i>Optics Express</i> , 2014 , 22, 12909-14	3.3	55
104	A multivariate model based on dominant factor for laser-induced breakdown spectroscopy measurements. <i>Journal of Analytical Atomic Spectrometry</i> , 2011 , 26, 2289	3.7	52
103	Application of a spectrum standardization method for carbon analysis in coal using laser-induced breakdown spectroscopy (LIBS). <i>Applied Spectroscopy</i> , 2014 , 68, 955-62	3.1	49
102	A Rising Force for the World-Wide Development of Laser-Induced Breakdown Spectroscopy. <i>Plasma Science and Technology</i> , 2015 , 17, 617-620	1.5	48
101	A non-linearized PLS model based on multivariate dominant factor for laser-induced breakdown spectroscopy measurements. <i>Journal of Analytical Atomic Spectrometry</i> , 2011 , 26, 2175	3.7	48
100	A multi-region load dispatch model for the long-term optimum planning of China's electricity sector. <i>Applied Energy</i> , 2017 , 185, 556-572	10.7	45
99	Quantitative carbon measurement in anthracite using laser-induced breakdown spectroscopy with binder. <i>Applied Optics</i> , 2012 , 51, B22-9	1.7	45
98	A nonlinearized multivariate dominant factor-based partial least squares (PLS) model for coal analysis by using laser-induced breakdown spectroscopy. <i>Applied Spectroscopy</i> , 2013 , 67, 291-300	3.1	41
97	A model combining spectrum standardization and dominant factor based partial least square method for carbon analysis in coal using laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014 , 99, 82-86	3.1	40
96	Quantitative analysis of common elements in steel using a handheld LIBS instrument. <i>Journal of Analytical Atomic Spectrometry</i> , 2017 , 32, 1905-1915	3.7	40
95	Physical insights of cavity confinement enhancing effect in laser-induced breakdown spectroscopy. <i>Optics Express</i> , 2016 , 24, 3055-66	3.3	39
94	A partial least squares based spectrum normalization method for uncertainty reduction for laser-induced breakdown spectroscopy measurements. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013 , 88, 180-185	3.1	38

93	Temperature Measurements of Diesel Fuel Combustion With Multicolor Pyrometry. <i>Journal of Heat Transfer</i> , 2010 , 132,	1.8	38
92	Development in the application of laser-induced breakdown spectroscopy in recent years: A review. <i>Frontiers of Physics</i> , 2021 , 16, 1	3.7	37
91	Laser-induced breakdown spectroscopy in Asia. <i>Frontiers of Physics</i> , 2016 , 11, 1	3.7	36
90	Correction of self-absorption effect in calibration-free laser-induced breakdown spectroscopy (CF-LIBS) with blackbody radiation reference. <i>Analytica Chimica Acta</i> , 2019 , 1058, 39-47	6.6	35
89	Application of spatial confinement for gas analysis using laser-induced breakdown spectroscopy to improve signal stability. <i>Journal of Analytical Atomic Spectrometry</i> , 2015 , 30, 922-928	3.7	35
88	Effects of moisture content on coal analysis using laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015 , 112, 23-33	3.1	34
87	Dynamic Model for an Oxygen-Staged Slagging Entrained Flow Gasifier. <i>Energy & Fuels</i> , 2011 , 25, 3646-3656	4.1	33
86	Effect of Exposure Time on the Corrosion Rates of X70 Steel in Supercritical CO ₂ /SO ₂ /O ₂ /H ₂ O Environments. <i>Corrosion</i> , 2013 , 69, 251-258	1.8	31
85	Mechanism of signal uncertainty generation for laser-induced breakdown spectroscopy. <i>Frontiers of Physics</i> , 2021 , 16, 1	3.7	31
84	Economic evaluation of CO ₂ pipeline transport in China. <i>Energy Conversion and Management</i> , 2012 , 55, 127-135	10.6	30
83	Microplasma-assisted rapid, chemical oxidant-free and controllable polymerization of dopamine for surface modification. <i>Polymer Chemistry</i> , 2017 , 8, 4388-4392	4.9	30
82	Effect of temperature on corrosion behaviour of X70 steel in high pressure CO ₂ /SO ₂ /O ₂ /H ₂ O environments. <i>Corrosion Engineering Science and Technology</i> , 2013 , 48, 121-129	1.7	30
81	Experimental and computational investigation of confined laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2016 , 126, 44-52	3.1	29
80	Spatially and temporally resolved spectral emission of laser-induced plasmas confined by cylindrical cavities. <i>Journal of Analytical Atomic Spectrometry</i> , 2014 , 29, 2127-2135	3.7	28
79	Quantitative carbon analysis in coal by combining data processing and spatial confinement in laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015 , 111, 102-107	3.1	27
78	Effect of pressure on corrosion behavior of X60, X65, X70, and X80 carbon steels in water-unsaturated supercritical CO ₂ environments. <i>International Journal of Greenhouse Gas Control</i> , 2016 , 51, 357-368	4.2	27
77	A mechanistic model for pipeline steel corrosion in supercritical CO ₂ /O ₂ /H ₂ O environments. <i>Journal of Supercritical Fluids</i> , 2013 , 82, 1-12	4.2	27
76	Recent advances in laser-induced breakdown spectroscopy quantification: From fundamental understanding to data processing. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 143, 116385	14.6	27

75	Improving data stability and prediction accuracy in laser-induced breakdown spectroscopy by utilizing a combined atomic and ionic line algorithm. <i>Journal of Analytical Atomic Spectrometry</i> , 2013 , 28, 107-113	3.7	26
74	Single nanoporous gold nanowire as a tunable one-dimensional platform for plasmon-enhanced fluorescence. <i>Chemical Communications</i> , 2016 , 52, 1808-11	5.8	24
73	Heteroatom-Doped Carbon Dots (CDs) as a Class of Metal-Free Photocatalysts for PET-RAFT Polymerization under Visible Light and Sunlight. <i>Angewandte Chemie</i> , 2018 , 130, 12213-12218	3.6	24
72	Heat and power load dispatching considering energy storage of district heating system and electric boilers. <i>Journal of Modern Power Systems and Clean Energy</i> , 2018 , 6, 992-1003	4	24
71	Wavelength Dependence in the Analysis of Carbon Content in Coal by Nanosecond 266 nm and 1064 nm Laser Induced Breakdown Spectroscopy. <i>Plasma Science and Technology</i> , 2015 , 17, 621-624	1.5	23
70	Density measurements on binary mixtures (nitrogen + carbon dioxide and argon + carbon dioxide) at temperatures from (298.15 to 423.15) K with pressures from (11 to 31) MPa using a single-sinker densimeter. <i>Journal of Chemical Thermodynamics</i> , 2015 , 91, 17-29	2.9	21
69	Impact of surface roughness and humidity on X70 steel corrosion in supercritical CO ₂ mixture with SO ₂ , H ₂ O, and O ₂ . <i>Journal of Supercritical Fluids</i> , 2016 , 107, 286-297	4.2	20
68	Improvements to the three-color optical CCD-based pyrometer system 2010 , 49, 5997		20
67	Quantification of extra virgin olive oil adulteration using smartphone videos. <i>Talanta</i> , 2020 , 216, 1209206.2		18
66	Syngas composition study. <i>Frontiers of Energy and Power Engineering in China</i> , 2009 , 3, 369-372		18
65	Calibration-free analysis of immersed metal alloys using long-pulse-duration laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2019 , 157, 84-90	3.1	17
64	Macrocyclic ligand decorated ordered mesoporous silica with large-pore and short-channel characteristics for effective separation of lithium isotopes: synthesis, adsorptive behavior study and DFT modeling. <i>Dalton Transactions</i> , 2016 , 45, 16492-16504	4.3	17
63	Spatial-Temporal Characteristics of Confined Polymer Motion Determine Proton Conduction of Polyoxometalate-Poly(ethylene glycol) Hybrid Nanocomposites. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 5772-5777	6.4	17
62	Provenance classification of nephrite jades using multivariate LIBS: a comparative study. <i>Analytical Methods</i> , 2018 , 10, 281-289	3.2	17
61	Long term corrosion of X70 steel and iron in humid supercritical CO ₂ with SO ₂ and O ₂ impurities. <i>Corrosion Engineering Science and Technology</i> , 2013 , 48, 395-398	1.7	16
60	Investigation of intrinsic origins of the signal uncertainty for laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2019 , 155, 67-78	3.1	15
59	Cement raw material quality analysis using laser-induced breakdown spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 2384-2390	3.7	14
58	Evaluation of the Two-Dimensional Temperature Field and Instability of a Dual-Jet DC Arc Plasma Based on the Image Chain Coding Technique. <i>IEEE Transactions on Plasma Science</i> , 2011 , 39, 2884-2885	1.3	14

57	On the improvement of signal repeatability in laser-induced air plasmas. <i>Frontiers of Physics</i> , 2018 , 13, 1	3.7	14
56	Atmospheric-pressure microplasma as anode for rapid and simple electrochemical deposition of copper and cuprous oxide nanostructures. <i>RSC Advances</i> , 2015 , 5, 62619-62623	3.7	13
55	Way-out for laser-induced breakdown spectroscopy. <i>Plasma Science and Technology</i> , 2020 , 22, 070101	1.5	13
54	Effect of High-Concentration O ₂ on Corrosion Behavior of X70 Steel in Water-Containing Supercritical CO ₂ with SO ₂ . <i>Corrosion</i> , 2017 , 73, 290-302	1.8	12
53	Quantitative Analysis of Carbon Content in Bituminous Coal by Laser-Induced Breakdown Spectroscopy Using UV Laser Radiation. <i>Plasma Science and Technology</i> , 2015 , 17, 928-932	1.5	12
52	Accurate Density Measurements on Ternary Mixtures (Carbon Dioxide + Nitrogen + Argon) at Temperatures from (323.15 to 423.15) K with Pressures from (3 to 31) MPa using a Single-Sinker Densimeter. <i>Journal of Chemical & Engineering Data</i> , 2015 , 60, 3353-3357	2.8	12
51	Use of a Reactor Network Model in the Design and Operation of a New Type of Membrane Wall Entrained Flow Gasifier. <i>Energy & Fuels</i> , 2013 , 27, 6322-6332	4.1	12
50	Mechanisms and efficient elimination approaches of self-absorption in LIBS. <i>Plasma Science and Technology</i> , 2019 , 21, 034016	1.5	11
49	Effect of a floating electrode on an atmospheric-pressure non-thermal arc discharge. <i>Journal of Applied Physics</i> , 2011 , 110, 033308	2.5	11
48	Accurate density measurements on a binary mixture (carbon dioxide+ methane) at the vicinity of the critical point in the supercritical state by a single-sinker densimeter. <i>Fluid Phase Equilibria</i> , 2016 , 418, 94-99	2.5	10
47	Volt-Ampere and Thermal Features of a Direct-Current Dual-Jet Plasma Generator With a Cold Gas Injection. <i>IEEE Transactions on Plasma Science</i> , 2010 , 38, 2906-2913	1.3	10
46	Impacts of a collection system on laser-induced breakdown spectroscopy signal detection. <i>Applied Optics</i> , 2018 , 57, 6120-6127	1.7	9
45	DISCHARGE OXIDE STORAGE CAPACITY AND VOLTAGE LOSS IN LI-AIR BATTERY. <i>Electrochimica Acta</i> , 2015 , 180, 382-393	6.7	9
44	Development of a Laboratory Cement Quality Analysis Apparatus Based on Laser-Induced Breakdown Spectroscopy. <i>Plasma Science and Technology</i> , 2015 , 17, 897-903	1.5	9
43	Bed-inventory overturn mechanism for pant-leg circulating fluidized bed boilers. <i>Powder Technology</i> , 2011 , 214, 469-476	5.2	9
42	Nano Endoscopy with Plasmon-Enhanced Fluorescence for Sensitive Sensing Inside Ultrasmall Volume Samples. <i>Analytical Chemistry</i> , 2017 , 89, 1045-1048	7.8	8
41	Plasma modulation using beam shaping to improve signal quality for laser induced breakdown spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2020 , 35, 1671-1677	3.7	8
40	Understanding the laser-induced aerosol ablation of sub-micron liquid particles via size-resolved spectral and image analyses. <i>Journal of Analytical Atomic Spectrometry</i> , 2019 , 34, 2385-2393	3.7	8

39	Noninvasive blood glucose detection using a miniature wearable Raman spectroscopy system. <i>Chinese Optics Letters</i> , 2017 , 15, 083001	2.2	7
38	Effect of laser beam shaping on the determination of manganese and chromium elements in steel samples using laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2020 , 163, 105747	3.1	7
37	Improvement of laser induced breakdown spectroscopy signal using gas mixture. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2020 , 174, 105992	3.1	7
36	A comparative study of nanoparticle-enhanced laser-induced breakdown spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2020 , 35, 2274-2281	3.7	7
35	Smartphone detection of minced beef adulteration. <i>Microchemical Journal</i> , 2021 , 164, 106088	4.8	7
34	Classification of ginseng according to plant species, geographical origin, and age using laser-induced breakdown spectroscopy and hyperspectral imaging. <i>Journal of Analytical Atomic Spectrometry</i> , 2021 , 36, 1704-1711	3.7	7
33	From big to strong: growth of the Asian laser-induced breakdown spectroscopy community. <i>Plasma Science and Technology</i> , 2019 , 21, 030101	1.5	6
32	Industrial at-line analysis of coal properties using laser-induced breakdown spectroscopy combined with machine learning. <i>Fuel</i> , 2021 , 306, 121667	7.1	6
31	Cross impact of CO ₂ phase and impurities on the corrosion behavior for stainless steel and carbon steel in water-containing dense CO ₂ environments. <i>International Journal of Greenhouse Gas Control</i> , 2018 , 71, 194-211	4.2	5
30	Rapid Analysis of Platinum and Nafion Loadings Using Laser Induced Breakdown Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2017 , 164, F1294-F1300	3.9	4
29	Analysis of element content in cement by Gaussian and flat-top laser-induced breakdown spectroscopy. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 405102	3	4
28	Modeling of an oxygen-staged membrane wall gasifier: effects of secondary oxygen. <i>Chemical Engineering and Processing: Process Intensification</i> , 2013 , 74, 131-141	3.7	4
27	Optimization of a 30 kW SOFC combined heat and power system with different cycles and hydrocarbon fuels. <i>International Journal of Hydrogen Energy</i> , 2022 , 47, 4109-4119	6.7	4
26	Local elasticity in nonlinear rheology of interacting colloidal glasses revealed by neutron scattering and rheometry. <i>Physical Chemistry Chemical Physics</i> , 2018 , 21, 38-45	3.6	4
25	Analysis of Small-Angle Neutron Scattering Spectra from Deformed Polymers with the Spherical Harmonic Expansion Method and a Network Model. <i>Macromolecules</i> , 2018 , 51, 9011-9018	5.5	4
24	Techno-economic Performance of Wind and Coal-fired Power with CCS Joint Planning. <i>Energy Procedia</i> , 2017 , 114, 6677-6684	2.3	3
23	Iron carburization in CO-H ₂ -He gases, Part I: Experiment. <i>International Journal of Chemical Kinetics</i> , 2009 , 41, 327-336	1.4	3
22	Validated ensemble variable selection of laser-induced breakdown spectroscopy data for coal property analysis. <i>Journal of Analytical Atomic Spectrometry</i> , 2021 , 36, 111-119	3.7	3

21	Investigation of a cost-effective strategy for polymer electrolyte membrane fuel cells: High power density operation. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 35448-35458	6.7	3
20	Reply to Comment on A multivariate model based on dominant factor for laser-induced breakdown spectroscopy measurements by Vincenzo Palleschi, J. Anal. At. Spectrom., 2011, DOI: 10.1039/c1ja10197h. <i>Journal of Analytical Atomic Spectrometry</i> , 2011 , 26, 2302	3.7	2
19	Iron carburization in CO-H ₂ -He gases, Part II: Numerical model. <i>International Journal of Chemical Kinetics</i> , 2009 , 41, 337-348	1.4	2
18	Plasma imaging for physical variations in laser-induced aerosol plasma with particle size increase. <i>Journal of Analytical Atomic Spectrometry</i> , 2020 , 35, 2649-2655	3.7	2
17	Microplasma Anode Meeting Molten Salt Electrochemistry: Charge Transfer and Atomic Emission Spectral Analysis. <i>Analytical Chemistry</i> , 2018 , 90, 13163-13166	7.8	2
16	Coal analysis 2020 , 473-498		1
15	Dynamic Equivalence between Soft Star Polymers and Hard Spheres. <i>ACS Macro Letters</i> , 2019 , 8, 1467-1473	4.7	1
14	Mechanism of the Impact of Particle Size Distribution to Bed-Inventory Overturn for Pant-Leg Circulating Fluidized Bed. <i>Flow, Turbulence and Combustion</i> , 2013 , 90, 885-895	2.5	1
13	Online compositional analysis in coal gasification environment using laser-induced plasma technology 2006 , 6314, 230		1
12	Application of laser-induced breakdown spectroscopy and chemometrics for rapid identification of fire-retardant/resistant coatings from fire residues. <i>Construction and Building Materials</i> , 2022 , 325, 126773	6.7	1
11	Insights into Enhanced Repeatability of Femtosecond Laser-Induced Plasmas. <i>ACS Omega</i> , 2020 , 5, 30425-30435	5.3	1
10	Improved signal stability using an auxiliary flow-based chamber for aerosol laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2021 , 180, 106204	3.1	1
9	A data preprocessing method based on matrix matching for coal analysis by laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2021 , 180, 106212	3.1	1
8	Evaluation of femtosecond laser-induced breakdown spectroscopy system as an offline coal analyzer. <i>Scientific Reports</i> , 2021 , 11, 15968	4.9	1
7	Conceptual design of the grazing-incidence focusing small-angle neutron scattering (gif-SANS) instrument at CPHS. <i>Journal of Neutron Research</i> , 2021 , 23, 201-205	0.5	1
6	Compensation for the variation of total number density to improve signal repeatability for laser-induced breakdown spectroscopy. <i>Analytica Chimica Acta</i> , 2022 , 1205, 339752	6.6	1
5	Improvement of sample discrimination using laser-induced breakdown spectroscopy with multiple-setting spectra. <i>Analytica Chimica Acta</i> , 2021 , 1184, 339053	6.6	0
4	Fast measurement of coking properties of coal using laser induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2022 , 191, 106406	3.1	0

- 3 Homogeneous-material-based calibration method for correcting laser-induced breakdown spectroscopy measurement-error bias in the case of dust pollution. *Applied Optics*, **2017**, 56, 9644-9648 ^{1.7}
- 2 Study for entrained-flow gasifier modeling and measurement. *Frontiers of Chemical Engineering in China*, **2010**, 4, 400-403
- 1 Utilization of moderate cylindrical confinement for precision improvement of laser-induced breakdown spectroscopy signal. *Optics Express*, **2012**, 20, A1011-8 ^{3.3}