Lucie Novakova

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8890231/lucie-novakova-publications-by-year.pdf

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

4,566
citations

h-index

5,142
ext. papers

5,142
ext. citations

5,142
ext. citations

4,566
h-index

5,91
L-index

#	Paper	IF	Citations
140	Current state of supercritical fluid chromatography-mass spectrometry. <i>TrAC - Trends in Analytical Chemistry</i> , 2022 , 149, 116544	14.6	4
139	Vitamin D: sources, physiological role, biokinetics, deficiency, therapeutic use, toxicity, and overview of analytical methods for detection of vitamin D and its metabolites <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2022 , 1-38	9.4	3
138	Three-dimensional liquid chromatography with parallel second dimensions and quadruple parallel mass spectrometry for adult/infant formula analysis. <i>Journal of Chromatography A</i> , 2021 , 1661, 462682	4.5	2
137	Monoterpene indole alkaloids from Vinca minor L. (Apocynaceae): Identification of new structural scaffold for treatment of Alzheimer's disease. <i>Phytochemistry</i> , 2021 , 194, 113017	4	2
136	Structure-Activity Relationship Study of Dexrazoxane Analogues Reveals ICRF-193 as the Most Potent Bisdioxopiperazine against Anthracycline Toxicity to Cardiomyocytes Due to Its Strong Topoisomerase IIIInteractions. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 3997-4019	8.3	1
135	Featuring ultimate sensitivity of high-resolution LC-MS analysis of phenolics in rat plasma. <i>Journal of Separation Science</i> , 2021 , 44, 1893-1903	3.4	1
134	Ion mobility-high resolution mass spectrometry in anti-doping analysis. Part I: Implementation of a screening method with the assessment of a library of substances prohibited in sports. <i>Analytica Chimica Acta</i> , 2021 , 1152, 338257	6.6	9
133	Determination of Antiviral Drugs and Their Metabolites Using Micro-Solid Phase Extraction and UHPLC-MS/MS in Reversed-Phase and Hydrophilic Interaction Chromatography Modes. <i>Molecules</i> , 2021 , 26,	4.8	2
132	In-line molecularly imprinted polymer solid phase extraction-capillary electrophoresis coupled with tandem mass spectrometry for the determination of patulin in apple-based food. <i>Food Chemistry</i> , 2021 , 334, 127607	8.5	14
131	Amaryllidaceae alkaloids from Hippeastrum X Hybridum CV. Ferrari, and preparation of vittatine derivatives as potential ligands for Alzheimeris disease. <i>South African Journal of Botany</i> , 2021 , 136, 137	-746	5
130	Alkaloids of Zephyranthes citrina (Amaryllidaceae) and their implication to Alzheimer's disease: Isolation, structural elucidation and biological activity. <i>Bioorganic Chemistry</i> , 2021 , 107, 104567	5.1	5
129	Ultra-high performance supercritical fluid chromatography coupled to tandem mass spectrometry for antidoping analyses: Assessment of the inter-laboratory reproducibility with urine samples. <i>Analytical Science Advances</i> , 2021 , 2, 68-75	1.1	2
128	Analytical challenges encountered and the potential of supercritical fluid chromatography: A perspective of five experts. <i>Analytical Science Advances</i> , 2021 , 2, 76-80	1.1	1
127	Vitamin C-Sources, Physiological Role, Kinetics, Deficiency, Use, Toxicity, and Determination. <i>Nutrients</i> , 2021 , 13,	6.7	23
126	Structure Elucidation and Cholinesterase Inhibition Activity of Two New Minor Amaryllidaceae Alkaloids. <i>Molecules</i> , 2021 , 26,	4.8	3
125	Ion mobility-high resolution mass spectrometry in doping control analysis. Part II: Comparison of acquisition modes with and without ion mobility. <i>Analytica Chimica Acta</i> , 2021 , 1175, 338739	6.6	5
124	Amaryllidaceae Alkaloids of Norbelladine-Type as Inspiration for Development of Highly Selective Butyrylcholinesterase Inhibitors: Synthesis, Biological Activity Evaluation, and Docking Studies. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1

123	The effect of column history in supercritical fluid chromatography: Practical implications. <i>Journal of Chromatography A</i> , 2021 , 1651, 462272	4.5	О	
122	Vitamin K - sources, physiological role, kinetics, deficiency, detection, therapeutic use, and toxicity. <i>Nutrition Reviews</i> , 2021 ,	6.4	5	
121	Derivatives of montanine-type alkaloids and their implication for the treatment of Alzheimer's disease: Synthesis, biological activity and in silico study. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021 , 51, 128374	2.9	1	
120	Functionalized aromatic esters of the Amaryllidaceae alkaloid haemanthamine and their in vitro and in silico biological activity connected to Alzheimer's disease. <i>Bioorganic Chemistry</i> , 2020 , 100, 1039	2 § .1	6	
119	Unambiguous determination of farnesol and tyrosol in vaginal fluid using fast and sensitive UHPLC-MS/MS method. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 6529-6541	4.4	2	
118	Amaryllidaceae Alkaloids of Belladine-Type from cv. Carlton as New Selective Inhibitors of Butyrylcholinesterase. <i>Biomolecules</i> , 2020 , 10,	5.9	12	
117	Supercritical fluid chromatography in chiral separations: Evaluation of equivalency of polysaccharide stationary phases. <i>Journal of Separation Science</i> , 2020 , 43, 2675-2689	3.4	12	
116	Ultra-high performance supercritical fluid chromatography in impurity control II: Method validation. <i>Analytica Chimica Acta</i> , 2020 , 1117, 48-59	6.6	6	
115	Determination of Sudan dyes in chili products by micellar electrokinetic chromatography-MS/MS using a volatile surfactant. <i>Food Chemistry</i> , 2020 , 310, 125963	8.5	22	
114	Interplay of drug transporters P-glycoprotein (MDR1), MRP1, OATP1A2 and OATP1B3 in passage of maraviroc across human placenta. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 129, 110506	7.5	5	
113	Monolithic Poly(styrenedivinylbenzene) Columns for Supercritical Fluid Chromatography-Mass Spectrometry Analysis of Polypeptide. <i>Analytical Chemistry</i> , 2020 , 92, 11525-11529	7.8	5	
112	Aromatic Esters of the Crinane Amaryllidaceae Alkaloid Ambelline as Selective Inhibitors of Butyrylcholinesterase. <i>Journal of Natural Products</i> , 2020 , 83, 1359-1367	4.9	13	
111	Extending the design space in solvent extraction Ifrom supercritical fluids to pressurized liquids using carbon dioxide, ethanol, ethyl lactate, and water in a wide range of proportions. <i>Green Chemistry</i> , 2019 , 21, 5427-5436	10	5	
110	Isoquinoline Alkaloids from Berberis vulgaris as Potential Lead Compounds for the Treatment of Alzheimer's Disease. <i>Journal of Natural Products</i> , 2019 , 82, 239-248	4.9	33	
109	The Benefits of Ultra-High-Performance Supercritical Fluid Chromatography in Determination of Lipophilic Vitamins in Dietary Supplements. <i>Chromatographia</i> , 2019 , 82, 477-487	2.1	8	
108	A New Insight into the Stereoelectronic Control of the Pd -Catalyzed Allylic Substitution: Application for the Synthesis of Multisubstituted Pyran-2-ones via an Unusual 1,3-Transposition. <i>Chemistry - A European Journal</i> , 2019 , 25, 8053-8060	4.8		
107	Derivatives of the Ecrinane Amaryllidaceae Alkaloid Haemanthamine as Multi-Target Directed Ligands for Alzheimer's Disease. <i>Molecules</i> , 2019 , 24,	4.8	19	
106	Amaryllidaceae alkaloids from Narcissus pseudonarcissus L. cv. Dutch Master as potential drugs in treatment of Alzheimer's disease. <i>Phytochemistry</i> , 2019 , 165, 112055	4	29	

105	Recent developments in supercritical fluid chromatography Imass spectrometry: Is it a viable option for analysis of complex samples?. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 112, 212-225	14.6	54
104	Orthogonal Middle-up Approaches for Characterization of the Glycan Heterogeneity of Etanercept by Hydrophilic Interaction Chromatography Coupled to High-Resolution Mass Spectrometry. <i>Analytical Chemistry</i> , 2019 , 91, 873-880	7.8	21
103	Current state of bioanalytical chromatography in clinical analysis. <i>Analyst, The</i> , 2018 , 143, 1305-1325	5	30
102	Aqueous injection of quercetin: An approach for confirmation of its direct in vivo cardiovascular effects. <i>International Journal of Pharmaceutics</i> , 2018 , 541, 224-233	6.5	17
101	Scoulerine affects microtubule structure, inhibits proliferation, arrests cell cycle and thus culminates in the apoptotic death of cancer cells. <i>Scientific Reports</i> , 2018 , 8, 4829	4.9	16
100	Simultaneous determination of quercetin and its metabolites in rat plasma by using ultra-high performance liquid chromatography tandem mass spectrometry. <i>Talanta</i> , 2018 , 185, 71-79	6.2	18
99	Current antiviral drugs and their analysis in biological materials - Part II: Antivirals against hepatitis and HIV viruses. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 378-399	3.5	28
98	Current antiviral drugs and their analysis in biological materials-Part I: Antivirals against respiratory and herpes viruses. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 400-416	3.5	13
97	Ultra-high performance supercritical fluid chromatography in impurity control: Searching for generic screening approach. <i>Analytica Chimica Acta</i> , 2018 , 1039, 149-161	6.6	7
96	Two flavonoid metabolites, 3,4-dihydroxyphenylacetic acid and 4-methylcatechol, relax arteries ex vivo and decrease blood pressure in vivo. <i>Vascular Pharmacology</i> , 2018 , 111, 36-43	5.9	22
95	Alkaloids from Narcissus poeticus cv. Pink Parasol of various structural types and their biological activity. <i>Archives of Pharmacal Research</i> , 2018 , 41, 208-218	6.1	23
94	First inter-laboratory study of a Supercritical Fluid Chromatography method for the determination of pharmaceutical impurities. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 161, 414-424	3.5	43
93	2. Supercritical fluid chromatography in bioanalysis 2018 , 33-76		1
92	Quel est l\(\text{\text{l}}\)pport de la chromatographie en phase supercritique pour l\(\text{\text{l}}\)nalyse antidopage?. Toxicologie Analytique Et Clinique, 2018, 30, S35-S36	0.4	
91	Intravenous rutin in rat exacerbates isoprenaline-induced cardiotoxicity likely due to intracellular oxidative stress. <i>Redox Report</i> , 2017 , 22, 78-90	5.9	4
90	Simplified solid-phase extraction procedure combined with liquid chromatography tandem-mass spectrometry for multiresidue assessment of pharmaceutical compounds in environmental liquid samples. <i>Journal of Chromatography A</i> , 2017 , 1487, 54-63	4.5	9
89	General screening and optimization strategy for fast chiral separations in modern supercritical fluid chromatography. <i>Analytica Chimica Acta</i> , 2017 , 950, 199-210	6.6	53
88	Development of matrix effect-free MISPE-UHPLC-MS/MS method for determination of lovastatin in Pu-erh tea, oyster mushroom, and red yeast rice. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 140, 367-376	3.5	11

87	Pharmaceutical Applications 2017 , 461-494		2
86	Micro-SPE in pipette tips as a tool for analysis of small-molecule drugs in serum. <i>Bioanalysis</i> , 2017 , 9, 887-901	2.1	8
85	Ultra-high performance liquid chromatography 2017 , 719-769		8
84	One-step extraction of polar drugs from plasma by parallel artificial liquid membrane extraction. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1043, 25-32	3.2	10
83	Ultra-High Performance Supercritical Fluid ChromatographyMass Spectrometry 2017 , 445-487		2
82	Isolation of Amaryllidaceae alkaloids from Nerine bowdenii W. Watson and their biological activities. <i>RSC Advances</i> , 2016 , 6, 80114-80120	3.7	20
81	Recovery of mucosal-associated invariant T cells after myeloablative chemotherapy and autologous peripheral blood stem cell transplantation. <i>Clinical and Experimental Medicine</i> , 2016 , 16, 529-537	4.9	11
8o	Development and optimization of ultra-high performance supercritical fluid chromatography mass spectrometry method for high-throughput determination of tocopherols and tocotrienols in human serum. <i>Analytica Chimica Acta</i> , 2016 , 934, 252-65	6.6	30
79	Development of MEPS-UHPLC-MS/MS multistatin methods for clinical analysis. <i>Bioanalysis</i> , 2016 , 8, 333	3- 4 9	8
78	Fast and sensitive supercritical fluid chromatography - tandem mass spectrometry multi-class screening method for the determination of doping agents in urine. <i>Analytica Chimica Acta</i> , 2016 , 915, 102-10	6.6	50
77	Solid-Phase Synthesis of ?-Lactone and 1,2-Oxazine Derivatives and Their Efficient Chiral Analysis. <i>PLoS ONE</i> , 2016 , 11, e0166558	3.7	5
76	Flavonoid metabolite 3-(3-hydroxyphenyl)propionic acid formed by human microflora decreases arterial blood pressure in rats. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 981-91	5.9	53
75	Liquid chromatography and supercritical fluid chromatography as alternative techniques to gas chromatography for the rapid screening of anabolic agents in urine. <i>Journal of Chromatography A</i> , 2016 , 1451, 145-155	4.5	50
74	Development, validation and comparison of UHPSFC and UHPLC methods for the determination of agomelatine and its impurities. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 125, 376-84	3.5	15
73	Isoquinoline Alkaloids from Fumaria officinalis L. and Their Biological Activities Related to Alzheimer's Disease. <i>Chemistry and Biodiversity</i> , 2016 , 13, 91-9	2.5	23
72	Chronic stress-like syndrome as a consequence of medial site subthalamic stimulation in Parkinson's disease. <i>Psychoneuroendocrinology</i> , 2015 , 52, 302-10	5	19
71	Development and validation of ultra-high performance supercritical fluid chromatography method for determination of illegal dyes and comparison to ultra-high performance liquid chromatography method. <i>Analytica Chimica Acta</i> , 2015 , 874, 84-96	6.6	33
70	Potential role of invariant natural killer T cells in outcomes of acute myocardial infarction. International Journal of Cardiology, 2015, 187, 663-5	3.2	6

69	Supercritical fluid chromatography in pharmaceutical analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 113, 56-71	3.5	177
68	Synthesis of a molecularly imprinted sorbent for selective solid-phase extraction of EN-methylamino-L-alanine. <i>Talanta</i> , 2015 , 144, 1021-9	6.2	11
67	1,2,5-Chalcogenadiazole-Annulated Tripyrazinoporphyrazines: Synthesis, Spectral Characteristics, and Influence of the Heavy Atom Effect on Their Photophysical Properties. <i>European Journal of Organic Chemistry</i> , 2015 , 2015, 596-604	3.2	19
66	Ultra high performance supercritical fluid chromatography coupled with tandem mass spectrometry for screening of doping agents. I: Investigation of mobile phase and MS conditions. <i>Analytica Chimica Acta</i> , 2015 , 853, 637-646	6.6	60
65	Ultra high performance supercritical fluid chromatography coupled with tandem mass spectrometry for screening of doping agents. II: Analysis of biological samples. <i>Analytica Chimica Acta</i> , 2015 , 853, 647-659	6.6	78
64	Methodology for Synthesis of Enantiopure 3,5-Disubstituted Pyrrol-2-ones. <i>European Journal of Organic Chemistry</i> , 2015 , 2015, 5414-5423	3.2	7
63	(Z)-3-Amino-5-(pyridin-2-ylmethylidene)-2-thioxo-1,3-thiazolidin-4-one. <i>MolBank</i> , 2015 , 2015, M872	0.5	5
62	Synthesis and Biological Evaluation of N-Alkyl-3-(alkylamino)-pyrazine-2-carboxamides. <i>Molecules</i> , 2015 , 20, 8687-711	4.8	11
61	(+)-Chenabinol (Revised NMR Data) and Two New Alkaloids from Berberis vulgaris and their Biological Activity. <i>Natural Product Communications</i> , 2015 , 10, 1934578X1501001	0.9	1
60	Development and validation of UHPLC-MS/MS method for determination of eight naturally occurring catechin derivatives in various tea samples and the role of matrix effects. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 114, 62-70	3.5	34
59	Fully substituted pyranones via quasi-heterogeneous genuinely ligand-free Migita-Stille coupling of iodoacrylates. <i>Organic Letters</i> , 2015 , 17, 520-3	6.2	13
58	Retention behavior of a homologous series and positional isomers of aliphatic amino acids in hydrophilic interaction chromatography. <i>Journal of Separation Science</i> , 2014 , 37, 739-47	3.4	18
57	Modern analytical supercritical fluid chromatography using columns packed with sub-2 In particles: a tutorial. <i>Analytica Chimica Acta</i> , 2014 , 824, 18-35	6.6	203
56	Sample preparation and UHPLC-FD analysis of pteridines in human urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 95, 265-72	3.5	16
55	Identification, characterization, synthesis and HPLC quantification of new process-related impurities and degradation products in retigabine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 94, 71-6	3.5	21
54	Study of the retention behavior of small polar molecules on different types of stationary phases used in hydrophilic interaction liquid chromatography. <i>Journal of Separation Science</i> , 2014 , 37, 1297-30	7 ^{3.4}	21
53	DEVELOPMENT OF A NOVEL IN-TUBE SOLID PHASE MICROEXTRACTION BASED ON MICELLAR DESORPTION FOLLOWED BY LC-DAD-FD FOR THE DETERMINATION OF SOME ENDOCRINE DISRUPTOR COMPOUNDS IN ENVIRONMENTAL LIQUID SAMPLES. Journal of Liquid	1.3	6
52	Chromatography and Related Technologies, 2014, 37, 1654-1672 Hydrophilic interaction chromatography of polar and ionizable compounds by UHPLC. TrAC - Trends in Analytical Chemistry, 2014, 63, 55-64	14.6	58

51	Direct analysis in real timehigh resolution mass spectrometry as a valuable tool for the pharmaceutical drug development. <i>Talanta</i> , 2014 , 130, 518-26	6.2	21	
50	Oral administration of quercetin is unable to protect against isoproterenol cardiotoxicity. <i>Naunyn-Schmiedeberg& Archives of Pharmacology</i> , 2014 , 387, 823-35	3.4	10	
49	How to address the sample preparation of hydrophilic compounds: Determination of entecavir in plasma and plasma ultrafiltrate with novel extraction sorbents. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 337-44	3.5	14	
48	Degradation study of nitroaromatic explosives 2-diazo-4,6-dinitrophenol and picramic acid using HPLC and UHPLC-ESI-MS/MS. <i>Analytical Methods</i> , 2014 , 6, 4761	3.2	3	
47	Determination of amphetamine and methadone in human urine by microextraction by packed sorbent coupled directly to mass spectrometry: an alternative for rapid clinical and forensic analysis. <i>Journal of Separation Science</i> , 2014 , 37, 3306-13	3.4	17	
46	Ultra-fast separation of estrogen steroids using subcritical fluid chromatography on sub-2-micron particles. <i>Talanta</i> , 2014 , 121, 178-86	6.2	38	
45	Fast and sensitive UHPLC methods with fluorescence and tandem mass spectrometry detection for the determination of tetracycline antibiotics in surface waters. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 927, 201-8	3.2	41	
44	High-speed gradient separations of peptides and proteins using polymer-monolithic poly(styrene-co-divinylbenzene) capillary columns at ultra-high pressure. <i>Journal of Chromatography A</i> , 2013 , 1304, 177-82	4.5	25	
43	HILIC UHPLC-MS/MS for fast and sensitive bioanalysis: accounting for matrix effects in method development. <i>Bioanalysis</i> , 2013 , 5, 2345-57	2.1	17	
42	High-resolution peptide separations using nano-LC at ultra-high pressure. <i>Journal of Separation Science</i> , 2013 , 36, 1192-9	3.4	13	
41	Challenges in the development of bioanalytical liquid chromatography-mass spectrometry method with emphasis on fast analysis. <i>Journal of Chromatography A</i> , 2013 , 1292, 25-37	4.5	91	
40	Determination of pteridines in biological samples with an emphasis on their stability. <i>Bioanalysis</i> , 2013 , 5, 2307-26	2.1	15	
39	High-sensitivity analysis of female-steroid hormones in environmental samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2012 , 34, 35-58	14.6	82	
38	Chapter 9:UHPLC in Modern Bioanalysis. <i>RSC Chromatography Monographs</i> , 2012 , 237-282		3	
37	Innate-like behavior of human invariant natural killer T cells during herpes simplex virus infection. <i>Cellular Immunology</i> , 2012 , 278, 16-20	4.4	1	
36	Determination of pravastatin and pravastatin lactone in rat plasma and urine using UHPLC-MS/MS and microextraction by packed sorbent. <i>Talanta</i> , 2012 , 90, 22-9	6.2	35	
35	Evaluation of new mixed-mode UHPLC stationary phases and the importance of stationary phase choice when using low ionic-strength mobile phase additives. <i>Talanta</i> , 2012 , 93, 99-105	6.2	29	
34	Highly sensitive fast determination of entecavir in rat urine by means of hydrophilic interaction chromatography-ultra-high-performance liquid chromatography-tandem mass spectrometry.	4.5	19	

33	Determination of steroid hormones in biological and environmental samples using green microextraction techniques: an overview. <i>Analytica Chimica Acta</i> , 2011 , 704, 33-46	6.6	93
32	Low numbers and altered phenotype of invariant natural killer T cells in recurrent varicella zoster virus infection. <i>Cellular Immunology</i> , 2011 , 269, 78-81	4.4	8
31	Practical method transfer from high performance liquid chromatography to ultra-high performance liquid chromatography: the importance of frictional heating. <i>Journal of Chromatography A</i> , 2011 , 1218, 7971-81	4.5	54
30	Microextraction by packed sorbent as sample preparation step for atorvastatin and its metabolites in biological samplescritical evaluation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 301-8	3.5	46
29	Use of ultra high performance liquid chromatography-tandem mass spectrometry to demonstrate decreased serum statin levels after extracorporeal LDL-cholesterol elimination. <i>Journal of Biomedicine and Biotechnology</i> , 2011 , 2011, 912472		4
28	Rapid qualitative and quantitative ultra high performance liquid chromatography method for simultaneous analysis of twenty nine common phenolic compounds of various structures. <i>Talanta</i> , 2010 , 80, 1970-9	6.2	60
27	Development and application of UHPLC-MS/MS method for the determination of phenolic compounds in Chamomile flowers and Chamomile tea extracts. <i>Talanta</i> , 2010 , 82, 1271-80	6.2	80
26	Evaluation of hybrid hydrophilic interaction chromatography stationary phases for ultra-HPLC in analysis of polar pteridines. <i>Journal of Separation Science</i> , 2010 , 33, 765-72	3.4	34
25	Determination of fluoroquinolone antibiotics in wastewater using ultra high-performance liquid chromatography with mass spectrometry and fluorescence detection. <i>Journal of Separation Science</i> , 2010 , 33, 2094-108	3.4	35
24	Ultra high performance liquid chromatography tandem mass spectrometry analysis of quorum-sensing molecules of Candida albicans. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 674-81	3.5	14
23	Comparison of positive and negative ion detection of tea catechins using tandem mass spectrometry and ultra high performance liquid chromatography. <i>Food Chemistry</i> , 2010 , 123, 535-541	8.5	47
22	Application of monolithic columns in pharmaceutical analysis. Determination of indomethacin and its degradation products. <i>Journal of Separation Science</i> , 2009 , 32, 2786-92	3.4	10
21	A review of current trends and advances in modern bio-analytical methods: chromatography and sample preparation. <i>Analytica Chimica Acta</i> , 2009 , 656, 8-35	6.6	433
20	Ultra high performance liquid chromatography tandem mass spectrometric detection in clinical analysis of simvastatin and atorvastatin. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2093-103	3.2	47
19	Hydrophilic interaction liquid chromatographycharged aerosol detection as a straightforward solution for simultaneous analysis of ascorbic acid and dehydroascorbic acid. <i>Journal of Chromatography A</i> , 2009 , 1216, 4574-81	4.5	43
18	An overview of analytical methodologies for the determination of antibiotics in environmental waters. <i>Analytica Chimica Acta</i> , 2009 , 649, 158-79	6.6	218
17	Comparison of UV and charged aerosol detection approach in pharmaceutical analysis of statins. <i>Talanta</i> , 2009 , 78, 834-9	6.2	45
16	Analysis of phenolic compounds by high performance liquid chromatography and ultra performance liquid chromatography. <i>Talanta</i> , 2008 , 76, 189-99	6.2	109

LIST OF PUBLICATIONS

15	Hydrophilic interaction liquid chromatography method for the determination of ascorbic acid. <i>Journal of Separation Science</i> , 2008 , 31, 1634-44	3.4	31
14	HPLC methods for the determination of simvastatin and atorvastatin. <i>TrAC - Trends in Analytical Chemistry</i> , 2008 , 27, 352-367	14.6	64
13	HPLC methods for simultaneous determination of ascorbic and dehydroascorbic acids. <i>TrAC</i> - <i>Trends in Analytical Chemistry</i> , 2008 , 27, 942-958	14.6	119
12	HPLC determination of chlorhexidine gluconate and p-chloroaniline in topical ointment. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 1169-73	3.5	26
11	Comparison of a novel ultra-performance liquid chromatographic method for determination of retinol and alpha-tocopherol in human serum with conventional HPLC using monolithic and particulate columns. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 388, 675-81	4.4	39
10	Advantages of ultra performance liquid chromatography over high-performance liquid chromatography: comparison of different analytical approaches during analysis of diclofenac gel. <i>Journal of Separation Science</i> , 2006 , 29, 2433-43	3.4	85
9	Separation and determination of terbinafine and its four impurities of similar structure using simple RP-HPLC method. <i>Talanta</i> , 2006 , 68, 713-20	6.2	18
8	Advantages of application of UPLC in pharmaceutical analysis. <i>Talanta</i> , 2006 , 68, 908-18	6.2	339
7	Determination of estradiol and its degradation products by liquid chromatography. <i>Journal of Chromatography A</i> , 2006 , 1119, 216-23	4.5	42
6	HPLC determination of calcium pantothenate and two preservatives in topical cream. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 671-5	3.5	6
5	Development and validation of HPLC method for determination of indomethacin and its two degradation products in topical gel. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 37, 899-90	15 ^{3.5}	31
4	A comparison of performance of various analytical columns in pharmaceutical analysis: conventional C18 and high throughput C18 zorbax columns. <i>Journal of Chromatography A</i> , 2005 , 1088, 24-31	4.5	12
3	HPLC determination of estradiol, its degradation product, and preservatives in new topical formulation Estrogel HBF. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 379, 781-7	4.4	36
2	Simultaneous HPLC determination of ketoprofen and its degradation products in the presence of preservatives in pharmaceuticals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 625-9	3.5	43
1	Comparison of performance of C18 monolithic rod columns and conventional C18 particle-packed columns in liquid chromatographic determination of Estrogel and Ketoprofen gel. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 813, 191-7	3.2	41