Hanna Henriksson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8890510/publications.pdf

Version: 2024-02-01

567144 454834 1,371 30 15 30 citations h-index g-index papers 33 33 33 2134 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Role of Physical Activity and Sedentary Behavior in the Mental Health of Preschoolers, Children and Adolescents: A Systematic Review and Meta-Analysis. Sports Medicine, 2019, 49, 1383-1410.	3.1	603
2	Mobile-based intervention intended to stop obesity in preschool-aged children: the MINISTOP randomized controlled trial ,. American Journal of Clinical Nutrition, 2017, 105, 1327-1335.	2.2	113
3	Cardiorespiratory fitness, muscular strength, and obesity in adolescence and later chronic disability due to cardiovascular disease: a cohort study of 1 million men. European Heart Journal, 2020, 41, 1503-1510.	1.0	68
4	Longitudinal Physical Activity, Body Composition, and Physical Fitness in Preschoolers. Medicine and Science in Sports and Exercise, 2017, 49, 2078-2085.	0.2	65
5	A web- and mobile phone-based intervention to prevent obesity in 4-year-olds (MINISTOP): a population-based randomized controlled trial. BMC Public Health, 2015, 15, 95.	1.2	56
6	Fitness and Body Mass Index During Adolescence and Disability Later in Life. Annals of Internal Medicine, 2019, 170, 230.	2.0	45
7	A 12-month follow-up of a mobile-based (mHealth) obesity prevention intervention in pre-school children: the MINISTOP randomized controlled trial. BMC Public Health, 2018, 18, 658.	1.2	41
8	A Smartphone App to Promote Healthy Weight Gain, Diet, and Physical Activity During Pregnancy (HealthyMoms): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e13011.	0.5	39
9	Muscular weakness in adolescence is associated with disability 30 years later: a population-based cohort study of 1.2 million men. British Journal of Sports Medicine, 2019, 53, 1221-1230.	3.1	36
10	Prevalence of ideal cardiovascular health in European adolescents: The HELENA study. International Journal of Cardiology, 2017, 240, 428-432.	0.8	34
11	A Mobile Phone Based Method to Assess Energy and Food Intake in Young Children: A Validation Study against the Doubly Labelled Water Method and 24 h Dietary Recalls. Nutrients, 2016, 8, 50.	1.7	33
12	Total Body Fat Content versus BMI in 4-Year-Old Healthy Swedish Children. Journal of Obesity, 2013, 2013, 1-4.	1.1	31
13	Diet quality and attention capacity in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. British Journal of Nutrition, 2017, 117, 1587-1595.	1.2	21
14	A New Mobile Phone-Based Tool for Assessing Energy and Certain Food Intakes in Young Children: A Validation Study. JMIR MHealth and UHealth, 2015, 3, e38.	1.8	21
15	Physical fitness in relation to later body composition in pre-school children. Journal of Science and Medicine in Sport, 2019, 22, 574-579.	0.6	20
16	MINISTOP 2.0: a smartphone app integrated in primary child health care to promote healthy diet and physical activity behaviours and prevent obesity in preschool-aged children: protocol for a hybrid design effectiveness-implementation study. BMC Public Health, 2020, 20, 1756.	1.2	17
17	Fit for life? Low cardiorespiratory fitness in adolescence is associated with a higher burden of future disability. British Journal of Sports Medicine, 2021, 55, 128-129.	3.1	16
18	Body-composition development during early childhood and energy expenditure in response to physical activity in 1.5-y-old children. American Journal of Clinical Nutrition, 2012, 96, 567-573.	2.2	13

#	Article	IF	CITATIONS
19	Adapting a Parental Support App to Promote Healthy Diet and Physical Activity Behaviors (MINISTOP) for a Multi-Ethnic Setting: A Qualitative Study on the Needs and Preferences of Parents and Nurses within Swedish Child Health Care. Nutrients, 2021, 13, 2190.	1.7	13
20	Validation of an Online Food Frequency Questionnaire against Doubly Labelled Water and 24 h Dietary Recalls in Pre-School Children. Nutrients, 2017, 9, 66.	1.7	12
21	Dietary determinants of hepatic fat content and insulin resistance in overweight/obese children: a cross-sectional analysis of the Prevention of Diabetes in Kids (PREDIKID) study. British Journal of Nutrition, 2019, 121, 1158-1165.	1.2	12
22	The Mobile Health Multiple Lifestyle Behavior Interventions Across the Lifespan (MoBILE) Research Program: Protocol for Development, Evaluation, and Implementation. JMIR Research Protocols, 2020, 9, e14894.	0.5	12
23	Evaluation of Actiheart and a 7Ad activity diary for estimating free-living total and activity energy expenditure using criterion methods in $1\text{A-}5$ - and 3-year-old children. British Journal of Nutrition, 2014, 111, 1830-1840.	1.2	10
24	Hip and wrist accelerometers showed consistent associations with fitness and fatness in children aged 8â€12Âyears. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 995-1003.	0.7	9
25	Is BMI a relevant marker of fat mass in 4 year old children? Results from the MINISTOP trial. European Journal of Clinical Nutrition, 2018, 72, 1561-1566.	1.3	8
26	Evaluations of Actiheart, IDEEA® and RT3 monitors for estimating activity energy expenditure in free-living women. Journal of Nutritional Science, 2013, 2, e31.	0.7	7
27	Physical Activity Level Using Doubly-Labeled Water in Relation to Body Composition and Physical Fitness in Preschoolers. Medicina (Lithuania), 2019, 55, 2.	0.8	6
28	The paediatric option for BodPod to assess body composition in preschool children: what fat-free mass density values should be used?. British Journal of Nutrition, 2018, 120, 797-802.	1.2	4
29	mHealth intervention for multiple lifestyle behaviour change among high school students in Sweden (LIFE4YOUth): protocol for a randomised controlled trial. BMC Public Health, 2021, 21, 1406.	1.2	3
30	Multiple lifestyle behaviour mHealth intervention targeting Swedish college and university students: protocol for the <i>Buddy</i> randomised factorial trial. BMJ Open, 2021, 11, e051044.	0.8	3

3