

# Hanna Henriksson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8890510/publications.pdf>

Version: 2024-02-01

30  
papers

1,371  
citations

567144

15  
h-index

454834

30  
g-index

33  
all docs

33  
docs citations

33  
times ranked

2134  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Fit for life? Low cardiorespiratory fitness in adolescence is associated with a higher burden of future disability. <i>British Journal of Sports Medicine</i> , 2021, 55, 128-129.  | 3.1 | 16        |
| 2  | Adapting a Parental Support App to Promote Healthy Diet and Physical Activity Behaviors (MINISTOP) for a Multi-Ethnic Setting: A Qualitative Study on the Needs and Preferences of Parents and Nurses within Swedish Child Health Care. <i>Nutrients</i> , 2021, 13, 2190.                  | 1.7 | 13        |
| 3  | mHealth intervention for multiple lifestyle behaviour change among high school students in Sweden (LIFE4YOUth): protocol for a randomised controlled trial. <i>BMC Public Health</i> , 2021, 21, 1406.  | 1.2 | 3         |
| 4  | Multiple lifestyle behaviour mHealth intervention targeting Swedish college and university students: protocol for the Buddy randomised factorial trial. <i>BMJ Open</i> , 2021, 11, e051044.  | 0.8 | 3         |
| 5  | Cardiorespiratory fitness, muscular strength, and obesity in adolescence and later chronic disability due to cardiovascular disease: a cohort study of 1 million men. <i>European Heart Journal</i> , 2020, 41, 1503-1510.  | 1.0 | 68        |
| 6  | Hip and wrist accelerometers showed consistent associations with fitness and fatness in children aged 8-12 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 995-1003.  | 0.7 | 9         |
| 7  | MINISTOP 2.0: a smartphone app integrated in primary child health care to promote healthy diet and physical activity behaviours and prevent obesity in preschool-aged children: protocol for a hybrid design effectiveness-implementation study. <i>BMC Public Health</i> , 2020, 20, 1756. | 1.2 | 17        |
| 8  | The Mobile Health Multiple Lifestyle Behavior Interventions Across the Lifespan (MoBILE) Research Program: Protocol for Development, Evaluation, and Implementation. <i>JMIR Research Protocols</i> , 2020, 9, e14894.  | 0.5 | 12        |
| 9  | Muscular weakness in adolescence is associated with disability 30 years later: a population-based cohort study of 1.2 million men. <i>British Journal of Sports Medicine</i> , 2019, 53, 1221-1230.   | 3.1 | 36        |
| 10 | Role of Physical Activity and Sedentary Behavior in the Mental Health of Preschoolers, Children and Adolescents: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2019, 49, 1383-1410.   | 3.1 | 603       |
| 11 | Dietary determinants of hepatic fat content and insulin resistance in overweight/obese children: a cross-sectional analysis of the Prevention of Diabetes in Kids (PREDIKID) study. <i>British Journal of Nutrition</i> , 2019, 121, 1158-1165.   | 1.2 | 12        |
| 12 | Fitness and Body Mass Index During Adolescence and Disability Later in Life. <i>Annals of Internal Medicine</i> , 2019, 170, 230.   | 2.0 | 45        |
| 13 | Physical fitness in relation to later body composition in pre-school children. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 574-579.   | 0.6 | 20        |
| 14 | Physical Activity Level Using Doubly-Labeled Water in Relation to Body Composition and Physical Fitness in Preschoolers. <i>Medicina (Lithuania)</i> , 2019, 55, 2.   | 0.8 | 6         |
| 15 | A Smartphone App to Promote Healthy Weight Gain, Diet, and Physical Activity During Pregnancy (HealthyMoms): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019, 8, e13011.  | 0.5 | 39        |
| 16 | Is BMI a relevant marker of fat mass in 4 year old children? Results from the MINISTOP trial. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 1561-1566.  | 1.3 | 8         |
| 17 | A 12-month follow-up of a mobile-based (mHealth) obesity prevention intervention in pre-school children: the MINISTOP randomized controlled trial. <i>BMC Public Health</i> , 2018, 18, 658.  | 1.2 | 41        |
| 18 | The paediatric option for BodPod to assess body composition in preschool children: what fat-free mass density values should be used?. <i>British Journal of Nutrition</i> , 2018, 120, 797-802.   | 1.2 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Mobile-based intervention intended to stop obesity in preschool-aged children: the MINISTOP randomized controlled trial. American Journal of Clinical Nutrition, 2017, 105, 1327-1335.  | 2.2 | 113       |
| 20 | Longitudinal Physical Activity, Body Composition, and Physical Fitness in Preschoolers. Medicine and Science in Sports and Exercise, 2017, 49, 2078-2085.   | 0.2 | 65        |
| 21 | Prevalence of ideal cardiovascular health in European adolescents: The HELENA study. International Journal of Cardiology, 2017, 240, 428-432.   | 0.8 | 34        |
| 22 | Diet quality and attention capacity in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. British Journal of Nutrition, 2017, 117, 1587-1595.                                  | 1.2 | 21        |
| 23 | Validation of an Online Food Frequency Questionnaire against Doubly Labelled Water and 24 h Dietary Recalls in Pre-School Children. Nutrients, 2017, 9, 66.   | 1.7 | 12        |
| 24 | A Mobile Phone Based Method to Assess Energy and Food Intake in Young Children: A Validation Study against the Doubly Labelled Water Method and 24 h Dietary Recalls. Nutrients, 2016, 8, 50.                                 | 1.7 | 33        |
| 25 | A web- and mobile phone-based intervention to prevent obesity in 4-year-olds (MINISTOP): a population-based randomized controlled trial. BMC Public Health, 2015, 15, 95.   | 1.2 | 56        |
| 26 | A New Mobile Phone-Based Tool for Assessing Energy and Certain Food Intakes in Young Children: A Validation Study. JMIR MHealth and UHealth, 2015, 3, e38.  | 1.8 | 21        |
| 27 | Evaluation of Actiheart and a 7d activity diary for estimating free-living total and activity energy expenditure using criterion methods in 1.5- and 3-year-old children. British Journal of Nutrition, 2014, 111, 1830-1840. | 1.2 | 10        |
| 28 | Evaluations of Actiheart, IDEEA® and RT3 monitors for estimating activity energy expenditure in free-living women. Journal of Nutritional Science, 2013, 2, e31.  | 0.7 | 7         |
| 29 | Total Body Fat Content versus BMI in 4-Year-Old Healthy Swedish Children. Journal of Obesity, 2013, 2013, 1-4.  | 1.1 | 31        |
| 30 | Body-composition development during early childhood and energy expenditure in response to physical activity in 1.5-y-old children. American Journal of Clinical Nutrition, 2012, 96, 567-573.                                 | 2.2 | 13        |