

# Khanh Kieu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8890685/publications.pdf>

Version: 2024-02-01

62  
papers

2,817  
citations

201674

27  
h-index

168389

53  
g-index

62  
all docs

62  
docs citations

62  
times ranked

2525  
citing authors

#	ARTICLE	IF	CITATIONS
1	All-fiber single-cavity dual-comb for coherent anti-Stokes Raman scattering spectroscopy based on spectral focusing. <i>Optics Letters</i> , 2021, 46, 146.	3.3	23
2	All-fiber high-power 1700 nm femtosecond laser based on optical parametric chirped-pulse amplification. <i>Optics Express</i> , 2020, 28, 2317.	3.4	30
3	Strong optical nonlinearity of ultrathin graphitic films synthesized on dielectric substrates. <i>Applied Surface Science</i> , 2019, 497, 143766.	6.1	3
4	Watt-level all-fiber optical parametric chirped-pulse amplifier working at 1300 nm. <i>Optics Letters</i> , 2019, 44, 3422.	3.3	13
5	Watt-level All-Fiber Optical Parametric Chirped-Pulse Amplifier Working at 1300 nm. , 2019, , .		0
6	All-Fiber Dissipative Soliton Raman Laser Based on Phosphosilicate Fiber. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1846-1849.	2.5	17
7	Multiphoton Microscopy of $\pi$ -Conjugated Copolymers and Copolymer/Fullerene Blends for Organic Photovoltaic Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 31813-31823.	8.0	5
8	Bi-Directional Mode-Locked Thulium Fiber Laser as a Single-Cavity Dual-Comb Source. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1772-1775.	2.5	24
9	Compact fiber-based multi-photon endoscope working at 1700 nm. <i>Biomedical Optics Express</i> , 2018, 9, 2326.	2.9	48
10	Rapid and Large-Area Characterization of Exfoliated Black Phosphorus Using Third-Harmonic Generation Microscopy. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 1343-1350.	4.6	68
11	All-reflective multiphoton microscope. <i>Optics Express</i> , 2017, 25, 23399.	3.4	15
12	Polarization dependent femtosecond laser modification of MBE-grown III-V nanostructures on silicon. <i>Optical Materials Express</i> , 2017, 7, 2102.	3.0	7
13	Design and characterization of a combined OCT and wide field imaging falloposcope for ovarian cancer detection. <i>Biomedical Optics Express</i> , 2017, 8, 124.	2.9	28
14	Imaging of targeted lipid microbubbles to detect cancer cells using third harmonic generation microscopy. <i>Biomedical Optics Express</i> , 2016, 7, 2849.	2.9	24
15	Real-time dual-comb spectroscopy with a free-running bidirectionally mode-locked fiber laser. <i>Applied Physics Letters</i> , 2016, 108, .	3.3	141
16	Optical characterization of directly deposited graphene on a dielectric substrate. <i>Optics Express</i> , 2016, 24, 2965.	3.4	5
17	Label-free multi-photon imaging of dysplasia in Barrett's esophagus. <i>Biomedical Optics Express</i> , 2016, 7, 148.	2.9	19
18	Real-time imaging of chromophore alignment in photorefractive polymer devices through multiphoton microscopy. <i>MRS Communications</i> , 2015, 5, 243-250.	1.8	5

#	ARTICLE	IF	CITATIONS
19	Silicon nanoridge array waveguides for nonlinear and sensing applications. Optics Express, 2015, 23, 28224.	3.4	5
20	All-fiber bidirectional optical parametric oscillator for precision sensing. Optics Letters, 2015, 40, 2033.	3.3	7
21	High-power synchronously pumped femtosecond Raman fiber laser. Optics Letters, 2015, 40, 2529.	3.3	54
22	Efficient Frequency Comb Generation in the 9- $\mu\text{m}$ Region Using Compact Fiber Sources. IEEE Photonics Technology Letters, 2014, 26, 2271-2274.	2.5	7
23	Multiphoton microscopy as a detection tool for photobleaching of EO materials. Optics Express, 2014, 22, 30955.	3.4	8
24	Characterization of coplanar poled electro optic polymer films for Si-photonic devices with multiphoton microscopy. Applied Physics Letters, 2014, 104, 161109.	3.3	3
25	Two-Photon Absorption in CdSe Colloidal Quantum Dots Compared to Organic Molecules. ACS Nano, 2014, 8, 12572-12586.	14.6	35
26	Raman-induced frequency shift in CS <sub>2</sub> -filled integrated liquid-core optical fiber. Optics Communications, 2014, 318, 83-87.	2.1	7
27	Observation of two-photon fluorescence for Rhodamine 6G in microbubble resonators. Optics Letters, 2014, 39, 3098.	3.3	11
28	Structure-based optical filtering by the silica microshell of the centric marine diatom Coscinodiscus wailesii. Optics Express, 2014, 22, 15992.	3.4	43
29	High Power Soliton Self-Frequency Shift With Improved Flatness Ranging From 1.6 to 1.78 $\mu\text{m}$ . IEEE Photonics Technology Letters, 2013, 25, 1893-1896.	2.5	30
30	Rapid Large-Area Multiphoton Microscopy for Characterization of Graphene. ACS Nano, 2013, 7, 8441-8446.	14.6	81
31	Fabrication of High-Q Microresonators Using Femtosecond Laser Micromachining. IEEE Photonics Technology Letters, 2013, 25, 430-433.	2.5	14
32	Normal dispersion femtosecond fiber optical parametric oscillator. Optics Letters, 2013, 38, 3616.	3.3	22
33	High-quality crystallinity controlled ALD TiO <sub>2</sub> for waveguiding applications. Optics Letters, 2013, 38, 3980.	3.3	22
34	Brillouin lasing in integrated liquid-core optical fibers. Optics Letters, 2013, 38, 543.	3.3	14
35	Slow light based on stimulated Raman scattering in an integrated liquid-core optical fiber filled with CS <sub>2</sub> . Optics Express, 2013, 21, 8821.	3.4	22
36	Mid-IR supercontinuum generation in an integrated liquid-core optical fiber filled with CS <sub>2</sub> . Optical Materials Express, 2013, 3, 1358.	3.0	69

#	ARTICLE	IF	CITATIONS
37	Sub-femtosecond timing jitter, all-fiber, CNT-mode-locked Er-laser at telecom wavelength. Optics Express, 2013, 21, 26533.	3.4	30
38	Hyper-numerical aperture (NA = 28) microscope using $\lambda = 156 \text{ \AA}$ femtosecond source for multi-photon imaging. Biomedical Optics Express, 2013, 4, 1786.	2.9	5
39	Label-free multi-photon imaging using a compact femtosecond fiber laser mode-locked by carbon nanotube saturable absorber. Biomedical Optics Express, 2013, 4, 2187.	2.9	62
40	Integrated liquid-core optical fibers for ultra-efficient nonlinear liquid photonics. Optics Express, 2012, 20, 8148.	3.4	74
41	Low timing jitter and intensity noise from a soliton Er-fiber laser mode-locked by a fiber taper carbon nanotube saturable absorber. Optics Express, 2012, 20, 29524.	3.4	28
42	All-optical switching based on inverse Raman scattering in liquid-core optical fibers. Optics Letters, 2012, 37, 942.	3.3	20
43	High power and high energy monolithic single frequency $2 \frac{1}{4} \mu\text{m}$ nanosecond pulsed fiber laser by using large core Tm-doped germanate fibers: experiment and modeling. Optics Express, 2012, 20, 16410.	3.4	59
44	Low noise erbium fiber fs frequency comb based on a tapered-fiber carbon nanotube design. Optics Express, 2011, 19, 5313.	3.4	31
45	White light Bessel-like beams generated by miniature all-fiber device. Optics Express, 2011, 19, 11365.	3.4	26
46	Demonstration of Zeno switching through inverse Raman scattering in an optical fiber. Optics Express, 2011, 19, 12532.	3.4	8
47	Progress in growth, fabrication, and characterization of semiconductor photonic crystal nanocavities. Physica Status Solidi (B): Basic Research, 2011, 248, 892-896.	1.5	2
48	Generation of Few-Cycle Pulses From an Amplified Carbon Nanotube Mode-Locked Fiber Laser System. IEEE Photonics Technology Letters, 2010, 22, 1521-1523.	2.5	53
49	Characterization of 1D photonic crystal nanobeam cavities using curved microfiber. Optics Express, 2010, 18, 20558.	3.4	12
50	High power femtosecond source near 1 micron based on an all-fiber Er-doped mode-locked laser. Optics Express, 2010, 18, 21350.	3.4	40
51	Scaling of dissipative soliton fiber lasers to megawatt peak powers by use of large-area photonic crystal fiber. Optics Letters, 2010, 35, 1569.	3.3	121
52	Sub-100 fs pulses at watt-level powers from a dissipative-soliton fiber laser. Optics Letters, 2009, 34, 593.	3.3	212
53	High-power picosecond fiber source for coherent Raman microscopy. Optics Letters, 2009, 34, 2051.	3.3	100
54	Transition dynamics for multi-pulsing in mode-locked lasers. Optics Express, 2009, 17, 23137.	3.4	77

#	ARTICLE	IF	CITATIONS
55	Soliton Thulium-Doped Fiber Laser With Carbon Nanotube Saturable Absorber. IEEE Photonics Technology Letters, 2009, 21, 128-130.	2.5	185
56	All-fiber bidirectional passively mode-locked ring laser. Optics Letters, 2008, 33, 64.	3.3	146
57	All-fiber normal-dispersion femtosecond laser. Optics Express, 2008, 16, 11453.	3.4	168
58	Fiber laser using a microsphere resonator as a feedback element. Optics Letters, 2007, 32, 244.	3.3	72
59	Femtosecond laser pulse generation with a fiber taper embedded in carbon nanotube/polymer composite. Optics Letters, 2007, 32, 2242.	3.3	270
60	Self-Locked Excitation Scheme for Microsphere Resonators. IEEE Photonics Technology Letters, 2007, 19, 100-102.	2.5	5
61	Tuning of fiber lasers by use of a single-mode biconic fiber taper. Optics Letters, 2006, 31, 2435.	3.3	58
62	Active Q switching of a fiber laser with a microsphere resonator. Optics Letters, 2006, 31, 3568.	3.3	24