## Jacek Majewski

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8891384/jacek-majewski-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129	11,592	49	107
papers	citations	h-index	g-index
137 ext. papers	13,936 ext. citations	<b>11.3</b> avg, IF	5.45 L-index

#	Paper	IF	Citations
129	Epimutations in both the TESK2 and MMACHC promoters in the Epi-cblC inherited disorder of intracellular metabolism of vitamin B <i>Clinical Epigenetics</i> , <b>2022</b> , 14, 52	7.7	1
128	Inherent genomic properties underlie the epigenomic heterogeneity of human induced pluripotent stem cells. <i>Cell Reports</i> , <b>2021</b> , 37, 109909	10.6	0
127	Two competing mechanisms of DNMT3A recruitment regulate the dynamics of de novo DNA methylation at PRC1-targeted CpG islands. <i>Nature Genetics</i> , <b>2021</b> , 53, 794-800	36.3	17
126	Whole-exome sequencing reveals novel vacuolar ATPase genes' variants and variants in genes involved in lysosomal biology and autophagosomal formation in oral granular cell tumors. <i>Journal of Oral Pathology and Medicine</i> , <b>2021</b> , 50, 410-417	3.3	3
125	Depletion of H3K36me2 recapitulates epigenomic and phenotypic changes induced by the H3.3K36M oncohistone mutation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	10
124	Mutation in Eftud2 causes craniofacial defects in mice via mis-splicing of Mdm2 and increased P53. <i>Human Molecular Genetics</i> , <b>2021</b> , 30, 739-757	5.6	3
123	Chromatin dysregulation associated with NSD1 mutation in head and neck squamous cell carcinoma. <i>Cell Reports</i> , <b>2021</b> , 34, 108769	10.6	9
122	Novel pathogenic variants in NLRP7, NLRP5, and PADI6 in patients with recurrent hydatidiform moles and reproductive failure. <i>Clinical Genetics</i> , <b>2021</b> , 99, 823-828	4	5
121	A functionally impaired missense variant identified in French Canadian families implicates FANCI as a candidate ovarian cancer-predisposing gene. <i>Genome Medicine</i> , <b>2021</b> , 13, 186	14.4	2
120	Early infantile epileptic encephalopathy due to biallelic pathogenic variants in PIGQ: Report of seven new subjects and review of the literature. <i>Journal of Inherited Metabolic Disease</i> , <b>2020</b> , 43, 1321-	1332	6
119	A novel pathogenic missense ADAMTS17 variant that impairs secretion causes Weill-Marchesani Syndrome with variably dysmorphic hand features. <i>Scientific Reports</i> , <b>2020</b> , 10, 10827	4.9	6
118	Latency and interval therapy affect the evolution in metastatic colorectal cancer. <i>Scientific Reports</i> , <b>2020</b> , 10, 581	4.9	4
117	ZBTB7B (ThPOK) Is Required for Pathogenesis of Cerebral Malaria and Protection against Pulmonary Tuberculosis. <i>Infection and Immunity</i> , <b>2020</b> , 88,	3.7	2
116	A Mouse Model for Cerebro-Costo-Mandibular Syndrome (CCMS) with an Intronic Deletion in SnrpB. <i>FASEB Journal</i> , <b>2020</b> , 34, 1-1	0.9	
115	Deletion of Mouse Sf3b4 in Neural Crest Cells Causes Craniofacial Abnormalities. <i>FASEB Journal</i> , <b>2020</b> , 34, 1-1	0.9	
114	H3K27M in Gliomas Causes a One-Step Decrease in H3K27 Methylation and Reduced Spreading within the Constraints of H3K36 Methylation. <i>Cell Reports</i> , <b>2020</b> , 33, 108390	10.6	14
113	Prognostic and predictive value of circulating tumor DNA during neoadjuvant chemotherapy for triple negative breast cancer. <i>Scientific Reports</i> , <b>2020</b> , 10, 14704	4.9	12

### (2018-2020)

Exome sequencing study of partial agenesis of the corpus callosum in men with developmental delay, epilepsy, and microcephaly. <i>Molecular Genetics &amp; Enomic Medicine</i> , <b>2020</b> , 8, e992	2.3	6
The histone mark H3K36me2 recruits DNMT3A and shapes the intergenic DNA methylation landscape. <i>Nature</i> , <b>2019</b> , 573, 281-286	50.4	161
Epigenomic Reordering Induced by Polycomb Loss Drives Oncogenesis but Leads to Therapeutic Vulnerabilities in Malignant Peripheral Nerve Sheath Tumors. <i>Cancer Research</i> , <b>2019</b> , 79, 3205-3219	10.1	23
H3K27M induces defective chromatin spread of PRC2-mediated repressive H3K27me2/me3 and is essential for glioma tumorigenesis. <i>Nature Communications</i> , <b>2019</b> , 10, 1262	17.4	104
CYRI/FAM49B negatively regulates RAC1-driven cytoskeletal remodelling and protects against bacterial infection. <i>Nature Microbiology</i> , <b>2019</b> , 4, 1516-1531	26.6	18
Circulating tumor DNA (ctDNA) during and after neoadjuvant chemotherapy and prior to surgery is a powerful prognostic factor in triple-negative breast cancer (TNBC) <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 594-594	2.2	5
EFTUD2, The Gene Responsible For Mandibulofacial Dysostosis With Microcephaly (MFDM), Is Required For Implantation And Craniofacial Development In Mouse. <i>FASEB Journal</i> , <b>2019</b> , 33, 774.20	0.9	
A Unique Morphological Phenotype in Chemoresistant Triple-Negative Breast Cancer Reveals Metabolic Reprogramming and PLIN4 Expression as a Molecular Vulnerability. <i>Molecular Cancer Research</i> , <b>2019</b> , 17, 2492-2507	6.6	31
Recessive mutation in CD2AP causes focal segmental glomerulosclerosis in humans and mice. <i>Kidney International</i> , <b>2019</b> , 95, 57-61	9.9	8
Biallelic Loss-of-Function Variants in AIMP1 Cause a Rare Neurodegenerative Disease. <i>Journal of Child Neurology</i> , <b>2019</b> , 34, 74-80	2.5	5
POLR3A variants in hereditary spastic paraplegia and ataxia. <i>Brain</i> , <b>2018</b> , 141, e1	11.2	14
APRDX1 mutant allele causes a MMACHC secondary epimutation in cblC patients. <i>Nature Communications</i> , <b>2018</b> , 9, 67	17.4	45
Biallelic PADI6 variants linking infertility, miscarriages, and hydatidiform moles. <i>European Journal of Human Genetics</i> , <b>2018</b> , 26, 1007-1013	5.3	43
Methylome analysis and whole-exome sequencing reveal that brain tumors associated with encephalocraniocutaneous lipomatosis are midline pilocytic astrocytomas. <i>Acta Neuropathologica</i> , <b>2018</b> , 136, 657-660	14.3	12
Une pimutation transgBfationnelle du gBe MMACHC produit un nouveau type dBrreur inn du mEabolisme dBomm pi-cblC. Bulletin De LlAcademie Nationale De Medecine, <b>2018</b> , 202, 1585-1596	0.1	
Causative Mutations and Mechanism of Androgenetic Hydatidiform Moles. <i>American Journal of Human Genetics</i> , <b>2018</b> , 103, 740-751	11	39
TRPV4 and KRAS and FGFR1 gain-of-function mutations drive giant cell lesions of the jaw. <i>Nature Communications</i> , <b>2018</b> , 9, 4572	17.4	30
Germline HAVCR2 mutations altering TIM-3 characterize subcutaneous panniculitis-like T cell lymphomas with hemophagocytic lymphohistiocytic syndrome. <i>Nature Genetics</i> , <b>2018</b> , 50, 1650-1657	36.3	74
	delay, epilepsy, and microcephaly. <i>Molecular Genetics &amp; amp; Genomic Medicine</i> , 2020, 8, e992  The histone mark H3K36me2 recruits DNMT3A and shapes the intergenic DNA methylation landscape. <i>Nature</i> , 2019, 573, 281-286  Epigenomic Reordering Induced by Polycomb Loss Drives Oncogenesis but Leads to Therapeutic Vulnerabilities in Malignant Peripheral Nerve Sheath Tumors. <i>Cancer Research</i> , 2019, 79, 3205-3219  H3K27M induces defective chromatin spread of PRC2-mediated repressive H3K27me2/me3 and is essential for glioma tumorigenesis. <i>Nature Communications</i> , 2019, 10, 1262  CYRI/FAM49B negatively regulates RAC1-driven cytoskeletal remodelling and protects against bacterial infection. <i>Nature Microbiology</i> , 2019, 4, 1516-1531  Circulating tumor DNA (ctDNA) during and after neoadjuvant chemotherapy and prior to surgery is a powerful prognostic factor in triple-negative breast cancer (TNBC) <i>Journal of Clinical Oncology</i> , 2019, 37, 594-594  EFTUD2, The Gene Responsible For Mandibulofacial Dysostosis With Microcephaly (MFDM), Is Required For Implantation And Craniofacial Development in Mouse. <i>FASEB Journal</i> , 2019, 33, 774-20  A Unique Morphological Phenotype in Chemoresistant Triple-Negative Breast Cancer Reveals Metabolic Reprogramming and PLIN4 Expression as a Molecular Vulnerability. <i>Molecular Cancer Research</i> , 2019, 17, 2492-2507  Recessive mutation in CD2AP causes focal segmental glomerulosclerosis in humans and mice. <i>Kidney International</i> , 2019, 95, 57-61  Biallelic Loss-of-Function Variants in AlMP1 Cause a Rare Neurodegenerative Disease. <i>Journal of Child Neurology</i> , 2019, 34, 74-80  POLR3A variants in hereditary spastic paraplegia and ataxia. <i>Brain</i> , 2018, 141, e1  APROX1 mutant allele causes a MMACHC secondary epimutation in cblC patients. <i>Nature Communications</i> , 2018, 26, 1007-1013  Methylome analysis and whole-exome sequencing reveal that brain tumors associated with encephalocraniocutaneous lipomatosis are midline pilocytic astrocytomas. <i>Acta Neuropathologica</i> , 2018, 136, 657-660  Une Bimutatio	delay, epilepsy, and microcephaly. Molecular Genetics & Mamp; Genomic Medicine, 2020, 8, e992  The histone mark H3K36me2 recruits DNMT3A and shapes the intergenic DNA methylation landscape. Nature, 2019, 573, 281-286  Epigenomic Reordering Induced by Polycomb Loss Drives Oncogenesis but Leads to Therapeutic Vulnerabilities in Malignant Peripheral Nerve Sheath Tumors. Cancer Research, 2019, 79, 3205-3219  H3K27M induces defective chromatin spread of PRC2-mediated repressive H3K27me2/me3 and is essential for glioma tumorigenesis. Nature Communications, 2019, 10, 1262  CYRI/FAM49B negatively regulates RAC1-driven cytoskeletal remodelling and protects against bacterial infection. Nature Microbiology, 2019, 4, 1516-1531  Circulating tumor DNA (ctDNA) during and after neoadjuvant chemotherapy and prior to surgery is a powerful prognostic factor in triple-negative breast cancer (TNBC) Journal of Clinical Oncology, 2019, 37, 594-594  EFFUD2, The Gene Responsible For Mandibulofacial Dysostosis With Microcephaly (MFDM), Is Required For Implantation And Craniofacial Development In Mouse. FASEB Journal, 2019, 33, 774.20  A Unique Morphological Phenotype in Chemoresistant Triple-Negative Breast Cancer Reveals Metabolic Reprogramming and PLIN4 Expression as a Molecular Vulnerability. Molecular Cancer Research, 2019, 17, 2492-2507  Recessive mutation in CD2AP causes focal segmental glomerulosclerosis in humans and mice. Kidney International, 2019, 95, 57-61  Biallelic Loss-of-Function Variants in AlMP1 Gause a Rare Neurodegenerative Disease. Journal of Child Neurology, 2019, 34, 74-80  POLR3A variants in hereditary spastic paraplegia and ataxia. Brain, 2018, 141, e1  11.2  APRDX1 mutant allele causes a MMACHC Secondary epimutation in cblC patients. Nature Communications, 2018, 9, 67  Biallelic PAD16 variants linking infertility, miscarriages, and hydatidiform moles. European Journal of Human Genetics, 2018, 86, 1007-1013  Methylome analysis and whole-exome sequencing reveal that brain tumors associated with encephalocranioc

94	ClinPred: Prediction Tool to Identify Disease-Relevant Nonsynonymous Single-Nucleotide Variants. <i>American Journal of Human Genetics</i> , <b>2018</b> , 103, 474-483	11	61
93	Identification and functional characterization of a novel MTFMT mutation associated with selective vulnerability of the visual pathway and a mild neurological phenotype. <i>Neurogenetics</i> , <b>2017</b> , 18, 97-103	3	9
92	Impaired H3K36 methylation defines a subset of head and neck squamous cell carcinomas. <i>Nature Genetics</i> , <b>2017</b> , 49, 180-185	36.3	132
91	Matchmaking facilitates the diagnosis of an autosomal-recessive mitochondrial disease caused by biallelic mutation of the tRNA isopentenyltransferase (TRIT1) gene. <i>Human Mutation</i> , <b>2017</b> , 38, 511-516	4.7	29
90	Spatial heterogeneity in medulloblastoma. <i>Nature Genetics</i> , <b>2017</b> , 49, 780-788	36.3	80
89	Expansion of the clinical phenotype of the distal 10q26.3 deletion syndrome to include ataxia and hyperemia of the hands and feet. <i>American Journal of Medical Genetics, Part A</i> , <b>2017</b> , 173, 1611-1619	2.5	3
88	Compound heterozygous mutations in the gene PIGP are associated with early infantile epileptic encephalopathy. <i>Human Molecular Genetics</i> , <b>2017</b> , 26, 1706-1715	5.6	33
87	Novel 25 kb Deletion of MERTK Causes Retinitis Pigmentosa With Severe Progression <b>2017</b> , 58, 1736-17	742	11
86	Characterizing temporal genomic heterogeneity in pediatric high-grade gliomas. <i>Acta Neuropathologica Communications</i> , <b>2017</b> , 5, 78	7.3	23
85	The Genetic Causes of Nonsyndromic Congenital Retinal Detachment: A Genetic and Phenotypic Study of Pakistani Families <b>2017</b> , 58, 1028-1036		7
84	H3.1 K36M mutation in a congenital-onset soft tissue neoplasm. <i>Pediatric Blood and Cancer</i> , <b>2017</b> , 64, e26633	3	3
83	Functionally Null Missense Mutation Associates Strongly with Ovarian Carcinoma. <i>Cancer Research</i> , <b>2017</b> , 77, 4517-4529	10.1	18
82	Bmp signaling maintains a mesoderm progenitor cell state in the mouse tailbud. <i>Development</i> (Cambridge), <b>2017</b> , 144, 2982-2993	6.6	8
81	Recessive mutations in the kinase ZAK cause a congenital myopathy with fibre type disproportion. <i>Brain</i> , <b>2017</b> , 140, 37-48	11.2	13
8o	RMND1-Related Leukoencephalopathy With Temporal Lobe Cysts and Hearing Loss-Another Mendelian Mimicker of Congenital Cytomegalovirus Infection. <i>Pediatric Neurology</i> , <b>2017</b> , 66, 59-62	2.9	10
79	USP15 regulates type I interferon response and is required for pathogenesis of neuroinflammation. <i>Nature Immunology</i> , <b>2017</b> , 18, 54-63	19.1	51
78	Longitudinal mutational analysis of a cerebellar pilocytic astrocytoma recurring as a ganglioglioma. <i>Pediatric Blood and Cancer</i> , <b>2017</b> , 64, 275-278	3	4
77	A novel multisystem disease associated with recessive mutations in the tyrosyl-tRNA synthetase (YARS) gene. <i>American Journal of Medical Genetics, Part A</i> , <b>2017</b> , 173, 126-134	2.5	27

#### (2015-2017)

76	LoLoPicker: detecting low allelic-fraction variants from low-quality cancer samples. <i>Oncotarget</i> , <b>2017</b> , 8, 37032-37040	3.3	17
75	Spatial and temporal homogeneity of driver mutations in diffuse intrinsic pontine glioma. <i>Nature Communications</i> , <b>2016</b> , 7, 11185	17.4	152
74	Next-generation sequencing for diagnosis of rare diseases in the neonatal intensive care unit. <i>Cmaj</i> , <b>2016</b> , 188, E254-E260	3.5	59
73	Syndrome disintegration: Exome sequencing reveals that Fitzsimmons syndrome is a co-occurrence of multiple events. <i>American Journal of Medical Genetics, Part A</i> , <b>2016</b> , 170, 1820-5	2.5	14
72	DNM1L-related mitochondrial fission defect presenting as refractory epilepsy. <i>European Journal of Human Genetics</i> , <b>2016</b> , 24, 1084-8	5.3	93
71	SPG7 mutations explain a significant proportion of French Canadian spastic ataxia cases. <i>European Journal of Human Genetics</i> , <b>2016</b> , 24, 1016-21	5.3	38
7º	Autosomal recessive cerebellar ataxia caused by a homozygous mutation in PMPCA. <i>Brain</i> , <b>2016</b> , 139, e19	11.2	17
69	Germline and somatic FGFR1 abnormalities in dysembryoplastic neuroepithelial tumors. <i>Acta Neuropathologica</i> , <b>2016</b> , 131, 847-63	14.3	105
68	Mosaic Activating Mutations in FGFR1 Cause Encephalocraniocutaneous Lipomatosis. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 579-587	11	60
67	Molecular analyses reveal close similarities between small cell carcinoma of the ovary, hypercalcemic type and atypical teratoid/rhabdoid tumor. <i>Oncotarget</i> , <b>2016</b> , 7, 1732-40	3.3	36
66	Integrated (epi)-Genomic Analyses Identify Subgroup-Specific Therapeutic Targets in CNS Rhabdoid Tumors. <i>Cancer Cell</i> , <b>2016</b> , 30, 891-908	24.3	135
65	Gain-of-function mutation in TRPV4 identified in patients with osteonecrosis of the femoral head. <i>Journal of Medical Genetics</i> , <b>2016</b> , 53, 705-9	5.8	19
64	SLC25A46 is required for mitochondrial lipid homeostasis and cristae maintenance and is responsible for Leigh syndrome. <i>EMBO Molecular Medicine</i> , <b>2016</b> , 8, 1019-38	12	105
63	Biallelic Mutations in PDE10A Lead to Loss of Striatal PDE10A and a Hyperkinetic Movement Disorder with Onset in Infancy. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 735-43	11	48
62	Mutations in GALC cause late-onset Krabbe disease with predominant cerebellar ataxia. <i>Neurogenetics</i> , <b>2016</b> , 17, 137-41	3	11
61	Histone H3K36 mutations promote sarcomagenesis through altered histone methylation landscape. <i>Science</i> , <b>2016</b> , 352, 844-9	33.3	219
60	Inborn Error of Cobalamin Metabolism Associated with the Intracellular Accumulation of Transcobalamin-Bound Cobalamin and Mutations in ZNF143, Which Codes for a Transcriptional Activator. <i>Human Mutation</i> , <b>2016</b> , 37, 976-82	4.7	21
59	Biallelic mutations in BRCA1 cause a new Fanconi anemia subtype. <i>Cancer Discovery</i> , <b>2015</b> , 5, 135-42	24.4	215

58	Homozygous mutations in MFN2 cause multiple symmetric lipomatosis associated with neuropathy. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 5109-14	5.6	53
57	Germline RECQL mutations are associated with breast cancer susceptibility. <i>Nature Genetics</i> , <b>2015</b> , 47, 643-6	36.3	123
56	Whole exome sequencing identifies the TNNI3K gene as a cause of familial conduction system disease and congenital junctional ectopic tachycardia. <i>International Journal of Cardiology</i> , <b>2015</b> , 185, 114-6	3.2	18
55	Atypical fibrodysplasia ossificans progressiva diagnosed by whole-exome sequencing. <i>American Journal of Medical Genetics, Part A</i> , <b>2015</b> , 167, 1337-41	2.5	10
54	The clinical application of genome-wide sequencing for monogenic diseases in Canada: Position Statement of the Canadian College of Medical Geneticists. <i>Journal of Medical Genetics</i> , <b>2015</b> , 52, 431-7	5.8	137
53	THEMIS is required for pathogenesis of cerebral malaria and protection against pulmonary tuberculosis. <i>Infection and Immunity</i> , <b>2015</b> , 83, 759-68	3.7	14
52	Rare variants in SOS2 and LZTR1 are associated with Noonan syndrome. <i>Journal of Medical Genetics</i> , <b>2015</b> , 52, 413-21	5.8	144
51	Congenital Visual Impairment and Progressive Microcephaly Due to Lysyl-Transfer Ribonucleic Acid (RNA) Synthetase (KARS) Mutations: The Expanding Phenotype of Aminoacyl-Transfer RNA Synthetase Mutations in Human Disease. <i>Journal of Child Neurology</i> , <b>2015</b> , 30, 1037-43	2.5	39
50	A novel CCBE1 mutation leading to a mild form of hennekam syndrome: case report and review of the literature. <i>BMC Medical Genetics</i> , <b>2015</b> , 16, 28	2.1	12
49	Autosomal recessive axonal polyneuropathy in a sibling pair due to a novel homozygous mutation in IGHMBP2. <i>Neuromuscular Disorders</i> , <b>2015</b> , 25, 794-9	2.9	10
48	Loss-of-Function Mutation in APC2 Causes Sotos Syndrome Features. <i>Cell Reports</i> , <b>2015</b> , 10, 1585-1598	10.6	28
47	Homozygous mutation in the eukaryotic translation initiation factor 2alpha phosphatase gene, PPP1R15B, is associated with severe microcephaly, short stature and intellectual disability. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 6293-300	5.6	28
46	RTTN Mutations Cause Primary Microcephaly and Primordial Dwarfism in Humans. <i>American Journal of Human Genetics</i> , <b>2015</b> , 97, 862-8	11	29
45	ExomeAI: detection of recurrent allelic imbalance in tumors using whole-exome sequencing data. <i>Bioinformatics</i> , <b>2015</b> , 31, 429-31	7.2	14
44	An inherited immunoglobulin class-switch recombination deficiency associated with a defect in the INO80 chromatin remodeling complex. <i>Journal of Allergy and Clinical Immunology</i> , <b>2015</b> , 135, 998-1007.	e <sup>£1.5</sup>	30
43	A polyadenylation site variant causes transcript-specific BMP1 deficiency and frequent fractures in children. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 516-24	5.6	32
42	Homozygous nonsense mutation in SYNJ1 associated with intractable epilepsy and tau pathology. <i>Neurobiology of Aging</i> , <b>2015</b> , 36, 1222.e1-5	5.6	35
41	GeneMatcher aids in the identification of a new malformation syndrome with intellectual disability, unique facial dysmorphisms, and skeletal and connective tissue abnormalities caused by de novo variants in HNRNPK. <i>Human Mutation</i> , <b>2015</b> , 36, 1009-1014	4.7	45

40	Choroideremia Is a Systemic Disease With Lymphocyte Crystals and Plasma Lipid and RBC Membrane Abnormalities <b>2015</b> , 56, 8158-65		14
39	Recessive osteogenesis imperfecta caused by missense mutations in SPARC. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 979-85	11	81
38	Homozygosity for frameshift mutations in XYLT2 result in a spondylo-ocular syndrome with bone fragility, cataracts, and hearing defects. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 971-8	11	50
37	Nonsense mutation in the WDR73 gene is associated with Galloway-Mowat syndrome. <i>Journal of Medical Genetics</i> , <b>2015</b> , 52, 381-90	5.8	23
36	Meconium ileus in a Lebanese family secondary to mutations in the GUCY2C gene. <i>European Journal of Human Genetics</i> , <b>2015</b> , 23, 990-2	5.3	17
35	Autosomal-Recessive Intellectual Disability with Cerebellar Atrophy Syndrome Caused by Mutation of the Manganese and Zinc Transporter Gene SLC39A8. <i>American Journal of Human Genetics</i> , <b>2015</b> , 97, 886-93	11	125
34	Cole-Carpenter syndrome is caused by a heterozygous missense mutation in P4HB. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 425-31	11	65
33	Paediatric and adult glioblastoma: multiform (epi)genomic culprits emerge. <i>Nature Reviews Cancer</i> , <b>2014</b> , 14, 92-107	31.3	383
32	Fusion of TTYH1 with the C19MC microRNA cluster drives expression of a brain-specific DNMT3B isoform in the embryonal brain tumor ETMR. <i>Nature Genetics</i> , <b>2014</b> , 46, 39-44	36.3	131
31	CCDC88B is a novel regulator of maturation and effector functions of T cells during pathological inflammation. <i>Journal of Experimental Medicine</i> , <b>2014</b> , 211, 2519-35	16.6	32
30	Germline and somatic SMARCA4 mutations characterize small cell carcinoma of the ovary, hypercalcemic type. <i>Nature Genetics</i> , <b>2014</b> , 46, 438-43	36.3	305
29	Genetically encoded impairment of neuronal KCC2 cotransporter function in human idiopathic generalized epilepsy. <i>EMBO Reports</i> , <b>2014</b> , 15, 766-74	6.5	123
28	CARD9 deficiency and spontaneous central nervous system candidiasis: complete clinical remission with GM-CSF therapy. <i>Clinical Infectious Diseases</i> , <b>2014</b> , 59, 81-4	11.6	104
27	Mutations in LAMA1 cause cerebellar dysplasia and cysts with and without retinal dystrophy. <i>American Journal of Human Genetics</i> , <b>2014</b> , 95, 227-34	11	74
26	Mutations in the enzyme glutathione peroxidase 4 cause Sedaghatian-type spondylometaphyseal dysplasia. <i>Journal of Medical Genetics</i> , <b>2014</b> , 51, 470-4	5.8	45
25	FORGE Canada Consortium: outcomes of a 2-year national rare-disease gene-discovery project.  American Journal of Human Genetics, <b>2014</b> , 94, 809-17	11	174
24	Mutations in NFKB2 and potential genetic heterogeneity in patients with DAVID syndrome, having variable endocrine and immune deficiencies. <i>BMC Medical Genetics</i> , <b>2014</b> , 15, 139	2.1	56
23	Recurrent somatic mutations in ACVR1 in pediatric midline high-grade astrocytoma. <i>Nature Genetics</i> , <b>2014</b> , 46, 462-6	36.3	296

Germline mutations in MAP3K6 are associated with familial gastric cancer. PLoS Genetics, 2014, 10, e1006669 46 2.2 Disrupted auto-regulation of the spliceosomal gene SNRPB causes cerebro-costo-mandibular 21 40 17.4 syndrome. Nature Communications, 2014, 5, 4483 Epigenetic dysregulation: a novel pathway of oncogenesis in pediatric brain tumors. Acta 20 14.3 29 Neuropathologica, 2014, 128, 615-27 Phenotypic overlap between familial exudative vitreoretinopathy and microcephaly, lymphedema, 19 3.9 73 and chorioretinal dysplasia caused by KIF11 mutations. JAMA Ophthalmology, 2014, 132, 1393-9 Recurrent somatic alterations of FGFR1 and NTRK2 in pilocytic astrocytoma. Nature Genetics, 2013, 18 36.3 550 45.927-32 Mutations in PIK3R1 cause SHORT syndrome. American Journal of Human Genetics, 2013, 93, 158-66 17 11 125 Mutations in SETD2 and genes affecting histone H3K36 methylation target hemispheric high-grade 16 14.3 201 gliomas. Acta Neuropathologica, 2013, 125, 659-69 Exome and whole-genome sequencing for gene discovery: the future is now!. Human Mutation, 15 11 4.7 **2012**, 33, 591-2 Frequent ATRX mutations and loss of expression in adult diffuse astrocytic tumors carrying 14 14.3 295 IDH1/IDH2 and TP53 mutations. Acta Neuropathologica, 2012, 124, 615-25 K27M mutation in histone H3.3 defines clinically and biologically distinct subgroups of pediatric 629 13 14.3 diffuse intrinsic pontine gliomas. Acta Neuropathologica, 2012, 124, 439-47 Hotspot mutations in H3F3A and IDH1 define distinct epigenetic and biological subgroups of 12 1243 24.3 glioblastoma. Cancer Cell, 2012, 22, 425-37 Driver mutations in histone H3.3 and chromatin remodelling genes in paediatric glioblastoma. 1655 11 50.4 Nature, 2012, 482, 226-31 The study of eQTL variations by RNA-seq: from SNPs to phenotypes. Trends in Genetics, 2011, 27, 72-9 8.5 176 10 Mutations in NOTCH2 in families with Hajdu-Cheney syndrome. Human Mutation, 2011, 32, 1114-7 9 4.7 79 A new ocular phenotype associated with an unexpected but known systemic disorder and 8 mutation: novel use of genomic diagnostics and exome sequencing. Journal of Medical Genetics, 5.8 36 2011, 48, 593-6 Fine-scale variation and genetic determinants of alternative splicing across individuals. PLoS 6 68 Genetics, 2009, 5, e1000766 Global patterns of cis variation in human cells revealed by high-density allelic expression analysis. 36.3 185 Nature Genetics, **2009**, 41, 1216-22 Genome-wide analysis of transcript isoform variation in humans. Nature Genetics, 2008, 40, 225-31 264

#### LIST OF PUBLICATIONS

4	Effect of polymorphisms within probe-target sequences on olignonucleotide microarray experiments. <i>Nucleic Acids Research</i> , <b>2008</b> , 36, 4417-23	20.1	55
3	Heritability of alternative splicing in the human genome. <i>Genome Research</i> , <b>2007</b> , 17, 1210-8	9.7	93
2	Distribution and characterization of regulatory elements in the human genome. <i>Genome Research</i> , <b>2002</b> , 12, 1827-36	9.7	228
1	Nucleome programming is required for the foundation of totipotency in mammalian germline development. <i>EMBO Journal</i> ,	13	1