Giuseppe Derosa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8891648/publications.pdf

Version: 2024-02-01

354 papers 10,718 citations

54 h-index 82 g-index

378 all docs

378 docs citations

times ranked

378

12041 citing authors

#	Article	IF	CITATIONS
1	State of the art paper Sulfonylureas and their use in clinical practice. Archives of Medical Science, 2015, 4, 840-848.	0.4	351
2	Mini-Special Issue paper Management of diabetic patients with hypoglycemic agents α-Glucosidase inhibitors and their use in clinical practice. Archives of Medical Science, 2012, 5, 899-906.	0.4	291
3	A role for quercetin in coronavirus disease 2019 (COVIDâ€19). Phytotherapy Research, 2021, 35, 1230-1236.	2.8	193
4	Anti-obesity drugs: a review about their effects and their safety. Expert Opinion on Drug Safety, 2012, 11, 459-471.	1.0	162
5	Effects of a restricted sleep regimen on ambulatory blood pressure monitoring in normotensive subjects. American Journal of Hypertension, 1996, 9, 503-505.	1.0	160
6	Role of microRNAs in the Therapeutic Effects of Curcumin in Non-Cancer Diseases. Molecular Diagnosis and Therapy, 2016, 20, 335-345.	1.6	155
7	Berberine on metabolic and cardiovascular risk factors: an analysis from preclinical evidences to clinical trials. Expert Opinion on Biological Therapy, 2012, 12, 1113-1124.	1.4	150
8	Effects of Telmisartan Compared with Eprosartan on Blood Pressure Control, Glucose Metabolism and Lipid Profile in Hypertensive, Type 2 Diabetic Patients: a Randomized, Double-Blind, Placebo-Controlled 12-Month Study. Hypertension Research, 2004, 27, 457-464.	1.5	148
9	Effect of curcumin on circulating interleukin-6 concentrations: A systematic review and meta-analysis of randomized controlled trials. Pharmacological Research, 2016, 111, 394-404.	3.1	138
10	Matrix Metalloproteinase-2 and -9 Levels in Obese Patients. Endothelium: Journal of Endothelial Cell Research, 2008, 15, 219-224.	1.7	137
11	Metabolic effects of pioglitazone and rosiglitazone in patients with diabetes and metabolic syndrome treated with glimepiride: A twelve-month, multicenter, double-blind, randomized, controlled, parallel-group trial. Clinical Therapeutics, 2004, 26, 744-754.	1.1	136
12	The role of various peroxisome proliferatorâ€activated receptors and their ligands in clinical practice. Journal of Cellular Physiology, 2018, 233, 153-161.	2.0	134
13	Effect of antihypertensive treatment with valsartan or atenolol on sexual activity and plasma testosterone in hypertensive men. European Journal of Clinical Pharmacology, 2002, 58, 177-180.	0.8	120
14	Potential Clinical Benefits of Quercetin in the Early Stage of COVID-19: Results of a Second, Pilot, Randomized, Controlled and Open-Label Clinical Trial. International Journal of General Medicine, 2021, Volume 14, 2807-2816.	0.8	119
15	Influence of losartan and atenolol on memory function in very elderly hypertensive patients. Journal of Human Hypertension, 2003, 17, 781-785.	1.0	117
16	Matrix Metalloproteinase-2, -9, and Tissue Inhibitor of Metalloproteinase-1 in Patients with Hypertension. Endothelium: Journal of Endothelial Cell Research, 2006, 13, 227-231.	1.7	116
17	Possible Therapeutic Effects of Adjuvant Quercetin Supplementation Against Early-Stage COVID-19 Infection: A Prospective, Randomized, Controlled, and Open-Label Study. International Journal of General Medicine, 2021, Volume 14, 2359-2366.	0.8	116
18	Evaluation ofÂmetalloproteinase 2Âand 9Âlevels andÂtheirÂinhibitors inÂdiabetic andÂhealthy subjects. Diabetes and Metabolism, 2007, 33, 129-134.	1.4	114

#	Article	IF	CITATIONS
19	Exenatide Versus Glibenclamide in Patients with Diabetes. Diabetes Technology and Therapeutics, 2010, 12, 233-240.	2.4	113
20	Phase III, efficacy and safety study of ertugliflozin monotherapy in people with type 2 diabetes mellitus inadequately controlled with diet and exercise alone. Diabetes, Obesity and Metabolism, 2017, 19, 721-728.	2,2	113
21	The effect of l-carnitine on plasma lipoprotein(a) levels in hypercholesterolemic patients with type 2 diabetes mellitus. Clinical Therapeutics, 2003, 25, 1429-1439.	1.1	108
22	Effects of sitagliptin or metformin added to pioglitazone monotherapy in poorly controlled type 2 diabetes mellitus patients. Metabolism: Clinical and Experimental, 2010, 59, 887-895.	1.5	102
23	Effect of valsartan addition to amlodipine on ankle oedema and subcutaneous tissue pressure in hypertensive patients. Journal of Human Hypertension, 2007, 21, 220-224.	1.0	96
24	Ellagic Acid and Its Role in Chronic Diseases. Advances in Experimental Medicine and Biology, 2016, 928, 473-479.	0.8	87
25	Adipocytokine Levels in Obese and Non-obese Subjects: an Observational Study. Inflammation, 2013, 36, 914-920.	1.7	85
26	Metformin–pioglitazone and metformin–rosiglitazone effects on non-conventional cardiovascular risk factors plasma level in type 2 diabetic patients with metabolic syndrome. Journal of Clinical Pharmacy and Therapeutics, 2006, 31, 375-383.	0.7	84
27	Effects of berberine on lipid profile in subjects with low cardiovascular risk. Expert Opinion on Biological Therapy, 2013, 13, 475-482.	1.4	84
28	Effects of amlodipine fosinopril combination on microalbuminuria in hypertensive type 2 diabetic patients. American Journal of Hypertension, 2002, 15, 1042-1049.	1.0	83
29	Exosomes: Nanoparticulate tools for RNA interference and drug delivery. Journal of Cellular Physiology, 2017, 232, 1660-1668.	2.0	82
30	Comparison of the effects of telmisartan and nifedipine gastrointestinal therapeutic system on blood pressure control, glucose metabolism, and the lipid profile in patients with type 2 diabetes mellitus and mild hypertension: a 12-month, randomized, double-blind study. Clinical Therapeutics, 2004, 26, 1228-1236.	1.1	79
31	Comparison of fluvastatin + fenofibrate combination therapyand fluvastatin monotherapy in the treatment of combined hyperlipidemia, type 2 diabetes mellitus, and coronary heart disease: a 12-month, randomized, double-blind, controlled trial. Clinical Therapeutics, 2004, 26, 1599-1607.	1.1	77
32	A comparison of the effects of pioglitazone and rosiglitazone combined with glimepiride on prothrombotic state in type 2 diabetic patients with the metabolic syndrome. Diabetes Research and Clinical Practice, 2005, 69, 5-13.	1.1	77
33	Telmisartan and Irbesartan Therapy in Type 2 Diabetic Patients Treated with Rosiglitazone: Effects on Insulin-Resistance, Leptin and Tumor Necrosis FactorALPHA Hypertension Research, 2006, 29, 849-856.	1.5	77
34	Piperine and Its Role in Chronic Diseases. Advances in Experimental Medicine and Biology, 2016, 928, 173-184.	0.8	76
35	Comparison between repaglinide and glimepiride in patients with type 2 diabetes mellitus: A one-year, randomized, double-blind assessment of metabolic parameters and cardiovascular risk factors. Clinical Therapeutics, 2003, 25, 472-484.	1.1	72
36	Different Effect of Psyllium and Guar Dietary Supplementation on Blood Pressure Control in Hypertensive Overweight Patients: A Six-Month, Randomized Clinical Trial. Clinical and Experimental Hypertension, 2007, 29, 383-394.	0.5	72

#	Article	IF	CITATIONS
37	Losartan and perindopril effects on plasma plasminogen activator inhibitor-1 and fibrinogen in hypertensive type 2 diabetic patients. American Journal of Hypertension, 2002, 15, 316-320.	1.0	69
38	Metabolic effects of telmisartan and irbesartan in type 2 diabetic patients with metabolic syndrome treated with rosiglitazone. Journal of Clinical Pharmacy and Therapeutics, 2007, 32, 261-268.	0.7	69
39	Effect of Valsartan and Ramipril on Atrial Fibrillation Recurrence and P-wave dispersion in Hypertensive Patients With Recurrent Symptomatic Lone Atrial Fibrillation. American Journal of Hypertension, 2008, 21, 1034-1039.	1.0	69
40	Randomized, double-blind, placebo-controlled comparison of the action of orlistat, fluvastatin, or both an anthropometric measurements, blood pressure, and lipid profile in obese patients with hypercholesterolemia prescribed a standardized diet. Clinical Therapeutics, 2003, 25, 1107-1122.	1.1	68
41	Effects of 1 Year of Treatment with Pioglitazone or Rosiglitazone Added to Glimepiride on Lipoprotein (a) and Homocysteine Concentrations in Patients with Type 2 Diabetes Mellitus and Metabolic Syndrome: A Multicenter, Randomized, Double-Blind, Controlled Clinical Trial. Clinical Therapeutics, 2006. 28. 679-688.	1.1	66
42	Circulating Levels of Proprotein Convertase Subtilisin/Kexin Type 9 and Arterial Stiffness in a Large Population Sample: Data From the Brisighella Heart Study. Journal of the American Heart Association, 2017, 6, .	1.6	66
43	Red yeast rice improves lipid pattern, high-sensitivity C-reactive protein, and vascular remodeling parameters in moderately hypercholesterolemic Italian subjects. Nutrition Research, 2013, 33, 622-628.	1.3	65
44	Efficacy and Tolerability of Pioglitazone in Patients with Type 2 Diabetes Mellitus. Drugs, 2010, 70, 1945-1961.	4.9	64
45	Exenatide or glimepiride added to metformin on metabolic control and on insulin resistance in type 2 diabetic patients. European Journal of Pharmacology, 2011, 666, 251-256.	1.7	64
46	Effects of a combination of sitagliptin plus metformin vs metformin monotherapy on glycemic control, \hat{l}^2 -cell function and insulin resistance in type 2 diabetic patients. Diabetes Research and Clinical Practice, 2012, 98, 51-60.	1.1	64
47	Efficacy and safety comparative evaluation of orlistat and sibutramine treatment in hypertensive obese patients. Diabetes, Obesity and Metabolism, 2005, 7, 47-55.	2.2	63
48	Peroxisome Proliferator-Activated Receptor-Î ³ (PPAR-Î ³) Agonists on Glycemic Control, Lipid Profile and Cardiovascular Risk. Current Molecular Pharmacology, 2012, 5, 272-281.	0.7	63
49	State of the art papers Dietary and nutraceutical approach to type 2 diabetes. Archives of Medical Science, 2014, 2, 336-344.	0.4	62
50	Psyllium improves dyslipidaemia, hyperglycaemia and hypertension, while guar gum reduces body weight more rapidly in patients affected by metabolic syndrome following an AHA Step 2 diet. Mediterranean Journal of Nutrition and Metabolism, 2010, 3, 47-54.	0.2	60
51	Plasma uric acid concentrations are reduced by fenofibrate: A systematic review and meta-analysis of randomized placebo-controlled trials. Pharmacological Research, 2015, 102, 63-70.	3.1	60
52	Dipeptidyl Peptidase-4 Inhibitors: 3 Years of Experience. Diabetes Technology and Therapeutics, 2012, 14, 350-364.	2.4	58
53	Exenatide plus metformin compared with metformin alone on βâ€cell function in patients with Type 2 diabetes. Diabetic Medicine, 2012, 29, 1515-1523.	1.2	58
54	Efficacy and Safety Profile Evaluation of Acarbose Alone and in Association With Other Antidiabetic Drugs: A Systematic Review. Clinical Therapeutics, 2012, 34, 1221-1236.	1.1	58

#	Article	IF	CITATIONS
55	Comparison between metalloproteinases-2 and -9 in healthy subjects, diabetics, and subjects with acute coronary syndrome. Heart and Vessels, 2007, 22, 361-370.	0.5	57
56	Blood Pressure Control and Inflammatory Markers in Type 2 Diabetic Patients Treated with Pioglitazone or Rosiglitazone and Metformin. Hypertension Research, 2007, 30, 387-394.	1.5	56
57	What do herbalists suggest to diabetic patients in order to improve glycemic control? Evaluation of scientific evidence and potential risks. Acta Diabetologica, 2004, 41, 91-98.	1.2	55
58	A Clinical Trial about a Food Supplement Containing \hat{l}_{\pm} -Lipoic Acid on Oxidative Stress Markers in Type 2 Diabetic Patients. International Journal of Molecular Sciences, 2016, 17, 1802.	1.8	55
59	Lixisenatide in Type 2 Diabetes and Acute Coronary Syndrome. New England Journal of Medicine, 2016, 374, 1094-1096.	13.9	55
60	Curcumin: A Natural Pan-HDAC Inhibitor in Cancer. Current Pharmaceutical Design, 2018, 24, 123-129.	0.9	54
61	Comparison of glycaemic control and cardiovascular risk profile in patients with type 2 diabetes during treatment with either repaglinide or metformin. Diabetes Research and Clinical Practice, 2003, 60, 161-169.	1.1	52
62	Effects of n-3 PUFAs on postprandial variation of metalloproteinases, and inflammatory and insulin resistance parameters in dyslipidemic patients: Evaluation with euglycemic clamp and oral fat load. Journal of Clinical Lipidology, 2012, 6, 553-564.	0.6	52
63	Comparison of the Effects of Valsartan and Felodipine on Plasma Leptin and Insulin Sensitivity in Hypertensive Obese Patients. Hypertension Research, 2005, 28, 209-214.	1.5	51
64	Omega 3 Polyunsaturated Fatty Acids Supplementation and Blood Pressure Levels in Hypertriglyceridemic Patients with Untreated Normal-High Blood Pressure and With or Without Metabolic Syndrome: A Retrospective Study. Clinical and Experimental Hypertension, 2010, 32, 137-144.	0.5	51
65	GLP-1 Agonists Exenatide and Liraglutide: A Review About Their Safety and Efficacy. Current Clinical Pharmacology, 2012, 7, 214-228.	0.2	51
66	Effects of statin therapy on augmentation index as a measure of arterial stiffness: A systematic review and meta-analysis. International Journal of Cardiology, 2016, 212, 160-168.	0.8	51
67	Naturally occurring anti-cancer agents targeting EZH2. Cancer Letters, 2017, 400, 325-335.	3.2	51
68	Effects of One Year Treatment of Vildagliptin Added to Pioglitazone or Glimepiride in Poorly Controlled Type 2 Diabetic Patients. Hormone and Metabolic Research, 2010, 42, 663-669.	0.7	50
69	<i>Berberis aristata</i> /i>/si)Silybum marianumfixed combination on lipid profile and insulin secretion in dyslipidemic patients. Expert Opinion on Biological Therapy, 2013, 13, 1495-1506.	1.4	50
70	Orlistat and L-carnitine compared to orlistat alone on insulin resistance in obese diabetic patients. Endocrine Journal, 2010, 57, 777-786.	0.7	48
71	Thiazolidinedione Effects on Blood Pressure in Diabetic Patients with Metabolic Syndrome Treated with Glimepiride. Hypertension Research, 2005, 28, 917-924.	1.5	47
72	Acarbose actions on insulin resistance and inflammatory parameters during an oral fat load. European Journal of Pharmacology, 2011, 651, 240-250.	1.7	47

#	Article	IF	CITATIONS
73	Vildagliptin Added to Metformin on \hat{l}^2 -Cell Function After a Euglycemic Hyperinsulinemic and Hyperglycemic Clamp in Type 2 Diabetes Patients. Diabetes Technology and Therapeutics, 2012, 14, 475-484.	2.4	47
74	Effects of nâ€3 pufas on fasting plasma glucose and insulin resistance in patients with impaired fasting glucose or impaired glucose tolerance. BioFactors, 2016, 42, 316-322.	2.6	47
75	Impact of Statin Therapy on Plasma Uric Acid Concentrations: A Systematic Review and Meta-Analysis. Drugs, 2016, 76, 947-956.	4.9	46
76	Statin impact on disease activity and C-reactive protein concentrations in systemic lupus erythematosus patients: A systematic review and meta-analysis of controlled trials. Autoimmunity Reviews, 2016, 15, 344-353.	2.5	46
77	Alkaloids in the Nature: Pharmacological Applications in Clinical Practice of Berberine and Mate Tea. Current Topics in Medicinal Chemistry, 2013, 14, 200-206.	1.0	45
78	Effect of Telmisartan–Amlodipine Combination at Different Doses on Urinary Albumin Excretion in Hypertensive Diabetic Patients With Microalbuminuria. American Journal of Hypertension, 2007, 20, 417-422.	1.0	44
79	Effects of pioglitazone and rosiglitazone combined with metformin on body weight in people with diabetes. Diabetes, Obesity and Metabolism, 2009, 11, 1091-1099.	2.2	44
80	Metabolic effects of pioglitazone and rosiglitazone in patients with diabetes and metabolic syndrome treated with metformin. Internal Medicine Journal, 2007, 37, 79-86.	0.5	43
81	Effects of 1-year orlistat treatment compared to placebo on insulin resistance parameters in patients with type 2 diabetes. Journal of Clinical Pharmacy and Therapeutics, 2012, 37, 187-195.	0.7	42
82	Effect of amlodipine?atorvastatin combination on fibrinolysis in hypertensive hypercholesterolemic patients with insulin resistance. American Journal of Hypertension, 2004, 17, 823-827.	1.0	41
83	Oral fat load effects on inflammation and endothelial stress markers in healthy subjects. Heart and Vessels, 2009, 24, 204-210.	0.5	41
84	Effects on oral fat load of a nutraceutical combination of fermented red rice, sterol esters and stanols, curcumin, and olive polyphenols: A randomized, placebo controlled trial. Phytomedicine, 2018, 42, 75-82.	2.3	40
85	Effects of amlodipine-atorvastatin combination on inflammation markers and insulin sensitivity in normocholesterolemic obese hypertensive patients. European Journal of Clinical Pharmacology, 2006, 62, 817-822.	0.8	39
86	Comparative Evaluation of Effect of Valsartan/Amlodipine and Atenolol/Amlodipine Combinations on Atrial Fibrillation Recurrence in Hypertensive Patients With Type 2 Diabetes Mellitus. Journal of Cardiovascular Pharmacology, 2008, 51, 217-222.	0.8	39
87	Oral Glucose Tolerance Test Effects on Endothelial Inflammation Markers in Healthy Subjects and Diabetic Patients. Hormone and Metabolic Research, 2010, 42, 8-13.	0.7	39
88	Effects of losartan and amlodipine alone or combined with simvastatin in hypertensive patients with nonalcoholic hepatic steatosis. European Journal of Gastroenterology and Hepatology, 2012, 24, 164-171.	0.8	39
89	Statin therapy and plasma free fatty acids: a systematic review and metaâ€analysis of controlled clinical trials. British Journal of Clinical Pharmacology, 2016, 81, 807-818.	1.1	39
90	Differential effect of glimepiride and rosiglitazone on metabolic control of type 2 diabetic patients treated with metformin: a randomized, double-blind, clinical trial. Diabetes, Obesity and Metabolism, 2006, 8, 197-205.	2.2	38

#	Article	IF	CITATIONS
91	Metabolic effect of repaglinide or acarbose when added to a double oral antidiabetic treatment with sulphonylureas and metformin: a double-blind, cross-over, clinical trial. Current Medical Research and Opinion, 2009, 25, 607-615.	0.9	38
92	Long-term effects of glimepiride or rosiglitazone in combination with metformin on blood pressure control in type 2 diabetic patients affected by the metabolic syndrome: A 12-month, double-blind, randomized clinical trial. Clinical Therapeutics, 2005, 27, 1383-1391.	1.1	37
93	Vascular Remodeling and Prothrombotic Markers in Subjects Affected by Familial Combined Hyperlipidemia and/or Metabolic Syndrome in Primary Prevention for Cardiovascular Disease. Endothelium: Journal of Endothelial Cell Research, 2007, 14, 193-198.	1.7	37
94	Fenofibrate, simvastatin and their combination in the management of dyslipidaemia in type 2 diabetic patients. Current Medical Research and Opinion, 2009, 25, 1973-1983.	0.9	37
95	A systematic review and meta-analysis of randomized controlled trials investigating the effects of supplementation with Nigella sativa (black seed) on blood pressure. Journal of Hypertension, 2016, 34, 2127-2135.	0.3	37
96	Differential effects of lercanidipine and nifedipine GITS on plasma norepinephrine in chronic treatment of hypertension. American Journal of Hypertension, 2003, 16, 596-599.	1.0	36
97	Different actions of losartan and ramipril on adipose tissue activity and vascular remodeling biomarkers in hypertensive patients. Hypertension Research, 2011, 34, 145-151.	1.5	36
98	Evaluation of metalloproteinase 2 and 9 levels and their inhibitors in combined dyslipidemia. Clinical and Investigative Medicine, 2009, 32, 124.	0.3	36
99	EFFECTS OF SIBERIAN GINSENG (ELEUTHEROCOCCUS SENTICOSUS MAXIM.) ON ELDERLY QUALITY OF LIFE: A RANDOMIZED CLINICAL TRIAL. Archives of Gerontology and Geriatrics, 2004, 38, 69-73.	1.4	35
100	Matrix metalloproteinase 2 may be a marker of microangiopathy in children and adolescents with type 1 diabetes mellitus. Diabetes Research and Clinical Practice, 2005, 70, 119-125.	1.1	34
101	Comparative Effects of Telmisartan and Eprosartan on Insulin Sensitivity in the Treatment of Overweight Hypertensive Patients. Hormone and Metabolic Research, 2009, 41, 893-898.	0.7	34
102	Sibutramine and L-Carnitine Compared to Sibutramine Alone on Insulin Resistance in Diabetic Patients. Internal Medicine, 2010, 49, 1717-1725.	0.3	34
103	Effects of combination of sibutramine and l-carnitine compared with sibutramine monotherapy on inflammatory parameters in diabetic patients. Metabolism: Clinical and Experimental, 2011, 60, 421-429.	1.5	34
104	ORIGINAL ARTICLE: Effect of pioglitazone and acarbose on endothelial inflammation biomarkers during oral glucose tolerance test in diabetic patients treated with sulphonylureas and metformin. Journal of Clinical Pharmacy and Therapeutics, 2010, 35, 565-579.	0.7	33
105	Berberis aristata combined with Silybum marianum on lipid profile in patients not tolerating statins at high doses. Atherosclerosis, 2015, 239, 87-92.	0.4	33
106	Comparison of orlistat treatment and placebo in obese type 2 diabetic patients. Expert Opinion on Pharmacotherapy, 2010, 11, 1971-1982.	0.9	32
107	Effects of Thiazolidinediones and Sulfonylureas in Patients with Diabetes. Diabetes Technology and Therapeutics, 2010, 12, 491-501.	2.4	32
108	Metalloproteinase-2 and -9 in Diabetic and Nondiabetic Subjects during Acute Coronary Syndromes. Endothelium: Journal of Endothelial Cell Research, 2007, 14, 45-51.	1.7	31

#	Article	IF	Citations
109	A randomized, double-blind, controlled, parallel-group comparison of perindopril and candesartan in hypertensive patients with type 2 diabetes mellitus. Clinical Therapeutics, 2003, 25, 2006-2021.	1.1	30
110	Effect of Delapril/Manidipine vs Olmesartan/ Hydrochlorothiazide Combination on Insulin Sensitivity and Fibrinogen in Obese Hypertensive Patients. Internal Medicine, 2008, 47, 361-366.	0.3	30
111	Efficacy and safety of two treatment combinations of hypertension in very elderly patients. Archives of Gerontology and Geriatrics, 2009, 48, 401-405.	1.4	30
112	Effect of body weight loss and normalization on blood pressure in overweight non-obese patients with stage 1 hypertension. Hypertension Research, 2010, 33, 236-242.	1.5	30
113	Comparison between orlistat plus <scp>l</scp> â€carnitine and orlistat alone on inflammation parameters in obese diabetic patients. Fundamental and Clinical Pharmacology, 2011, 25, 642-651.	1.0	30
114	Pioglitazone Compared to Glibenclamide on Lipid Profile and Inflammation Markers in Type 2 Diabetic Patients During an Oral Fat Load. Hormone and Metabolic Research, 2011, 43, 505-512.	0.7	30
115	Variations in Inflammatory Biomarkers Following the Addition of Sitagliptin in Patients with Type 2 Diabetes not Controlled with Metformin. Internal Medicine, 2013, 52, 2179-2187.	0.3	30
116	Effects of long chain i‰-3 fatty acids on metalloproteinases and their inhibitors in combined dyslipidemia patients. Expert Opinion on Pharmacotherapy, 2009, 10, 1239-1247.	0.9	29
117	Effects of a standardized oral fat load on vascular remodelling markers in healthy subjects. Microvascular Research, 2010, 80, 110-115.	1.1	29
118	Prevalence and associations of erectile dysfunction in a sample of Italian males with type 2 diabetes. Diabetes Research and Clinical Practice, 2015, 108, 329-335.	1.1	29
119	The role of a fixed Berberis aristata/Silybum marianum combination in the treatment of type 1 diabetes mellitus. Clinical Nutrition, 2016, 35, 1091-1095.	2.3	29
120	Comparison of metabolic effects of orlistat and sibutramine treatment in Type 2 diabetic obese patients. Diabetes, Nutrition & Metabolism, 2004, 17, 222-9.	0.4	29
121	Effects of Doxazosin and Irbesartan on Blood Pressure and Metabolic Control in Patients with Type 2 Diabetes and Hypertension. Journal of Cardiovascular Pharmacology, 2005, 45, 599-604.	0.8	28
122	Vildagliptin compared to glimepiride on post-prandial lipemia and on insulin resistance in type 2 diabetic patients. Metabolism: Clinical and Experimental, 2014, 63, 957-967.	1.5	28
123	Effects of metformin extended release compared to immediate release formula on glycemic control and glycemic variability in patients with type 2 diabetes. Drug Design, Development and Therapy, 2017, Volume 11, 1481-1488.	2.0	28
124	Optimizing combination treatment in the management of type 2 diabetes. Vascular Health and Risk Management, 2007, 3, 665-71.	1.0	28
125	Effect of delapril–manidipine combination vs irbesartan–hydrochlorothiazide combination on fibrinolytic function in hypertensive patients with type II diabetes mellitus. Journal of Human Hypertension, 2004, 18, 687-691.	1.0	27
126	Effect of Telmisartan on Paroxysmal Atrial Fibrillation Recurrence in Hypertensive Patients With Normal or Increased Left Atrial Size. Clinical Cardiology, 2012, 35, 359-364.	0.7	27

#	Article	IF	CITATIONS
127	Sitagliptin added to previously taken antidiabetic agents on insulin resistance and lipid profile: a 2â€year study evaluation. Fundamental and Clinical Pharmacology, 2014, 28, 221-229.	1.0	27
128	Adipose tissue dysfunction and metabolic disorders: Is it possible to predict who will develop type 2 diabetes mellitus? Role of markErs in the progreSsion of diabeteS in obese paTleNts (The RESISTIN trial). Cytokine, 2020, 127, 154947.	1.4	27
129	Awareness of major cardiovascular risk factors and its relationship with markers of vascular aging: Data from the Brisighella Heart Study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 907-914.	1.1	27
130	Differential effects of candesartan and olmesartan on adipose tissue activity biomarkers in type II diabetic hypertensive patients. Hypertension Research, 2010, 33, 790-795.	1.5	26
131	Effects of <i>n</i> à€3 PUFA on insulin resistance after an oral fat load. European Journal of Lipid Science and Technology, 2011, 113, 950-960.	1.0	26
132	Effect of Telmisartan and Ramipril on Atrial Fibrillation Recurrence and Severity in Hypertensive Patients With Metabolic Syndrome and Recurrent Symptomatic Paroxysmal and Persistent Atrial Fibrillation. Journal of Cardiovascular Pharmacology and Therapeutics, 2012, 17, 34-43.	1.0	26
133	Improvement of plasma adiponectin, leptin and Câ€reactive protein concentrations by orlistat: a systematic review and metaâ€analysis. British Journal of Clinical Pharmacology, 2016, 81, 819-834.	1.1	26
134	Long-term Effect of Glimepiride and Rosiglitazone on Non-conventional Cardiovascular Risk Factors in Metformin-treated Patients Affected by Metabolic Syndrome: A Randomized, Double-blind Clinical Trial. Journal of International Medical Research, 2005, 33, 284-294.	0.4	25
135	Candesartan effect on inflammation in hypertension. Hypertension Research, 2010, 33, 209-213.	1.5	25
136	Patient considerations and clinical utility of a fixed dose combination of saxagliptin/metformin in the treatment of type 2 diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2011, 4, 263.	1.1	25
137	Berberis aristata/Silybum marianum fixed combination (Berberol®) effects on lipid profile in dyslipidemic patients intolerant to statins at high dosages: A randomized, placebo-controlled, clinical trial. Phytomedicine, 2015, 22, 231-237.	2.3	25
138	Effect of a food supplement containing berberine, monacolin K, hydroxytyrosol and coenzyme Q ₁₀ on lipid levels: a randomized, double-blind, placebo controlled study. Drug Design, Development and Therapy, 2017, Volume 11, 1585-1592.	2.0	25
139	Quercetin Phytosome $\hat{A}^{\text{@}}$ as a potential candidate for managing COVID-19. Minerva Gastroenterology, 2021, 67, .	0.3	25
140	Different Effects of Aliskiren and Losartan on Fibrinolysis and Insulin Sensitivity in Hypertensive Patients with Metabolic Syndrome. Hormone and Metabolic Research, 2010, 42, 892-896.	0.7	24
141	Modification of vascular and inflammation biomarkers after OGTT in overweight healthy and diabetic subjects. Microvascular Research, 2010, 79, 144-149.	1.1	24
142	Role of angiotensin II in plasma PAI-1 changes induced by imidapril or candesartan in hypertensive patients with metabolic syndrome. Hypertension Research, 2011, 34, 1321-1326.	1.5	24
143	Vildagliptin action on some adipocytokine levels in type 2 diabetic patients: a 12-month, placebo-controlled study. Expert Opinion on Pharmacotherapy, 2012, 13, 2581-2591.	0.9	24
144	Variation in Inflammatory Markers and Glycemic Parameters After 12ÂMonths of Exenatide Plus Metformin Treatment Compared with Metformin Alone: A Randomized Placebo-Controlled Trial. Pharmacotherapy, 2013, 33, 817-826.	1.2	24

#	Article	IF	CITATIONS
145	Effects of Manidipine/Delapril versus Olmesartan/Hydrochlorothiazide Combination Therapy in Elderly Hypertensive Patients with Type 2 Diabetes Mellitus. Hypertension Research, 2008, 31, 43-50.	1.5	23
146	Thiazolidinediones plus metformin association on body weight in patients with type 2 diabetes. Diabetes Research and Clinical Practice, 2011, 91, 265-270.	1.1	23
147	Change of some oxidative stress parameters after supplementation with whey protein isolate in patients with type 2 diabetes. Nutrition, 2020, 73, 110700.	1.1	23
148	Metabolic variations with oral antidiabetic drugs in patients with Type 2 diabetes: comparison between glimepiride and metformin. Diabetes, Nutrition & Metabolism, 2004, 17, 143-50.	0.4	23
149	Metabolic and antihypertensive effects of moxonidine and moxonidine plus irbesartan in patients with type 2 diabetes mellitus and mild hypertension: A sequential, randomized, double-blind clinical trial. Clinical Therapeutics, 2007, 29, 602-610.	1.1	22
150	Efficacy and safety of ezetimibe/simvastatin association on non-diabetic and diabetic patients with polygenic hypercholesterolemia or combined hyperlipidemia and previously intolerant to standard statin treatment. Journal of Clinical Pharmacy and Therapeutics, 2009, 34, 267-276.	0.7	22
151	Direct comparison among oral hypoglycemic agents and their association with insulin resistance evaluated by euglycemic hyperinsulinemic clamp: the 60's study. Metabolism: Clinical and Experimental, 2009, 58, 1059-1066.	1.5	22
152	A randomized, double-blind, placebo-controlled trial evaluating sitagliptin action on insulin resistance parameters and \hat{l}^2 -cell function. Expert Opinion on Pharmacotherapy, 2012, 13, 2433-2442.	0.9	22
153	A review about biomarkers for the investigation of vascular function and impairment in diabetes mellitus. Vascular Health and Risk Management, 2016, Volume 12, 415-419.	1.0	22
154	Curcuminoids Lower Plasma Leptin Concentrations: A Metaâ€analysis. Phytotherapy Research, 2017, 31, 1836-1841.	2.8	22
155	Possible role of ubiquinone in the treatment of massive hypertriglyceridemia resistant to PUFA and fibrates. Biomedicine and Pharmacotherapy, 2005, 59, 312-317.	2.5	21
156	Combined Lipoxygenase/Cyclo-oxygenase Inhibition in the Elderly. Drugs and Aging, 2005, 22, 393-403.	1.3	21
157	Continuous Glucose Monitoring System in Free-Living Healthy Subjects: Results from a Pilot Study. Diabetes Technology and Therapeutics, 2009, 11, 159-169.	2.4	21
158	Modulation of adipokines and vascular remodelling markers during OGTT with acarbose or pioglitazone treatment. Biomedicine and Pharmacotherapy, 2009, 63, 723-733.	2.5	21
159	<p>Coenzyme q10 liquid supplementation in dyslipidemic subjects with statin-related clinical symptoms: a double-blind, randomized, placebo-controlled study</p> . Drug Design, Development and Therapy, 2019, Volume 13, 3647-3655.	2.0	21
160	Treatment of massive hypertriglyceridemia resistant to PUFA and fibrates: A possible role for the coenzyme Q10?. BioFactors, 2005, 23, 7-14.	2.6	20
161	Two-Year Statin Therapy Does Not Alter the Progression of Intima-Media Thickness in Patients With Type 2 Diabetes Without Manifest Cardio-vascular Disease: Response to Beishuizen et al Diabetes Care, 2005, 28, 1262-1263.	4.3	20
162	Effects of Rosiglitazone and Pioglitazone Combined with Metformin on the Prothrombotic State of Patients with Type 2 Diabetes Mellitus and Metabolic Syndrome. Journal of International Medical Research, 2006, 34, 545-555.	0.4	20

#	Article	IF	CITATIONS
163	Effects of Nateglinide and Glibenclamide on Prothrombotic Factors in Naieve Type 2 Diabetic Patients Treated with Metformin: A 1-Year, Double-Blind, Randomized Clinical Trial. Internal Medicine, 2007, 46, 1837-1846.	0.3	20
164	Effect of Valsartan Addition to Amlodipine on Insulin Sensitivity in Overweight-Obese Hypertensive Patients. Internal Medicine, 2008, 47, 1851-1857.	0.3	20
165	Drug safety evaluation of amlodipine. Expert Opinion on Drug Safety, 2011, 10, 795-804.	1.0	20
166	Losartan and amlodipine on myocardial structure and function: a prospective, randomized, clinical trial. Diabetic Medicine, 2012, 29, 24-31.	1.2	20
167	<p>An Evaluation of a Nutraceutical with Berberine, Curcumin, Inositol, Banaba and Chromium Picolinate in Patients with Fasting Dysglycemia</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 653-661.	1.1	20
168	Antithrombotic Effects of Rosiglitazone-Metformin versus Glimepiride-Metformin Combination Therapy in Patients with Type 2 Diabetes Mellitus and Metabolic Syndrome. Pharmacotherapy, 2005, 25, 637-645.	1.2	19
169	Hydrochlorothiazide added to valsartan is more effective than when added to olmesartan in reducing blood pressure in moderately hypertensive patients inadequately controlled by monotherapy. Advances in Therapy, 2006, 23, 680-695.	1.3	19
170	Rosiglitazone Therapy Improves Insulin Resistance Parameters in Overweight and Obese Diabetic Patients Intolerant To Metformin. Archives of Medical Research, 2008, 39, 412-419.	1.5	19
171	Effects of exenatide and metformin in combination on some adipocytokine levels: a comparison with metformin monotherapy. Canadian Journal of Physiology and Pharmacology, 2013, 91, 724-732.	0.7	19
172	Effects of a Combination of Berberis aristata, Silybum marianum and Monacolin on Lipid Profile in Subjects at Low Cardiovascular Risk; A Double-Blind, Randomized, Placebo-Controlled Trial. International Journal of Molecular Sciences, 2017, 18, 343.	1.8	19
173	Matrix Metalloproteinase 2 May Be a Marker of Microangiopathy in Children and Adolescents With Type 1 Diabetes. Diabetes Care, 2004, 27, 273-274.	4.3	18
174	Evaluation of emerging biomarkers in cardiovascular risk stratification of hypertensive patients: a 2-year study. Current Medical Research and Opinion, 2012, 28, 1435-1445.	0.9	18
175	Quercetin Phytosome® as a potential candidate for managing COVID-19. Minerva Gastroenterology, 2021, 67, 190-195.	0.3	18
176	Nateglinide and glibenclamide metabolic effects in na \tilde{A} -ve type 2 diabetic patients treated with metformin. Journal of Clinical Pharmacy and Therapeutics, 2009, 34, 13-23.	0.7	17
177	A Randomized, Double-Blind, Comparative Therapy Evaluating Sitagliptin Versus Glibenclamide in Type 2 Diabetes Patients Already Treated with Pioglitazone and Metformin: A 3-Year Study. Diabetes Technology and Therapeutics, 2013, 15, 214-222.	2.4	17
178	Long-term predictors of impaired fasting glucose and type 2 diabetes in subjects with family history of type 2 diabetes: A 12-years follow-up of the Brisighella Heart Study historical cohort. Diabetes Research and Clinical Practice, 2014, 104, 183-188.	1.1	17
179	Sitagliptin in type 2 diabetes mellitus: Efficacy after five years of therapy. Pharmacological Research, 2015, 100, 127-134.	3.1	17
180	Testing the Short-Term Efficacy of a Lipid-Lowering Nutraceutical in the Setting of Clinical Practice: A Multicenter Study. Journal of Medicinal Food, 2015, 18, 1270-1273.	0.8	17

#	Article	IF	CITATIONS
181	Auraptene and Its Role in Chronic Diseases. Advances in Experimental Medicine and Biology, 2016, 929, 399-407.	0.8	17
182	Effects of orlistat, simvastatin, and orlistat + simvastatin in obese patients with hypercholesterolemia: a randomized, open-label trial. Current Therapeutic Research, 2002, 63, 621-633.	0.5	16
183	IFN- \hat{l}^3 Low Production Capacity in Type 1 Diabetes Mellitus Patients at Onset of Disease. Experimental and Clinical Endocrinology and Diabetes, 2005, 113, 313-317.	0.6	16
184	Red Yeast Rice and Statin-Intolerant Patients. American Journal of Cardiology, 2010, 105, 1504.	0.7	16
185	Fibrinolysis and insulin sensitivity in imidapril and candesartan (FISIC study) recipients with hypertension. Hypertension Research, 2011, 34, 509-515.	1.5	16
186	<i>Ascophyllum nodosum</i> and <i>Fucus vesiculosus</i> on glycemic status and on endothelial damage markers in dysglicemic patients. Phytotherapy Research, 2019, 33, 791-797.	2.8	16
187	Psoriasis and Diabetes, a Dangerous Association: Evaluation of Insulin Resistance, Lipid Abnormalities, and Cardiovascular Risk Biomarkers. Frontiers in Medicine, 2021, 8, 605691.	1.2	16
188	Efficacy of losartan, valsartan, and telmisartan in patients with mild to moderate hypertension: A double-blind, placebo-controlled, crossover study using ambulatory blood pressure monitoring. Current Therapeutic Research, 2002, 63, 1-14.	0.5	15
189	Pioglitazone and Rosiglitazone: Effects of Treatment with a Thiazolidinedione on Lipids and Non Conventional Cardiovascular Risk Factors. Current Clinical Pharmacology, 2008, 3, 77-84.	0.2	15
190	Effects of amlodipine plus atorvastatin association in hypertensive hypercholesterolemic patients. Expert Review of Cardiovascular Therapy, 2010, 8, 835-843.	0.6	15
191	Effect of aliskiren addition to amlodipine on ankle edema in hypertensive patients: a three-way crossover study. Expert Opinion on Pharmacotherapy, 2011, 12, 1351-1358.	0.9	15
192	Effects of canrenone in patients with metabolic syndrome. Expert Opinion on Pharmacotherapy, 2013, 14, 2161-2169.	0.9	15
193	Ultrasonography modifications of visceral and subcutaneous adipose tissue after pioglitazone or glibenclamide therapy combined with rosuvastatin in type 2 diabetic patients not well controlled by metformin. European Journal of Gastroenterology and Hepatology, 2013, 25, 1113-1122.	0.8	15
194	Relationship Between Serum Uric Acid and Electrocardiographic Alterations in a Large Sample of General Population: Data From the Brisighella Heart Study. High Blood Pressure and Cardiovascular Prevention, 2015, 22, 129-134.	1.0	15
195	Barnidipine compared to lercanidipine in addition to losartan on endothelial damage and oxidative stress parameters in patients with hypertension and type 2 diabetes mellitus. BMC Cardiovascular Disorders, 2016, 16, 66.	0.7	15
196	Effect of pistachio on brachial artery diameter and flow-mediated dilatation: A systematic review and meta-analysis of randomized, controlled-feeding clinical studies. Critical Reviews in Food Science and Nutrition, 2019, 59, 328-335.	5.4	15
197	Smaller, denser LDL particles are not a risk factor for cardiovascular disease in healthy nonagenarian women of the Cremona Population Study. Atherosclerosis, 1998, 140, 65-70.	0.4	14
198	Sibutramine effect on metabolic control of obese patients with type 2 diabetes mellitus treated with pioglitazone. Metabolism: Clinical and Experimental, 2008, 57, 1552-1557.	1.5	14

#	Article	IF	CITATIONS
199	Effect of a sequential training programme on inflammatory, prothrombotic and vascular remodelling biomarkers in hypertensive overweight patients with or without metabolic syndrome. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 698-704.	3.1	14
200	Effect of valsartan or olmesartan addition to amlodipine on ankle edema in hypertensive patients. Advances in Therapy, 2010, 27, 48-55.	1.3	14
201	Effect of telmisartan addition to amlodipine on ankle edema development in treating hypertensive patients. Expert Opinion on Pharmacotherapy, 2011, 12, 2441-2448.	0.9	14
202	Effect of ezetimibe on plasma adipokines: a systematic review and metaâ€analysis. British Journal of Clinical Pharmacology, 2017, 83, 1380-1396.	1.1	14
203	High-dose atorvastatin versus moderate dose on early vascular protection after ST-elevation myocardial infarction. Drug Design, Development and Therapy, 2017, Volume 11, 3425-3434.	2.0	14
204	Effects of Berberis aristata/Silybum marianum association on metabolic parameters and adipocytokines in overweight dyslipidemic patients. Journal of Biological Regulators and Homeostatic Agents, 2013, 27, 717-28.	0.7	14
205	Synergistic Effect of Doxazosin and Acarbose in Improving Metabolic Control in Patients with Impaired Glucose Tolerance. Clinical Drug Investigation, 2006, 26, 529-539.	1.1	13
206	Efficacy and tolerability of candesartan cilexetil/hydrochlorothiazide and amlodipine in patients with poorly controlled mild-to-moderate essential hypertension. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2007, 8, 139-144.	1.0	13
207	Effectiveness of hydrochlorothiazide in combination with telmisartan and olmesartan in adults with moderate hypertension not controlled with monotherapy: a prospective, randomized, open-label, blinded end point (PROBE), parallel-arm study. Current Therapeutic Research, 2008, 69, 1-15.	0.5	13
208	Effect of naproxen and acetaminophen on blood pressure lowering by ramipril, valsartan and aliskiren in hypertensive patients. Expert Opinion on Pharmacotherapy, 2013, 14, 1875-1884.	0.9	13
209	Effects of enalapril/lercanidipine combination on some emerging biomarkers in cardiovascular risk stratification in hypertensive patients. Journal of Clinical Pharmacy and Therapeutics, 2014, 39, 277-285.	0.7	13
210	Comparison of the effects of barnidipine+losartan compared with telmisartan+hydrochlorothiazide on several parameters of insulin sensitivity in patients with hypertension and type 2 diabetes mellitus. Hypertension Research, 2015, 38, 690-694.	1.5	13
211	Metalloproteinases in Diabetics and Nondiabetics during Acute Coronary Syndromes and after 3 Months. Endothelium: Journal of Endothelial Cell Research, 2007, 14, 175-183.	1.7	12
212	Pioglitazone Metabolic Effect in Metformin-Intolerant Obese Patients Treated with Sibutramine. Internal Medicine, 2009, 48, 265-271.	0.3	12
213	Effects of aliskiren on QT duration and dispersion in hypertensive patients with type 2 diabetes mellitus. Diabetes, Obesity and Metabolism, 2012, 14, 341-347.	2.2	12
214	A comparison between sitagliptin or glibenclamide in addition to metformin + pioglitazone on glycaemic control and βâ€cell function: the triple oral therapy. Diabetic Medicine, 2013, 30, 846-854.	1,2	12
215	Comparative effect of canrenone or hydrochlorothiazide addition to valsartan/amlodipine combination on urinary albumin excretion in well-controlled type 2 diabetic hypertensive patients with microalbuminuria. Expert Opinion on Pharmacotherapy, 2014, 15, 453-459.	0.9	12
216	<p>Ascophyllum Nodosum, Fucus Vesiculosus and chromium picolinate nutraceutical composition can help to treat type 2 diabetic patients</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2019, Volume 12, 1861-1865.	1.1	12

#	Article	IF	CITATIONS
217	Lipid-lowering nutraceuticals update on scientific evidence. Journal of Cardiovascular Medicine, 2020, 21, 845-859.	0.6	12
218	A randomized, placebo-controlled study on the effects of a nutraceutical combination of red yeast rice, silybum marianum and octasonol on lipid profile, endothelial and inflammatory parameters. Journal of Biological Regulators and Homeostatic Agents, 2014, 28, 317-24.	0.7	12
219	Effects of One Year Treatment of Sibutramine on Insulin Resistance Parameters in Type 2 Diabetic Patients. Journal of Pharmacy and Pharmaceutical Sciences, 2010, 13, 378.	0.9	11
220	Variation of inflammatory parameters after sibutramine treatment compared to placebo in type 2 diabetic patients. Journal of Clinical Pharmacy and Therapeutics, 2011, 36, 592-601.	0.7	11
221	Glyco-metabolic profile among type 2 diabetic patients with erectile dysfunction. Endocrine Journal, 2012, 59, 611-619.	0.7	11
222	Factors associated with 2-year persistence in fully non reimbursed lipid-lowering treatments. Atherosclerosis, 2014, 235, 81-83.	0.4	11
223	Perindopril and barnidipine alone or combined with simvastatin on hepatic steatosis and inflammatory parameters in hypertensive patients. European Journal of Pharmacology, 2015, 766, 31-36.	1.7	11
224	Abscisic Acid Treatment in Patients with Prediabetes. Nutrients, 2020, 12, 2931.	1.7	11
225	<scp><i>llex paraguariensis</i></scp> , white mulberry and chromium picolinate in patients with preâ€diabetes. Phytotherapy Research, 2020, 34, 1377-1384.	2.8	11
226	Effect of Sibutramine on Plasma C-Reactive Protein, Leptin and Adipon ectin Concentrations: A Systematic Review and Meta-Analysis of Randomized Contr olled Trials. Current Pharmaceutical Design, 2017, 23, 870-878.	0.9	11
227	Effects of Insulin Therapy with Continuous Subcutaneous Insulin Infusion (CSII) in Diabetic Patients: Comparison with Multi-daily Insulin Injections Therapy (MDI). Endocrine Journal, 2009, 56, 571-578.	0.7	10
228	Pioglitazone is a Valid Alternative to Rosiglitazone. American Journal of Cardiovascular Drugs, 2011, 11, 357-362.	1.0	10
229	Effects of valsartan or ramipril addition to amlodipine/hydrochlorothiazide combination on left ventricular mass in diabetic hypertensive patients with left ventricular hypertrophy. Expert Opinion on Pharmacotherapy, 2012, 13, 1091-1099.	0.9	10
230	Effect of Doxazosin on C-Reactive Protein Plasma Levels and on Nitric Oxide in Patients With Hypertension. Journal of Cardiovascular Pharmacology, 2006, 47, 508-512.	0.8	9
231	Effects of valsartan versus olmesartan addition to amlodipine/hydrochlorothiazide combination in treating stage 2 hypertensive patients. Expert Opinion on Pharmacotherapy, 2012, 13, 629-636.	0.9	9
232	A study about the relevance of adding acetylsalicylic acid in primary prevention in subjects with type 2 diabetes mellitus: effects on some new emerging biomarkers of cardiovascular risk. Cardiovascular Diabetology, 2015, 14, 95.	2.7	9
233	Nutraceuticals for the treatment of metabolic diseases: evidence from clinical practice. Expert Review of Endocrinology and Metabolism, 2015, 10, 297-304.	1.2	9
234	Ertugliflozin: a sodium-glucose cotransporter-2 (SGLT-2) inhibitor for glycemic control in type 2 diabetes. Therapeutics and Clinical Risk Management, 2018, Volume 14, 1637-1640.	0.9	9

#	Article	IF	Citations
235	Effects of Sitagliptin on Lipid Profile in Patients With Type 2 Diabetes Mellitus After 7 Years of Therapy. Journal of Clinical Pharmacology, 2019, 59, 1391-1399.	1.0	9
236	<p>Safety and Efficacy of Alpha Lipoic Acid During 4 Years of Observation: A Retrospective, Clinical Trial in Healthy Subjects in Primary Prevention</p> . Drug Design, Development and Therapy, 2020, Volume 14, 5367-5374.	2.0	9
237	Pioglitazone plus glimepiride: a promising alternative in metabolic control. International Journal of Clinical Practice, 2007, 61, 28-36.	0.8	8
238	Gender-specific haemodynamic and metabolic effects of a sequential training programme on overweight-obese hypertensives. Blood Pressure, 2009, 18, 111-116.	0.7	8
239	Valsartan addition to amlodipine is more effective than losartan addition in hypertensive patients inadequately controlled by amlodipine. Vascular Health and Risk Management, 2010, 6, 87.	1.0	8
240	Time to Achieve Blood Pressure Goal with a Combination Versus a Conventional Monotherapy Approach in Hypertensive Patients with Metabolic Syndrome. Clinical and Experimental Hypertension, 2010, 32, 245-250.	0.5	8
241	The effects of canrenone on inflammatory markers in patients with metabolic syndrome. Annals of Medicine, 2015, 47, 47-52.	1.5	8
242	Glucoseâ€lowering effect and glycaemic variability of insulin glargine, insulin detemir and insulin lispro protamine in people with type 1 diabetes. Diabetes, Obesity and Metabolism, 2015, 17, 554-559.	2.2	8
243	Retargeting the management of hypercholesterolemia – focus on evolocumab. Therapeutics and Clinical Risk Management, 2016, Volume 12, 1365-1376.	0.9	8
244	Olmesartan Combined With Amlodipine on Oxidative Stress Parameters in Type 2 Diabetics, Compared With Single Therapies. Medicine (United States), 2016, 95, e3084.	0.4	8
245	Nutraceutical Approach to Preventing Coronavirus Disease 2019 and Related Complications. Frontiers in Immunology, 2021, 12, 582556.	2.2	8
246	Perindopril and candesartan comparative efficacy and safety in type II diabetic hypertensive patients. Journal of Human Hypertension, 2003, 17, 433-435.	1.0	7
247	Nifedipine and telmisartan for the treatment of hypertension: the TALENT study. Expert Review of Cardiovascular Therapy, 2011, 9, 1499-1503.	0.6	7
248	Olmesartan/Amlodipine Combination Versus Olmesartan or Amlodipine Monotherapies on Blood Pressure and Insulin Resistance in a Sample of Hypertensive Patients. Clinical and Experimental Hypertension, 2013, 35, 301-307.	0.5	7
249	Evaluation of safety and efficacy of a fixed olmesartan/amlodipine combination therapy compared to single monotherapies. Expert Opinion on Drug Safety, 2013, 12, 621-629.	1.0	7
250	Influence of metabolic syndrome superposition on familial combined hyperlipoproteinemia cardiovascular complication rate. Archives of Medical Science, 2013, 2, 238-242.	0.4	7
251	Effect of Acarbose on Glycemic Variability in Patients with Poorly Controlled Type 2 Diabetes Mellitus Receiving Stable Background Therapy: A Placeboâ€Controlled Trial. Pharmacotherapy, 2015, 35, 983-990.	1.2	7
252	Efficacy and safety of two dosages of canrenone as addâ€on therapy in hypertensive patients taking aceâ€inhibitors or angiotensin <scp>II</scp> receptor blockers and hydrochlorothiazide at maximum dosage in a randomized clinical trial: The <scp>ESCAPE</scp> â€ <scp>IT</scp> trial. Cardiovascular Therapeutics, 2017, 35, 47-54.	1,1	7

#	Article	IF	CITATIONS
253	Evaluation of the Effects of Mesoglycan on Some Markers of Endothelial Damage and Walking Distance in Diabetic Patients with Peripheral Arterial Disease. International Journal of Molecular Sciences, 2017, 18, 572.	1.8	7
254	Efficacy and Safety of Ertugliflozin in Patients with TypeÂ2 Diabetes Inadequately Controlled by Metformin and Sulfonylurea: A Sub-Study of VERTIS CV. Diabetes Therapy, 2021, 12, 1279-1297.	1.2	7
255	Irbesartan and Hydrochlorothiazide Association in the Treatment of Hypertension. Current Vascular Pharmacology, 2009, 7, 120-136.	0.8	6
256	Endothelial function, blood pressure control, and risk modification: impact of irbesartan alone or in combination. Integrated Blood Pressure Control, 2010, 3, 21.	0.4	6
257	Metformin powder formulation compared to metformin tablets on glycemic control and on treatment satisfaction in subjects with type 2 diabetes mellitus. Journal of Clinical Pharmacology, 2015, 55, 409-414.	1.0	6
258	Effects of two different dialytic treatments on inflammatory markers in people with end-stage renal disease with and without type 2 diabetes mellitus. Cytokine, 2017, 92, 75-79.	1.4	6
259	Evaluation of BAG3 levels in healthy subjects, hypertensive patients, and hypertensive diabetic patients. Journal of Cellular Physiology, 2018, 233, 1791-1795.	2.0	6
260	A randomized, double-blind clinical trial of canrenone vs hydrochlorothiazide in addition to angiotensin II receptor blockers in hypertensive type 2 diabetic patients. Drug Design, Development and Therapy, 2018, Volume 12, 2611-2616.	2.0	6
261	Glycoâ€metabolic control, inflammation markers, and cardiovascular outcomes in type 1 and type 2 diabetic patients on insulin pump or multiple daily injection (italico study). Diabetes/Metabolism Research and Reviews, 2020, 36, e3219.	1.7	6
262	Prospects for the development of novel anti-hyperlipidemic drugs. Current Opinion in Investigational Drugs, 2006, 7, 826-33.	2.3	6
263	Recommendations for the Treatment of Hypertension in Patients with DM: Critical Evaluation Based on Clinical Trials. Current Clinical Pharmacology, 2006, 1, 21-33.	0.2	5
264	Assessment and management of left ventricular hypertrophy in Type 2 diabetes patients with high blood pressure. Expert Review of Cardiovascular Therapy, 2013, 11, 719-728.	0.6	5
265	Hypoglycemia, its implications in clinical practice, and possible ways to prevent it. Current Medical Research and Opinion, 2014, 30, 771-773.	0.9	5
266	Are there mild and serious metabolic syndromes? The need for a graded diagnosis. Journal of Cardiovascular Medicine, 2014, 15, 759-760.	0.6	5
267	Vitamin D3 supplementation improves glycemic control in type 2 diabetic patients: Results from an Italian clinical trial. International Journal for Vitamin and Nutrition Research, 2020, , 1-10.	0.6	5
268	PCSK-9 Inhibitors in a Real-World Setting and a Comparison Between Alirocumab and Evolocumab in Heterozygous FH Patients. Journal of the Endocrine Society, 2021, 5, bvaa180.	0.1	5
269	Lipoprotein(a) Serum Levels Predict Pulse Wave Velocity in Subjects in Primary Prevention for Cardiovascular Disease with Large Apo(a) Isoforms: Data from the Brisighella Heart Study. Biomedicines, 2022, 10, 656.	1.4	5
270	Effects of fosinopril on blood pressure, lipid profile, and lipoprotein(a) levels in normotensive patients with type 2 diabetes and microalbuminuria: An open-label, uncontrolled study. Current Therapeutic Research, 2002, 63, 216-226.	0.5	4

#	Article	IF	CITATIONS
271	Time course of antiproteinuric effect of aliskiren in arterial hypertension associated with type 2 diabetes and microalbuminuria. Expert Opinion on Pharmacotherapy, 2013, 14, 371-384.	0.9	4
272	Barnidipine or Lercanidipine on Echocardiographic Parameters in Hypertensive, Type 2 Diabetics with Left Ventricular Hypertrophy: A Randomized Clinical Trial. Scientific Reports, 2015, 5, 12603.	1.6	4
273	Editorial: MicroRNA-33 Inhibition: A Potential Adjunct to Statin Therapy?. Current Vascular Pharmacology, 2016, 14, 321-322.	0.8	4
274	Ambulatory blood pressure parameters after canrenone addition to existing treatment regimens with maximum tolerated dose of angiotensin-converting enzyme inhibitors/angiotensin II type 1 receptor blockers plus hydrochlorothiazide in uncontrolled hypertensive patients. Drug Design, Development and Therapy, 2017, Volume 11, 2293-2300.	2.0	4
275	A Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Effectiveness of a Food Supplement Containing Creatine and D-Ribose Combined with a Physical Exercise Program in Increasing Stress Tolerance in Patients with Ischemic Heart Disease. Nutrients, 2019, 11, 3075.	1.7	4
276	Canrenone on cardiovascular mortality in congestive heart failure. Pharmacological Research, 2019, 141, 46-52.	3.1	4
277	Galectin-3 Plasma Levels Are Associated with Risk Profiles in Pulmonary Arterial Hypertension. Diagnostics, 2020, 10, 857.	1.3	4
278	Effects of Oral Administration of Alprazolam and Lorazepam as Hypnotics on Cardiovascular Parameters in Hypertensive Patients. Journal of Clinical Psychopharmacology, 2021, 41, 191-195.	0.7	4
279	Evaluation of the Effect on Sexual Performance of a Nutraceutical Combination Containing Alpha Lipoic Acid, Vitis vinifera L. and Ginkgo biloba, Compared to Placebo, Avanafil or a Combination of Nutraceutical Plus Avanafil in Males With Type 2 Diabetes Mellitus With Erectile Dysfunction. Frontiers in Endocrinology. 2022. 13. 847240.	1.5	4
280	Effect of oral chronic iso?avones supplementation on male rat sexual performances and sexual hormone plasma levels. Phytotherapy Research, 2004, 18, 849-852.	2.8	3
281	A nutraceutical based approach to reduce cholesterolaemia in patients previously intolerant of more than a statin: a pilot study. Mediterranean Journal of Nutrition and Metabolism, 2008, 1, 33-36.	0.2	3
282	Effect of imidapril versus ramipril on urinary albumin excretion in hypertensive patients with type 2 diabetes and microalbuminuria. Expert Opinion on Pharmacotherapy, 2013, 14, 2463-2473.	0.9	3
283	Bicarbonate dialysis compared to hemodiafiltration on glycemic excursions in patients with end-stage renal disease with and without type 2 diabetes mellitus. Journal of Diabetes and Its Complications, 2015, 29, 1136-1141.	1.2	3
284	Proprotein convertase subtilisin/kexin type 9 inhibitors treatment in dyslipidemic patients. Journal of Cardiovascular Medicine, 2021, Publish Ahead of Print, .	0.6	3
285	Pioglitazone and metformin fixed-dose combination in type 2 diabetes mellitus: an evidence-based review of its place in therapy. Core Evidence, 2008, 2, 189-98.	4.7	3
286	Glibenclamide plus metformin combination tablets are effective, convenient and well tolerated in the treatment of type 2 diabetes mellitus. Drugs and Therapy Perspectives, 2006, 22, 1-6.	0.3	2
287	Matrix Metalloproteinase-2, -9 and Tissue Inhibitor Metalloproteinase-1 in Patients with Hypertension Before and After Doxazosin Therapy. High Blood Pressure and Cardiovascular Prevention, 2006, 13, 47-52.	1.0	2
288	A nutraceutical based approach to reduce cholesterolaemia in patients previously intolerant of more than a statin: a pilot study. Mediterranean Journal of Nutrition and Metabolism, 2008, 1, 33-36.	0.2	2

#	Article	IF	CITATIONS
289	Glimepiride-pioglitazone Hydrochloride in the Treatment of Type 2 Diabetes. Clinical Medicine Therapeutics, 2009, 1, CMT.S2016.	0.1	2
290	Difference in incidence of cough induced by imidapril and ramipril: Role of prostaglandin synthesis inhibition. Biomedicine and Aging Pathology, 2011, 1, 73-77.	0.8	2
291	LONG-TERM EFFECTS OF A BERBERINE BASED NUTRACEUTICAL ON BODY WEIGHT AND INSULIN-SENSITIVITY IN NON DIABETIC HYPERLIPIDAEMIC PATIENTS. Journal of Hypertension, 2011, 29, e160.	0.3	2
292	Nateglinide does not reduce the incidence of diabetes or cardiovascular outcomes in people with impaired glucose tolerance and cardiovascular disease or risk factors. Evidence-Based Medicine, 2011, 16, 7-8.	0.6	2
293	Sitagliptin: results from clinical practice. Current Medical Research and Opinion, 2013, 29, 1483-1485.	0.9	2
294	Management of type 2 diabetes mellitus in chronic kidney disease. Current Medical Research and Opinion, 2015, 31, 95-97.	0.9	2
295	EXAMINE: targeting risk and treatment in diabetes. Lancet, The, 2015, 386, 1443.	6.3	2
296	Vascular Cell Adhesion Molecule-1 (VCAM-1) Expression in Liver Disease. Exposure and Health, 2016, , $1-11$.	2.8	2
297	Response to an oral fat load and effects on lipid profile, glycemia and high-sensitivity C-reactive protein after soybean extract consumption. Archives of Medical Science, 2017, 14, 760-765.	0.4	2
298	Metabolic Actions of a Supplement of Ilex Paraguariensis (An Extract of the Leaf Standardized to 2%) Tj ETQq0 0 Dysglycemia: A Randomized Trial. Life, 2021, 11, 709.	0 rgBT /Ov 1.1	verlock 10 Tf 2
299	Overview of Biochemical Markers of Bone Metabolism. Biomarkers in Disease, 2017, , 3-21.	0.0	2
300	P2975 Matrix metalloproteinase 2 may be a marker of microangiopathy compared to metalloproteinase 9 in children and adolescents with type 1 diabetes mellitus: a 5-year follow-up study. European Heart Journal, 2003, 24, 577.	1.0	2
301	Effects of a nutraceutical combination of monacolin, \hat{i}^3 -oryzanol and \hat{i}^3 -aminobutyric acid on lipid profile and C-reactive protein in mice. Archives of Medical Science, 2019, 15, 792-796.	0.4	2
302	Evaluation in Patients with High NORMAL Blood Pressure of a Supplement Containing Arginine, Lactobacillus Plantarum Lp-LDL, Coenzime Q10 and Vitamin B1: A PILOT Study. Journal of Food and Nutrition Research (Newark, Del), 2020, 8, 273-278.	0.1	2
303	Evaluation of the Effects of a Supplement Composed by Quercetin, Rutin, Bromelain and L-Carnosine in Patients with Borderline Uricemia. Journal of Food and Nutrition Research (Newark, Del), 2020, 8, 550-555.	0.1	2
304	Effect of benazepril addition to amlodipine on ankle oedema and subcutaneous tissue pressure in hypertensive patients. American Journal of Hypertension, 2002, 15, A35.	1.0	1
305	Association between Lowâ€Molecular Weight Apolipoprotein(a) Isoforms and Obesity in Italian Women. Obesity, 2004, 12, 1322-1326.	4.0	1
306	Effect of valsartan on adiponectine, leptin and resistine in hypertensive obese patients. American Journal of Hypertension, 2005, 18, A196-A197.	1.0	1

#	Article	IF	CITATIONS
307	Pioglitazone and metformin fixed-dose combination in type 2 diabetes mellitus: an evidence-based review of its place in therapy. Core Evidence, 2007, .	4.7	1
308	25 LONG-TERM EFFECTIVENESS AND SAFETY OF A NUTRACEUTICAL BASED APPROACH TO REDUCE CHOLESTEROLEMIA IN STATIN INTOLERANT SUBJECTS WITH AND WITHOUT METABOLIC SYNDROME. Nutrition, Metabolism and Cardiovascular Diseases, 2008, 18, S41.	1.1	1
309	11.11 Effect of Valsartan-Amlodipine Combination on Cognitive Function In Elderly Hypertensive Patients. High Blood Pressure and Cardiovascular Prevention, 2008, 15, 307-307.	1.0	1
310	20 LOSARTAN ALONE OR COMBINED WITH SIMVASTATIN IMPROVED VISCERAL ADIPOSE TISSUE AND INFLAMMATION IN HYPERTENSIVE NORMOCHOLESTEROLEMIC PATIENTS WITH NON-ALCOHOLIC HEPATIC STEATOSIS. Journal of Hepatology, 2011, 54, S9-S10.	1.8	1
311	Letter to the Editor A curious case of hypoglycaemia. Archives of Medical Science, 2013, 4, 752-754.	0.4	1
312	Glibenclamide and cardio-metabolic risk: a systematic review. International Journal of Diabetes in Developing Countries, 2014, 34, 61-68.	0.3	1
313	Subjective effects of a combined lipid-lowering nutraceutical or ezetimibe on well-being and sexual performance in patients with perceived worsening of erectile function during statin treatment: a randomised clinical trial. Nutrafoods, 2015, 14, 127-131.	0.5	1
314	Inhaled insulin: weighing the pros and cons. Lancet Diabetes and Endocrinology, the, 2015, 3, 834-835.	5. 5	1
315	Effects of experimental colitis in rats on incretin levels, inflammatory markers, and enteric neuronal function. Archives of Medical Science, 2019, 17, 1087-1092.	0.4	1
316	Traditional Markers in Liver Disease. Biomarkers in Disease, 2017, , 3-22.	0.0	1
317	Histological Biomarkers of Nonalcoholic Fatty Liver Disease. Biomarkers in Disease, 2017, , 693-705.	0.0	1
318	Risk management in the treatment of type 2 diabetes with pioglitazone. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2009, 2, 51.	1.1	1
319	Testing Pharmacological Profiles with Biomarkers Relevant to Cardiovascular Profiles. , 2015, , 1-24.		1
320	Lipoprotein (a) Particles Characterization by Dynamic Light Scattering. British Journal of Medicine and Medical Research, 2016, 16, 1-8.	0.2	1
321	Detection of sieric BAG3 in patients affected by cardiovascular diseases: State of art and perspectives. Journal of Cellular Biochemistry, 2022, 123, 54-58.	1.2	1
322	Effects of different dihydropyridine calcium antagonists on plasma norepinephrine in essential hypertension. American Journal of Hypertension, 2002, 15, A36.	1.0	0
323	Effect of losartan irbesartan and candesartan on platelet aggregability and fibrinolysis in type 2 diabetic hypertensive patients. American Journal of Hypertension, 2003, 16, A70.	1.0	0
324	Effect of manidipine-simvastatin combination on fibrinolysis, adhesion molecules and C-reactive protein in hypertensive hypercholesterolemic patients. American Journal of Hypertension, 2005, 18, A171-A171.	1.0	O

#	Article	IF	CITATIONS
325	We-P11:93 Combining natural treatments to reach lipid target in metabolic syndrome patients: A randomized clinical trial. Atherosclerosis Supplements, 2006, 7, 366.	1.2	0
326	We-P14:482 Efficacy of soluble fiber supplementation in CV disease risk management of patients with metabolic syndrome: A 6-months, randomized clinical trial. Atherosclerosis Supplements, 2006, 7, 453.	1.2	0
327	Fixed-dose combination rosiglitazone/glimepiride in the treatment of Type 2 diabetes mellitus. Therapy: Open Access in Clinical Medicine, 2006, 3, 559-569.	0.2	0
328	PO20-625 EFFICACY OF SOLUBLE FIBER SUPPLEMENTATION IN CVD RISK MANAGEMENT OF PATIENTS AFFECTED BY METABOLIC SYNDROME: A 6-MONTHS, OPEN-LABEL, RCT. Atherosclerosis Supplements, 2007, 8, 169.	1.2	0
329	Risk management in the treatment of type 2 diabetes with pioglitazone. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 0, Volume 2, 51-60.	1.1	0
330	Re: The Influence of Statin Medications on Prostate-Specific Antigen Levels. Journal of the National Cancer Institute, 2009, 101, 610-610.	3.0	0
331	MS2 EFFECTS OF SIBUTRAMINE PLUS L-CARNITINE COMPARED TO SIBUTRAMINE OR PLACEBO ON INFLAMMATORY PARAMETERS. Atherosclerosis Supplements, 2010, 11, 109.	1.2	0
332	Optimizing glycemic control: clinical utility of exenatide prolonged release injection. Research and Reports in Endocrine Disorders, 0, , 41.	0.4	0
333	Cardiovascular drugs and mortality in hypertensive patients with atrial fibrillation: evidence of efficacy for a global approach. Hypertension Research, 2014, 37, 492-493.	1.5	0
334	Pharmacotherapy for Obesity., 2014,, 261-277.		0
335	Safety and efficacy of albiglutideâ€"results from two trials. Nature Reviews Endocrinology, 2014, 10, 514-516.	4.3	0
336	6D.07. Journal of Hypertension, 2015, 33, e84.	0.3	0
337	Is it time to implement a standardized oral glucose and fat load test to detect high risk patients? Probably not yet…. Atherosclerosis, 2015, 243, 346-347.	0.4	0
338	Possible therapies for obesity: Focus on the available options for its treatment. Nutrition, 2015, 31, 542-543.	1.1	0
339	Testing Pharmacological Profiles with Biomarkers Relevant to Cardiovascular Profiles. , 2016, , 3-26.		0
340	Histological Biomarkers of Nonalcoholic Fatty Liver Disease. Exposure and Health, 2016, , 1-13.	2.8	0
341	[OP.4C.09] COMPARISON BETWEEN CANRENONE OR HYDROCHLOROTHIAZIDE IN ADDITION TO SARTANS IN HYPERTENSIVE DIABETIC PATIENTS. Journal of Hypertension, 2016, 34, e49.	0.3	0
342	P6583Oral anticoagulants in diabetic and nondiabetic patients with non-valvular atrial fibrillation. European Heart Journal, 2018, 39, .	1.0	0

#	Article	IF	Citations
343	Effects of sitagliptin on lipid profile in type 2 diabetic patients after seven years of therapy. Atherosclerosis, 2018, 275, e57-e58.	0.4	0
344	Effects Of Pcsk-9 Inhibitors On Lipid Profile: An Italian, Real Life, Multicentric Experience. Atherosclerosis, 2019, 287, e199.	0.4	0
345	Efficacy and Safety of Ertugliflozin in Patients With Type 2 Diabetes Mellitus and Established Cardiovascular Disease Treated With Metformin and Sulfonylurea. Journal of the Endocrine Society, 2021, 5, A331-A331.	0.1	0
346	W01.18 Matrix metalloproteinase 2 and 9 evaluation in different patient groups with or without diabetes. Atherosclerosis, 2004, 5, 5.	0.4	0
347	W01.17 Matrix metalloproteinase 2 and 9 evaluation in patients with or without diabetes during acute coronary syndrome and after the acute event. Atherosclerosis, 2004, 5, 4-5.	0.4	0
348	EFFECT OF MANIDIPINE AND ATENOLOL ON PLATELET AGGREGABILITY IN ISOLATED SYSTOLIC HYPERTENSION WITH AND WITHOUT TYPE 2 DIABETES MELLITUS. Journal of Hypertension, 2004, 22, S224.	0.3	0
349	EFFECT OF AMLODIPINE-ATORVASTATIN COMBINATION ON FIBRINOLYSIS IN HYPERTENSIVE HYPERCHOLESTEROLEMIC INSULIN-RESISTANT PATIENTS. Journal of Hypertension, 2004, 22, S365.	0.3	0
350	EFFECT OF VALSARTAN ON INSULIN SENSITIVITY AND LEPTIN IN HYPERTENSIVE OBESE PATIENTS. Journal of Hypertension, 2004, 22, S90.	0.3	0
351	Psyllium improves dyslipidaemia, hyperglycaemia and hypertension, while guar gum reduces body weight more rapidly in patients affected by metabolic syndrome following an AHA Step 2 diet. Mediterranean Journal of Nutrition and Metabolism, 2009, 3, 47-54.	0.2	0
352	Vascular Cell Adhesion Molecule-1 (VCAM-1) Expression in Liver Disease. Biomarkers in Disease, 2017, , 707-717.	0.0	0
353	Fixed-dose combination rosiglitazone/glimepiride in the treatment of Type 2 diabetes mellitus. Therapy: Open Access in Clinical Medicine, 2006, 3, 559-569.	0.2	0
354	Metformin: From Immediate Release to Extended Release Formula, Effectiveness, And Safety in Patients With Chronic Kidney Disease. European Medical Journal Diabetes, 0, , 70-78.	4.0	0