
Asta Judzentiene

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8892508/publications.pdf Version: 2024-02-01



ASTA LUDZENTIENE

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Composition of the Essential Oils of <i>Tanacetum vulgare</i> L. Growing Wild in Vilnius District (Lithuania). Journal of Essential Oil Research, 2004, 16, 550-553. | 2.7 | 29 |
| 2 | Chemical Composition on Essential Oils from Needles of <i>Pinus sylvestris</i> L. Grown in Northern Lithuania. Journal of Essential Oil Research, 2008, 20, 26-29. | 2.7 | 28 |
| 3 | Analysis of essential oils of Artemisia absinthium L. from Lithuania by CC, GC(RI), GC-MS and 13C NMR. Natural Product Communications, 2009, 4, 1113-8. | 0.5 | 24 |
| 4 | Compositional Variation in Essential Oils of WildArtemisia absinthiumfrom Lithuania. Journal of Essential Oil-bearing Plants: JEOP, 2010, 13, 275-285. | 1.9 | 16 |
| 5 | The Essential Oils with Dominant Germacrene D of <i>Hypericum perforatum</i> L. Growing Wild in Lithuania. Journal of Essential Oil Research, 2008, 20, 128-131. | 2.7 | 15 |
| 6 | Caryophyllene oxide-rich essential oils of Lithuanian Artemisia campestris ssp. campestris and their toxicity. Natural Product Communications, 2010, 5, 1981-4. | 0.5 | 15 |
| 7 | Changes in the Essential Oil Composition in the Needles of Scots Pine (Pinus sylvestrisL.) Under Anthropogenic Stress. Scientific World Journal, The, 2007, 7, 141-150. | 2.1 | 14 |
| 8 | Essential oil composition of two yarrow taxonomic forms. Open Life Sciences, 2010, 5, 346-352. | 1.4 | 14 |
| 9 | Toxic, Radical Scavenging, and Antifungal Activity of Rhododendron tomentosum H. Essential Oils. Molecules, 2020, 25, 1676. | 3.8 | 14 |
| 10 | Antioxidant and Toxic Activity of Helichrysum arenarium (L.) Moench and Helichrysum italicum (Roth) G. Don Essential Oils and Extracts. Molecules, 2022, 27, 1311. | 3.8 | 13 |
| 11 | Chemical Polymorphism of Essential Oils of <i>Artemisia vulgaris</i> Growing Wild in Lithuania. Chemistry and Biodiversity, 2018, 15, e1700257. | 2.1 | 12 |
| 12 | Caryophyllene Oxide-rich Essential Oils of Lithuanian <i>Artemisia campestris</i> ssp. <i>campestris</i> and Their Toxicity. Natural Product Communications, 2010, 5, 1934578X1000501. | 0.5 | 10 |
| 13 | Variability, toxicity, and antioxidant activity ofEupatorium cannabinum(hemp agrimony) essential oils. Pharmaceutical Biology, 2016, 54, 945-953. | 2.9 | 10 |
| 14 | Analysis of Essential Oils of Artemisia absinthium L. from Lithuania by CC, GC(RI), GC-MS and 13C NMR. Natural Product Communications, 2009, 4, 1934578X0900400. | 0.5 | 9 |
| 15 | Volatile Oils of Flowers and Stems of <i>Tussilago farfara</i> L. from Lithuania. Journal of Essential Oil-bearing Plants: JEOP, 2011, 14, 413-416. | 1.9 | 9 |
| 16 | Composition of Inflorescence and Leaf Essential Oils of <i>Achillea millefolium</i> L. with White, Pink and Deep Pink Flowers Growing Wild in Vilnius (Eastern Lithuania). Journal of Essential Oil Research, 2005, 17, 664-667. | 2.7 | 8 |
| 17 | The Essential Oil of Ground Ivy (Glechoma hederaceaL) Growing Wild In Eastern Lithuania. Journal of Essential Oil Research, 2007, 19, 449-451. | 2.7 | 8 |
| 18 | Variability ofArtemisia campestrisL. essential oils from Lithuania. Journal of Essential Oil Research, 2014, 26, 328-333. | 2.7 | 8 |

Asta Judzentiene

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Mugwort (<i>Artemisia vulgaris</i> L) essential oils rich in germacrene D, and their toxic activity. Journal of Essential Oil Research, 2021, 33, 256-264. | 2.7 | 8 |
| 20 | Composition of seed essential oils of Rhododendron tomentosum. Natural Product Communications, 2012, 7, 227-30. | 0.5 | 7 |
| 21 | Germacrene D Chemotype of Essential Oils ofLeonurus cardiacaL. Growing Wild in Vilnius District (Lithuania). Journal of Essential Oil Research, 2006, 18, 566-568. | 2.7 | 6 |
| 22 | Chemical composition of the essential oils fromGlechoma hederaceaplants grown under controlled environmental conditions in Lithuania. Journal of Essential Oil Research, 2015, 27, 454-458. | 2.7 | 6 |
| 23 | Chemical composition of the essential oils from <i>Helichrysum arenarium</i> (L.) plants growing in Lithuanian forests. Journal of Essential Oil Research, 2019, 31, 305-311. | 2.7 | 6 |
| 24 | Compositional Variability and Toxic Activity of Mugwort (<i>Artemisia vulgaris</i>) Essential Oils. Natural Product Communications, 2016, 11, 1934578X1601100. | 0.5 | 5 |
| 25 | Compositional Variability and Toxic Activity of Mugwort (Artemisia vulgaris) Essential Oils. Natural Product Communications, 2016, 11, 1353-1356. | 0.5 | 5 |
| 26 | Composition of Seed Essential Oils of Rhododendron tomentosum. Natural Product Communications, 2012, 7, 1934578X1200700. | 0.5 | 4 |
| 27 | In Vitro Antioxidant and Prooxidant Activities of Red Raspberry (Rubus idaeus L.) Stem Extracts. Molecules, 2022, 27, 4073. | 3.8 | 4 |
| 28 | Chemical Composition of Leaf and Inflorescence Essential Oils ofEupatorium cannabinumL. from Eastern Lithuania. Journal of Essential Oil Research, 2007, 19, 403-406. | 2.7 | 3 |