

# Xin-Yao Yu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8893124/xin-yao-yu-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119  
papers

16,112  
citations

58  
h-index

121  
g-index

121  
ext. papers

18,026  
ext. citations

10.9  
avg, IF

7.49  
L-index

#	Paper	IF	Citations
119	Regulating Ni site in NiV LDH for efficient electrocatalytic production of formate and hydrogen by glycerol electrolysis. <i>Rare Metals</i> , <b>2022</b> , 41, 1583	5.5	4
118	Introducing oxygen vacancies for improving the electrochemical performance of Co9S8@NiCo-LDH nanotube arrays in flexible all-solid battery-capacitor hybrid supercapacitors. <i>Energy</i> , <b>2022</b> , 238, 121767	7.9	7
117	Synergetic electronic modulation and nanostructure engineering of heterostructured RuO <sub>2</sub> /Co <sub>3</sub> O <sub>4</sub> as advanced bifunctional electrocatalyst for zinc-air batteries. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 26669-26675	13	3
116	Oxygen Vacancy Engineering Synergistic with Surface Hydrophilicity Modification of Hollow Ru Doped CoNi-LDH Nanotube Arrays for Boosting Hydrogen Evolution. <i>Small</i> , <b>2021</b> , e2104323	11	9
115	Copper and carbon-incorporated yolk-shelled FeP spheres with enhanced sodium storage properties. <i>Chemical Engineering Journal</i> , <b>2021</b> , 421, 127776	14.7	5
114	Tungstate-modulated Ni/Ni(OH) <sub>2</sub> interface for efficient hydrogen evolution reaction in neutral media. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 1456-1462	13	24
113	Deeply reconstructed hierarchical and defective NiOOH/FeOOH nanoboxes with accelerated kinetics for the oxygen evolution reaction. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 15586-15594	13	35
112	Accelerating the oxygen evolution reaction kinetics of CoO in neutral electrolyte by decorating RuO. <i>Chemical Communications</i> , <b>2021</b> , 57, 2907-2910	5.8	10
111	In-situ formation of ligand-stabilized bismuth nanosheets for efficient CO <sub>2</sub> conversion. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 297, 120481	21.8	18
110	Activating the hydrogen evolution and overall water splitting performance of NiFe LDH by cation doping and plasma reduction. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 266, 118627	21.8	110
109	Plasma-reduced Co(OH) <sub>2</sub> with activated hydrogen evolution and overall water splitting performance. <i>Sustainable Energy and Fuels</i> , <b>2020</b> , 4, 2645-2649	5.8	7
108	N plasma-activated NiO nanosheet arrays with enhanced water splitting performance. <i>Nanotechnology</i> , <b>2020</b> , 31, 455709	3.4	8
107	Activating the alkaline hydrogen evolution performance of Mo-incorporated Ni(OH) <sub>2</sub> by plasma-induced heterostructure. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 260, 118154	21.8	28
106	Carbon-coated CoSe <sub>2</sub> nanoparticles confined in N-doped carbon microboxes with enhanced sodium storage properties. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 21404-21409	13	32
105	Interface modification of hierarchical Co <sub>9</sub> S <sub>8</sub> @NiCo layered dihydroxide nanotube arrays using polypyrrole as charge transfer layer in flexible all-solid asymmetric supercapacitors. <i>Journal of Power Sources</i> , <b>2019</b> , 439, 227103	8.9	32
104	Bullet-like Cu <sub>9</sub> S <sub>5</sub> Hollow Particles Coated with Nitrogen-Doped Carbon for Sodium-Ion Batteries. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 7826-7830	3.6	36
103	Bullet-like Cu <sub>9</sub> S <sub>5</sub> Hollow Particles Coated with Nitrogen-Doped Carbon for Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 7744-7748	16.4	108

102	Synthesis of CoSe <sub>2</sub> nanoparticles embedded in N-doped carbon with conformal TiO <sub>2</sub> shell for sodium-ion batteries. <i>Chemical Engineering Journal</i> , <b>2019</b> , 378, 122206	14.7	39
101	Nanostructured Electrode Materials for Advanced Sodium-Ion Batteries. <i>Matter</i> , <b>2019</b> , 1, 90-114	12.7	159
100	Fe ions modulated formation of hollow NiFe oxyphosphide spheres with enhanced oxygen evolution performance. <i>Chemical Communications</i> , <b>2019</b> , 55, 14371-14374	5.8	7
99	Formation of uniform porous yolk-shell MnCoO microrugby balls with enhanced electrochemical performance for lithium storage and the oxygen evolution reaction. <i>Dalton Transactions</i> , <b>2019</b> , 48, 17022-17028	4.3	15
98	Formation of highly porous CuCo <sub>2</sub> O <sub>4</sub> nanosheet assemblies for high-rate and long-term lithium storage. <i>Sustainable Energy and Fuels</i> , <b>2019</b> , 3, 3370-3374	5.8	6
97	Cobalt sulfide aerogel prepared by anion exchange method with enhanced pseudocapacitive and water oxidation performances. <i>Nanotechnology</i> , <b>2018</b> , 29, 215601	3.4	7
96	Formation of Hierarchical Cu-Doped CoSe Microboxes via Sequential Ion Exchange for High-Performance Sodium-Ion Batteries. <i>Advanced Materials</i> , <b>2018</b> , 30, e1706668	24	311
95	Confining SnS <sub>2</sub> Ultrathin Nanosheets in Hollow Carbon Nanostructures for Efficient Capacitive Sodium Storage. <i>Joule</i> , <b>2018</b> , 2, 725-735	27.8	281
94	Graphene Layers-Wrapped Fe/Fe <sub>5</sub> C <sub>2</sub> Nanoparticles Supported on N-doped Graphene Nanosheets for Highly Efficient Oxygen Reduction. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1702476	21.8	162
93	Cation-Assisted Formation of Porous TiO <sub>2</sub> Nanoboxes with High Grain Boundary Density as Efficient Electrocatalysts for Lithium-Oxygen Batteries. <i>ACS Catalysis</i> , <b>2018</b> , 8, 1720-1727	13.1	32
92	Hierarchical core-shell structures of P-Ni(OH) rods@MnO nanosheets as high-performance cathode materials for asymmetric supercapacitors. <i>Nanoscale</i> , <b>2018</b> , 10, 2524-2532	7.7	44
91	Mixed Metal Sulfides for Electrochemical Energy Storage and Conversion. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1701592	21.8	503
90	Formation of Polypyrrole-Coated Sb <sub>2</sub> Se <sub>3</sub> Microclips with Enhanced Sodium-Storage Properties. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 10007-10011	3.6	28
89	The Design and Synthesis of Hollow Micro-/Nanostructures: Present and Future Trends. <i>Advanced Materials</i> , <b>2018</b> , 30, e1800939	24	218
88	Formation of TiFe mixed sulfide nanoboxes for enhanced electrocatalytic oxygen evolution. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 21891-21895	13	18
87	Formation of Polypyrrole-Coated Sb Se Microclips with Enhanced Sodium-Storage Properties. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 9859-9863	16.4	131
86	Synthesis of ZIF-67 nanocubes with complex structures co-mediated by dopamine and polyoxometalate. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 19338-19341	13	18
85	Carbon-Incorporated Nickel-Cobalt Mixed Metal Phosphide Nanoboxes with Enhanced Electrocatalytic Activity for Oxygen Evolution. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 3955-3958	3.6	164

84	Carbon-Incorporated Nickel-Cobalt Mixed Metal Phosphide Nanoboxes with Enhanced Electrocatalytic Activity for Oxygen Evolution. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 3897-3900	16.4	582
83	A Practical High-Energy Cathode for Sodium-Ion Batteries Based on Uniform P2-Na CoO Microspheres. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 5801-5805	16.4	157
82	A Practical High-Energy Cathode for Sodium-Ion Batteries Based on Uniform P2-Na <sub>0.7</sub> CoO <sub>2</sub> Microspheres. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 5895-5899	3.6	22
81	Structure-designed synthesis of FeS <sub>2</sub> @C yolk-shell nanoboxes as a high-performance anode for sodium-ion batteries. <i>Energy and Environmental Science</i> , <b>2017</b> , 10, 1576-1580	35.4	411
80	Hollow Nanostructures of Molybdenum Sulfides for Electrochemical Energy Storage and Conversion. <i>Small Methods</i> , <b>2017</b> , 1, 1600020	12.8	76
79	Complex Nanostructures from Materials based on Metal-Organic Frameworks for Electrochemical Energy Storage and Conversion. <i>Advanced Materials</i> , <b>2017</b> , 29, 1703614	24	522
78	Hierarchical Nanotubes Constructed by Carbon-Coated Ultrathin SnS Nanosheets for Fast Capacitive Sodium Storage. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 12370-12373	3.6	44
77	Hierarchical Nanotubes Constructed by Carbon-Coated Ultrathin SnS Nanosheets for Fast Capacitive Sodium Storage. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 12202-12205	16.4	165
76	Formation of Ni-Co-MoS Nanoboxes with Enhanced Electrocatalytic Activity for Hydrogen Evolution. <i>Advanced Materials</i> , <b>2016</b> , 28, 9006-9011	24	425
75	General synthesis of vanadium-based mixed metal oxides hollow nanofibers for high performance lithium-ion batteries. <i>Journal of Power Sources</i> , <b>2016</b> , 329, 190-196	8.9	30
74	N-doped graphene layers encapsulated NiFe alloy nanoparticles derived from MOFs with superior electrochemical performance for oxygen evolution reaction. <i>Scientific Reports</i> , <b>2016</b> , 6, 34004	4.9	81
73	Hierarchical MoS <sub>2</sub> tubular structures internally wired by carbon nanotubes as a highly stable anode material for lithium-ion batteries. <i>Science Advances</i> , <b>2016</b> , 2, e1600021	14.3	327
72	Formation of Prussian-Blue-Analog Nanocages via a Direct Etching Method and their Conversion into Ni-Co-Mixed Oxide for Enhanced Oxygen Evolution. <i>Advanced Materials</i> , <b>2016</b> , 28, 4601-5	24	456
71	Etching-in-a-Box: A Novel Strategy to Synthesize Unique Yolk-Shelled Fe <sub>3</sub> O <sub>4</sub> @Carbon with an Ultralong Cycling Life for Lithium Storage. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1502318	21.8	141
70	Sb@C coaxial nanotubes as a superior long-life and high-rate anode for sodium ion batteries. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 2314-2318	35.4	356
69	Electrochemical oxidation to construct a nickel sulfide/oxide heterostructure with improvement of capacitance. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 11611-11615	13	28
68	Facile preparation of porous Co <sub>3</sub> O <sub>4</sub> nanosheets for high-performance lithium ion batteries and oxygen evolution reaction. <i>Journal of Power Sources</i> , <b>2016</b> , 310, 41-46	8.9	97
67	Carbon coated porous nickel phosphides nanoplates for highly efficient oxygen evolution reaction. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 1246-1250	35.4	706

66	Nickel cobalt phosphides quasi-hollow nanocubes as an efficient electrocatalyst for hydrogen evolution in alkaline solution. <i>Chemical Communications</i> , <b>2016</b> , 52, 1633-6	5.8	215
65	Metal Sulfide Hollow Nanostructures for Electrochemical Energy Storage. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1501333	21.8	563
64	Formation of Co <sub>3</sub> O <sub>4</sub> microframes from MOFs with enhanced electrochemical performance for lithium storage and water oxidation. <i>Chemical Communications</i> , <b>2016</b> , 52, 6269-72	5.8	113
63	Encapsulating Sn Nanoparticles in Amorphous Carbon Nanotubes for Enhanced Lithium Storage Properties. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1601177	21.8	195
62	Formation of nickel sulfide nanoframes from metal-organic frameworks with enhanced pseudocapacitive and electrocatalytic properties. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 5331-5	16.4	379
61	Formation of Nickel Sulfide Nanoframes from Metal-Organic Frameworks with Enhanced Pseudocapacitive and Electrocatalytic Properties. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 5421-5425	3.6	115
60	Rutile TiO <sub>2</sub> Submicroboxes with Superior Lithium Storage Properties. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 4073-4076	3.6	11
59	Controlled synthesis of natroalunite microtubes and spheres with excellent fluoride removal performance. <i>Chemical Engineering Journal</i> , <b>2015</b> , 271, 240-251	14.7	40
58	Formation of nickel cobalt sulfide ball-in-ball hollow spheres with enhanced electrochemical pseudocapacitive properties. <i>Nature Communications</i> , <b>2015</b> , 6, 6694	17.4	941
57	Ultrathin MoS <sub>2</sub> Nanosheets Supported on N-doped Carbon Nanoboxes with Enhanced Lithium Storage and Electrocatalytic Properties. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 7395-8	16.4	548
56	Self-templated formation of uniform NiCo <sub>2</sub> O <sub>4</sub> hollow spheres with complex interior structures for lithium-ion batteries and supercapacitors. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 1868-72	16.4	618
55	Self-Templated Formation of Uniform NiCo <sub>2</sub> O <sub>4</sub> Hollow Spheres with Complex Interior Structures for Lithium-Ion Batteries and Supercapacitors. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 1888-1892	3.6	61
54	Fluoride removal mechanism of bayerite/boehmite nanocomposites: roles of the surface hydroxyl groups and the nitrate anions. <i>Journal of Colloid and Interface Science</i> , <b>2015</b> , 440, 60-7	9.3	34
53	Ultrathin MoS <sub>2</sub> Nanosheets Supported on N-doped Carbon Nanoboxes with Enhanced Lithium Storage and Electrocatalytic Properties. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 7503-7506	3.6	86
52	Porous molybdenum carbide nano-octahedrons synthesized via confined carburization in metal-organic frameworks for efficient hydrogen production. <i>Nature Communications</i> , <b>2015</b> , 6, 6512	17.4	1056
51	Rutile TiO <sub>2</sub> submicroboxes with superior lithium storage properties. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 4001-4	16.4	155
50	Porous 2-line ferrihydrite/bayerite composites (LFBC): Fluoride removal performance and mechanism. <i>Chemical Engineering Journal</i> , <b>2015</b> , 268, 325-336	14.7	48
49	Facile synthesis of urchin-like NiCo <sub>2</sub> O <sub>4</sub> hollow microspheres with enhanced electrochemical properties in energy and environmentally related applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 3689-95	9.5	185

48	Al-1,3,5-benzenetricarboxylic metal-organic frameworks: A promising adsorbent for defluoridation of water with pH insensitivity and low aluminum residual. <i>Chemical Engineering Journal</i> , <b>2014</b> , 252, 220-229	14.7	82
47	Sub-20 nm-Fe <sub>3</sub> O <sub>4</sub> square and circular nanoplates: synthesis and facet-dependent magnetic and electrochemical properties. <i>Chemical Communications</i> , <b>2014</b> , 50, 15952-5	5.8	26
46	Necklace-like mesoporous MgO/TiO <sub>2</sub> heterojunction structures with excellent capability for water treatment. <i>Dalton Transactions</i> , <b>2014</b> , 43, 2348-51	4.3	23
45	Nanostructured metal oxides/hydroxides-based electrochemical sensor for monitoring environmental micropollutants. <i>Trends in Environmental Analytical Chemistry</i> , <b>2014</b> , 3-4, 28-35	12	36
44	Study on the microheterogeneity of aqueous alcohol solutions: formation mechanism of inner pores of ZnO nanostructures. <i>RSC Advances</i> , <b>2014</b> , 4, 11124	3.7	
43	A Nanosheets-on-Channel Architecture Constructed from MoS <sub>2</sub> and CMK-3 for High-Capacity and Long-Cycle-Life Lithium Storage. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1400902	21.8	166
42	Synthesis of metal-organic-framework related core-shell heterostructures and their application to ion enrichment in aqueous conditions. <i>Chemical Communications</i> , <b>2014</b> , 50, 7686-9	5.8	20
41	Bowl-like SnO <sub>2</sub> @carbon hollow particles as an advanced anode material for lithium-ion batteries. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 12803-7	16.4	426
40	Millimeter-sized Mg-Al-LDH nanoflake impregnated magnetic alginate beads (LDH-n-MABs): a novel bio-based sorbent for the removal of fluoride in water. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 2119-2128	13	90
39	Facile synthesis of porous single crystalline ZnO nanoplates and their application in photocatalytic reduction of Cr(VI) in the presence of phenol. <i>Journal of Hazardous Materials</i> , <b>2014</b> , 276, 400-7	12.8	80
38	Bowl-like SnO <sub>2</sub> @Carbon Hollow Particles as an Advanced Anode Material for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 13017-13021	3.6	46
37	General Formation of MS (M = Ni, Cu, Mn) Box-in-Box Hollow Structures with Enhanced Pseudocapacitive Properties. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 7440-7446	15.6	260
36	Non-conductive nanomaterial enhanced electrochemical response in stripping voltammetry: The use of nanostructured magnesium silicate hollow spheres for heavy metal ions detection. <i>Analytica Chimica Acta</i> , <b>2013</b> , 790, 31-8	6.6	85
35	Fe <sub>2</sub> O <sub>3</sub> Nanoparticles Encapsulated Millimeter-Sized Magnetic Chitosan Beads for Removal of Cr(VI) from Water: Thermodynamics, Kinetics, Regeneration, and Uptake Mechanisms. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2013</b> , 58, 3142-3149	2.8	55
34	Facet-dependent electrochemical properties of Co <sub>3</sub> O <sub>4</sub> nanocrystals toward heavy metal ions. <i>Scientific Reports</i> , <b>2013</b> , 3, 2886	4.9	87
33	Synthesis of monodispersed FeOOH nanorods with a high content of surface hydroxyl groups and enhanced ion-exchange properties towards As(V). <i>RSC Advances</i> , <b>2013</b> , 3, 15805	3.7	22
32	Surfactant-free preparation of nickel carbonate hydroxide in aqueous solution and its toxic ion-exchange properties. <i>New Journal of Chemistry</i> , <b>2013</b> , 37, 534-539	3.6	23
31	Facile one-pot synthesis of lepidocrocite (FeOOH) nanoflakes for water treatment. <i>New Journal of Chemistry</i> , <b>2013</b> , 37, 2551	3.6	34



30	Electrochemical detection of arsenic(III) completely free from noble metal: Fe <sub>3</sub> O <sub>4</sub> microspheres-room temperature ionic liquid composite showing better performance than gold. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 2673-80	7.8	163
29	Enhancing selectivity in stripping voltammetry by different adsorption behaviors: the use of nanostructured Mg-Al-layered double hydroxides to detect Cd(II). <i>Analyst, The</i> , <b>2013</b> , 138, 1812-8	5	57
28	PEG aggregation templated porous ZnO nanostructure: room temperature solution synthesis, pore formation mechanism, and their photoluminescence properties. <i>CrystEngComm</i> , <b>2013</b> , 15, 3647	3.3	22
27	Two-step self-assembly of iron oxide into three-dimensional hollow magnetic porous microspheres and their toxic ion adsorption mechanism. <i>Dalton Transactions</i> , <b>2013</b> , 42, 1921-8	4.3	58
26	A facile template free solution approach for the synthesis of dypingite nanowires and subsequent decomposition to nanoporous MgO nanowires with excellent arsenate adsorption properties. <i>RSC Advances</i> , <b>2013</b> , 3, 5430	3.7	36
25	Synthesis of Porous Gold Based on GoldThiol Coordination Polymer and Its Application in SERS Detection with High Activity and High Reproducibility. <i>Chemistry Letters</i> , <b>2013</b> , 42, 407-409	1.7	
24	Iron and 1,3,5-Benzenetricarboxylic MetalOrganic Coordination Polymers Prepared by Solvothermal Method and Their Application in Efficient As(V) Removal from Aqueous Solutions. <i>Journal of Physical Chemistry C</i> , <b>2012</b> , 116, 8601-8607	3.8	224
23	Novel 3D hierarchical cotton-candy-like CuO: surfactant-free solvothermal synthesis and application in As(III) removal. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 1954-62	9.5	167
22	Plasma- and anneal-assisted hybridization of SWCNT-Au network for rapid and high-sensitive electrical detection of antibody-antigen interactions. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 6139		4
21	Three-dimensional hierarchical flower-like Mg-Al-layered double hydroxides: highly efficient adsorbents for As(V) and Cr(VI) removal. <i>Nanoscale</i> , <b>2012</b> , 4, 3466-74	7.7	149
20	Shape-controlled synthesis of CdCO <sub>3</sub> microcrystals and corresponding nanoporous CdO architectures. <i>RSC Advances</i> , <b>2012</b> , 2, 10251	3.7	18
19	Self-assembled, monodispersed, flower-like AlOOH hierarchical superstructures for efficient and fast removal of heavy metal ions from water. <i>CrystEngComm</i> , <b>2012</b> , 14, 3005	3.3	75
18	Modification of coral-like SnO <sub>2</sub> nanostructures with dense TiO <sub>2</sub> nanoparticles for a self-cleaning gas sensor. <i>Talanta</i> , <b>2012</b> , 99, 394-403	6.2	13
17	Stripping voltammetry study of ultra-trace toxic metal ions on highly selectively adsorptive porous magnesium oxide nanoflowers. <i>Analyst, The</i> , <b>2012</b> , 137, 2183-91	5	108
16	AlOOH-reduced graphene oxide nanocomposites: one-pot hydrothermal synthesis and their enhanced electrochemical activity for heavy metal ions. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 4672-82	9.5	194
15	A simple method to synthesize graphene at 633 K by dechlorination of hexachlorobenzene on Cu foils. <i>Carbon</i> , <b>2012</b> , 50, 306-310	10.4	28
14	Adsorption of lead(II) on OEPlasma-oxidized multiwalled carbon nanotubes: thermodynamics, kinetics, and desorption. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2011</b> , 3, 2585-93	9.5	194
13	Dense doping of indium to coral-like SnO <sub>2</sub> nanostructures through a plasma-assisted strategy for sensitive and selective detection of chlorobenzene. <i>Nanotechnology</i> , <b>2011</b> , 22, 315501	3.4	20

12	O <sub>2</sub> -plasma oxidized multi-walled carbon nanotubes for Cd(II) and Pb(II) detection: Evidence of adsorption capacity for electrochemical sensing. <i>Electrochemistry Communications</i> , <b>2011</b> , 13, 1506-1509	5.1	67
11	A Facile Approach for the Synthesis of Ag-Coated Fe <sub>3</sub> O <sub>4</sub> @TiO <sub>2</sub> Core/Shell Microspheres as Highly Efficient and Recyclable Photocatalysts. <i>European Journal of Inorganic Chemistry</i> , <b>2011</b> , 2011, 5096-5104	2.3	61
10	Ultra high adsorption capacity of fried egg jellyfish-like γ-ALOOH(Boehmite)@SiO <sub>2</sub> /Fe <sub>3</sub> O <sub>4</sub> porous magnetic microspheres for aqueous Pb(II) removal. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 16550		89
9	Porous Hierarchically Micro-/Nanostructured MgO: Morphology Control and Their Excellent Performance in As(III) and As(V) Removal. <i>Journal of Physical Chemistry C</i> , <b>2011</b> , 115, 22242-22250	3.8	121
8	Preparation of Anodes for DMFC by Co-Sputtering of Platinum and Ruthenium. <i>Plasma Science and Technology</i> , <b>2010</b> , 12, 224-229	1.5	5
7	Effects of Sputtering Parameters on the Performance of Sputtered Cathodes for Direct Methanol Fuel Cells. <i>Plasma Science and Technology</i> , <b>2010</b> , 12, 87-91	1.5	4
6	Plasma deposition of polymer electrolyte membrane for proton exchange membrane fuel cell (PEMFC) applications. <i>Surface and Coatings Technology</i> , <b>2010</b> , 205, S231-S235	4.4	6
5	The synthesis and characteristics of polymer nanoballs by plasma polymerization cooperating with DC plasma sputtering technique. <i>Thin Solid Films</i> , <b>2010</b> , 518, 6609-6613	2.2	3
4	Energy Balance in DC Arc Plasma Melting Furnace. <i>Plasma Science and Technology</i> , <b>2009</b> , 11, 206-210	1.5	6
3	Effect of Feed Forms on the Results of Melting of Fly Ash by a DC Plasma Arc Furnace. <i>Plasma Science and Technology</i> , <b>2009</b> , 11, 592-597	1.5	3
2	Synthesis of monodispersed Pt nanoparticles on plasma processed carbon nanotubes for methanol electro-oxidation reaction. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 6720		43
1	Synergistic Electronic and Pore Structure Modulation in Open Carbon Nanocages Enabling Efficient Electrocatalytic Production of H <sub>2</sub> O <sub>2</sub> in Acidic Medium. <i>Advanced Functional Materials</i> , 2110734	15.6	1