

Jacques Guillot

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8893659/jacques-guillot-publications-by-citations.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|-----------------|
| 189 papers | 5,021 citations | 34 h-index | 61 g-index |
| 217 ext. papers | 5,861 ext. citations | 3.4 avg, IF | 5.42 L-index |

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 189 | The genus <i>Malassezia</i> with description of four new species. <i>Antonie Van Leeuwenhoek</i> , 1996 , 69, 337-55 | 2.1 | 464 |
| 188 | Identification of <i>Malassezia</i> species isolated from patients with seborrhoeic dermatitis, atopic dermatitis, pityriasis versicolor and normal subjects. <i>Medical Mycology</i> , 2000 , 38, 337-41 | 3.9 | 216 |
| 187 | Dermatophytoses in animals. <i>Mycopathologia</i> , 2008 , 166, 385-405 | 2.9 | 141 |
| 186 | The diversity of <i>Malassezia</i> yeasts confirmed by rRNA sequence and nuclear DNA comparisons. <i>Antonie Van Leeuwenhoek</i> , 1995 , 67, 297-314 | 2.1 | 139 |
| 185 | Role of Hippoboscidae flies as potential vectors of <i>Bartonella</i> spp. infecting wild and domestic ruminants. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 6302-5 | 4.8 | 124 |
| 184 | <i>Malassezia pachydermatis</i> : a review. <i>Medical Mycology</i> , 1999 , 37, 295-306 | 3.9 | 122 |
| 183 | <i>Aspergillus</i> and aspergilloses in wild and domestic animals: a global health concern with parallels to human disease. <i>Medical Mycology</i> , 2015 , 53, 765-97 | 3.9 | 111 |
| 182 | Parasites of domestic owned cats in Europe: co-infestations and risk factors. <i>Parasites and Vectors</i> , 2014 , 7, 291 | 4 | 104 |
| 181 | Dandruff is associated with disequilibrium in the proportion of the major bacterial and fungal populations colonizing the scalp. <i>PLoS ONE</i> , 2013 , 8, e58203 | 3.7 | 103 |
| 180 | Phylogeny of <i>Pneumocystis carinii</i> from 18 primate species confirms host specificity and suggests coevolution. <i>Journal of Clinical Microbiology</i> , 2001 , 39, 2126-33 | 9.7 | 101 |
| 179 | <i>Pneumocystis</i> species, co-evolution and pathogenic power. <i>Infection, Genetics and Evolution</i> , 2008 , 8, 708-26 | 4.5 | 85 |
| 178 | Major Parasitic Zoonoses Associated with Dogs and Cats in Europe. <i>Journal of Comparative Pathology</i> , 2016 , 155, S54-74 | 1 | 73 |
| 177 | Evidence-based veterinary dermatology: a systematic review of interventions for <i>Malassezia</i> dermatitis in dogs. <i>Veterinary Dermatology</i> , 2009 , 20, 1-12 | 1.8 | 68 |
| 176 | Noninvasive Monitoring of the Health of <i>Pan troglodytes schweinfurthii</i> in the Kibale National Park, Uganda. <i>International Journal of Primatology</i> , 2005 , 26, 467-490 | 2 | 67 |
| 175 | Fungal infections in animals: a patchwork of different situations. <i>Medical Mycology</i> , 2018 , 56, 165-187 | 3.9 | 66 |
| 174 | Isolation of <i>Microsporum canis</i> from the hair coat of pet dogs and cats belonging to owners diagnosed with <i>M. canis</i> tinea corporis. <i>Veterinary Dermatology</i> , 2006 , 17, 327-31 | 1.8 | 66 |
| 173 | Phaeohyphomycoses, emerging opportunistic diseases in animals. <i>Clinical Microbiology Reviews</i> , 2013 , 26, 19-35 | 34 | 64 |

| | | | |
|-----|---|------|----|
| 172 | <i>Aspergillus fumigatus</i> in Poultry. <i>International Journal of Microbiology</i> , 2011 , 2011, 746356 | 3.6 | 64 |
| 171 | <i>Pneumocystis oryctolagi</i> sp. nov., an uncultured fungus causing pneumonia in rabbits at weaning: review of current knowledge, and description of a new taxon on genotypic, phylogenetic and phenotypic bases. <i>FEMS Microbiology Reviews</i> , 2006 , 30, 853-71 | 15.1 | 61 |
| 170 | Taxonomic and phylogenetic analysis of Saprolegniaceae (Oomycetes) inferred from LSU rDNA and ITS sequence comparisons. <i>Antonie Van Leeuwenhoek</i> , 2000 , 77, 369-77 | 2.1 | 61 |
| 169 | Fungal flora on cutaneous and mucosal surfaces of cats infected with feline immunodeficiency virus or feline leukemia virus. <i>American Journal of Veterinary Research</i> , 2000 , 61, 158-61 | 1.1 | 59 |
| 168 | Antifungal Activity of Selected Essential Oils, Cinnamaldehyde and Carvacrol against <i>Malassezia furfur</i> and <i>Candida albicans</i> . <i>Journal of Essential Oil Research</i> , 1999 , 11, 119-129 | 2.3 | 59 |
| 167 | Flea control failure? Myths and realities. <i>Trends in Parasitology</i> , 2014 , 30, 228-33 | 6.4 | 56 |
| 166 | Epidemiological analysis of <i>Malassezia pachydermatis</i> isolates by partial sequencing of the large subunit ribosomal RNA. <i>Research in Veterinary Science</i> , 1997 , 62, 22-5 | 2.5 | 56 |
| 165 | <i>Bartonella chomelii</i> sp. nov., isolated from French domestic cattle (<i>Bos taurus</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 215-220 | 2.2 | 52 |
| 164 | Clinical and pathologic manifestation of oesophagostomosis in African great apes: does self-medication in wild apes influence disease progression?. <i>Journal of Medical Primatology</i> , 2008 , 37, 188-95 | 0.7 | 50 |
| 163 | SUBCUTANEOUS IVERMECTIN AS A SAFE SALVAGE THERAPY IN STRONGYLOIDES STERCORALIS HYPERINFECTION SYNDROME: A CASE REPORT. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005 , 73, 122-124 | 3.2 | 49 |
| 162 | A single PCR-restriction endonuclease analysis for rapid identification of <i>Malassezia</i> species. <i>Letters in Applied Microbiology</i> , 2000 , 31, 400-3 | 2.9 | 48 |
| 161 | Preclinical Study of Single-Dose Moxidectin, a New Oral Treatment for Scabies: Efficacy, Safety, and Pharmacokinetics Compared to Two-Dose Ivermectin in a Porcine Model. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0005030 | 4.8 | 46 |
| 160 | Frequency, body distribution, and population size of <i>Malassezia</i> species in healthy dogs and in dogs with localized cutaneous lesions. <i>Journal of Veterinary Diagnostic Investigation</i> , 2005 , 17, 316-22 | 1.5 | 45 |
| 159 | <i>Aspergillus fumigatus</i> conidia inhibit tumour necrosis factor- or staurosporine-induced apoptosis in epithelial cells. <i>International Immunology</i> , 2006 , 18, 139-50 | 4.9 | 44 |
| 158 | Defining the concept of 'tick repellency' in veterinary medicine. <i>Parasitology</i> , 2012 , 139, 419-23 | 2.7 | 39 |
| 157 | Parallel phylogenies of <i>Pneumocystis</i> species and their mammalian hosts. <i>Journal of Eukaryotic Microbiology</i> , 2001 , Suppl, 113S-115S | 3.6 | 39 |
| 156 | Pythiosis in Africa. <i>Emerging Infectious Diseases</i> , 2005 , 11, 479-81 | 10.2 | 34 |
| 155 | Nodular worm infection in wild chimpanzees in Western Uganda: a risk for human health?. <i>PLoS Neglected Tropical Diseases</i> , 2010 , 4, e630 | 4.8 | 33 |

| | | | |
|-----|--|------|----|
| 154 | Epidemiology of Malassezia-Related Skin Diseases 2010 , 65-119 | | 33 |
| 153 | Phylogenetic systematics and evolution of primate-derived <i>Pneumocystis</i> based on mitochondrial or nuclear DNA sequence comparison. <i>Systematic Biology</i> , 2003 , 52, 735-44 | 8.4 | 33 |
| 152 | Neglected fungal zoonoses: hidden threats to man and animals. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 416-25 | 9.5 | 32 |
| 151 | Seasonal effects on great ape health: a case study of wild chimpanzees and Western gorillas. <i>PLoS ONE</i> , 2012 , 7, e49805 | 3.7 | 32 |
| 150 | Comparison of two sampling techniques to assess quantity and distribution of <i>Malassezia</i> yeasts on the skin of Basset Hounds. <i>Veterinary Dermatology</i> , 2002 , 13, 237-41 | 1.8 | 32 |
| 149 | Fatal systemic phaeohyphomycosis in a cat due to <i>Cladophialophora bantiana</i> . <i>Transboundary and Emerging Diseases</i> , 2003 , 50, 50-3 | | 32 |
| 148 | Comparative efficacies of oral ketoconazole and terbinafine for reducing <i>Malassezia</i> population sizes on the skin of Basset Hounds. <i>Veterinary Dermatology</i> , 2003 , 14, 153-7 | 1.8 | 32 |
| 147 | Phylogenetic analysis of <i>Trichophyton mentagrophytes</i> human and animal isolates based on MnSOD and ITS sequence comparison. <i>Microbiology (United Kingdom)</i> , 2007 , 153, 3466-3477 | 2.9 | 31 |
| 146 | Frequency of intravascular catheter colonization by <i>Malassezia</i> spp. in adult patients. <i>Mycoses</i> , 2004 , 47, 491-4 | 5.2 | 31 |
| 145 | Differentiation between isolates of <i>Aspergillus fumigatus</i> from breeding turkeys and their environment by genotyping with microsatellite markers. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 1798-800 | 8.7 | 31 |
| 144 | Ocular thelaziosis in dogs, France. <i>Emerging Infectious Diseases</i> , 2010 , 16, 1943-5 | 10.2 | 30 |
| 143 | Usefulness of modified Dixon's medium for quantitative culture of <i>Malassezia</i> species from canine skin. <i>Journal of Veterinary Diagnostic Investigation</i> , 1998 , 10, 384-6 | 1.5 | 30 |
| 142 | Molecular characterization of <i>Malassezia</i> isolates from dogs using three distinct genetic markers in nuclear DNA. <i>Molecular and Cellular Probes</i> , 2007 , 21, 229-38 | 3.3 | 29 |
| 141 | Dermatitis caused by <i>Malassezia pachydermatis</i> in a California sea lion (<i>Zalophus californianus</i>). <i>Veterinary Record</i> , 1998 , 142, 311-2 | 0.9 | 29 |
| 140 | Prospective evaluation of azole resistance in <i>Aspergillus fumigatus</i> clinical isolates in France. <i>Medical Mycology</i> , 2015 , 53, 593-6 | 3.9 | 28 |
| 139 | Practical aspects of equine parasite control: a review based upon a workshop discussion consensus. <i>Equine Veterinary Journal</i> , 2010 , 42, 460-8 | 2.4 | 28 |
| 138 | Evaluation of the efficacy of oral lufenuron combined with topical enilconazole for the management of dermatophytosis in catteries. <i>Veterinary Record</i> , 2002 , 150, 714-8 | 0.9 | 28 |
| 137 | Confirmation of the nomenclatural status of <i>Malassezia pachydermatis</i> . <i>Antonie Van Leeuwenhoek</i> , 1995 , 67, 173-6 | 2.1 | 26 |

| | | | |
|-----|---|-----|----|
| 136 | Questionnaire-based survey on distribution and clinical incidence of canine babesiosis in France. <i>BMC Veterinary Research</i> , 2013 , 9, 41 | 2.7 | 25 |
| 135 | Disseminated acute concomitant aspergillosis and mucormycosis in a pony. <i>Transboundary and Emerging Diseases</i> , 2005 , 52, 121-4 | | 25 |
| 134 | Characterizing Pneumocystis in the lungs of bats: understanding Pneumocystis evolution and the spread of Pneumocystis organisms in mammal populations. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 8122-36 | 4.8 | 24 |
| 133 | Evolution of the environmental contamination by thermophilic fungi in a turkey confinement house in France. <i>Poultry Science</i> , 2006 , 85, 1875-80 | 3.9 | 24 |
| 132 | Lymphocutaneous and nasal sporotrichosis in a dog from southern Italy: case report. <i>Mycopathologia</i> , 2007 , 163, 75-9 | 2.9 | 23 |
| 131 | Eumycetoma caused by <i>Cladophialophora bantiana</i> in a dog. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 4901-3 | 9.7 | 23 |
| 130 | Nodular Worm Infections in Wild Non-human Primates and Humans Living in the Sebitoli Area (Kibale National Park, Uganda): Do High Spatial Proximity Favor Zoonotic Transmission?. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0004133 | 4.8 | 23 |
| 129 | In vitro activity of ten essential oils against <i>Sarcoptes scabiei</i> . <i>Parasites and Vectors</i> , 2016 , 9, 594 | 4 | 23 |
| 128 | for the Evaluation of Antifungal Efficacy against Medically Important Fungi, a Narrative Review. <i>Microorganisms</i> , 2020 , 8, | 4.9 | 22 |
| 127 | Two cases of equine mucormycosis caused by <i>Absidia corymbifera</i> . <i>Equine Veterinary Journal</i> , 2000 , 32, 453-6 | 2.4 | 22 |
| 126 | Molecular and serological evidence of Pneumocystis circulation in a social organization of healthy macaques (<i>Macaca fascicularis</i>). <i>Microbiology (United Kingdom)</i> , 2005 , 151, 3117-3125 | 2.9 | 22 |
| 125 | Yeasts in Veterinary Dermatology: An Updated Overview. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 79 | 5.9 | 21 |
| 124 | <i>Trichophyton bulbosum</i> : a new zoonotic dermatophyte species. <i>Medical Mycology</i> , 2012 , 50, 305-9 | 3.9 | 21 |
| 123 | Genetic diversity in the yeast species <i>Malassezia pachydermatis</i> analysed by multilocus enzyme electrophoresis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999 , 49 Pt 3, 1287-94 | 2.2 | 21 |
| 122 | Questionnaire-based survey on the distribution and incidence of canine babesiosis in countries of Western Europe. <i>Parasite</i> , 2014 , 21, 13 | 3 | 20 |
| 121 | Osteomyelitis and discospondylitis due to <i>Scedosporium apiospermum</i> in a dog. <i>Journal of Veterinary Diagnostic Investigation</i> , 2009 , 21, 120-3 | 1.5 | 20 |
| 120 | Physiological and molecular characterization of atypical lipid-dependent <i>Malassezia</i> yeasts from a dog with skin lesions: adaptation to a new host?. <i>Medical Mycology</i> , 2011 , 49, 365-74 | 3.9 | 20 |
| 119 | Multiple-locus variable-number tandem repeat analysis for molecular typing of <i>Aspergillus fumigatus</i> . <i>BMC Microbiology</i> , 2010 , 10, 315 | 4.5 | 20 |

| | | | |
|-----|--|-----|----|
| 118 | Spinal cryptococcoma in an immunocompetent cat. <i>Journal of Comparative Pathology</i> , 2008 , 139, 246-51 | 1 | 20 |
| 117 | Reliability of coprological diagnosis of Paramphistomum sp. infection in cows. <i>Veterinary Parasitology</i> , 2007 , 146, 249-53 | 2.8 | 20 |
| 116 | Evaluation of the dermatophyte test medium RapidVet-D. <i>Veterinary Dermatology</i> , 2001 , 12, 123-7 | 1.8 | 20 |
| 115 | Characteristics of Aspergillus fumigatus in Association with Stenotrophomonas maltophilia in an In Vitro Model of Mixed Biofilm. <i>PLoS ONE</i> , 2016 , 11, e0166325 | 3.7 | 20 |
| 114 | The genus Malassezia: old facts and new concepts. <i>Parassitologia</i> , 2008 , 50, 77-9 | | 19 |
| 113 | Sarcoptes scabiei mites in humans are distributed into three genetically distinct clades. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 1107-14 | 9.5 | 18 |
| 112 | In vitro activities of 15 antifungal drugs against a large collection of clinical isolates of Microsporum canis. <i>Mycoses</i> , 2019 , 62, 1069-1078 | 5.2 | 18 |
| 111 | Relative efficiencies of two air sampling methods and three culture conditions for the assessment of airborne culturable fungi in a poultry farmhouse in France. <i>Environmental Research</i> , 2011 , 111, 248-53 | 7.9 | 18 |
| 110 | Malassezia Yeasts in Animal Disease | | 18 |
| 109 | Clinical, mycological and pathological findings in turkeys experimentally infected by Aspergillus fumigatus. <i>Avian Pathology</i> , 2007 , 36, 213-9 | 2.4 | 18 |
| 108 | Comparative study of serological tests for the diagnosis of equine aspergillosis. <i>Veterinary Record</i> , 1999 , 145, 348-9 | 0.9 | 18 |
| 107 | Zoonotic helminths parasites in the digestive tract of feral dogs and cats in Guangxi, China. <i>BMC Veterinary Research</i> , 2015 , 11, 211 | 2.7 | 17 |
| 106 | Common and Emerging Dermatophytoses in Animals: Well-Known and New Threats | | 17 |
| 105 | Detection of Pneumocystis spp. in lung samples from pigs in Brazil. <i>Medical Mycology</i> , 2007 , 45, 395-9 | 3.9 | 17 |
| 104 | Analysis of Dipylidium caninum tapeworms from dogs and cats, or their respective fleas - Part 1. Molecular characterization of Dipylidium caninum: genetic analysis supporting two distinct species adapted to dogs and cats. <i>Parasite</i> , 2018 , 25, 30 | 3 | 16 |
| 103 | Phylogenetic relationships among Pneumocystis from Asian macaques inferred from mitochondrial rRNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2004 , 31, 988-96 | 4.1 | 16 |
| 102 | Non-Histaminergic Itch Mediators Elevated in the Skin of a Porcine Model of Scabies and of Human Scabies Patients. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 971-973 | 4.3 | 16 |
| 101 | Comparative evaluation of the prophylactic activity of a slow-release insecticide collar and a moxidectin spot-on formulation against Thelazia callipaeda infection in naturally exposed dogs in France. <i>Parasites and Vectors</i> , 2015 , 8, 93 | 4 | 15 |

| | | |
|-----|--|--------|
| 100 | Biology, diagnosis and treatment of Malassezia dermatitis in dogs and cats Clinical Consensus Guidelines of the World Association for Veterinary Dermatology. <i>Veterinary Dermatology</i> , 2020 , 31, 28-74 ^{1.8} | 15 |
| 99 | Mutations in the Cyp51A gene and susceptibility to itraconazole in <i>Aspergillus fumigatus</i> isolated from avian farms in France and China. <i>Poultry Science</i> , 2014 , 93, 12-5 | 3.9 15 |
| 98 | Prevention of canine ocular thelaziosis (<i>Thelazia callipaeda</i>) with a combination of milbemycin oxime and afoxolaner (Nexgard Spectra) in endemic areas in France and Spain. <i>Parasite</i> , 2019 , 26, 1 | 3 15 |
| 97 | Efficacy of two formulations of afoxolaner (NexGard [®] and NexGard Spectra [®]) for the treatment of generalised demodicosis in dogs, in veterinary dermatology referral centers in Europe. <i>Parasites and Vectors</i> , 2018 , 11, 506 | 4 15 |
| 96 | Contribution of dihydropteroate synthase gene typing for <i>Pneumocystis carinii</i> f.sp. hominis epidemiology. <i>Journal of Eukaryotic Microbiology</i> , 1999 , 46, 133S-134S | 3.6 15 |
| 95 | Subcutaneous ivermectin as a safe salvage therapy in <i>Strongyloides stercoralis</i> hyperinfection syndrome: a case report. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005 , 73, 122-4 | 3.2 15 |
| 94 | Gut Microbiota Abrogates Anti- α -Gal IgA Response in Lungs and Protects against Experimental Infection in Poultry. <i>Vaccines</i> , 2020 , 8, | 5.3 14 |
| 93 | Simple and highly discriminatory VNTR-based multiplex PCR for tracing sources of <i>Aspergillus flavus</i> isolates. <i>PLoS ONE</i> , 2012 , 7, e44204 | 3.7 14 |
| 92 | Identification of <i>Malassezia</i> species isolated from patients with seborrheic dermatitis, atopic dermatitis, pityriasis versicolor and normal subjects. <i>Medical Mycology</i> , 2000 , 38, 337-341 | 3.9 14 |
| 91 | Interactions of and in an Mixed Biofilm Model: Does the Strain Matter?. <i>Frontiers in Microbiology</i> , 2018 , 9, 2850 | 5.7 14 |
| 90 | Efficacy and Pharmacokinetics Evaluation of a Single Oral Dose of Afoxolaner against <i>Sarcoptes scabiei</i> in the Porcine Scabies Model for Human Infestation. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62, | 5.9 14 |
| 89 | Intestinal Helminths of Wild Bonobos in Forest-Savanna Mosaic: Risk Assessment of Cross-Species Transmission with Local People in the Democratic Republic of the Congo. <i>EcoHealth</i> , 2015 , 12, 621-33 | 3.1 13 |
| 88 | Effects of conidia of various <i>Aspergillus</i> species on apoptosis of human pneumocytes and bronchial epithelial cells. <i>Mycopathologia</i> , 2009 , 167, 249-62 | 2.9 13 |
| 87 | Influence of climatic factors on <i>Pneumocystis</i> carriage within a socially organized group of immunocompetent macaques (<i>Macaca fascicularis</i>). <i>Journal of Eukaryotic Microbiology</i> , 2003 , 50 Suppl, 611-3 | 3.6 13 |
| 86 | Assessment of <i>Pneumocystis</i> species carriage in captive primates. <i>Veterinary Record</i> , 2003 , 152, 811-3 | 0.9 13 |
| 85 | Dermoscopy and confocal microscopy for in vivo detection and characterization of <i>Dermanyssus gallinae</i> mite. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, e15-6 | 4.5 12 |
| 84 | Occurrence and species distribution of pathogenic Mucorales in unselected soil samples from France. <i>Medical Mycology</i> , 2018 , 56, 315-321 | 3.9 12 |
| 83 | Barcoding markers for <i>Pneumocystis</i> species in wildlife. <i>Fungal Biology</i> , 2016 , 120, 191-206 | 2.8 12 |

| | | | |
|----|--|------|----|
| 82 | Risk factor analysis of equine strongyle resistance to anthelmintics. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2017 , 7, 407-415 | 4 | 12 |
| 81 | Pneumocystis diversity as a phylogeographic tool. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009 , 104, 112-7 | 2.6 | 12 |
| 80 | Pneumocystis jirovecii dihydropteroate synthase genotypes in French patients with pneumocystosis: a 1998-2001 prospective study. <i>Medical Mycology</i> , 2003 , 41, 533-7 | 3.9 | 12 |
| 79 | What do Pneumocystis organisms tell us about the phylogeography of their hosts? The case of the woodmouse Apodemus sylvaticus in continental Europe and western Mediterranean islands. <i>PLoS ONE</i> , 2015 , 10, e0120839 | 3.7 | 12 |
| 78 | Wombats acquired scabies from humans and/or dogs from outside Australia. <i>Parasitology Research</i> , 2015 , 114, 2079-83 | 2.4 | 11 |
| 77 | Open field study on the efficacy of oral fluralaner for long-term control of flea allergy dermatitis in client-owned dogs in Ile-de-France region. <i>Parasites and Vectors</i> , 2016 , 9, 174 | 4 | 11 |
| 76 | cyp51A gene silencing using RNA interference in azole-resistant Aspergillus fumigatus. <i>Mycoses</i> , 2015 , 58, 699-706 | 5.2 | 11 |
| 75 | Assessment of Aspergillus fumigatus burden in lungs of intratracheally-challenged turkeys (Meleagris gallopavo) by quantitative PCR, galactomannan enzyme immunoassay, and quantitative culture. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2014 , 37, 271-9 | 2.6 | 11 |
| 74 | Multilocus mutation scanning for the analysis of genetic variation within Malassezia (Basidiomycota: Malasseziales). <i>Electrophoresis</i> , 2007 , 28, 1176-80 | 3.6 | 11 |
| 73 | Comments on Malassezia species from dogs and cats. <i>Mycoses</i> , 1999 , 42, 673-4 | 5.2 | 11 |
| 72 | Keratomycosis in a pet rabbit (Oryctolagus cuniculus) treated with topical 1% terbinafine ointment. <i>Veterinary Ophthalmology</i> , 2016 , 19, 504-509 | 1.4 | 10 |
| 71 | Assessment of Aspergillus fumigatus pathogenicity in aerosol-challenged chickens (Gallus gallus) belonging to two lineages. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2013 , 36, 379-85 | 2.6 | 10 |
| 70 | Efficacy of a 2% climbazole shampoo for reducing Malassezia population sizes on the skin of naturally infected dogs. <i>Journal De Mycologie Medicale</i> , 2015 , 25, 268-73 | 3 | 10 |
| 69 | In vitro ovicidal activity of current and under-development scabicides: which treatments kill scabies eggs?. <i>British Journal of Dermatology</i> , 2020 , 182, 511-513 | 4 | 10 |
| 68 | Investigation of the Relationships Between Clinical and Environmental Isolates of Aspergillus fumigatus by Multiple-locus Variable Number Tandem Repeat Analysis During Major Demolition Work in a French Hospital. <i>Clinical Infectious Diseases</i> , 2019 , 68, 321-329 | 11.6 | 10 |
| 67 | A pilot study of the efficacy of wipes containing chlorhexidine 0.3%, climbazole 0.5% and Tris-EDTA to reduce Malassezia pachydermatis populations on canine skin. <i>Veterinary Dermatology</i> , 2015 , 26, 278-e61 | 1.8 | 9 |
| 66 | Methodological Issues in Antifungal Susceptibility Testing of Malassezia pachydermatis. <i>Journal of Fungi (Basel, Switzerland)</i> , 2017 , 3, | 5.6 | 9 |
| 65 | Conjunctival and cutaneous fungal flora in clinically normal dogs in southern France. <i>Journal De Mycologie Medicale</i> , 2014 , 24, 25-8 | 3 | 9 |

| | | | |
|----|---|-----|---|
| 64 | Malassezia dermatitis in dogs in Brazil: diagnosis, evaluation of clinical signs and molecular identification. <i>Veterinary Dermatology</i> , 2011 , 22, 46-52 | 1.8 | 9 |
| 63 | Evaluation of fungal aerosols using Temporal Temperature Gradient Electrophoresis (TTGE) and comparison with culture. <i>Journal of Microbiological Methods</i> , 2007 , 70, 86-95 | 2.8 | 9 |
| 62 | Plants Consumed by Eulemur fulvus in Comoros Islands (Mayotte) and Potential Effects on Intestinal Parasites. <i>International Journal of Primatology</i> , 2006 , 27, 1495-1517 | 2 | 9 |
| 61 | Compilation of 29 years of postmortem examinations identifies major shifts in equine parasite prevalence from 2000 onwards. <i>International Journal for Parasitology</i> , 2020 , 50, 125-132 | 4.3 | 8 |
| 60 | Biology, diagnosis and treatment of Malassezia dermatitis in dogs and cats: Clinical Consensus Guidelines of the World Association for Veterinary Dermatology. <i>Veterinary Dermatology</i> , 2020 , 31, 75 | 1.8 | 8 |
| 59 | Efficacy assessment of biocides or repellents for the control of Sarcoptes scabiei in the environment. <i>Parasites and Vectors</i> , 2015 , 8, 416 | 4 | 8 |
| 58 | Molecular characterization of Ancylostoma braziliense larvae in a patient with hookworm-related cutaneous larva migrans. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012 , 86, 843-5 | 3.2 | 8 |
| 57 | Immunohistochemical and ultra-structural detection of Pneumocystis in wild boars (Sus scrofa) co-infected with porcine circovirus type 2 (PCV2) in Southern Brazil. <i>Medical Mycology</i> , 2011 , 49, 172-5 | 3.9 | 8 |
| 56 | Absence of mutations associated with sulfa resistance in Pneumocystis carinii dihydropteroate synthase gene from non-human primates. <i>Medical Mycology</i> , 2002 , 40, 315-8 | 3.9 | 8 |
| 55 | Detection and Control of Dermatophytosis in Wild European Hedgehogs () Admitted to a French Wildlife Rehabilitation Centre. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7, | 5.6 | 8 |
| 54 | Activity of Beauvericin against All Developmental Stages of. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64, | 5.9 | 7 |
| 53 | Lethal activity of beauvericin, a Beauveria bassiana mycotoxin, against the two-spotted spider mites, Tetranychus urticae Koch. <i>Journal of Applied Entomology</i> , 2019 , 143, 974-983 | 1.7 | 7 |
| 52 | Aspergillosis in Wild Birds. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7, | 5.6 | 7 |
| 51 | Lemongrass (Cymbopogon citratus) oil: A promising miticidal and ovicidal agent against Sarcoptes scabiei. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008225 | 4.8 | 7 |
| 50 | Antifungal Resistance Regarding : Where Are We Now?. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020 , 6, | 5.6 | 6 |
| 49 | Experimental induction of mycotic plaques in the guttural pouches of horses. <i>Medical Mycology</i> , 2017 , 55, 308-313 | 3.9 | 6 |
| 48 | Distribution of Pathogens and Outbreak Fungi in the Fungal Kingdom 2018 , 3-16 | | 6 |
| 47 | Disseminated sparganosis in a cynomolgus macaque (Macaca fascicularis). <i>Journal of Comparative Pathology</i> , 2013 , 148, 294-7 | 1 | 6 |

| | | | |
|----|---|-----|---|
| 46 | Molecular monitoring of fungal communities in air samples by denaturing high-performance liquid chromatography (D-HPLC). <i>Journal of Applied Microbiology</i> , 2010 , 109, 910-7 | 4.7 | 6 |
| 45 | Modulated Response of and to Antimicrobial Agents in Polymicrobial Biofilm. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 574028 | 5.9 | 6 |
| 44 | Acquisition and biodiversity of <i>Pneumocystis carinii</i> in a colony of wild rabbits (<i>Oryctolagus cuniculus</i>). <i>Journal of Eukaryotic Microbiology</i> , 1999 , 46, 100S-101S | 3.6 | 6 |
| 43 | Expression analysis of the genes involved in the virulence of <i>Beauveria bassiana</i> . <i>Agri Gene</i> , 2019 , 14, 100094 | 1.9 | 5 |
| 42 | Monitoring of clinical strains and environmental fungal aerocontamination to prevent invasive aspergillosis infections in hospital during large deconstruction work: a protocol study. <i>BMJ Open</i> , 2017 , 7, e018109 | 3 | 5 |
| 41 | Are humans the initial source of canine mange?. <i>Parasites and Vectors</i> , 2016 , 9, 177 | 4 | 5 |
| 40 | Occurrence and species diversity of human-pathogenic Mucorales in commercial food-stuffs purchased in Paris area. <i>Medical Mycology</i> , 2019 , 57, 739-744 | 3.9 | 5 |
| 39 | as a screening tool to study virulence factors of. <i>Virulence</i> , 2021 , 12, 818-834 | 4.7 | 5 |
| 38 | Impaction versus filtration for the detection of <i>Pneumocystis carinii</i> DNA in air. <i>Journal of Eukaryotic Microbiology</i> , 1999 , 46, 94S | 3.6 | 5 |
| 37 | Questionnaire-based survey on distribution of canine ocular thelaziosis in southwestern France. <i>Veterinary Parasitology</i> , 2018 , 253, 26-29 | 2.8 | 4 |
| 36 | First description of onychomycosis caused by <i>Chrysosporium keratinophilum</i> in captive Bennett's wallabies (<i>Macropus rufogriseus rufogriseus</i>). <i>Journal of Zoo and Wildlife Medicine</i> , 2011 , 42, 156-9 | 0.9 | 4 |
| 35 | Phylogenetic analysis of <i>Pneumocystis</i> from pig lungs obtained from slaughterhouses in southern and midwestern regions of Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2011 , 63, 1154-1159 | 0.3 | 4 |
| 34 | Fungal rhinosinusitis caused by <i>Scedosporium apiospermum</i> in a cat. <i>Journal of Feline Medicine and Surgery</i> , 2010 , 12, 967-71 | 2.3 | 4 |
| 33 | Prevalence of anti- <i>Toxoplasma gondii</i> antibodies in serum and aqueous humor samples from cats with uveitis or systemic diseases in France. <i>Veterinary Parasitology</i> , 2006 , 138, 362-5 | 2.8 | 4 |
| 32 | Fifth European <i>Dirofilaria</i> and <i>Angiostrongylus</i> Days (FiEDAD) 2016. <i>Parasites and Vectors</i> , 2017 , 10, | 4 | 3 |
| 31 | Absence of mutations associated with sulfa resistance in <i>Pneumocystis carinii</i> dihydropteroate synthase gene from non-human primates. <i>Medical Mycology</i> , 2002 , 40, 315-318 | 3.9 | 3 |
| 30 | Comparing acaricidal and ovicidal activity of five terpenes from essential oils against <i>Psoroptes cuniculi</i> . <i>Parasitology Research</i> , 2020 , 119, 4219-4223 | 2.4 | 3 |
| 29 | Cellular and molecular insights on the regulation of innate immune responses to experimental aspergillosis in chicken and turkey poults. <i>Medical Mycology</i> , 2021 , 59, 465-475 | 3.9 | 3 |

| | | | |
|----|---|-----|---|
| 28 | Of fungi and ticks: Morphological and molecular characterization of fungal contaminants of a laboratory-reared Ixodes ricinus colony. <i>Ticks and Tick-borne Diseases</i> , 2021 , 12, 101732 | 3.6 | 3 |
| 27 | Antifungal susceptibility testing practices in mycology laboratories in France, 2018. <i>Journal De Mycologie Medicale</i> , 2020 , 30, 100970 | 3 | 2 |
| 26 | Histoplasmosis in Animals 2018 , 115-128 | | 2 |
| 25 | Generalized dermatitis associated with Malassezia overgrowth in cats: A report of six cases in France. <i>Medical Mycology Case Reports</i> , 2013 , 2, 59-62 | 1.7 | 2 |
| 24 | Development of a real-time PCR-based fluorescence assay for rapid detection of point mutations in <i>Pneumocystis jirovecii</i> dihydropteroate synthase gene. <i>Journal of Eukaryotic Microbiology</i> , 2003 , 50 Suppl, 658-60 | 3.6 | 2 |
| 23 | <i>Pneumocystis</i> Species Co-evolution: State-of-the-Art Review. <i>OBM Genetics</i> , 2019 , 3, 1-1 | 1.7 | 2 |
| 22 | Superficial Mycoses in Dogs and Cats 2019 , 27-45 | | 2 |
| 21 | In vitro antifungal susceptibility patterns of <i>Trichophyton benhamiae</i> complex isolates from diverse origin. <i>Mycoses</i> , 2021 , 64, 1378-1386 | 5.2 | 2 |
| 20 | <i>Chrysomya bezziana</i> : a case report in a dog from Southern China and review of the Chinese literature. <i>Parasitology Research</i> , 2019 , 118, 3237-3240 | 2.4 | 1 |
| 19 | Conjunctival bacterial and fungal flora and cutaneous fungal flora in healthy domestic rabbits (<i>Oryctolagus cuniculus</i>). <i>Journal of Small Animal Practice</i> , 2019 , 60, 417-422 | 1.6 | 1 |
| 18 | Usefulness of a topical combination of dinotefuran and pyriproxyfen for long-term control of clinical signs of allergic dermatitis in privately-owned cats in Ile-de-France region. <i>Parasites and Vectors</i> , 2017 , 10, 392 | 4 | 1 |
| 17 | Cultivation of rabbit <i>Pneumocystis carinii</i> on cells derived from rabbit (<i>Oryctolagus cuniculus</i>). <i>Journal of Eukaryotic Microbiology</i> , 1997 , 44, 22S | 3.6 | 1 |
| 16 | Risques parasitaires liés aux aliments d'origine animale. <i>Revue Francaise Des Laboratoires</i> , 2002 , 2002, 71-89 | | 1 |
| 15 | Les nématodes du genre <i>Oesophagostomum</i> . Un risque émergent pour l'homme et les grands singes en Afrique ?. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2011 , 195, 1955-1963 | 0.1 | 1 |
| 14 | Les grands singes : qui sont-ils ? Sont-ils capables d'automédication ?. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2011 , 195, 1927-1944 | 0.1 | 1 |
| 13 | Use of a modified hair strand test to assess the antifungal activity kinetics of dog hair after a 2% climbazole shampoo application. <i>Veterinary Dermatology</i> , 2016 , 27, 148-e38 | 1.8 | 1 |
| 12 | Activity of terpenes derived from essential oils against <i>Sarcoptes scabiei</i> eggs. <i>Parasites and Vectors</i> , 2021 , 14, 600 | 4 | 1 |
| 11 | In vitro efficacy of essential oils against <i>Sarcoptes scabiei</i> .. <i>Scientific Reports</i> , 2022 , 12, 7176 | 4.9 | 1 |

| | | |
|----|--|-------|
| 10 | Comments on PCR-RFLP as an original technique to detect point mutations in the <i>Pneumocystis carinii</i> DHPS gene. <i>Scandinavian Journal of Infectious Diseases</i> , 2001 , 33, 396 | 0 |
| 9 | Haemosporidian parasites from captive Strigiformes in France. <i>Parasitology Research</i> , 2020 , 119, 2975-2984 | 0 |
| 8 | First evidence of the activity of an entomopathogenic fungus against the eggs of <i>Sarcoptes scabiei</i> . <i>Veterinary Parasitology</i> , 2021 , 298, 109553 | 2.8 0 |
| 7 | Les modèles animaux de la gale : quels sont-ils? Permettront-ils de découvrir de nouvelles stratégies thérapeutiques?. <i>Bulletin De L'Académie Nationale De Médecine</i> , 2017 , 201, 147-155 | 0.1 |
| 6 | Rôle des animaux vertébrés dans la transmission des champignons dermatophytes pathogènes pour l'homme. <i>Revue Francophone Des Laboratoires</i> , 2015 , 2015, 53-60 | 0 |
| 5 | Le diagnostic biologique des mycoses animales. <i>Revue Française Des Laboratoires</i> , 1999 , 1999, 57-64 | |
| 4 | Comparison of acetate tape impression, deep skin scraping, and microscopic examination of hair for therapeutic monitoring of dogs with juvenile generalized demodicosis: A pilot study. <i>Canadian Veterinary Journal</i> , 2019 , 60, 596-600 | 0.5 |
| 3 | <i>Sarcoptes scabiei</i> : quel est ce parasite? Comment se transmet-il et quelle pourrait être son origine?. <i>Bulletin De L'Académie Nationale De Médecine</i> , 2017 , 201, 129-141 | 0.1 |
| 2 | Intradermal Infection by Chigger Mites (<i>Endotrombicula Madagascariensis</i>) in a Group of Mantella Baroni Frogs Illegally Imported From Madagascar. <i>Journal of Exotic Pet Medicine</i> , 2019 , 29, 131-135 | 0.6 |
| 1 | Guttural pouch diseases in horses: A challenging differential diagnosis. <i>Equine Veterinary Education</i> , 2020 , 32, 294-295 | 0.6 |