Jacques Guillot

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8893659/jacques-guillot-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 189 5,021 34 h-index g-index citations papers 5,861 217 5.42 3.4 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
189	In vitro efficacy of essential oils against Sarcoptes scabiei Scientific Reports, 2022, 12, 7176	4.9	1
188	Aspergillosis in Wild Birds. Journal of Fungi (Basel, Switzerland), 2021, 7,	5.6	7
187	In vitro antifungal susceptibility patterns of Trichophyton benhamiae complex isolates from diverse origin. <i>Mycoses</i> , 2021 , 64, 1378-1386	5.2	2
186	Cellular and molecular insights on the regulation of innate immune responses to experimental aspergillosis in chicken and turkey poults. <i>Medical Mycology</i> , 2021 , 59, 465-475	3.9	3
185	as a screening tool to study virulence factors of. <i>Virulence</i> , 2021 , 12, 818-834	4.7	5
184	Of fungi and ticks: Morphological and molecular characterization of fungal contaminants of a laboratory-reared Ixodes ricinus colony. <i>Ticks and Tick-borne Diseases</i> , 2021 , 12, 101732	3.6	3
183	First evidence of the activity of an entomopathogenic fungus against the eggs of Sarcoptes scabiei. <i>Veterinary Parasitology</i> , 2021 , 298, 109553	2.8	O
182	Detection and Control of Dermatophytosis in Wild European Hedgehogs () Admitted to a French Wildlife Rehabilitation Centre. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	8
181	Activity of terpenes derived from essential oils against Sarcoptes scabiei eggs. <i>Parasites and Vectors</i> , 2021 , 14, 600	4	1
180	Activity of Beauvericin against All Developmental Stages of. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	7
179	Gut Microbiota Abrogates Anti-EGal IgA Response in Lungs and Protects against Experimental Infection in Poultry. <i>Vaccines</i> , 2020 , 8,	5.3	14
178	for the Evaluation of Antifungal Efficacy against Medically Important Fungi, a Narrative Review. <i>Microorganisms</i> , 2020 , 8,	4.9	22
177	Yeasts in Veterinary Dermatology: An Updated Overview. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 79	5.9	21
176	Antifungal Resistance Regarding : Where Are We Now?. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020 , 6,	5.6	6
175	Compilation of 29 years of postmortem examinations identifies major shifts in equine parasite prevalence from 2000 onwards. <i>International Journal for Parasitology</i> , 2020 , 50, 125-132	4.3	8
174	Biology, diagnosis and treatment of Malassezia dermatitis in dogs and cats Clinical Consensus Guidelines of the World Association for Veterinary Dermatology. <i>Veterinary Dermatology</i> , 2020 , 31, 28-3	74 ^{.8}	15
173	Biology, diagnosis and treatment of Malassezia dermatitis in dogs and cats: Clinical Consensus Guidelines of the World Association for Veterinary Dermatology. <i>Veterinary Dermatology</i> , 2020 , 31, 75	1.8	8

172	Antifungal susceptibility testing practices in mycology laboratories in France, 2018. <i>Journal De Mycologie Medicale</i> , 2020 , 30, 100970	3	2
171	In vitro ovicidal activity of current and under-development scabicides: which treatments kill scabies eggs?. <i>British Journal of Dermatology</i> , 2020 , 182, 511-513	4	10
170	Haemosporidian parasites from captive Strigiformes in France. Parasitology Research, 2020, 119, 2975-2	29:8:1	O
169	Comparing acaricidal and ovicidal activity of five terpenes from essential oils against Psoroptes cuniculi. <i>Parasitology Research</i> , 2020 , 119, 4219-4223	2.4	3
168	Modulated Response of and to Antimicrobial Agents in Polymicrobial Biofilm. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 574028	5.9	6
167	Guttural pouch diseases in horses: A challenging differential diagnosis. <i>Equine Veterinary Education</i> , 2020 , 32, 294-295	0.6	
166	Lemongrass (Cymbopogon citratus) oil: A promising miticidal and ovicidal agent against Sarcoptes scabiei. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008225	4.8	7
165	Chrysomya bezziana: a case report in a dog from Southern China and review of the Chinese literature. <i>Parasitology Research</i> , 2019 , 118, 3237-3240	2.4	1
164	Conjunctival bacterial and fungal flora and cutaneous fungal flora in healthy domestic rabbits (Oryctolagus cuniculus). <i>Journal of Small Animal Practice</i> , 2019 , 60, 417-422	1.6	1
163	In vitro activities of 15 antifungal drugs against a large collection of clinical isolates of Microsporum canis. <i>Mycoses</i> , 2019 , 62, 1069-1078	5.2	18
162	Lethal activity of beauvericin, a Beauveria bassiana mycotoxin, against the two-spotted spider mites, Tetranychus urticae Koch. <i>Journal of Applied Entomology</i> , 2019 , 143, 974-983	1.7	7
161	Expression analysis of the genes involved in the virulence of Beauveria bassiana. <i>Agri Gene</i> , 2019 , 14, 100094	1.9	5
160	Comparison of acetate tape impression, deep skin scraping, and microscopic examination of hair for therapeutic monitoring of dogs with juvenile generalized demodicosis: A pilot study. <i>Canadian Veterinary Journal</i> , 2019 , 60, 596-600	0.5	
159	Pneumocystis Species Co-evolution: State-of-the-Art Review. <i>OBM Genetics</i> , 2019 , 3, 1-1	1.7	2
158	Superficial Mycoses in Dogs and Cats 2019 , 27-45		2
157	Occurrence and species diversity of human-pathogenic Mucorales in commercial food-stuffs purchased in Paris area. <i>Medical Mycology</i> , 2019 , 57, 739-744	3.9	5
156	Intradermal Infection by Chigger Mites (Endotrombicula Madagascariensis) in a Group of Mantella Baroni Frogs Illegally Imported From Madagascar. <i>Journal of Exotic Pet Medicine</i> , 2019 , 29, 131-135	0.6	
155	Non-Histaminergic Itch Mediators Elevated in the Skin of a Porcine Model of Scabies and of Human Scabies Patients. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 971-973	4.3	16

154	Prevention of canine ocular thelaziosis (Thelazia callipaeda) with a combination of milbemycin oxime and afoxolaner (Nexgard Spectra) in endemic areas in France and Spain. <i>Parasite</i> , 2019 , 26, 1	3	15
153	Investigation of the Relationships Between Clinical and Environmental Isolates of Aspergillus fumigatus by Multiple-locus Variable Number Tandem Repeat Analysis During Major Demolition Work in a French Hospital. <i>Clinical Infectious Diseases</i> , 2019 , 68, 321-329	11.6	10
152	Questionnaire-based survey on distribution of canine ocular thelaziosis in southwestern France. <i>Veterinary Parasitology</i> , 2018 , 253, 26-29	2.8	4
151	Occurrence and species distribution of pathogenic Mucorales in unselected soil samples from France. <i>Medical Mycology</i> , 2018 , 56, 315-321	3.9	12
150	Fungal infections in animals: a patchwork of different situations. <i>Medical Mycology</i> , 2018 , 56, 165-187	3.9	66
149	Histoplasmosis in Animals 2018 , 115-128		2
148	Analysis of Dipylidium caninum tapeworms from dogs and cats, or their respective fleas - Part 1. Molecular characterization of Dipylidium caninum: genetic analysis supporting two distinct species adapted to dogs and cats. <i>Parasite</i> , 2018 , 25, 30	3	16
147	Distribution of Pathogens and Outbreak Fungi in the Fungal Kingdom 2018 , 3-16		6
146	Common and Emerging Dermatophytoses in Animals: Well-Known and New Threats 2018 , 31-79		17
145	Interactions of and in an Mixed Biofilm Model: Does the Strain Matter?. <i>Frontiers in Microbiology</i> , 2018 , 9, 2850	5.7	14
144	Efficacy of two formulations of afoxolaner (NexGard① and NexGard Spectra①) for the treatment of generalised demodicosis in dogs, in veterinary dermatology referral centers in Europe. <i>Parasites and Vectors</i> , 2018 , 11, 506	4	15
143	Efficacy and Pharmacokinetics Evaluation of a Single Oral Dose of Afoxolaner against Sarcoptes scabiei in the Porcine Scabies Model for Human Infestation. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	14
142	Usefulness of a topical combination of dinotefuran and pyriproxyfen for long-term control of clinical signs of allergic dermatitis in privately-owned cats in Ile-de-France region. <i>Parasites and Vectors</i> , 2017 , 10, 392	4	1
141	Experimental induction of mycotic plaques in the guttural pouches of horses. <i>Medical Mycology</i> , 2017 , 55, 308-313	3.9	6
140	Risk factor analysis of equine strongyle resistance to anthelmintics. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2017 , 7, 407-415	4	12
139	Fifth European Dirofilaria and Angiostrongylus Days (FiEDAD) 2016. Parasites and Vectors, 2017, 10,	4	3
138	Monitoring of clinical strains and environmental fungal aerocontamination to prevent invasive aspergillosis infections in hospital during large deconstruction work: a protocol study. <i>BMJ Open</i> , 2017 , 7, e018109	3	5
137	Les modles animaux de la gale : quels sont-ils? Permettront-t-ils de d'ouvrir de nouvelles stratgies thfapeutiques?. <i>Bulletin De Lh</i> Academie Nationale De Medecine, 2017 , 201, 147-155	0.1	

(2015-2017)

136	Methodological Issues in Antifungal Susceptibility Testing of Malassezia pachydermatis. <i>Journal of Fungi (Basel, Switzerland)</i> , 2017 , 3,	5.6	9
135	Sarcoptes scabiei : quel est ce parasite? Comment se transmet-il et quelle pourrait E re son origine?. <i>Bulletin De Lh</i> Academie Nationale De Medecine, 2017 , 201, 129-141	0.1	
134	Keratomycosis in a pet rabbit (Oryctolagus cuniculus) treated with topical 1% terbinafine ointment. <i>Veterinary Ophthalmology</i> , 2016 , 19, 504-509	1.4	10
133	Open field study on the efficacy of oral fluralaner for long-term control of flea allergy dermatitis in client-owned dogs in Ile-de-France region. <i>Parasites and Vectors</i> , 2016 , 9, 174	4	11
132	Barcoding markers for Pneumocystis species in wildlife. Fungal Biology, 2016, 120, 191-206	2.8	12
131	Major Parasitic Zoonoses Associated with Dogs and Cats in Europe. <i>Journal of Comparative Pathology</i> , 2016 , 155, S54-74	1	73
130	Preclinical Study of Single-Dose Moxidectin, a New Oral Treatment for Scabies: Efficacy, Safety, and Pharmacokinetics Compared to Two-Dose Ivermectin in a Porcine Model. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0005030	4.8	46
129	Characteristics of Aspergillus fumigatus in Association with Stenotrophomonas maltophilia in an In Vitro Model of Mixed Biofilm. <i>PLoS ONE</i> , 2016 , 11, e0166325	3.7	20
128	Use of a modified hair strand test to assess the antifungal activity kinetics of dog hair after a 2% climbazole shampoo application. <i>Veterinary Dermatology</i> , 2016 , 27, 148-e38	1.8	1
127	In vitro activity of ten essential oils against Sarcoptes scabiei. <i>Parasites and Vectors</i> , 2016 , 9, 594	4	23
126	Are humans the initial source of canine mange?. <i>Parasites and Vectors</i> , 2016 , 9, 177	4	5
126	Are humans the initial source of canine mange?. <i>Parasites and Vectors</i> , 2016 , 9, 177 Dermoscopy and confocal microscopy for in vivo detection and characterization of Dermanyssus gallinae mite. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, e15-6	4 4.5	12
	Dermoscopy and confocal microscopy for in vivo detection and characterization of Dermanyssus		
125	Dermoscopy and confocal microscopy for in vivo detection and characterization of Dermanyssus gallinae mite. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, e15-6 Neglected fungal zoonoses: hidden threats to man and animals. <i>Clinical Microbiology and Infection</i> ,	4.5	12
125	Dermoscopy and confocal microscopy for in vivo detection and characterization of Dermanyssus gallinae mite. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, e15-6 Neglected fungal zoonoses: hidden threats to man and animals. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 416-25 Wombats acquired scabies from humans and/or dogs from outside Australia. <i>Parasitology Research</i> ,	4·5 9·5	12 32
125 124 123	Dermoscopy and confocal microscopy for in vivo detection and characterization of Dermanyssus gallinae mite. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, e15-6 Neglected fungal zoonoses: hidden threats to man and animals. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 416-25 Wombats acquired scabies from humans and/or dogs from outside Australia. <i>Parasitology Research</i> , 2015 , 114, 2079-83 Comparative evaluation of the prophylactic activity of a slow-release insecticide collar and a moxidectin spot-on formulation against Thelazia callipaeda infection in naturally exposed dogs in	4·5 9·5 2·4	12 32 11
125 124 123	Dermoscopy and confocal microscopy for in vivo detection and characterization of Dermanyssus gallinae mite. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, e15-6 Neglected fungal zoonoses: hidden threats to man and animals. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 416-25 Wombats acquired scabies from humans and/or dogs from outside Australia. <i>Parasitology Research</i> , 2015 , 114, 2079-83 Comparative evaluation of the prophylactic activity of a slow-release insecticide collar and a moxidectin spot-on formulation against Thelazia callipaeda infection in naturally exposed dogs in France. <i>Parasites and Vectors</i> , 2015 , 8, 93 Intestinal Helminths of Wild Bonobos in Forest-Savanna Mosaic: Risk Assessment of Cross-Species	4·5 9·5 2·4	12 32 11 15

118	Sarcoptes scabiei mites in humans are distributed into three genetically distinct clades. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 1107-14	9.5	18
117	Aspergillus and aspergilloses in wild and domestic animals: a global health concern with parallels to human disease. <i>Medical Mycology</i> , 2015 , 53, 765-97	3.9	111
116	Efficacy assessment of biocides or repellents for the control of Sarcoptes scabiei in the environment. <i>Parasites and Vectors</i> , 2015 , 8, 416	4	8
115	cyp51A gene silencing using RNA interference in azole-resistant Aspergillus fumigatus. <i>Mycoses</i> , 2015 , 58, 699-706	5.2	11
114	Prospective evaluation of azole resistance in Aspergillus fumigatus clinical isolates in France. <i>Medical Mycology</i> , 2015 , 53, 593-6	3.9	28
113	Rle des animaux vertbrs dans la transmission des champignons dermatophytes pathoglies pour lilomme. <i>Revue Francophone Des Laboratoires</i> , 2015 , 2015, 53-60	O	
112	Efficacy of a 2% climbazole shampoo for reducing Malassezia population sizes on the skin of naturally infected dogs. <i>Journal De Mycologie Medicale</i> , 2015 , 25, 268-73	3	10
111	Nodular Worm Infections in Wild Non-human Primates and Humans Living in the Sebitoli Area (Kibale National Park, Uganda): Do High Spatial Proximity Favor Zoonotic Transmission?. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0004133	4.8	23
110	What do Pneumocystis organisms tell us about the phylogeography of their hosts? The case of the woodmouse Apodemus sylvaticus in continental Europe and western Mediterranean islands. <i>PLoS ONE</i> , 2015 , 10, e0120839	3.7	12
109	Parasites of domestic owned cats in Europe: co-infestations and risk factors. <i>Parasites and Vectors</i> , 2014 , 7, 291	4	104
109		6.4	104
ĺ	2014 , 7, 291		
108	2014, 7, 291 Flea control failure? Myths and realities. <i>Trends in Parasitology</i> , 2014, 30, 228-33 Mutations in the Cyp51A gene and susceptibility to itraconazole in Aspergillus fumigatus isolated	6.4	56
108	Flea control failure? Myths and realities. <i>Trends in Parasitology</i> , 2014 , 30, 228-33 Mutations in the Cyp51A gene and susceptibility to itraconazole in Aspergillus fumigatus isolated from avian farms in France and China. <i>Poultry Science</i> , 2014 , 93, 12-5 Questionnaire-based survey on the distribution and incidence of canine babesiosis in countries of	6.4 3.9	56
108 107 106	Flea control failure? Myths and realities. <i>Trends in Parasitology</i> , 2014 , 30, 228-33 Mutations in the Cyp51A gene and susceptibility to itraconazole in Aspergillus fumigatus isolated from avian farms in France and China. <i>Poultry Science</i> , 2014 , 93, 12-5 Questionnaire-based survey on the distribution and incidence of canine babesiosis in countries of Western Europe. <i>Parasite</i> , 2014 , 21, 13 Assessment of Aspergillus fumigatus burden in lungs of intratracheally-challenged turkeys (Meleagris gallopavo) by quantitative PCR, galactomannan enzyme immunoassay, and quantitative	3.9	56 15 20
108 107 106	Flea control failure? Myths and realities. <i>Trends in Parasitology</i> , 2014 , 30, 228-33 Mutations in the Cyp51A gene and susceptibility to itraconazole in Aspergillus fumigatus isolated from avian farms in France and China. <i>Poultry Science</i> , 2014 , 93, 12-5 Questionnaire-based survey on the distribution and incidence of canine babesiosis in countries of Western Europe. <i>Parasite</i> , 2014 , 21, 13 Assessment of Aspergillus fumigatus burden in lungs of intratracheally-challenged turkeys (Meleagris gallopavo) by quantitative PCR, galactomannan enzyme immunoassay, and quantitative culture. <i>Comparative Immunology</i> , <i>Microbiology and Infectious Diseases</i> , 2014 , 37, 271-9 Conjunctival and cutaneous fungal flora in clinically normal dogs in southern France. <i>Journal De</i>	6.4 3.9 3	56 15 20
108 107 106 105	Flea control failure? Myths and realities. <i>Trends in Parasitology</i> , 2014 , 30, 228-33 Mutations in the Cyp51A gene and susceptibility to itraconazole in Aspergillus fumigatus isolated from avian farms in France and China. <i>Poultry Science</i> , 2014 , 93, 12-5 Questionnaire-based survey on the distribution and incidence of canine babesiosis in countries of Western Europe. <i>Parasite</i> , 2014 , 21, 13 Assessment of Aspergillus fumigatus burden in lungs of intratracheally-challenged turkeys (Meleagris gallopavo) by quantitative PCR, galactomannan enzyme immunoassay, and quantitative culture. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2014 , 37, 271-9 Conjunctival and cutaneous fungal flora in clinically normal dogs in southern France. <i>Journal De Mycologie Medicale</i> , 2014 , 24, 25-8 Questionnaire-based survey on distribution and clinical incidence of canine babesiosis in France.	6.4 3.9 3 2.6	56 15 20 11

(2011-2013)

100	Assessment of Aspergillus fumigatus pathogenicity in aerosol-challenged chickens (Gallus gallus) belonging to two lineages. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2013 , 36, 379	- 8 5	10
99	Generalized dermatitis associated with Malassezia overgrowth in cats: A report of six cases in France. <i>Medical Mycology Case Reports</i> , 2013 , 2, 59-62	1.7	2
98	Dandruff is associated with disequilibrium in the proportion of the major bacterial and fungal populations colonizing the scalp. <i>PLoS ONE</i> , 2013 , 8, e58203	3.7	103
97	Trichophyton bullosum: a new zoonotic dermatophyte species. <i>Medical Mycology</i> , 2012 , 50, 305-9	3.9	21
96	Molecular characterization of Ancylostoma braziliense larvae in a patient with hookworm-related cutaneous larva migrans. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012 , 86, 843-5	3.2	8
95	Seasonal effects on great ape health: a case study of wild chimpanzees and Western gorillas. <i>PLoS ONE</i> , 2012 , 7, e49805	3.7	32
94	Characterizing Pneumocystis in the lungs of bats: understanding Pneumocystis evolution and the spread of Pneumocystis organisms in mammal populations. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 8122-36	4.8	24
93	Defining the concept of 'tick repellency' in veterinary medicine. <i>Parasitology</i> , 2012 , 139, 419-23	2.7	39
92	Simple and highly discriminatory VNTR-based multiplex PCR for tracing sources of Aspergillus flavus isolates. <i>PLoS ONE</i> , 2012 , 7, e44204	3.7	14
91	First description of onychomycosis caused by Chrysosporium keratinophilum in captive Bennett's wallabies (Macropus rufogriseus rufogriseus). <i>Journal of Zoo and Wildlife Medicine</i> , 2011 , 42, 156-9	0.9	4
90	Relative efficiencies of two air sampling methods and three culture conditions for the assessment of airborne culturable fungi in a poultry farmhouse in France. <i>Environmental Research</i> , 2011 , 111, 248-53	3 ^{7.9}	18
89	Phylogenetic analysis of Pneumocystis from pig lungs obtained from slaughterhouses in southern and midwestern regions of Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2011 , 63, 1154	-P1359	4
88	Malassezia dermatitis in dogs in Brazil: diagnosis, evaluation of clinical signs and molecular identification. <i>Veterinary Dermatology</i> , 2011 , 22, 46-52	1.8	9
87	Physiological and molecular characterization of atypical lipid-dependent Malassezia yeasts from a dog with skin lesions: adaptation to a new host?. <i>Medical Mycology</i> , 2011 , 49, 365-74	3.9	20
86	Aspergillus fumigatus in Poultry. International Journal of Microbiology, 2011, 2011, 746356	3.6	64
85	Immunohistochemical and ultra-structural detection of Pneumocystis in wild boars (Sus scrofa) co-infected with porcine circovirus type 2 (PCV2) in Southern Brazil. <i>Medical Mycology</i> , 2011 , 49, 172-5	3.9	8
84	Les nînatodes du genre Oesophagostomum. Un risque înergent pour l i lomme et les grands singes en Afrique ?. <i>Bulletin De Lh</i> Academie Nationale De Medecine, 2011 , 195, 1955-1963	0.1	1
83	Les grands singes : qui sont-ils ? Sont-ils capables dautomàlication ?. <i>Bulletin De Lh</i> Academie Nationale De Medecine, 2011 , 195, 1927-1944	0.1	1

82	Molecular monitoring of fungal communities in air samples by denaturing high-performance liquid chromatography (D-HPLC). <i>Journal of Applied Microbiology</i> , 2010 , 109, 910-7	4.7	6
81	Nodular worm infection in wild chimpanzees in Western Uganda: a risk for human health?. <i>PLoS Neglected Tropical Diseases</i> , 2010 , 4, e630	4.8	33
80	Ocular thelaziosis in dogs, France. <i>Emerging Infectious Diseases</i> , 2010 , 16, 1943-5	10.2	30
79	Fungal rhinosinusitis caused by Scedosporium apiospermum in a cat. <i>Journal of Feline Medicine and Surgery</i> , 2010 , 12, 967-71	2.3	4
78	Epidemiology of Malassezia-Related Skin Diseases 2010 , 65-119		33
77	Malassezia Yeasts in Animal Disease 2010 , 271-299		18
76	Practical aspects of equine parasite control: a review based upon a workshop discussion consensus. <i>Equine Veterinary Journal</i> , 2010 , 42, 460-8	2.4	28
75	Multiple-locus variable-number tandem repeat analysis for molecular typing of Aspergillus fumigatus. <i>BMC Microbiology</i> , 2010 , 10, 315	4.5	20
74	Pneumocystis diversity as a phylogeographic tool. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009 , 104, 112-	7 2.6	12
73	Osteomyelitis and discospondylitis due to Scedosporium apiospermum in a dog. <i>Journal of Veterinary Diagnostic Investigation</i> , 2009 , 21, 120-3	1.5	20
7 ²	Effects of conidia of various Aspergillus species on apoptosis of human pneumocytes and bronchial epithelial cells. <i>Mycopathologia</i> , 2009 , 167, 249-62	2.9	13
71	Evidence-based veterinary dermatology: a systematic review of interventions for Malassezia dermatitis in dogs. <i>Veterinary Dermatology</i> , 2009 , 20, 1-12	1.8	68
70	Spinal cryptococcoma in an immunocompetent cat. <i>Journal of Comparative Pathology</i> , 2008 , 139, 246-5	11	20
69	Dermatophytoses in animals. <i>Mycopathologia</i> , 2008 , 166, 385-405	2.9	141
68	Pneumocystis species, co-evolution and pathogenic power. <i>Infection, Genetics and Evolution</i> , 2008 , 8, 708-26	4.5	85
67	Clinical and pathologic manifestation of oesophagostomosis in African great apes: does self-medication in wild apes influence disease progression?. <i>Journal of Medical Primatology</i> , 2008 , 37, 188-95	0.7	50
66	The genus Malassezia: old facts and new concepts. <i>Parassitologia</i> , 2008 , 50, 77-9		19
65	Multilocus mutation scanning for the analysis of genetic variation within Malassezia (Basidiomycota: Malasseziales). <i>Electrophoresis</i> , 2007 , 28, 1176-80	3.6	11

(2005-2007)

64	Reliability of coprological diagnosis of Paramphistomum sp. infection in cows. <i>Veterinary Parasitology</i> , 2007 , 146, 249-53	2.8	20
63	Lymphocutaneous and nasal sporotrichosis in a dog from southern Italy: case report. <i>Mycopathologia</i> , 2007 , 163, 75-9	2.9	23
62	Phylogenetic analysis of Trichophyton mentagrophytes human and animal isolates based on MnSOD and ITS sequence comparison. <i>Microbiology (United Kingdom)</i> , 2007 , 153, 3466-3477	2.9	31
61	Clinical, mycological and pathological findings in turkeys experimentally infected by Aspergillus fumigatus. <i>Avian Pathology</i> , 2007 , 36, 213-9	2.4	18
60	Molecular characterization of Malassezia isolates from dogs using three distinct genetic markers in nuclear DNA. <i>Molecular and Cellular Probes</i> , 2007 , 21, 229-38	3.3	29
59	Evaluation of fungal aerosols using Temporal Temperature Gradient Electrophoresis (TTGE) and comparison with culture. <i>Journal of Microbiological Methods</i> , 2007 , 70, 86-95	2.8	9
58	Detection of Pneumocystis spp. in lung samples from pigs in Brazil. <i>Medical Mycology</i> , 2007 , 45, 395-9	3.9	17
57	Aspergillus fumigatus conidia inhibit tumour necrosis factor- or staurosporine-induced apoptosis in epithelial cells. <i>International Immunology</i> , 2006 , 18, 139-50	4.9	44
56	Evolution of the environmental contamination by thermophilic fungi in a turkey confinement house in France. <i>Poultry Science</i> , 2006 , 85, 1875-80	3.9	24
55	Pneumocystis oryctolagi sp. nov., an uncultured fungus causing pneumonia in rabbits at weaning: review of current knowledge, and description of a new taxon on genotypic, phylogenetic and phenotypic bases. <i>FEMS Microbiology Reviews</i> , 2006 , 30, 853-71	15.1	61
54	Isolation of Microsporum canis from the hair coat of pet dogs and cats belonging to owners diagnosed with M. canis tinea corporis. <i>Veterinary Dermatology</i> , 2006 , 17, 327-31	1.8	66
53	Prevalence of anti-Toxoplasma gondii antibodies in serum and aqueous humor samples from cats with uveitis or systemic diseases in France. <i>Veterinary Parasitology</i> , 2006 , 138, 362-5	2.8	4
52	Plants Consumed by Eulemur fulvus in Comoros Islands (Mayotte) and Potential Effects on Intestinal Parasites. <i>International Journal of Primatology</i> , 2006 , 27, 1495-1517	2	9
51	Disseminated acute concomitant aspergillosis and mucormycosis in a pony. <i>Transboundary and Emerging Diseases</i> , 2005 , 52, 121-4		25
50	Noninvasive Monitoring of the Health of Pan troglodytes schweinfurthii in the Kibale National Park, Uganda. <i>International Journal of Primatology</i> , 2005 , 26, 467-490	2	67
49	Frequency, body distribution, and population size of Malassezia species in healthy dogs and in dogs with localized cutaneous lesions. <i>Journal of Veterinary Diagnostic Investigation</i> , 2005 , 17, 316-22	1.5	45
48	Molecular and serological evidence of Pneumocystis circulation in a social organization of healthy macaques (Macaca fascicularis). <i>Microbiology (United Kingdom)</i> , 2005 , 151, 3117-3125	2.9	22
47	Pythiosis in Africa. <i>Emerging Infectious Diseases</i> , 2005 , 11, 479-81	10.2	34

46	SUBCUTANEOUS IVERMECTIN AS A SAFE SALVAGE THERAPY IN STRONGYLOIDES STERCORALIS HYPERINFECTION SYNDROME: A CASE REPORT. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005 , 73, 122-124	3.2	49
45	Subcutaneous ivermectin as a safe salvage therapy in Strongyloides stercoralis hyperinfection syndrome: a case report. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005 , 73, 122-4	3.2	15
44	Bartonella chomelii sp. nov., isolated from French domestic cattle (Bos taurus). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 215-220	2.2	52
43	Role of Hippoboscidae flies as potential vectors of Bartonella spp. infecting wild and domestic ruminants. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 6302-5	4.8	124
42	Eumycetoma caused by Cladophialophora bantiana in a dog. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 4901-3	9.7	23
41	Frequency of intravascular catheter colonization by Malassezia spp. in adult patients. <i>Mycoses</i> , 2004 , 47, 491-4	5.2	31
40	Phylogenetic relationships among Pneumocystis from Asian macaques inferred from mitochondrial rRNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2004 , 31, 988-96	4.1	16
39	Phylogenetic systematics and evolution of primate-derived Pneumocystis based on mitochondrial or nuclear DNA sequence comparison. <i>Systematic Biology</i> , 2003 , 52, 735-44	8.4	33
38	Fatal systemic phaeohyphomycosis in a cat due to Cladophialophora bantiana. <i>Transboundary and Emerging Diseases</i> , 2003 , 50, 50-3		32
37	Comparative efficacies of oral ketoconazole and terbinafine for reducing Malassezia population sizes on the skin of Basset Hounds. <i>Veterinary Dermatology</i> , 2003 , 14, 153-7	1.8	32
36	Influence of climatic factors on Pneumocystis carriage within a socially organized group of immunocompetent macaques (Macaca fascicularis). <i>Journal of Eukaryotic Microbiology</i> , 2003 , 50 Suppl, 611-3	3.6	13
35	Development of a real-time PCR-based fluorescence assay for rapid detection of point mutations in Pneumocystis jirovecii dihydropteroate synthase gene. <i>Journal of Eukaryotic Microbiology</i> , 2003 , 50 Suppl, 658-60	3.6	2
34	Pneumocystis jirovecii dihydropteroate synthase genotypes in French patients with pneumocystosis: a 1998-2001 prospective study. <i>Medical Mycology</i> , 2003 , 41, 533-7	3.9	12
33	Assessment of Pneumocystis species carriage in captive primates. <i>Veterinary Record</i> , 2003 , 152, 811-3	0.9	13
32	Differentiation between isolates of Aspergillus fumigatus from breeding turkeys and their environment by genotyping with microsatellite markers. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 1798	s-8 <u>0</u> 0	31
31	Comparison of two sampling techniques to assess quantity and distribution of Malassezia yeasts on the skin of Basset Hounds. <i>Veterinary Dermatology</i> , 2002 , 13, 237-41	1.8	32
30	Risques parasitaires li§ aux aliments d'origine animale. <i>Revue Francaise Des Laboratoires</i> , 2002 , 2002, 71-89		1
29	Absence of mutations associated with sulfa resistance in Pneumocystis carinii dihydropteroate synthase gene from non-human primates. <i>Medical Mycology</i> , 2002 , 40, 315-8	3.9	8

28	Evaluation of the efficacy of oral lufenuron combined with topical enilconazole for the management of dermatophytosis in catteries. <i>Veterinary Record</i> , 2002 , 150, 714-8	0.9	28
27	Absence of mutations associated with sulfa resistance in Pneumocystis carinii dihydropteroate synthase gene from non-human primates. <i>Medical Mycology</i> , 2002 , 40, 315-318	3.9	3
26	Evaluation of the dermatophyte test medium RapidVet-D. Veterinary Dermatology, 2001, 12, 123-7	1.8	20
25	Parallel phylogenies of Pneumocystis species and their mammalian hosts. <i>Journal of Eukaryotic Microbiology</i> , 2001 , Suppl, 113S-115S	3.6	39
24	Phylogeny of Pneumocystis carinii from 18 primate species confirms host specificity and suggests coevolution. <i>Journal of Clinical Microbiology</i> , 2001 , 39, 2126-33	9.7	101
23	Comments on PCR-RFLP as an original technique to detect point mutations in the Pneumocystis carinii DHPS gene. <i>Scandinavian Journal of Infectious Diseases</i> , 2001 , 33, 396		O
22	Two cases of equine mucormycosis caused by Absidia corymbifera. <i>Equine Veterinary Journal</i> , 2000 , 32, 453-6	2.4	22
21	A single PCR-restriction endonuclease analysis for rapid identification of Malassezia species. <i>Letters in Applied Microbiology</i> , 2000 , 31, 400-3	2.9	48
20	Taxonomic and phylogenetic analysis of Saprolegniaceae (Oomycetes) inferred from LSU rDNA and ITS sequence comparisons. <i>Antonie Van Leeuwenhoek</i> , 2000 , 77, 369-77	2.1	61
19	Fungal flora on cutaneous and mucosal surfaces of cats infected with feline immunodeficiency virus or feline leukemia virus. <i>American Journal of Veterinary Research</i> , 2000 , 61, 158-61	1.1	59
18	Identification of Malassezia species isolated from patients with seborrhoeic dermatitis, atopic dermatitis, pityriasis versicolor and normal subjects. <i>Medical Mycology</i> , 2000 , 38, 337-41	3.9	216
17	Identification of Malassezia species isolated from patients with seborrhoeic dermatitis, atopic dermatitis, pityriasis versicolor and normal subjects. <i>Medical Mycology</i> , 2000 , 38, 337-341	3.9	14
16	Malassezia pachydermatis: a review. <i>Medical Mycology</i> , 1999 , 37, 295-306	3.9	122
15	Comparative study of serological tests for the diagnosis of equine aspergillosis. <i>Veterinary Record</i> , 1999 , 145, 348-9	0.9	18
14	Genetic diversity in the yeast species Malassezia pachydermatis analysed by multilocus enzyme electrophoresis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999 , 49 Pt 3, 1287-	94 ^{2.2}	21
13	Le diagnostic biologique des mycoses animales. <i>Revue Francaise Des Laboratoires</i> , 1999 , 1999, 57-64		
12	Comments on Malassezia species from dogs and cats. <i>Mycoses</i> , 1999 , 42, 673-4	5.2	11
11	Antifungal Activity of Selected Essential Oils, Cinnamaldehyde and Carvacrol against Malassezia furfur and Candida albicans. <i>Journal of Essential Oil Research</i> , 1999 , 11, 119-129	2.3	59

10	Impaction versus filtration for the detection of Pneumocystis carinii DNA in air. <i>Journal of Eukaryotic Microbiology</i> , 1999 , 46, 94S	3.6	5
9	Acquisition and biodiversity of Pneumocystis carinii in a colony of wild rabbits (Oryctolagus cuniculus). <i>Journal of Eukaryotic Microbiology</i> , 1999 , 46, 100S-101S	3.6	6
8	Contribution of dihydropteroate synthase gene typing for Pneumocystis carinii f.sp. hominis epidemiology. <i>Journal of Eukaryotic Microbiology</i> , 1999 , 46, 133S-134S	3.6	15
7	Dermatitis caused by Malassezia pachydermatis in a California sea lion (Zalophus californianus). <i>Veterinary Record</i> , 1998 , 142, 311-2	0.9	29
6	Usefulness of modified Dixon's medium for quantitative culture of Malassezia species from canine skin. <i>Journal of Veterinary Diagnostic Investigation</i> , 1998 , 10, 384-6	1.5	30
5	Epidemiological analysis of Malassezia pachydermatis isolates by partial sequencing of the large subunit ribosomal RNA. <i>Research in Veterinary Science</i> , 1997 , 62, 22-5	2.5	56
4	Cultivation of rabbit Pneumocystis carinii on cells derived from rabbit (Oryctolagus cuniculus). <i>Journal of Eukaryotic Microbiology</i> , 1997 , 44, 22S	3.6	1
3	The genus Malassezia with description of four new species. <i>Antonie Van Leeuwenhoek</i> , 1996 , 69, 337-55	2.1	464
2	Confirmation of the nomenclatural status of Malassezia pachydermatis. <i>Antonie Van Leeuwenhoek</i> , 1995 , 67, 173-6	2.1	26
1	The diversity of Malassezia yeasts confirmed by rRNA sequence and nuclear DNA comparisons. <i>Antonie Van Leeuwenhoek</i> , 1995 , 67, 297-314	2.1	139