Eva Klingberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/889418/publications.pdf

Version: 2024-02-01

48 papers

1,559 citations

393982 19 h-index 395343 33 g-index

51 all docs

51 docs citations

times ranked

51

2193 citing authors

#	Article	IF	CITATIONS
1	Osteoporosis in ankylosing spondylitis - prevalence, risk factors and methods of assessment. Arthritis Research and Therapy, 2012, 14, R108.	1.6	150
2	Seasonal variations in serum 25-hydroxy vitamin D levels in a Swedish cohort. Endocrine, 2015, 49, 800-808.	1.1	143
3	Are ankylosing spondylitis, psoriatic arthritis and undifferentiated spondyloarthritis associated with an increased risk of cardiovascular events? A prospective nationwide population-based cohort study. Arthritis Research and Therapy, 2017, 19, 102.	1.6	111
4	Vertebral Fractures in Ankylosing Spondylitis Are Associated with Lower Bone Mineral Density in Both Central and Peripheral Skeleton. Journal of Rheumatology, 2012, 39, 1987-1995.	1.0	99
5	Weight loss improves disease activity in patients with psoriatic arthritis and obesity: an interventional study. Arthritis Research and Therapy, 2019, 21, 17.	1.6	92
6	Bone microarchitecture in ankylosing spondylitis and the association with bone mineral density, fractures, and syndesmophytes. Arthritis Research and Therapy, 2013, 15, R179.	1.6	89
7	Association Between Tumor Necrosis Factor Inhibitors and the Risk of Hospitalization or Death Among Patients With Immune-Mediated Inflammatory Disease and COVID-19. JAMA Network Open, 2021, 4, e2129639.	2.8	86
8	Calprotectin in ankylosing spondylitis – frequently elevated in feces, but normal in serum. Scandinavian Journal of Gastroenterology, 2012, 47, 435-444.	0.6	79
9	Biomarkers of Bone Metabolism in Ankylosing Spondylitis in Relation to Osteoproliferation and Osteoporosis. Journal of Rheumatology, 2014, 41, 1349-1356.	1.0	75
10	A longitudinal study of fecal calprotectin and the development of inflammatory bowel disease in ankylosing spondylitis. Arthritis Research and Therapy, 2017, 19, 21.	1.6	68
11	A five-year prospective study of spinal radiographic progression and its predictors in men and women with ankylosing spondylitis. Arthritis Research and Therapy, 2018, 20, 162.	1.6	60
12	A distinct gut microbiota composition in patients with ankylosing spondylitis is associated with increased levels of fecal calprotectin. Arthritis Research and Therapy, 2019, 21, 248.	1.6	59
13	Aortic Regurgitation Is Common in Ankylosing Spondylitis: Time for Routine Echocardiography Evaluation?. American Journal of Medicine, 2015, 128, 1244-1250.e1.	0.6	56
14	Factors related to health-related quality of life in ankylosing spondylitis, overall and stratified by sex. Arthritis Research and Therapy, 2018, 20, 284.	1.6	55
15	Genetic variants in <i>CARD8</i> but not in <i>NLRP3</i> are associated with ankylosing spondylitis. Scandinavian Journal of Rheumatology, 2013, 42, 465-468.	0.6	36
16	Cardiac conduction system abnormalities in ankylosing spondylitis: a cross-sectional study. BMC Musculoskeletal Disorders, 2013, 14, 237.	0.8	35
17	The variation in free 25-hydroxy vitamin D and vitamin D-binding protein with season and vitamin D status. Endocrine Connections, 2017, 6, 111-120.	0.8	35
18	Which measuring site in ankylosing spondylitis is best to detect bone loss and what predicts the decline: results from a 5-year prospective study. Arthritis Research and Therapy, 2017, 19, 273.	1.6	34

#	Article	IF	Citations
19	Risk of cardiac rhythm disturbances and aortic regurgitation in different spondyloarthritis subtypes in comparison with general population: a register-based study from Sweden. Annals of the Rheumatic Diseases, 2018, 77, 541-548.	0.5	34
20	Weight loss is associated with sustained improvement of disease activity and cardiovascular risk factors in patients with psoriatic arthritis and obesity: a prospective intervention study with two years of follow-up. Arthritis Research and Therapy, 2020, 22, 254.	1.6	23
21	Incidence of extra-articular manifestations in ankylosing spondylitis, psoriatic arthritis and undifferentiated spondyloarthritis: results from a national register-based cohort study. Rheumatology, 2021, 60, 2725-2734.	0.9	19
22	The vitamin D status in ankylosing spondylitis in relation to intestinal inflammation, disease activity, and bone health: a cross-sectional study. Osteoporosis International, 2016, 27, 2027-2033.	1.3	18
23	Cardiovascular risk factors are highly overrepresented in Swedish patients with psoriatic arthritis compared with the general population. Scandinavian Journal of Rheumatology, 2020, 49, 195-199.	0.6	17
24	The use of complementary and alternative medicine in outpatients with inflammatory rheumatic diseases in Sweden. Scandinavian Journal of Rheumatology, 2009, 38, 472-480.	0.6	16
25	Hepatocyte growth factor is a potential biomarker for osteoproliferation and osteoporosis in ankylosing spondylitis. Osteoporosis International, 2019, 30, 441-449.	1.3	16
26	Cardiovascular risk factors in gout, psoriatic arthritis, rheumatoid arthritis and ankylosing spondylitis: a cross-sectional survey of patients in Western Sweden. RMD Open, 2021, 7, e001568.	1.8	12
27	Cardiac conduction disturbances in patients with ankylosing spondylitis: results from a 5-year follow-up cohort study. RMD Open, 2019, 5, e001053.	1.8	11
28	Distinctive gut microbiomes of ankylosing spondylitis and inflammatory bowel disease patients suggest differing roles in pathogenesis and correlate with disease activity. Arthritis Research and Therapy, 2022, 24, .	1.6	9
29	Validity of clinical psoriatic arthritis diagnoses made by rheumatologists in the Swedish National Patient Register. Scandinavian Journal of Rheumatology, 2023, 52, 374-384.	0.6	7
30	Factors associated with changes in volumetric bone mineral density and cortical area in men with ankylosing spondylitis: a 5-year prospective study using HRpQCT Osteoporosis International, 2021, , 1.	1.3	5
31	Elevated serum level of hepatocyte growth factor predicts development of new syndesmophytes in men with ankylosing spondylitis. Rheumatology, 2021, 60, 1804-1813.	0.9	3
32	The impact of a structured weight-loss treatment on physical fitness in patients with psoriatic arthritis and obesity compared to matched controls: a prospective interventional study. Clinical Rheumatology, 2022, 41, 2745-2754.	1.0	3
33	THU0374â€A Longitudinal Study of Gut Inflammation and The Development of Inflammatory Bowel Disease in Ankylosing Spondylitis. Annals of the Rheumatic Diseases, 2016, 75, 322.2-322.	0.5	1
34	OP0240â€How strong are the associations of spondyloarthritis-related comorbidities with ankylosing spondylitis, psoriatic arthritis and undifferentiated spondyloarthritis? a register-based study from sweden., 2017,,.		1
35	FRI0244â \in Life style factors and comorbidities in gout patients compared to the general population. , 2018, , .		1
36	OP0008â€SUSTAINED LOW DISEASE ACTIVITY AFTER WEIGHT LOSS TREATMENT IN PATIENTS WITH PSORIATIC ARTHRITIS AND OBESITY; A 12-MONTHS FOLLOW-UP. , 2019, , .	:	1

#	Article	IF	CITATIONS
37	THU0271â€Increase in bone mineral density and decrease in WNT3A, OPG, CTX-I and osteocalcin in patients with ankylosing spondylitis treated with alendronate. Annals of the Rheumatic Diseases, 2013, 71, 246.2-246.	0.5	0
38	SAT0267â€Elevated levels of WNT3A and low levels of DICKKOPF-1 in serum are associated with syndesmophyte formation in ankylosing spondylitis. Annals of the Rheumatic Diseases, 2013, 71, 562.1-562.	0.5	0
39	AB0694â€Hepatocyte Growth Factor is Associated with Osteoproliferation in Male as Patients. Annals of the Rheumatic Diseases, 2014, 73, 1034.1-1034.	0.5	0
40	FRIO492 \hat{a} \in Obesity is highly overrepresented among swedish patients with psoriatic arthritis compared with the general population. , 2017, , .		0
41	SAT0382â€Changes in volumetric bone mineral density and bone microarchitecture in patients with ankylosing spondylitis. a five-year prospective study using hrpqct., 2017,,.		0
42	AB1257â€CARDIOVASCULAR RISK FACTORS IN GOUT COMPARED TO AS, PSA AND RA – RESULTS FROM A QUESTIONNAIRE STUDY. , 2019, , .		0
43	SAT0323â€HEPATOCYTE GROWTH FACTOR IS A PREDICTOR OF DEVELOPMENT OF NEW SYNDESMOPHYTES II MEN WITH ANKYLOSING SPONDYLITIS. A FIVE YEAR PROSPECTIVE STUDY. , 2019, , .	N	0
44	SAT0317 \hat{a} \in INCIDENCE OF EXTRA-ARTICULAR MANIFESTATIONS IN ANKYLOSING SPONDYLITIS, PSORIATIC ARTHRITIS AND UNDIFFERENTIATED SPONDYLOARTHRITIS \hat{a} \in " RESULTS FROM A NATIONAL REGISTER-BASED COHORT STUDY., 2019,,.		0
45	Comment on: Incidence of extra-articular manifestations in AS, PsA and undifferentiated SpA: results from a national register-based cohort study. Reply. Rheumatology, 2021, , .	0.9	0
46	FRIO400â€A Five Year Prospective Study of Spinal Radiographic Progression in Patients with Ankylosing Spondylitis. Annals of the Rheumatic Diseases, 2016, 75, 580.1-580.	0.5	0
47	THU0256â€High disease activity, reduced physical function, long disease duration, fatigue and living without a partner are factors related to worse health related quality of life in ankylosing spondylitis. , 2018, , .		0
48	SAT0735-HPRâ€Sex differences in illness perceptions and self-management in patients with gout. , 2018, , .		0