

# Eva Klingberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/889418/publications.pdf>

Version: 2024-02-01

48  
papers

1,559  
citations

393982

19  
h-index

395343

33  
g-index

51  
all docs

51  
docs citations

51  
times ranked

2193  
citing authors

#	ARTICLE	IF	CITATIONS
1	Validity of clinical psoriatic arthritis diagnoses made by rheumatologists in the Swedish National Patient Register. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 374-384.	0.6	7
2	The impact of a structured weight-loss treatment on physical fitness in patients with psoriatic arthritis and obesity compared to matched controls: a prospective interventional study. <i>Clinical Rheumatology</i> , 2022, 41, 2745-2754.	1.0	3
3	Distinctive gut microbiomes of ankylosing spondylitis and inflammatory bowel disease patients suggest differing roles in pathogenesis and correlate with disease activity. <i>Arthritis Research and Therapy</i> , 2022, 24, .	1.6	9
4	Incidence of extra-articular manifestations in ankylosing spondylitis, psoriatic arthritis and undifferentiated spondyloarthritis: results from a national register-based cohort study. <i>Rheumatology</i> , 2021, 60, 2725-2734.	0.9	19
5	Elevated serum level of hepatocyte growth factor predicts development of new syndesmophytes in men with ankylosing spondylitis. <i>Rheumatology</i> , 2021, 60, 1804-1813.	0.9	3
6	Cardiovascular risk factors in gout, psoriatic arthritis, rheumatoid arthritis and ankylosing spondylitis: a cross-sectional survey of patients in Western Sweden. <i>RMD Open</i> , 2021, 7, e001568.	1.8	12
7	Factors associated with changes in volumetric bone mineral density and cortical area in men with ankylosing spondylitis: a 5-year prospective study using HRpQCT.. <i>Osteoporosis International</i> , 2021, , 1.	1.3	5
8	Comment on: Incidence of extra-articular manifestations in AS, PsA and undifferentiated SpA: results from a national register-based cohort study. Reply. <i>Rheumatology</i> , 2021, , .	0.9	0
9	Association Between Tumor Necrosis Factor Inhibitors and the Risk of Hospitalization or Death Among Patients With Immune-Mediated Inflammatory Disease and COVID-19. <i>JAMA Network Open</i> , 2021, 4, e2129639.	2.8	86
10	Cardiovascular risk factors are highly overrepresented in Swedish patients with psoriatic arthritis compared with the general population. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 195-199.	0.6	17
11	Weight loss is associated with sustained improvement of disease activity and cardiovascular risk factors in patients with psoriatic arthritis and obesity: a prospective intervention study with two years of follow-up. <i>Arthritis Research and Therapy</i> , 2020, 22, 254.	1.6	23
12	AB1257&#x2013;CARDIOVASCULAR RISK FACTORS IN GOUT COMPARED TO AS, PSA AND RA &#x2013; RESULTS FROM A QUESTIONNAIRE STUDY. , 2019, , .		0
13	SAT0323&#x2013;HEPATOCYTE GROWTH FACTOR IS A PREDICTOR OF DEVELOPMENT OF NEW SYNDESMOPHYTES IN MEN WITH ANKYLOSING SPONDYLITIS. A FIVE YEAR PROSPECTIVE STUDY. , 2019, , .		0
14	OP0008&#x2013;SUSTAINED LOW DISEASE ACTIVITY AFTER WEIGHT LOSS TREATMENT IN PATIENTS WITH PSORIATIC ARTHRITIS AND OBESITY; A 12-MONTHS FOLLOW-UP. , 2019, , .		1
15	SAT0317&#x2013;INCIDENCE OF EXTRA-ARTICULAR MANIFESTATIONS IN ANKYLOSING SPONDYLITIS, PSORIATIC ARTHRITIS AND UNDIFFERENTIATED SPONDYLOARTHRTIS &#x2013; RESULTS FROM A NATIONAL REGISTER-BASED COHORT STUDY. , 2019, , .		0
16	Cardiac conduction disturbances in patients with ankylosing spondylitis: results from a 5-year follow-up cohort study. <i>RMD Open</i> , 2019, 5, e001053.	1.8	11
17	A distinct gut microbiota composition in patients with ankylosing spondylitis is associated with increased levels of fecal calprotectin. <i>Arthritis Research and Therapy</i> , 2019, 21, 248.	1.6	59
18	Weight loss improves disease activity in patients with psoriatic arthritis and obesity: an interventional study. <i>Arthritis Research and Therapy</i> , 2019, 21, 17.	1.6	92

#	ARTICLE	IF	CITATIONS
19	Hepatocyte growth factor is a potential biomarker for osteoproliferation and osteoporosis in ankylosing spondylitis. <i>Osteoporosis International</i> , 2019, 30, 441-449.	1.3	16
20	Risk of cardiac rhythm disturbances and aortic regurgitation in different spondyloarthritis subtypes in comparison with general population: a register-based study from Sweden. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 541-548.	0.5	34
21	FRIO244â€¦Life style factors and comorbidities in gout patients compared to the general population. , 2018, , .		1
22	Factors related to health-related quality of life in ankylosing spondylitis, overall and stratified by sex. <i>Arthritis Research and Therapy</i> , 2018, 20, 284.	1.6	55
23	A five-year prospective study of spinal radiographic progression and its predictors in men and women with ankylosing spondylitis. <i>Arthritis Research and Therapy</i> , 2018, 20, 162.	1.6	60
24	THU0256â€¦High disease activity, reduced physical function, long disease duration, fatigue and living without a partner are factors related to worse health related quality of life in ankylosing spondylitis. , 2018, , .		0
25	SAT0735-HPRâ€¦Sex differences in illness perceptions and self-management in patients with gout. , 2018, , .		0
26	A longitudinal study of fecal calprotectin and the development of inflammatory bowel disease in ankylosing spondylitis. <i>Arthritis Research and Therapy</i> , 2017, 19, 21.	1.6	68
27	The variation in free 25-hydroxy vitamin D and vitamin D-binding protein with season and vitamin D status. <i>Endocrine Connections</i> , 2017, 6, 111-120.	0.8	35
28	Are ankylosing spondylitis, psoriatic arthritis and undifferentiated spondyloarthritis associated with an increased risk of cardiovascular events? A prospective nationwide population-based cohort study. <i>Arthritis Research and Therapy</i> , 2017, 19, 102.	1.6	111
29	FRIO492â€¦Obesity is highly overrepresented among swedish patients with psoriatic arthritis compared with the general population. , 2017, , .		0
30	OPO240â€¦How strong are the associations of spondyloarthritis-related comorbidities with ankylosing spondylitis, psoriatic arthritis and undifferentiated spondyloarthritis? a register-based study from sweden. , 2017, , .		1
31	SAT0382â€¦Changes in volumetric bone mineral density and bone microarchitecture in patients with ankylosing spondylitis. a five-year prospective study using hrpqt. , 2017, , .		0
32	Which measuring site in ankylosing spondylitis is best to detect bone loss and what predicts the decline: results from a 5-year prospective study. <i>Arthritis Research and Therapy</i> , 2017, 19, 273.	1.6	34
33	THU0374â€¦A Longitudinal Study of Gut Inflammation and The Development of Inflammatory Bowel Disease in Ankylosing Spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 322.2-322.	0.5	1
34	The vitamin D status in ankylosing spondylitis in relation to intestinal inflammation, disease activity, and bone health: a cross-sectional study. <i>Osteoporosis International</i> , 2016, 27, 2027-2033.	1.3	18
35	FRIO400â€¦A Five Year Prospective Study of Spinal Radiographic Progression in Patients with Ankylosing Spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 580.1-580.	0.5	0
36	Seasonal variations in serum 25-hydroxy vitamin D levels in a Swedish cohort. <i>Endocrine</i> , 2015, 49, 800-808.	1.1	143

#	ARTICLE	IF	CITATIONS
37	Aortic Regurgitation Is Common in Ankylosing Spondylitis: Time for Routine Echocardiography Evaluation?. <i>American Journal of Medicine</i> , 2015, 128, 1244-1250.e1.	0.6	56
38	Biomarkers of Bone Metabolism in Ankylosing Spondylitis in Relation to Osteoproliferation and Osteoporosis. <i>Journal of Rheumatology</i> , 2014, 41, 1349-1356.	1.0	75
39	AB0694â€¦Hepatocyte Growth Factor is Associated with Osteoproliferation in Male as Patients. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1034.1-1034.	0.5	0
40	Genetic variants in<i>CARD8</i>but not in<i>NLRP3</i>are associated with ankylosing spondylitis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 465-468.	0.6	36
41	Cardiac conduction system abnormalities in ankylosing spondylitis: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 237.	0.8	35
42	THU0271â€¦Increase in bone mineral density and decrease in WNT3A, OPG, CTX-I and osteocalcin in patients with ankylosing spondylitis treated with alendronate. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 246.2-246.	0.5	0
43	SAT0267â€¦Elevated levels of WNT3A and low levels of DICKKOPF-1 in serum are associated with syndesmophyte formation in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 562.1-562.	0.5	0
44	Bone microarchitecture in ankylosing spondylitis and the association with bone mineral density, fractures, and syndesmophytes. <i>Arthritis Research and Therapy</i> , 2013, 15, R179.	1.6	89
45	Vertebral Fractures in Ankylosing Spondylitis Are Associated with Lower Bone Mineral Density in Both Central and Peripheral Skeleton. <i>Journal of Rheumatology</i> , 2012, 39, 1987-1995.	1.0	99
46	Calprotectin in ankylosing spondylitis â€œ frequently elevated in feces, but normal in serum. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 435-444.	0.6	79
47	Osteoporosis in ankylosing spondylitis - prevalence, risk factors and methods of assessment. <i>Arthritis Research and Therapy</i> , 2012, 14, R108.	1.6	150
48	The use of complementary and alternative medicine in outpatients with inflammatory rheumatic diseases in Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2009, 38, 472-480.	0.6	16