

Thomas J Stocker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8894289/publications.pdf>

Version: 2024-02-01

19
papers

422
citations

1307594

7
h-index

888059

17
g-index

19
all docs

19
docs citations

19
times ranked

806
citing authors

#	ARTICLE	IF	CITATIONS
1	ADP-induced platelet reactivity and bleeding events in patients with acute myocardial infarction complicated by cardiogenic shock. <i>Platelets</i> , 2022, 33, 371-380.	2.3	4
2	Contrast agent volume for coronary computed tomography angiography imaging in current clinical practice. <i>Journal of Cardiovascular Computed Tomography</i> , 2022, 16, 191-193.	1.3	2
3	Effect of Different Parameters of In Vitro Static Tensile Strain on Human Periodontal Ligament Cells Simulating the Tension Side of Orthodontic Tooth Movement. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1525.	4.1	5
4	Influence of normal forces on the frictional behavior in tribological systems made of different bracket types and wire dimensions. <i>Dental Materials Journal</i> , 2022, 41, 402-413.	1.8	3
5	Manual Compression versus Suture-Mediated Closure Device Technique for VA-ECMO Decannulation. <i>Journal of Interventional Cardiology</i> , 2022, 2022, 1-6.	1.2	2
6	Incidence and Outcome of Patients with Cardiogenic Shock and Detection of Herpes Simplex Virus in the Lower Respiratory Tract. <i>Journal of Clinical Medicine</i> , 2022, 11, 2351.	2.4	1
7	Propofol versus midazolam sedation in patients with cardiogenic shock - an observational propensity-matched study. <i>Journal of Critical Care</i> , 2022, 71, 154051.	2.2	5
8	Reduction of contrast agent volume utilization for cardiac catheterization in current clinical practice. <i>International Journal of Cardiology</i> , 2022, , .	1.7	0
9	Stainless steel and NiTi torque archwires and apical root resorption. <i>Journal of Orofacial Orthopedics</i> , 2021, 82, 1-12.	1.3	6
10	Percutaneous edge-to-edge repair of severe mitral regurgitation using the MitraClip XTR versus NTR system. <i>Clinical Cardiology</i> , 2021, 44, 708-714.	1.8	12
11	Effect of different media on frictional forces between tribological systems made from self-ligating brackets in combination with different stainless steel wire dimensions. <i>Dental Materials Journal</i> , 2021, 40, 1250-1256.	1.8	5
12	Influence of Heart Rate on Image Quality and Radiation Dose Exposure in Coronary CT Angiography. <i>Radiology</i> , 2021, 300, 701-703.	7.3	6
13	Long-Term Clinical Outcome of Cardiogenic Shock Patients Undergoing Impella CP Treatment vs. Standard of Care. <i>Journal of Clinical Medicine</i> , 2020, 9, 3803.	2.4	14
14	Isoflurane Sedation in Patients Undergoing Venoarterial Extracorporeal Membrane Oxygenation Treatment for Cardiogenic Shock—An Observational Propensity-Matched Study. , 2020, 2, e0086.		11
15	Eosinophil-platelet interactions promote atherosclerosis and stabilize thrombosis with eosinophil extracellular traps. <i>Blood</i> , 2019, 134, 1859-1872.	1.4	113
16	Impairment of Quality of Life among Patients with Wearable Cardioverter Defibrillator Therapy (LifeVest®): A Preliminary Study. <i>BioMed Research International</i> , 2018, 2018, 1-6.	1.9	16
17	Reduction in radiation exposure in cardiovascular computed tomography imaging: results from the PROspective multicenter registry on radiaTion dose Estimates of cardiac CT angIOgraphy iN daily practice in 2017 (PROTECTION VI). <i>European Heart Journal</i> , 2018, 39, 3715-3723.	2.2	149
18	Rationale and design of the worldwide prospective multicenter registry on radiation dose estimates of cardiac CT angiography in daily practice in 2017 (PROTECTION VI). <i>Journal of Cardiovascular Computed Tomography</i> , 2018, 12, 81-85.	1.3	12

#	ARTICLE	IF	CITATIONS
19	Coronin 1A, a novel player in integrin biology, controls neutrophil trafficking in innate immunity. Blood, 2017, 130, 847-858.	1.4	56