

Sameer R Sonkusale

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8894747/sameer-r-sonkusale-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

3,137
citations

31
h-index

51
g-index

184
ext. papers

3,917
ext. citations

5.1
avg, IF

5.78
L-index

#	Paper	IF	Citations
157	Sensors for Vital Signs: ECG Monitoring Systems 2022 , 221-243		1
156	Battery-Free Shape Memory Alloy Antennas for Detection and Recording of Peak Temperature Activity. <i>Crystals</i> , 2022 , 12, 86	2.3	1
155	Hard polymeric porous microneedles on stretchable substrate for transdermal drug delivery.. <i>Scientific Reports</i> , 2022 , 12, 1853	4.9	1
154	Data Converters for Wearable Sensor Applications 2022 , 87-119		
153	Low-Noise CMOS Signal Conditioning Circuits 2022 , 63-86		
152	Compressed Sensing 2022 , 155-175		
151	Materials and Processing for Flexible Bioelectronics 2022 , 1-25		
150	Sensors and Platforms for Flexible Bioelectronics 2022 , 27-62		
149	Sutures for the wireless sensing of deep wounds. <i>Nature Biomedical Engineering</i> , 2021 , 5, 1113-1114	19	0
148	Wireless Temperature Monitoring With Shape Memory Alloy-Based Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 313-316	3.8	1
147	Thread-based wearable devices. <i>MRS Bulletin</i> , 2021 , 46, 502-511	3.2	5
146	High Resolution Frequency Measurement Techniques for Relaxation Oscillator Based Capacitive Sensors. <i>IEEE Sensors Journal</i> , 2021 , 21, 13394-13404	4	5
145	A 10-Bit Current Output DAC With Active Resistive Load Interpolation. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 68, 1803-1806	3.5	1
144	Opportunities for ionic liquid/ionogel gating of emerging transistor architectures. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2021 , 39, 011001	1.3	
143	Head motion classification using thread-based sensor and machine learning algorithm. <i>Scientific Reports</i> , 2021 , 11, 2646	4.9	2
142	Design and Development of a Robotic Hand with Embedded Sensors Using 3D Printing Technology 2021 , 6, 273		0
141	Flexible thread-based electrochemical sensors for oxygen monitoring. <i>Analyst, The</i> , 2021 , 146, 2983-2990		1

140	Rapid cleanroom-free fabrication of thread based transistors using three-dimensional stencil-based patterning. <i>Flexible and Printed Electronics</i> , 2021 , 6, 015007	3.1	1
139	A low noise current readout architecture with 160dB transimpedance gain and 1.3MHz bandwidth. <i>Microelectronics Journal</i> , 2021 , 108, 104984	1.8	4
138	Thermo-Mechanically Trained Shape Memory Alloy for Temperature Recording With Visual Readout 2021 , 5, 1-4		3
137	On Quantized Analog Compressive Sensing Methods for Efficient Resonator Frequency Estimation. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020 , 67, 4556-4565	3.9	3
136	Influence of Hydrogen Bond Donor Identity and Intentional Water Addition on the Properties of Gelatin-Supported Deep Eutectic Solvent Gels. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 5986-5992	3.4	6
135	Design and implementation of magnetically-tunable quad-band filter utilizing split-ring resonators at microwave frequencies. <i>Scientific Reports</i> , 2020 , 10, 1050	4.9	5
134	A 3D Printed Robotic Finger with Embedded Tactile Pressure and Strain Sensor 2020 ,		2
133	. <i>IEEE Sensors Journal</i> , 2020 , 20, 3249-3256	4	10
132	Reel-to-reel fabrication of strain sensing threads and realization of smart insole. <i>Sensors and Actuators A: Physical</i> , 2020 , 301, 111741	3.9	9
131	CMOS microcavity arrays for single-cell electroporation and lysis. <i>Biosensors and Bioelectronics</i> , 2020 , 150, 111931	11.8	4
130	. <i>IEEE Access</i> , 2020 , 8, 117122-117132	3.5	7
129	Thread-based multiplexed sensor patch for real-time sweat monitoring. <i>Npj Flexible Electronics</i> , 2020 , 4,	10.7	35
128	An Approach for a Wide Dynamic Range Low-Noise Current Readout Circuit. <i>Journal of Low Power Electronics and Applications</i> , 2020 , 10, 23	1.7	2
127	A flow through device for simultaneous dielectrophoretic cell trapping and AC electroporation. <i>Scientific Reports</i> , 2019 , 9, 11988	4.9	25
126	Highly stretchable and nonvolatile gelatin-supported deep eutectic solvent gel electrolyte-based ionic skins for strain and pressure sensing. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 601-608	7.1	73
125	Three dimensional printing of metamaterial embedded geometrical optics (MEGO). <i>Microsystems and Nanoengineering</i> , 2019 , 5, 16	7.7	24
124	Colorimetric Gas Sensing Washable Threads for Smart Textiles. <i>Scientific Reports</i> , 2019 , 9, 5607	4.9	34
123	Highly Flexible Transistor Threads for All-Thread Based Integrated Circuits and Multiplexed Diagnostics. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 31096-31104	9.5	15

122	Ingestible Osmotic Pill for In Vivo Sampling of Gut Microbiomes. <i>Advanced Intelligent Systems</i> , 2019 , 1, 1900053	6	22
121	Ingestible Osmotic Pill for In Vivo Sampling of Gut Microbiomes. <i>Advanced Intelligent Systems</i> , 2019 , 1, 1970052	6	4
120	3D printed metamaterials for high-frequency applications 2019 ,		2
119	Low-cost and cleanroom-free fabrication of microneedles. <i>Microsystems and Nanoengineering</i> , 2018 , 4,	7.7	60
118	A three-dimensional electrochemical paper-based analytical device for low-cost diagnostics. <i>Analyst, The</i> , 2018 , 143, 1059-1064	5	23
117	A pH-Mediated Electronic Wound Dressing for Controlled Drug Delivery. <i>Advanced Healthcare Materials</i> , 2018 , 7, e1800396	10.1	37
116	A Computationally Efficient Visual Saliency Algorithm Suitable for an Analog CMOS Implementation. <i>Neural Computation</i> , 2018 , 30, 2439-2471	2.9	0
115	CMOS Luminescence Imager With Ambient Light Compensation and Lifetime to Frequency Conversion. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2018 , 12, 1038-1045	5.1	
114	An improved pH mapping bandage with thread-based sensors for chronic wound monitoring 2018 ,		7
113	Metamaterial absorber for THz polarimetric sensing 2018 ,		2
112	Sensors for Vital Signs: ECG Monitoring Systems 2018 , 1-23		
111	All-Around Package Security Using Radio Frequency Identification Threads 2018 ,		7
110	Wearable Flexible Touch Interface Using Smart Threads 2018 ,		3
109	Cost-effective Fabrication of Chitosan Microneedles for Transdermal Drug Delivery. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 5737-5740	0.9	11
108	Washable Smart Threads for Strain Sensing Fabrics. <i>IEEE Sensors Journal</i> , 2018 , 1-1	4	29
107	A CMOS Luminescence Intensity and Lifetime Dual Sensor Based on Multicycle Charge Modulation. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2018 , 12, 677-688	5.1	3
106	Combined optical and electronic paper-nose for detection of volatile gases. <i>Analytica Chimica Acta</i> , 2018 , 1034, 128-136	6.6	11
105	Smart Bandage for Monitoring and Treatment of Chronic Wounds. <i>Small</i> , 2018 , 14, e1703509	11	142

104	Oxygen-Generating Photo-Cross-Linkable Hydrogels Support Cardiac Progenitor Cell Survival by Reducing Hypoxia-Induced Necrosis. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 1964-1971	5.5	51
103	A flexible pH sensing smart bandage with wireless CMOS readout for chronic wound monitoring 2017 ,		10
102	A Textile Dressing for Temporal and Dosage Controlled Drug Delivery. <i>Advanced Functional Materials</i> , 2017 , 27, 1702399	15.6	130
101	Washable thread based strain sensor for smart textile 2017 ,		11
100	Disposable colorimetric geometric barcode sensor for food quality monitoring 2017 ,		6
99	Low cost smart phone diagnostics for food using paper-based colorimetric sensor arrays. <i>Food Control</i> , 2017 , 82, 227-232	6.2	65
98	Low-cost metamaterial-on-paper chemical sensor 2017 ,		4
97	Smart bandages for chronic wound monitoring and on-demand drug delivery 2017 ,		3
96	CMOS luminescence lifetime sensor for white LED multi-spectral characterization 2017 ,		3
95	pH sensing threads with CMOS readout for Smart Bandages 2017 ,		8
94	Low-cost metamaterial-on-paper chemical sensor. <i>Optics Express</i> , 2017 , 25, 16092-16100	3.3	35
93	High-Speed Terahertz Modulation Using Active Metamaterial 2017 , 67-82		
92	A Terahertz Spatial Light Modulator for Imaging Application 2017 , 83-101		
91	Three dimensional graphene transistor for ultra-sensitive pH sensing directly in biological media. <i>Analytica Chimica Acta</i> , 2016 , 934, 212-7	6.6	11
90	Origami microfluidic paper-analytical-devices (omPAD) for sensing and diagnostics. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 307-310	0.9	4
89	A toolkit of thread-based microfluidics, sensors, and electronics for 3D tissue embedding for medical diagnostics. <i>Microsystems and Nanoengineering</i> , 2016 , 2, 16039	7.7	124
88	Precise time mode multiplier using digital primitives and passive components 2016 ,		1
87	Flexible pH-Sensing Hydrogel Fibers for Epidermal Applications. <i>Advanced Healthcare Materials</i> , 2016 , 5, 711-9	10.1	122

86	Dielectrophoretic lab-on-CMOS platform for trapping and manipulation of cells. <i>Biomedical Microdevices</i> , 2016 , 18, 6	3.7	10
85	Flexible 3D Graphene Transistors with Ionogel Dielectric for Low-Voltage Operation and High Current Carrying Capacity. <i>Advanced Electronic Materials</i> , 2016 , 2, 1500355	6.4	16
84	A low-voltage high-speed terahertz spatial light modulator using active metamaterial. <i>APL Photonics</i> , 2016 , 1, 086102	5.2	28
83	. <i>IEEE Sensors Journal</i> , 2016 , 16, 5243-5248	4	5
82	Hydrophobic Hydrogels: Toward Construction of Floating (Bio)microdevices. <i>Chemistry of Materials</i> , 2016 , 28, 3641-3648	9.6	34
81	Wireless multi-level terahertz amplitude modulator using active metamaterial-based spatial light modulation. <i>Optics Express</i> , 2016 , 24, 14618-31	3.3	11
80	Dermal Patch with Integrated Flexible Heater for on Demand Drug Delivery. <i>Advanced Healthcare Materials</i> , 2016 , 5, 175-84	10.1	77
79	pH-Sensing Hydrogel Fibers: Flexible pH-Sensing Hydrogel Fibers for Epidermal Applications (Adv. Healthcare Mater. 6/2016). <i>Advanced Healthcare Materials</i> , 2016 , 5, 624-624	10.1	3
78	. <i>IEEE Sensors Journal</i> , 2015 , 15, 3500-3506	4	11
77	Broadband wireless radio frequency power telemetry using a metamaterial resonator embedded with non-foster impedance circuitry. <i>Applied Physics Letters</i> , 2015 , 106, 203504	3.4	6
76	A Time-Mode Translinear Principle for Nonlinear Analog Computation. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2015 , 62, 2187-2195	3.9	9
75	Microfluidic optoelectronic sensor for salivary diagnostics of stomach cancer. <i>Biosensors and Bioelectronics</i> , 2015 , 67, 465-71	11.8	42
74	Paper based platform for colorimetric sensing of dissolved NH ₃ and CO ₂ . <i>Biosensors and Bioelectronics</i> , 2015 , 67, 477-84	11.8	43
73	. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2015 , 23, 926-934	2.6	16
72	CMOS dielectrophoretic Lab-on-Chip platform for manipulation and monitoring of cells. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 7530-3	0.9	2
71	Smart flexible wound dressing with wireless drug delivery 2015 ,		7
70	Wireless Flexible Smart Bandage for Continuous Monitoring of Wound Oxygenation. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2015 , 9, 670-7	5.1	58
69	A high-density nanowire electrode on paper for biomedical applications. <i>RSC Advances</i> , 2015 , 5, 8680-8687		31

68	Metamaterials for remote generation of spatially controllable two dimensional array of microplasma. <i>Scientific Reports</i> , 2014 , 4, 5964	4.9	38
67	Flexible and transparent gastric battery: energy harvesting from gastric acid for endoscopy application. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 292-6	11.8	41
66	Heterogeneous metal-oxide nanowire micro-sensor array for gas sensing. <i>Materials Research Express</i> , 2014 , 1, 025002	1.7	10
65	Biodegradable nanofibrous polymeric substrates for generating elastic and flexible electronics. <i>Advanced Materials</i> , 2014 , 26, 5823-30	24	100
64	Dissolved ammonia sensing in complex mixtures using metalloporphyrin-based optoelectronic sensor and spectroscopic detection. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 976-983	8.5	29
63	A time-mode translinear principle for implementing analog multiplication 2014 ,		4
62	Liquid gated three dimensional graphene network transistor. <i>Carbon</i> , 2014 , 79, 572-577	10.4	17
61	Utilization of graphene electrode in transparent microwell arrays for high throughput cell trapping and lysis. <i>Biosensors and Bioelectronics</i> , 2014 , 61, 625-30	11.8	24
60	High-throughput heterogeneous integration of diverse nanomaterials on a single chip for sensing applications. <i>PLoS ONE</i> , 2014 , 9, e111377	3.7	9
59	Wireless flexible smart bandage for continuous monitoring of wound oxygenation 2014 ,		6
58	Low-cost paper-based electrochemical sensors with CMOS readout IC 2014 ,		8
57	Microfluidic optoelectronic sensor based on a composite halochromic material for dissolved carbon dioxide detection. <i>Sensors and Actuators B: Chemical</i> , 2014 , 194, 404-409	8.5	13
56	All electronic approach for high-throughput cell trapping and lysis with electrical impedance monitoring. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 462-7	11.8	27
55	A 60-dB Gain OTA Operating at 0.25-V Power Supply in 130-nm Digital CMOS Process. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2014 , 61, 1609-1617	3.9	115
54	Microwave diode switchable metamaterial reflector/absorber. <i>Applied Physics Letters</i> , 2013 , 103, 031903,4	3.4	97
53	SWNT Based Nanosensors for Wireless Detection of Explosives and Chemical Warfare Agents. <i>IEEE Sensors Journal</i> , 2013 , 13, 202-210	4	26
52	IN-SITU LARGE AREA FABRICATION OF METAMATERIALS ON ARBITRARY SUBSTRATES USING PAINT PROCESS. <i>Progress in Electromagnetics Research</i> , 2013 , 141, 117-133	3.8	1
51	A Compressed Sensing Analog-to-Information Converter With Edge-Triggered SAR ADC Core. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2013 , 60, 1135-1148	3.9	31

50	Paper-based super-capacitor using micro and nano particle deposition for paper-based diagnostics 2013 ,		3
49	Low-Voltage Switchable Microplasma Arrays Generated Using Microwave Resonators. <i>IEEE Electron Device Letters</i> , 2013 , 34, 804-806	4-4	6
48	Kelvin probe microscopy and electronic transport measurements in reduced graphene oxide chemical sensors. <i>Nanotechnology</i> , 2013 , 24, 245502	3-4	32
47	Electronic Transport and Doping Effects in Reduced Graphene Oxide Measured by Scanning Probe Microscopy. <i>Materials Research Society Symposia Proceedings</i> , 2013 , 1505, 1		1
46	Interferometric direction finding with a metamaterial detector. <i>Applied Physics Letters</i> , 2013 , 103, 254103	3-4	7
45	BROADBAND MILLIMETERWAVE METAMATERIAL ABSORBER BASED ON EMBEDDING OF DUAL RESONATORS. <i>Progress in Electromagnetics Research</i> , 2013 , 142, 625-638	3-8	29
44	A Compressed sensing analog-to-information converter with edge-triggered SAR ADC Core 2012 ,		3
43	A 65 nm CMOS Digital Phase Imager for Time-Resolved Fluorescence Imaging. <i>IEEE Journal of Solid-State Circuits</i> , 2012 , 47, 1731-1742	5-5	17
42	CMOS Fluorometer for Oxygen Sensing. <i>IEEE Sensors Journal</i> , 2012 , 12, 2506-2507	4	
41	A new GaN HEMT nonlinear model for evaluation and design of 1W watt power amplifiers 2012 ,		2
40	Experimental realization of a metamaterial detector focal plane array. <i>Physical Review Letters</i> , 2012 , 109, 177401	7-4	55
39	0.5 μ W Sub-Threshold Operational Transconductance Amplifiers Using 0.15 μ m Fully Depleted Silicon-on-Insulator (FDSOI) Process. <i>Journal of Low Power Electronics and Applications</i> , 2012 , 2, 155-167	1-7	2
38	Robust error correction in infofuses. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2012 , 468, 361-377	2-4	
37	Loss compensation in metamaterials through embedding of active transistor based negative differential resistance circuits. <i>Optics Express</i> , 2012 , 20, 22406-11	3-3	17
36	A 22-bit 110ps time-interpolated Time-to-Digital Converter 2012 ,		2
35	Multiplexed sensing based on Brownian relaxation of magnetic nanoparticles using a compact AC susceptometer. <i>Nanotechnology</i> , 2011 , 22, 085501	3-4	14
34	An Adaptive Resolution Asynchronous ADC Architecture for Data Compression in Energy Constrained Sensing Applications. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2011 , 58, 921-934	3-9	82
33	High speed terahertz modulation from metamaterials with embedded high electron mobility transistors. <i>Optics Express</i> , 2011 , 19, 9968-75	3-3	150

32	Input-Feature Correlated Asynchronous Analog to Information Converter for ECG Monitoring. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2011 , 5, 459-67	5.1	34
31	Ultra low power PVT independent sub-threshold gm-C filters for low frequency biomedical applications. <i>Analog Integrated Circuits and Signal Processing</i> , 2011 , 66, 285-291	1.2	6
30	Electronic nose based on graphene, nanotube and nanowire chemiresistor arrays on silicon 2011 ,		6
29	Low Power Asynchronous Data Acquisition Front End for Wireless Body Sensor Area Network 2011 ,		4
28	Single and dual band 77/95/110 GHz metamaterial absorbers on flexible polyimide substrate. <i>Applied Physics Letters</i> , 2011 , 99, 264101	3.4	97
27	A CMOS imager with digital phase readout for fluorescence lifetime imaging 2011 ,		7
26	A low-power asynchronous ECG acquisition system in CMOS technology. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2010 , 2010, 5262-5	0.9	3
25	CMOS VLSI Potentiostat for Portable Environmental Sensing Applications. <i>IEEE Sensors Journal</i> , 2010 , 10, 820-821	4	27
24	Embedded HEMT/metamaterial composite devices for active terahertz modulation 2010 ,		4
23	Carbon nanotube and graphene based gas micro-sensors fabricated by dielectrophoresis on silicon 2010 ,		6
22	Bandwidth tunable amplifier for recording biopotential signals. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2010 , 2010, 662-5	0.9	1
21	DNA-decorated carbon-nanotube-based chemical sensors on complementary metal oxide semiconductor circuitry. <i>Nanotechnology</i> , 2010 , 21, 095504	3.4	24
20	. <i>IEEE Sensors Journal</i> , 2010 , 11, 16-22	4	4
19	A miniaturized AC magnetic susceptometer for detecting biomolecules tagged to magnetic nanoparticles 2009 ,		3
18	CMOS Microelectrode Array for Electrochemical Lab-on-a-Chip Applications. <i>IEEE Sensors Journal</i> , 2009 , 9, 609-615	4	49
17	A 0.5 V bulk-input OTA with improved common-mode feedback for low-frequency filtering applications. <i>Analog Integrated Circuits and Signal Processing</i> , 2009 , 59, 83-89	1.2	21
16	Design, implementation, and field testing of a portable fluorescence-based vapor sensor. <i>Analytical Chemistry</i> , 2009 , 81, 5281-90	7.8	24
15	An Area-Efficient and Low-Power Logarithmic A/D Converter for Current-Mode Sensor Array. <i>IEEE Sensors Journal</i> , 2009 , 9, 2042-2043	4	6

14	Fully Digital BPSK Demodulator and Multilevel LSK Back Telemetry for Biomedical Implant Transceivers. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2009 , 56, 714-718	3.5	26
13	The heterogeneous integration of single-walled carbon nanotubes onto complementary metal oxide semiconductor circuitry for sensing applications. <i>Nanotechnology</i> , 2009 , 20, 225302	3.4	15
12	A High Dynamic Range CMOS Image Sensor for Scientific Imaging Applications. <i>IEEE Sensors Journal</i> , 2009 , 9, 1209-1218	4	14
11	A PVT independent subthreshold constant-Gm stage for very low frequency applications 2008 ,		1
10	Fundamental performance limits and scaling of a CMOS passive double-balanced mixer 2008 ,		9
9	Modeling, simulation and implementation of a passive mixer in 130nm CMOS technology and scaling issues for future technologies 2008 ,		2
8	A Novel BPSK Demodulator for Biological Implants. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2008 , 55, 1478-1484	3.9	33
7	Current-mode readout circuits with pixel-level logarithmic ADC for IR FPA applications 2008 ,		1
6	A complete data and power telemetry system utilizing BPSK and LSK signaling for biomedical implants. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2008 , 2008, 3216-9	0.9	13
5	A CMOS integrated thermal sensor based on Single-Walled Carbon Nanotubes 2008 ,		3
4	A Wireless Data and Power Telemetry System Using Novel BPSK Demodulator for Non-Destructive Evaluation of Structures 2007 ,		4
3	A 0.5V Bulk-Input Operational Transconductance Amplifier with Improved Common-Mode Feedback 2007 ,		10
2	A Novel Low Power BPSK Demodulator 2007 ,		4
1	True background calibration technique for pipelined ADC. <i>Electronics Letters</i> , 2000 , 36, 786	1.1	9