

Eddy R Segura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8895134/publications.pdf>

Version: 2024-02-01

73
papers

1,414
citations

430874

18
h-index

361022

35
g-index

81
all docs

81
docs citations

81
times ranked

1955
citing authors

#	ARTICLE	IF	CITATIONS
1	Ineffective penicillin treatment and absence of partner treatment may drive the congenital syphilis epidemic in Brazil. <i>AJOG Global Reports</i> , 2022, 2, 100050.	1.0	5
2	Exploring Contextual Differences for Sexual Role Strain Among Transgender Women and Men Who Have Sex with Men in Lima, Peru. <i>Archives of Sexual Behavior</i> , 2022, 51, 1977-1991.	1.9	1
3	Social networks and condomless intercourse with female partners among male sex workers in the Dominican Republic. <i>International Journal of STD and AIDS</i> , 2021, 32, 176-183.	1.1	1
4	Let's Talk About Sex: The Impact of Partnership Contexts on Communication About HIV Serostatus and Condom Use Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) in Lima, Peru. <i>AIDS and Behavior</i> , 2021, 25, 2139-2153.	2.7	8
5	PrEP Awareness, Use, Intention to Use, and Information Source Among Geosocial Networking Application Users in Mexico in 2018-2019. <i>AIDS and Behavior</i> , 2021, 25, 2743-2754.	2.7	8
6	Failure to recognize Low non-treponemal titer syphilis infections in pregnancy May lead to widespread under-treatment. <i>International Journal of Infectious Diseases</i> , 2021, 104, 27-33.	3.3	5
7	Brief Report: HIV-1 Seroconversion Is Not Associated With Prolonged Rectal Mucosal Inflammation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 86, e134-e138.	2.1	3
8	Sexual health norms and communication patterns within the close social networks of men who have sex with men and transgender women in Lima, Peru: a 2017 cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 1090.	2.9	2
9	Intimate Partner Violence Against Transgender Women: Prevalence and Correlates in Lima, Peru (2016-2018). <i>AIDS and Behavior</i> , 2020, 24, 1743-1751.	2.7	13
10	High-Risk, but Hidden: Binge Drinking among Men Who Have Sex with Men and Transgender Women in Lima, Peru, 2012-2014. <i>Substance Use and Misuse</i> , 2020, 55, 399-404.	1.4	4
11	Personalized Cognitive Counseling Reduces Drinking Expectancy Among Men Who Have Sex with Men and Transgender Women in Lima, Peru: A Pilot Randomized Controlled Trial. <i>AIDS and Behavior</i> , 2020, 24, 3205-3214.	2.7	4
12	Sexual Partnership-Level Correlates of Intimate Partner Violence Among Men Who Have Sex with Men and Transgender Women in Lima, Peru. <i>Archives of Sexual Behavior</i> , 2020, 49, 2703-2713.	1.9	4
13	Protecting healthcare workers in the COVID-19 pandemic: respirator shortages and health policy responses in South America. <i>Cadernos De Saude Publica</i> , 2020, 36, e00227520.	1.0	3
14	Assessing Sexually Transmitted Infections and HIV Risk Among Transgender Women in Lima, Peru: Beyond Behavior. <i>LGBT Health</i> , 2019, 6, 370-376.	3.4	5
15	Sexual network characteristics of men who have sex with men with syphilis and/or gonorrhoea/chlamydia in Lima, Peru: network patterns as roadmaps for STI prevention interventions. <i>Sexually Transmitted Infections</i> , 2019, 95, 336-341.	1.9	7
16	Contextualizing condoms: a cross-sectional study mapping intersections of locations of sexual contact, partner type, and substance use as contexts for sexual risk behavior among MSM in Peru. <i>BMC Infectious Diseases</i> , 2019, 19, 958.	2.9	16
17	Speed kills: Associations between methamphetamine use, HIV infection, tobacco use, and accelerated mortality among gay and bisexual men in Los Angeles, CA 20years after methamphetamine dependence treatment. <i>Drug and Alcohol Dependence</i> , 2019, 195, 164-169.	3.2	5
18	Body Parts Matter: Social, Behavioral, and Biological Considerations for Urethral, Pharyngeal, and Rectal Gonorrhoea and Chlamydia Screening Among MSM in Lima, Peru. <i>Sexually Transmitted Diseases</i> , 2018, 45, 607-614.	1.7	15

#	ARTICLE	IF	CITATIONS
19	Individual and partnership factors associated with anticipated versus actual partner notification following STI diagnosis among men who have sex with men and/or with transgender women in Lima, Peru. <i>Sexually Transmitted Infections</i> , 2018, 94, 607-610.	1.9	6
20	High incidence of extra-genital gonorrheal and chlamydial infections among high-risk men who have sex with men and transgender women in Peru. <i>International Journal of STD and AIDS</i> , 2018, 29, 568-576.	1.1	8
21	A Cost Analysis of Gyrase A Testing and Targeted Ciprofloxacin Therapy Versus Recommended 2-Drug Therapy for <i>Neisseria gonorrhoeae</i> Infection. <i>Sexually Transmitted Diseases</i> , 2018, 45, 87-91.	1.7	11
22	Understanding drivers of domestic public expenditure on reproductive, maternal, neonatal and child health in Peru at district level: an ecological study. <i>BMC Health Services Research</i> , 2018, 18, 833.	2.2	1
23	The development of an online risk calculator for the prediction of future syphilis among a high-risk cohort of men who have sex with men and transgender women in Lima, Peru. <i>Sexual Health</i> , 2018, 15, 261.	0.9	11
24	Traditional and Web-Based Technologies to Improve Partner Notification Following Syphilis Diagnosis Among Men Who Have Sex With Men in Lima, Peru: Pilot Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e232.	4.3	12
25	Factors behind the success story of under-five stunting in Peru: a district ecological multilevel analysis. <i>BMC Pediatrics</i> , 2017, 17, 29.	1.7	35
26	The Experiences of Newly Diagnosed Men Who Have Sex with Men Entering the HIV Care Cascade in Lima, Peru, 2015â€”2016: A Qualitative Analysis of Counselorâ€™ Participant Text Message Exchanges. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2017, 20, 389-396.	3.9	14
27	Overall assessment of responsiveness to change is just the very first step: a technical commentary on Abanto etÂ€Al.'s study. <i>International Journal of Paediatric Dentistry</i> , 2017, 27, 228-229.	1.8	0
28	Event-level analysis of alcohol consumption and condom use in partnership contexts among men who have sex with men and transgender women in Lima, Peru. <i>Drug and Alcohol Dependence</i> , 2017, 170, 17-24.	3.2	19
29	Transgender Women Living with HIV Frequently Take Antiretroviral Therapy and/or Feminizing Hormone Therapy Differently Than Prescribed Due to Drugâ€™Drug Interaction Concerns. <i>LGBT Health</i> , 2017, 4, 371-375.	3.4	47
30	Comentario sobre el artÃculo: Â«AsociaciÃn del sÃndrome metabÃlico con bajo peso al nacimiento, consumo de dietas hipercalÃricas y acantosis nigricans en escolares y adolescentes con sobrepeso y obesidadÂ». <i>Endocrinologia, Diabetes Y NutriciÃn</i> , 2017, 64, 567-568.	0.3	0
31	Expedited Partner Therapy (EPT) increases the frequency of partner notification among MSM in Lima, Peru: a pilot randomized controlled trial. <i>BMC Medicine</i> , 2017, 15, 94.	5.5	19
32	Cervical cancer screening practices, knowledge of screening and risk, and highly active antiretroviral therapy adherence among women living with human immunodeficiency virus in Lima, Peru. <i>International Journal of STD and AIDS</i> , 2017, 28, 290-293.	1.1	1
33	Plagiarism, Cheating and Research Integrity: Case Studies from a Masters Program in Peru. <i>Science and Engineering Ethics</i> , 2017, 23, 1183-1197.	2.9	22
34	Partner-Level Factors Associated with Insertive and Receptive Condomless Anal Intercourse Among Transgender Women in Lima, Peru. <i>AIDS and Behavior</i> , 2017, 21, 2439-2451.	2.7	13
35	O02.1â€…Dimensionality of stigma and associated attitudes towards anticipated partner notification among msm in lima, peru: an exploratory factor analysis. , 2017, , .		0
36	P4.23â€…Egocentric sexual network characteristics of men who have sex with men (MSM) and transgender women (TW) recently diagnosed with syphilis and/or gonorrhoea/chlamydia (GC/CT) in lima, peru: network patterns as roadmaps for STI prevention interventions. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
37	Syphilis in the Americas: a protocol for a systematic review of syphilis prevalence and incidence in four high-risk groups, 1980â€“2016. <i>Systematic Reviews</i> , 2017, 6, 195.	5.3	15
38	Survey of Diagnostic Criteria for Fetal Distress in Latin American and African Countries: Over Diagnosis or Under Diagnosis?. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, SL01-SL02.	0.8	1
39	Anticipated Notification of Sexual Partners following STD Diagnosis among Men Who Have Sex with Men and Transgender Women in Lima, Peru: A Mixed Methods Analysis. <i>PLoS ONE</i> , 2016, 11, e0163905.	2.5	11
40	Conceptual considerations and methodological recommendations for the use of the mortalityâ€“incidence ratio in timeâ€“lagged, ecologicalâ€“level analysis for public health systemsâ€“oriented cancer research. <i>Cancer</i> , 2016, 122, 486-487.	4.1	15
41	Sexual Orientation, Gender Identity and Perceived Source of Infection Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) Recently Diagnosed with HIV and/or STI in Lima, Peru. <i>AIDS and Behavior</i> , 2016, 20, 2178-2185.	2.7	15
42	Child health and nutrition in Peru within an antipoverty political agenda: a Countdown to 2015 country case study. <i>The Lancet Global Health</i> , 2016, 4, e414-e426.	6.3	96
43	Anonymous partnerships among MSM and transgender women (TW) recently diagnosed with HIV and other STIs in Lima, Peru: an individual-level and dyad-level analysis: TableÂ1. <i>Sexually Transmitted Infections</i> , 2016, 92, 554-557.	1.9	11
44	Traditional and HIV-specific risk factors for cardiovascular morbidity and mortality among HIV-infected adults in Brazil: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2016, 16, 376.	2.9	19
45	Human Papillomavirus DNA Self-Testing to Promote Cervical Cancer Screening Practices Among WLHIV: Revisiting the Evidence. <i>Journal of Lower Genital Tract Disease</i> , 2016, 20, e62-e63.	1.9	1
46	High prevalence of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> infections in anal and pharyngeal sites among a community-based sample of men who have sex with men and transgender women in Lima, Peru. <i>BMJ Open</i> , 2016, 6, e008245.	1.9	27
47	EXPLORANDO EL USO DE SUPLEMENTOS NUTRICIONALES POR DEPORTISTAS PERUANOS: UN ESTUDIO PILOTO EN LIMA, PERÃš, 2015. <i>Nutricion Hospitalaria</i> , 2016, 33, .	0.3	0
48	O11.1â€“..Patient-delivered partner therapy (pdpt) increases the frequency of partner notification among msm in lima, peru: a randomised clinical trial. <i>Sexually Transmitted Infections</i> , 2015, 91, A48.2-A49.	1.9	0
49	A cross-sectional study of low HIV testing frequency and high-risk behaviour among men who have sex with men and transgender women in Lima, Peru. <i>BMC Public Health</i> , 2015, 15, 408.	2.9	42
50	Hospital malnutrition in a low-resources country: A survey and critique of the status of the published available literature. <i>Clinical Nutrition</i> , 2015, 34, 330-331.	5.0	1
51	A critical appraisal on the association and effects of magnesium and bone density on physical performance in elderly women. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 889.	4.7	2
52	The syphilis care cascade: tracking the course of care after screening positive among men and transgender women who have sex with men in Lima, Peru. <i>BMJ Open</i> , 2015, 5, e008552.	1.9	13
53	Concordancia entre las escalas de riesgo cardiovascular PROCAM y FRAMINGHAM en varones que reciben tratamiento antirretroviral en un hospital nacional de Lima, PerÃ© 2013. <i>Revista Peruana De Medicina De Experimental Y Salud Publica</i> , 2015, 32, 731.	0.4	4
54	Bringing testing to the people â€“ benefits of mobile unit HIV/syphilis testing in Lima, Peru, 2007â€“2009. <i>International Journal of STD and AIDS</i> , 2014, 25, 325-331.	1.1	37

#	ARTICLE	IF	CITATIONS
55	Potential Impact and Acceptability of Internet Partner Notification for Men Who Have Sex With Men and Transgender Women Recently Diagnosed as Having Sexually Transmitted Disease in Lima, Peru. <i>Sexually Transmitted Diseases</i> , 2014, 41, 43-45.	1.7	11
56	Contrast profiles of bullying in Peru and Spain. <i>Gaceta Sanitaria</i> , 2014, 28, 85-86.	1.5	1
57	Socialization Patterns and Their Associations with Unprotected Anal Intercourse, HIV, and Syphilis Among High-Risk Men Who Have Sex with Men and Transgender Women in Peru. <i>AIDS and Behavior</i> , 2014, 18, 2030-2039.	2.7	17
58	The Risk of Stable Partnerships: Associations between Partnership Characteristics and Unprotected Anal Intercourse among Men Who Have Sex with Men and Transgender Women Recently Diagnosed with HIV and/or STI in Lima, Peru. <i>PLoS ONE</i> , 2014, 9, e102894.	2.5	25
59	Determinants of unequal HIV care access among people living with HIV in Peru. <i>Globalization and Health</i> , 2013, 9, 22.	4.9	15
60	A cross-sectional study of knowledge of sex partner serostatus among high-risk Peruvian men who have sex with men and transgender women: implications for HIV prevention. <i>BMC Public Health</i> , 2013, 13, 181.	2.9	29
61	Characterizing the syphilis epidemic among men who have sex with men in Lima, Peru to identify new treatment and control strategies. <i>BMC Infectious Diseases</i> , 2013, 13, 426.	2.9	23
62	Moderno Love: Sexual Role-Based Identities and HIV/STI Prevention Among Men Who Have Sex with Men in Lima, Peru. <i>AIDS and Behavior</i> , 2013, 17, 1313-1328.	2.7	64
63	Frequency, patterns, and preferences of lubricant use during anal intercourse within male sexual partnerships in Lima, Peru: Implications for a rectal microbicide HIV prevention intervention. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 579-585.	1.2	17
64	Analyzing the Development of Vaccines for Flavivirus-Endemic Scenarios: The Case of Dengue and Dengue Vaccine in Peru. <i>Journal of Infectious Diseases</i> , 2013, 208, 1183-1183.	4.0	1
65	Letter to the Editor: Application of Facebook "Likes" as an Indicator of Quality in Health Care in Public Hospitals. <i>American Journal of Medical Quality</i> , 2013, 28, 358-358.	0.5	4
66	Prevalence of HIV, STIs, and Risk Behaviors in a Cross-Sectional Community- and Clinic-Based Sample of Men Who Have Sex with Men (MSM) in Lima, Peru. <i>PLoS ONE</i> , 2013, 8, e59072.	2.5	38
67	The Potential Impact of Pre-Exposure Prophylaxis for HIV Prevention among Men Who Have Sex with Men and Transwomen in Lima, Peru: A Mathematical Modelling Study. <i>PLoS Medicine</i> , 2012, 9, e1001323.	8.4	76
68	Using GRADE methodology for the development of public health guidelines for the prevention and treatment of HIV and other STIs among men who have sex with men and transgender people. <i>BMC Public Health</i> , 2012, 12, 386.	2.9	19
69	Routine laboratory screening for acute and recent HIV infection in Lima, Peru. <i>Sexually Transmitted Infections</i> , 2010, 86, 545-547.	1.9	8
70	Risk factors for the spread of HIV and other sexually transmitted infections among men who have sex with men infected with HIV in Lima, Peru. <i>Sexually Transmitted Infections</i> , 2008, 84, 449-454.	1.9	38
71	Determining Risk for Severe Leptospirosis by Molecular Analysis of Environmental Surface Waters for Pathogenic <i>Leptospira</i> . <i>PLoS Medicine</i> , 2006, 3, e308.	8.4	180
72	Clinical Spectrum of Pulmonary Involvement in Leptospirosis in a Region of Endemicity, with Quantification of Leptospiral Burden. <i>Clinical Infectious Diseases</i> , 2005, 40, 343-351.	5.8	195

#	ARTICLE	IF	CITATIONS
73	Mild, self-resolving acute leptospirosis in an HIV-infected patient in the Peruvian Amazon. American Journal of Tropical Medicine and Hygiene, 2005, 73, 67-8.	1.4	3