

Paolo Fusar-Poli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8896038/publications.pdf>

Version: 2024-02-01

493
papers

37,196
citations

2544

96
h-index

4548

171
g-index

518
all docs

518
docs citations

518
times ranked

26460
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Psychiatric and neuropsychiatric presentations associated with severe coronavirus infections: a systematic review and meta-analysis with comparison to the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 611-627. | 7.4 | 1,799 |
| 2 | The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107. | 11.0 | 1,222 |
| 3 | Predicting Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 220. | 12.3 | 1,214 |
| 4 | Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. <i>Molecular Psychiatry</i> , 2022, 27, 281-295. | 7.9 | 967 |
| 5 | Functional atlas of emotional faces processing: a voxel-based meta-analysis of 105 functional magnetic resonance imaging studies. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 418-32. | 2.4 | 959 |
| 6 | Opposite Effects of Δ^9 -Tetrahydrocannabinol and Cannabidiol on Human Brain Function and Psychopathology. <i>Neuropsychopharmacology</i> , 2010, 35, 764-774. | 5.4 | 595 |
| 7 | Cognitive Functioning in Prodromal Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 562-71. | 12.3 | 567 |
| 8 | Treatments of Negative Symptoms in Schizophrenia: Meta-Analysis of 168 Randomized Placebo-Controlled Trials. <i>Schizophrenia Bulletin</i> , 2015, 41, 892-899. | 4.3 | 505 |
| 9 | Comorbid Depressive and Anxiety Disorders in 509 Individuals With an At-Risk Mental State: Impact on Psychopathology and Transition to Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 120-131. | 4.3 | 499 |
| 10 | Impact of coronavirus syndromes on physical and mental health of health care workers: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020, 275, 48-57. | 4.1 | 438 |
| 11 | Progressive brain changes in schizophrenia related to antipsychotic treatment? A meta-analysis of longitudinal MRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 1680-1691. | 6.1 | 434 |
| 12 | Distinct Effects of Δ^9 -Tetrahydrocannabinol and Cannabidiol on Neural Activation During Emotional Processing. <i>Archives of General Psychiatry</i> , 2009, 66, 95. | 12.3 | 412 |
| 13 | Altering the course of schizophrenia: progress and perspectives. <i>Nature Reviews Drug Discovery</i> , 2016, 15, 485-515. | 46.4 | 410 |
| 14 | Neural basis of anxiolytic effects of cannabidiol (CBD) in generalized social anxiety disorder: a preliminary report. <i>Journal of Psychopharmacology</i> , 2011, 25, 121-130. | 4.0 | 406 |
| 15 | Cannabis and anxiety: a critical review of the evidence. <i>Human Psychopharmacology</i> , 2009, 24, 515-523. | 1.5 | 398 |
| 16 | What causes psychosis? An umbrella review of risk and protective factors. <i>World Psychiatry</i> , 2018, 17, 49-66. | 10.4 | 387 |
| 17 | The impact of COVID-19 lockdown on child and adolescent mental health: systematic review. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1151-1177. | 4.7 | 364 |
| 18 | Improving outcomes of first-episode psychosis: an overview. <i>World Psychiatry</i> , 2017, 16, 251-265. | 10.4 | 363 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Publication and other reporting biases in cognitive sciences: detection, prevalence, and prevention. <i>Trends in Cognitive Sciences</i> , 2014, 18, 235-241. | 7.8 | 361 |
| 20 | Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113. | 11.0 | 354 |
| 21 | Structural and Functional Imaging Studies in Chronic Cannabis Users: A Systematic Review of Adolescent and Adult Findings. <i>PLoS ONE</i> , 2013, 8, e55821. | 2.5 | 334 |
| 22 | Neuroanatomy of vulnerability to psychosis: A voxel-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 1175-1185. | 6.1 | 319 |
| 23 | Ten simple rules for conducting umbrella reviews. <i>Evidence-Based Mental Health</i> , 2018, 21, 95-100. | 4.5 | 317 |
| 24 | Multimodal meta-analysis of structural and functional brain changes in first episode psychosis and the effects of antipsychotic medication. <i>Neuroscience and Biobehavioral Reviews</i> , 2012, 36, 2325-2333. | 6.1 | 311 |
| 25 | Neuroimaging predictors of transition to psychosis – A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2010, 34, 1207-1222. | 6.1 | 287 |
| 26 | Prevention of Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 755. | 11.0 | 287 |
| 27 | Anisotropic Kernels for Coordinate-Based Meta-Analyses of Neuroimaging Studies. <i>Frontiers in Psychiatry</i> , 2014, 5, 13. | 2.6 | 286 |
| 28 | Ventral Striatal Activation During Reward Processing in Psychosis. <i>JAMA Psychiatry</i> , 2015, 72, 1243. | 11.0 | 282 |
| 29 | Neurofunctional correlates of vulnerability to psychosis: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 465-484. | 6.1 | 276 |
| 30 | Neuroanatomical Maps of Psychosis Onset: Voxel-wise Meta-Analysis of Antipsychotic-Naive VBM Studies. <i>Schizophrenia Bulletin</i> , 2012, 38, 1297-1307. | 4.3 | 254 |
| 31 | Effects of Cannabis on Neurocognitive Functioning: Recent Advances, Neurodevelopmental Influences, and Sex Differences. <i>Neuropsychology Review</i> , 2013, 23, 117-137. | 4.9 | 252 |
| 32 | Deconstructing Vulnerability for Psychosis: Meta-Analysis of Environmental Risk Factors for Psychosis in Subjects at Ultra High-Risk. <i>European Psychiatry</i> , 2017, 40, 65-75. | 0.2 | 241 |
| 33 | Abnormal Frontostriatal Interactions in People With Prodromal Signs of Psychosis. <i>Archives of General Psychiatry</i> , 2010, 67, 683. | 12.3 | 235 |
| 34 | Modulation of Mediotemporal and Ventrostriatal Function in Humans by Δ^9 -Tetrahydrocannabinol. <i>Archives of General Psychiatry</i> , 2009, 66, 442. | 12.3 | 226 |
| 35 | Disorder, not just state of risk: Meta-analysis of functioning and quality of life in people at high risk of psychosis. <i>British Journal of Psychiatry</i> , 2015, 207, 198-206. | 2.8 | 226 |
| 36 | Striatal Presynaptic Dopamine in Schizophrenia, Part II: Meta-Analysis of [18F/11C]-DOPA PET Studies. <i>Schizophrenia Bulletin</i> , 2013, 39, 33-42. | 4.3 | 224 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Transdiagnostic psychiatry: a systematic review. <i>World Psychiatry</i> , 2019, 18, 192-207. | 10.4 | 218 |
| 38 | At risk or not at risk? A meta-analysis of the prognostic accuracy of psychometric interviews for psychosis prediction. <i>World Psychiatry</i> , 2015, 14, 322-332. | 10.4 | 209 |
| 39 | Development and Validation of a Clinically Based Risk Calculator for the Transdiagnostic Prediction of Psychosis. <i>JAMA Psychiatry</i> , 2017, 74, 493. | 11.0 | 206 |
| 40 | Prevalence and Psychosocial Correlates of Mental Health Outcomes Among Chinese College Students During the Coronavirus Disease (COVID-19) Pandemic. <i>Frontiers in Psychiatry</i> , 2020, 11, 803. | 2.6 | 206 |
| 41 | Dopaminergic basis of salience dysregulation in psychosis. <i>Trends in Neurosciences</i> , 2014, 37, 85-94. | 8.6 | 204 |
| 42 | Mental disorders and risk of COVID-19-related mortality, hospitalisation, and intensive care unit admission: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2021, 8, 797-812. | 7.4 | 202 |
| 43 | White Matter Alterations in Early Stages of Schizophrenia: A Systematic Review of Diffusion Tensor Imaging Studies. <i>Journal of Neuroimaging</i> , 2014, 24, 101-110. | 2.0 | 201 |
| 44 | Abnormal prefrontal activation directly related to pre-synaptic striatal dopamine dysfunction in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2011, 16, 67-75. | 7.9 | 198 |
| 45 | Striatal Dopamine Transporter Alterations in ADHD: Pathophysiology or Adaptation to Psychostimulants? A Meta-Analysis. <i>American Journal of Psychiatry</i> , 2012, 169, 264-272. | 7.2 | 198 |
| 46 | Induction of Psychosis by Δ^9 -Tetrahydrocannabinol Reflects Modulation of Prefrontal and Striatal Function During Attentional Salience Processing. <i>Archives of General Psychiatry</i> , 2012, 69, 27. | 12.3 | 193 |
| 47 | The Effects of Antipsychotics on the Brain: What Have We Learnt from Structural Imaging of Schizophrenia? A Systematic Review. <i>Current Pharmaceutical Design</i> , 2009, 15, 2535-2549. | 1.9 | 191 |
| 48 | Antipsychotics' effects on blood levels of cytokines in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2013, 151, 43-47. | 2.0 | 190 |
| 49 | Superior temporal lobe dysfunction and frontotemporal dysconnectivity in subjects at risk of psychosis and in first-episode psychosis. <i>Human Brain Mapping</i> , 2009, 30, 4129-4137. | 3.6 | 189 |
| 50 | Neuroimaging in cannabis use: a systematic review of the literature. <i>Psychological Medicine</i> , 2010, 40, 383-398. | 4.5 | 189 |
| 51 | Laterality effect on emotional faces processing: ALE meta-analysis of evidence. <i>Neuroscience Letters</i> , 2009, 452, 262-267. | 2.1 | 185 |
| 52 | The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 732-743. | 4.3 | 183 |
| 53 | Lack of evidence to favor specific preventive interventions in psychosis: a network meta-analysis. <i>World Psychiatry</i> , 2018, 17, 196-209. | 10.4 | 183 |
| 54 | Preventive psychiatry: a blueprint for improving the mental health of young people. <i>World Psychiatry</i> , 2021, 20, 200-221. | 10.4 | 183 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Prenatal and perinatal risk and protective factors for psychosis: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2020, 7, 399-410. | 7.4 | 182 |
| 56 | Neural Basis of δ^9 -Tetrahydrocannabinol and Cannabidiol: Effects During Response Inhibition. <i>Biological Psychiatry</i> , 2008, 64, 966-973. | 1.3 | 179 |
| 57 | Co-occurring mental and substance abuse disorders: A review on the potential predictors and clinical outcomes. <i>Psychiatry Research</i> , 2011, 186, 159-164. | 3.3 | 177 |
| 58 | Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. <i>Psychological Medicine</i> , 2014, 44, 17-24. | 4.5 | 174 |
| 59 | Outreach and support in South London (OASIS), 2001-2011: Ten years of early diagnosis and treatment for young individuals at high clinical risk for psychosis. <i>European Psychiatry</i> , 2013, 28, 315-326. | 0.2 | 172 |
| 60 | The Clinical High-Risk State for Psychosis (CHR-P), Version II. <i>Schizophrenia Bulletin</i> , 2017, 43, 44-47. | 4.3 | 169 |
| 61 | Environmental risk factors and biomarkers for autism spectrum disorder: an umbrella review of the evidence. <i>Lancet Psychiatry</i> , 2019, 6, 590-600. | 7.4 | 169 |
| 62 | Safety of 80 antidepressants, antipsychotics, anti-attention deficit/hyperactivity medications and mood stabilizers in children and adolescents with psychiatric disorders: a large scale systematic meta-review of 78 adverse effects. <i>World Psychiatry</i> , 2020, 19, 214-232. | 10.4 | 167 |
| 63 | At Risk for Schizophrenic or Affective Psychoses? A Meta-Analysis of DSM/ICD Diagnostic Outcomes in Individuals at High Clinical Risk. <i>Schizophrenia Bulletin</i> , 2013, 39, 923-932. | 4.3 | 165 |
| 64 | Neurophysiological effects of acute oxytocin administration: systematic review and meta-analysis of placebo-controlled imaging studies. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, E1-E22. | 2.4 | 159 |
| 65 | Basic Symptoms and the Prediction of First-Episode Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 351-357. | 1.9 | 152 |
| 66 | Diagnostic Stability of ICD/DSM First Episode Psychosis Diagnoses: Meta-analysis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1395-1406. | 4.3 | 151 |
| 67 | The Science of Prognosis in Psychiatry. <i>JAMA Psychiatry</i> , 2018, 75, 1289. | 11.0 | 151 |
| 68 | Probability of Transition to Psychosis in Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2021, 78, 970. | 11.0 | 148 |
| 69 | Brain Structural Abnormalities at the Onset of Schizophrenia and Bipolar Disorder: A Meta-analysis of Controlled Magnetic Resonance Imaging Studies. <i>Current Pharmaceutical Design</i> , 2012, 18, 486-494. | 1.9 | 144 |
| 70 | Prevalence of self-reported childhood abuse in psychosis: A meta-analysis of retrospective studies. <i>Psychiatry Research</i> , 2013, 210, 8-15. | 3.3 | 144 |
| 71 | Association of Antidepressant Use With Adverse Health Outcomes. <i>JAMA Psychiatry</i> , 2019, 76, 1241. | 11.0 | 143 |
| 72 | Neural correlates of executive function and working memory in the "at-risk mental state"™. <i>British Journal of Psychiatry</i> , 2009, 194, 25-33. | 2.8 | 141 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Functional neuroimaging in schizophrenia: diagnosis and drug discovery. Trends in Pharmacological Sciences, 2008, 29, 91-98. | 8.7 | 138 |
| 74 | Prognosis of Brief Psychotic Episodes. JAMA Psychiatry, 2016, 73, 211. | 11.0 | 137 |
| 75 | Modulation of effective connectivity during emotional processing by δ^9 -tetrahydrocannabinol and cannabidiol. International Journal of Neuropsychopharmacology, 2010, 13, 421. | 2.1 | 134 |
| 76 | A large-scale meta-analytic atlas of mental health problems prevalence during the COVID-19 early pandemic. Journal of Medical Virology, 2022, 94, 1935-1949. | 5.0 | 134 |
| 77 | What is good mental health? A scoping review. European Neuropsychopharmacology, 2020, 31, 33-46. | 0.7 | 131 |
| 78 | Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. World Psychiatry, 2021, 20, 417-436. | 10.4 | 127 |
| 79 | Modulation of Auditory and Visual Processing by Delta-9-Tetrahydrocannabinol and Cannabidiol: an fMRI Study. Neuropsychopharmacology, 2011, 36, 1340-1348. | 5.4 | 126 |
| 80 | Oligodendroglial Alterations and the Role of Microglia in White Matter Injury: Relevance to Schizophrenia. Developmental Neuroscience, 2013, 35, 102-129. | 2.0 | 122 |
| 81 | Transition to Psychosis Associated With Prefrontal and Subcortical Dysfunction in Ultra High-Risk Individuals. Schizophrenia Bulletin, 2012, 38, 1268-1276. | 4.3 | 120 |
| 82 | Persistence or recurrence of non-psychotic comorbid mental disorders associated with 6-year poor functional outcomes in patients at ultra high risk for psychosis. Journal of Affective Disorders, 2016, 203, 101-110. | 4.1 | 120 |
| 83 | Reduced mismatch negativity predates the onset of psychosis. Schizophrenia Research, 2012, 134, 42-48. | 2.0 | 119 |
| 84 | Attenuated Psychosis Syndrome: Ready for DSM-5.1?. Annual Review of Clinical Psychology, 2014, 10, 155-192. | 12.3 | 119 |
| 85 | Peripheral oxytocin and vasopressin: Biomarkers of psychiatric disorders? A comprehensive systematic review and preliminary meta-analysis. Psychiatry Research, 2016, 241, 207-220. | 3.3 | 119 |
| 86 | BDNF Val66Met polymorphism and hippocampal volume in neuropsychiatric disorders: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2015, 55, 107-118. | 6.1 | 118 |
| 87 | Risk factors for posttraumatic stress disorder: An umbrella review of systematic reviews and meta-analyses. Neuroscience and Biobehavioral Reviews, 2019, 107, 154-165. | 6.1 | 115 |
| 88 | Thalamic Glutamate Levels as a Predictor of Cortical Response During Executive Functioning in Subjects at High Risk for Psychosis. Archives of General Psychiatry, 2011, 68, 881. | 12.3 | 114 |
| 89 | Moving beyond transition outcomes: Meta-analysis of remission rates in individuals at high clinical risk for psychosis. Psychiatry Research, 2013, 209, 266-272. | 3.3 | 114 |
| 90 | Mapping vulnerability to bipolar disorder: a systematic review and meta-analysis of neuroimaging studies. Journal of Psychiatry and Neuroscience, 2012, 37, 170-184. | 2.4 | 112 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Why are help-seeking subjects at ultra-high risk for psychosis help-seeking?. <i>Psychiatry Research</i> , 2015, 228, 808-815. | 3.3 | 111 |
| 92 | Deconstructing Pretest Risk Enrichment to Optimize Prediction of Psychosis in Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 1260. | 11.0 | 111 |
| 93 | Potential Reporting Bias in fMRI Studies of the Brain. <i>PLoS ONE</i> , 2013, 8, e70104. | 2.5 | 110 |
| 94 | Eicosapentaenoic Acid Interventions in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 179-185. | 1.4 | 109 |
| 95 | Potential Reporting Bias in Neuroimaging Studies of Sex Differences. <i>Scientific Reports</i> , 2018, 8, 6082. | 3.3 | 109 |
| 96 | Integrated Mental Health Services for the Developmental Period (0 to 25 Years): A Critical Review of the Evidence. <i>Frontiers in Psychiatry</i> , 2019, 10, 355. | 2.6 | 109 |
| 97 | Disparities in cancer screening in people with mental illness across the world versus the general population: prevalence and comparative meta-analysis including 4171839 people. <i>Lancet Psychiatry</i> , 2020, 7, 52-63. | 7.4 | 109 |
| 98 | Diagnostic and Prognostic Significance of Brief Limited Intermittent Psychotic Symptoms (BLIPS) in Individuals at Ultra High Risk. <i>Schizophrenia Bulletin</i> , 2017, 43, 48-56. | 4.3 | 106 |
| 99 | Striatal Presynaptic Dopamine in Schizophrenia, Part I: Meta-Analysis of Dopamine Active Transporter (DAT) Density. <i>Schizophrenia Bulletin</i> , 2013, 39, 22-32. | 4.3 | 104 |
| 100 | Long-term validity of the At Risk Mental State (ARMS) for predicting psychotic and non-psychotic mental disorders. <i>European Psychiatry</i> , 2017, 42, 49-54. | 0.2 | 104 |
| 101 | What Causes the Onset of Psychosis in Individuals at Clinical High Risk? A Meta-analysis of Risk and Protective Factors. <i>Schizophrenia Bulletin</i> , 2020, 46, 110-120. | 4.3 | 103 |
| 102 | Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. <i>Lancet Psychiatry</i> , 2020, 7, 955-970. | 7.4 | 103 |
| 103 | Evidence-based umbrella review of 162 peripheral biomarkers for major mental disorders. <i>Translational Psychiatry</i> , 2020, 10, 152. | 4.8 | 102 |
| 104 | Implementing Precision Psychiatry: A Systematic Review of Individualized Prediction Models for Clinical Practice. <i>Schizophrenia Bulletin</i> , 2021, 47, 284-297. | 4.3 | 101 |
| 105 | Can We Reduce the Duration of Untreated Psychosis? A Systematic Review and Meta-Analysis of Controlled Interventional Studies. <i>Schizophrenia Bulletin</i> , 2018, 44, 1362-1372. | 4.3 | 100 |
| 106 | The Phenomenology and Neurobiology of Delusion Formation During Psychosis Onset: Jaspers, Truman Symptoms, and Aberrant Salience. <i>Schizophrenia Bulletin</i> , 2013, 39, 278-286. | 4.3 | 99 |
| 107 | Improving Prognostic Accuracy in Subjects at Clinical High Risk for Psychosis: Systematic Review of Predictive Models and Meta-analytical Sequential Testing Simulation. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw098. | 4.3 | 98 |
| 108 | Tracking cerebral white matter changes across the lifespan: insights from diffusion tensor imaging studies. <i>Journal of Neural Transmission</i> , 2013, 120, 1369-1395. | 2.8 | 97 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Towards a Standard Psychometric Diagnostic Interview for Subjects at Ultra High Risk of Psychosis: CAARMS versus SIPS. <i>Psychiatry Journal</i> , 2016, 2016, 1-11. | 1.5 | 97 |
| 110 | Neurocognitive Functioning in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 859. | 11.0 | 96 |
| 111 | Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. <i>Psychological Medicine</i> , 2013, 43, 2311-2325. | 4.5 | 95 |
| 112 | Annual Research Review: Prevention of psychosis in adolescents – systematic review and meta-analysis of advances in detection, prognosis and intervention. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 657-673. | 5.2 | 95 |
| 113 | Brain Connectivity Abnormalities Predating the Onset of Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 903. | 11.0 | 94 |
| 114 | Multimodal voxel-based meta-analysis of structural and functional magnetic resonance imaging studies in those at elevated genetic risk of developing schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 221, 69-77. | 1.8 | 94 |
| 115 | Social dysfunction predicts two years clinical outcome in people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2010, 44, 294-301. | 3.1 | 92 |
| 116 | Affective temperamental profiles are associated with white matter hyperintensity and suicidal risk in patients with mood disorders. <i>Journal of Affective Disorders</i> , 2011, 129, 47-55. | 4.1 | 90 |
| 117 | Altered brain function directly related to structural abnormalities in people at ultra high risk of psychosis: Longitudinal VBM-fMRI study. <i>Journal of Psychiatric Research</i> , 2011, 45, 190-198. | 3.1 | 89 |
| 118 | Is cannabis neurotoxic for the healthy brain? A meta-analytical review of structural brain alterations in non-psychotic users. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 483-492. | 1.8 | 88 |
| 119 | Efficacy and Acceptability of Interventions for Attenuated Positive Psychotic Symptoms in Individuals at Clinical High Risk of Psychosis: A Network Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 187. | 2.6 | 87 |
| 120 | Psychopathological symptoms in child and adolescent migraine and tension-type headache: A meta-analysis. <i>Cephalalgia</i> , 2013, 33, 112-122. | 3.9 | 86 |
| 121 | Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134. | 4.3 | 85 |
| 122 | Can antidepressants prevent psychosis?. <i>Lancet, The</i> , 2007, 370, 1746-1748. | 13.7 | 84 |
| 123 | Efficacy and safety of second-generation long-acting injections in schizophrenia. <i>International Clinical Psychopharmacology</i> , 2013, 28, 57-66. | 1.7 | 83 |
| 124 | Neuroanatomical markers of genetic liability to psychosis and first episode psychosis: A voxelwise meta-analytical comparison. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 219-228. | 2.6 | 83 |
| 125 | Cannabis use and transition to psychosis in people at ultra-high risk. <i>Psychological Medicine</i> , 2014, 44, 2503-2512. | 4.5 | 83 |
| 126 | Lithium Exposure During Pregnancy and the Postpartum Period: A Systematic Review and Meta-Analysis of Safety and Efficacy Outcomes. <i>American Journal of Psychiatry</i> , 2020, 177, 76-92. | 7.2 | 83 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Clinical Validity of DSM-5 Attenuated Psychosis Syndrome. <i>JAMA Psychiatry</i> , 2020, 77, 311. | 11.0 | 82 |
| 128 | Peripheral levels of C-reactive protein, tumor necrosis factor- α , interleukin-6, and interleukin-1 β across the mood spectrum in bipolar disorder: A meta-analysis of mean differences and variability. <i>Brain, Behavior, and Immunity</i> , 2021, 97, 193-203. | 4.1 | 80 |
| 129 | Serotonin transporter in Parkinson's disease: A meta-analysis of positron emission tomography studies. <i>Annals of Neurology</i> , 2017, 81, 171-180. | 5.3 | 77 |
| 130 | Efficacy and acceptability of pharmacological, psychosocial, and brain stimulation interventions in children and adolescents with mental disorders: an umbrella review. <i>World Psychiatry</i> , 2021, 20, 244-275. | 10.4 | 76 |
| 131 | Cannabidiol as a potential treatment for psychosis. <i>European Neuropsychopharmacology</i> , 2014, 24, 51-64. | 0.7 | 75 |
| 132 | Ten Years of "Extended" Life: Quality of Life Among Heart Transplantation Survivors. <i>Transplantation</i> , 2004, 78, 257-263. | 1.0 | 74 |
| 133 | Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk and the Prediction of Psychosis: Second Replication in an Independent National Health Service Trust. <i>Schizophrenia Bulletin</i> , 2019, 45, 562-570. | 4.3 | 74 |
| 134 | Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753. | 11.0 | 74 |
| 135 | Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , 2019, 10, 764. | 2.6 | 72 |
| 136 | Altered Prefrontal and Hippocampal Function During Verbal Encoding and Recognition in People With Prodromal Symptoms of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 746-756. | 4.3 | 71 |
| 137 | Abnormal Relationship Between Medial Temporal Lobe and Subcortical Dopamine Function in People With an Ultra High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1040-1049. | 4.3 | 71 |
| 138 | Mapping prodromal psychosis: A critical review of neuroimaging studies. <i>European Psychiatry</i> , 2012, 27, 181-191. | 0.2 | 70 |
| 139 | Agomelatine, a novel intriguing antidepressant option enhancing neuroplasticity: A critical review. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 412-431. | 2.6 | 69 |
| 140 | Speed of Psychosis Progression in People at Ultra-High Clinical Risk. <i>JAMA Psychiatry</i> , 2015, 72, 622. | 11.0 | 69 |
| 141 | The lived experience of psychosis: a bottom-up review co-written by experts by experience and academics. <i>World Psychiatry</i> , 2022, 21, 168-188. | 10.4 | 67 |
| 142 | Duration of untreated psychosis and need for admission in patients who engage with mental health services in the prodromal phase. <i>British Journal of Psychiatry</i> , 2015, 207, 130-134. | 2.8 | 65 |
| 143 | Spatial working memory in individuals at high risk for psychosis: Longitudinal fMRI study. <i>Schizophrenia Research</i> , 2010, 123, 45-52. | 2.0 | 64 |
| 144 | Interpersonal sensitivity in the at-risk mental state for psychosis. <i>Psychological Medicine</i> , 2012, 42, 1835-1845. | 4.5 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Antidepressant, antipsychotic and psychological interventions in subjects at high clinical risk for psychosis: OASIS 6-year naturalistic study. <i>Psychological Medicine</i> , 2015, 45, 1327-1339. | 4.5 | 60 |
| 146 | Altered Medial Temporal Activation Related to Local Glutamate Levels in Subjects with Prodromal Signs of Psychosis. <i>Biological Psychiatry</i> , 2011, 69, 97-99. | 1.3 | 59 |
| 147 | Functional Outcome in People at High Risk for Psychosis Predicted by Thalamic Glutamate Levels and Prefronto-Striatal Activation. <i>Schizophrenia Bulletin</i> , 2015, 41, 429-439. | 4.3 | 59 |
| 148 | Antipsychotic use and risk of life-threatening medical events: umbrella review of observational studies. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 227-243. | 4.5 | 59 |
| 149 | Predicting the onset of psychosis in patients at clinical high risk: practical guide to probabilistic prognostic reasoning. <i>Evidence-Based Mental Health</i> , 2016, 19, 10-15. | 4.5 | 58 |
| 150 | Worldwide implementation of clinical services for the prevention of psychosis: The IEPA early intervention in mental health survey. <i>Microbial Biotechnology</i> , 2020, 14, 741-750. | 1.7 | 58 |
| 151 | Improving the Detection of Individuals at Clinical Risk for Psychosis in the Community, Primary and Secondary Care: An Integrated Evidence-Based Approach. <i>Frontiers in Psychiatry</i> , 2019, 10, 774. | 2.6 | 57 |
| 152 | Risk factors for eating disorders: an umbrella review of published meta-analyses. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 314-323. | 1.7 | 57 |
| 153 | Approaching a network connectivity-driven classification of the psychosis continuum: a selective review and suggestions for future research. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 1047. | 2.0 | 56 |
| 154 | Meta-analysis of Voxel-Based Neuroimaging Studies using Seed-based d Mapping with Permutation of Subject Images (SDM-PSI). <i>Journal of Visualized Experiments</i> , 2019, , . | 0.3 | 56 |
| 155 | Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studiesâ€”PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020, 46, 432-441. | 4.3 | 56 |
| 156 | Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020, 41, 28-39. | 0.7 | 56 |
| 157 | Should attenuated psychosis syndrome be included in DSM-5?. <i>Lancet, The</i> , 2012, 379, 591-592. | 13.7 | 55 |
| 158 | Lost in transition: setting the psychosis threshold in prodromal research. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 248-252. | 4.5 | 55 |
| 159 | Immigration, Social Environment and Onset of Psychotic Disorders. <i>Current Pharmaceutical Design</i> , 2012, 18, 518-526. | 1.9 | 54 |
| 160 | Using neuroimaging to help predict the onset of psychosis. <i>NeuroImage</i> , 2017, 145, 209-217. | 4.2 | 54 |
| 161 | Determinants of Quality of Life in Marfan Syndrome. <i>Psychosomatics</i> , 2008, 49, 243-248. | 2.5 | 53 |
| 162 | Prefrontal Function at Presentation Directly Related to Clinical Outcome in People at Ultrahigh Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 189-198. | 4.3 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Patients' and clinicians' attitude towards long-acting depot antipsychotics in subjects with a first episode of psychosis. <i>Therapeutic Advances in Psychopharmacology</i> , 2013, 3, 89-99. | 2.7 | 53 |
| 164 | Depression and Quality of Life in Patients Living 10 to 18 Years Beyond Heart Transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2005, 24, 2269-2278. | 0.6 | 52 |
| 165 | Neuroimaging and electrophysiological studies of the effects of acute tryptophan depletion: a systematic review of the literature. <i>Psychopharmacology</i> , 2006, 188, 131-143. | 3.1 | 52 |
| 166 | Duration of untreated prodromal symptoms and 12-month functional outcome of individuals at risk of psychosis. <i>British Journal of Psychiatry</i> , 2009, 194, 181-182. | 2.8 | 52 |
| 167 | Gray matter alterations related to P300 abnormalities in subjects at high risk for psychosis: Longitudinal MRI-EEG study. <i>NeuroImage</i> , 2011, 55, 320-328. | 4.2 | 52 |
| 168 | Incidence, prevalence, and global burden of autism spectrum disorder from 1990 to 2019 across 204 countries. <i>Molecular Psychiatry</i> , 2022, 27, 4172-4180. | 7.9 | 52 |
| 169 | Voxel-wise meta-analysis of fMRI studies in patients at clinical high risk for psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2012, 37, 106-112. | 2.4 | 51 |
| 170 | From the Prodrome to Chronic Schizophrenia: The Neurobiology Underlying Psychotic Symptoms and Cognitive Impairments. <i>Current Pharmaceutical Design</i> , 2012, 18, 459-465. | 1.9 | 51 |
| 171 | Cannabis affects people differently: inter-subject variation in the psychotogenic effects of δ^9 -tetrahydrocannabinol: a functional magnetic resonance imaging study with healthy volunteers. <i>Psychological Medicine</i> , 2013, 43, 1255-1267. | 4.5 | 51 |
| 172 | Imaging the Neural Effects of Cannabinoids: Current Status and Future Opportunities for Psychopharmacology. <i>Current Pharmaceutical Design</i> , 2009, 15, 2603-2614. | 1.9 | 50 |
| 173 | Insular volume abnormalities associated with different transition probabilities to psychosis. <i>Psychological Medicine</i> , 2012, 42, 1613-1625. | 4.5 | 50 |
| 174 | Evidence of reporting biases in voxel-based morphometry (VBM) studies of psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2014, 35, 3052-3065. | 3.6 | 50 |
| 175 | Severe mental illness and European COVID-19 vaccination strategies. <i>Lancet Psychiatry</i> , 2021, 8, 356-359. | 7.4 | 50 |
| 176 | Disparities in Screening and Treatment of Cardiovascular Diseases in Patients With Mental Disorders Across the World: Systematic Review and Meta-Analysis of 47 Observational Studies. <i>American Journal of Psychiatry</i> , 2021, 178, 793-803. | 7.2 | 50 |
| 177 | What Is an Attenuated Psychotic Symptom? On the Importance of the Context. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw182. | 4.3 | 49 |
| 178 | Clinical prediction models in psychiatry: a systematic review of two decades of progress and challenges. <i>Molecular Psychiatry</i> , 2022, 27, 2700-2708. | 7.9 | 49 |
| 179 | Effects of acute antipsychotic treatment on brain activation in first episode psychosis: An fMRI study. <i>European Neuropsychopharmacology</i> , 2007, 17, 492-500. | 0.7 | 48 |
| 180 | Neurofunctional maps of the 'maternal brain' and the effects of oxytocin: A multimodal voxel-based meta-analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 733-751. | 1.8 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Extending the Benefits of Indicated Prevention to Improve Outcomes of First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2017, 74, 667. | 11.0 | 48 |
| 182 | A general approach for combining voxel-based meta-analyses conducted in different neuroimaging modalities. <i>Current Medicinal Chemistry</i> , 2013, 20, 462-6. | 2.4 | 48 |
| 183 | Altered activation and connectivity in a hippocampalâ€“basal gangliaâ€“midbrain circuit during salience processing in subjects at ultra high risk for psychosis. <i>Translational Psychiatry</i> , 2017, 7, e1245-e1245. | 4.8 | 47 |
| 184 | Establishing a clinical service to prevent psychosis: What, how and when? Systematic review. <i>Translational Psychiatry</i> , 2021, 11, 43. | 4.8 | 47 |
| 185 | Representation and Outcomes of Individuals With Schizophrenia Seen in Everyday Practice Who Are Ineligible for Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2022, 79, 210. | 11.0 | 47 |
| 186 | White matter alterations related to P300 abnormalities in individuals at high risk for psychosis: an MRIâ€“EEG study. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, 239-248. | 2.4 | 46 |
| 187 | Long-acting injectable antipsychotics in early psychosis: a literature review. <i>Microbial Biotechnology</i> , 2013, 7, 247-254. | 1.7 | 46 |
| 188 | Bullying victimisation and paranoid ideation in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 168, 68-73. | 2.0 | 46 |
| 189 | Why ultra high risk criteria for psychosis prediction do not work well outside clinical samples and what to do about it. <i>World Psychiatry</i> , 2017, 16, 212-213. | 10.4 | 45 |
| 190 | Gamma band oscillations in the early phase of psychosis: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 90, 381-399. | 6.1 | 45 |
| 191 | Why transition risk to psychosis is not declining at the OASIS ultra high risk service: The hidden role of stable pretest risk enrichment. <i>Schizophrenia Research</i> , 2018, 192, 385-390. | 2.0 | 45 |
| 192 | Psychosis Polyrisk Score (PPS) for the Detection of Individuals At-Risk and the Prediction of Their Outcomes. <i>Frontiers in Psychiatry</i> , 2019, 10, 174. | 2.6 | 45 |
| 193 | Neuroimaging studies of the early stages of psychosis: A critical review. <i>European Psychiatry</i> , 2008, 23, 237-244. | 0.2 | 44 |
| 194 | Can We Detect Psychotic-like Experiences in the General Population?. <i>Current Pharmaceutical Design</i> , 2012, 18, 376-385. | 1.9 | 44 |
| 195 | Modulation of motivational salience processing during the early stages of psychosis. <i>Schizophrenia Research</i> , 2015, 166, 17-23. | 2.0 | 44 |
| 196 | Services for people at high risk improve outcomes in patients with first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 76-85. | 4.5 | 44 |
| 197 | Dynamic ElecTronic hEalth reCord deTectioN (DETECT) of individuals at risk of a first episode of psychosis: a case-control development and validation study. <i>The Lancet Digital Health</i> , 2020, 2, e229-e239. | 12.3 | 44 |
| 198 | Paul Eugen Bleuler and the Birth of Schizophrenia (1908). <i>American Journal of Psychiatry</i> , 2008, 165, 1407-1407. | 7.2 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Neural correlates of visuospatial working memory in the "at-risk mental state". <i>Psychological Medicine</i> , 2010, 40, 1987-1999. | 4.5 | 43 |
| 200 | Gray matters! " Mapping the transition to psychosis. <i>Schizophrenia Research</i> , 2011, 133, 63-67. | 2.0 | 43 |
| 201 | Multimodal functional and structural imaging investigations in psychosis research. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 97-106. | 3.2 | 42 |
| 202 | Diagnostic validity of ICD-10 acute and transient psychotic disorders and DSM-5 brief psychotic disorder. <i>European Psychiatry</i> , 2017, 45, 104-113. | 0.2 | 41 |
| 203 | Olfactory and gustatory dysfunctions in SARS-CoV-2 infection: A systematic review. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 15, 100268. | 2.5 | 41 |
| 204 | Functional brain networks before the onset of psychosis: A prospective fMRI study with graph theoretical analysis. <i>NeuroImage: Clinical</i> , 2012, 1, 91-98. | 2.7 | 40 |
| 205 | Cannabis abuse and brain morphology in schizophrenia: a review of the available evidence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 3-13. | 3.2 | 40 |
| 206 | Predictors of functional outcome in individuals at high clinical risk for psychosis at six years follow-up. <i>Journal of Psychiatric Research</i> , 2015, 65, 115-123. | 3.1 | 40 |
| 207 | Forty years of structural imaging in psychosis: promises and truth. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 207-224. | 4.5 | 40 |
| 208 | Lower speech connectedness linked to incidence of psychosis in people at clinical high risk. <i>Schizophrenia Research</i> , 2021, 228, 493-501. | 2.0 | 40 |
| 209 | A General Approach for Combining Voxel-Based Meta-Analyses Conducted in Different Neuroimaging Modalities. <i>Current Medicinal Chemistry</i> , 2013, 20, 462-466. | 2.4 | 40 |
| 210 | Abnormal effective connectivity and psychopathological symptoms in the psychosis high-risk state. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 239-248. | 2.4 | 39 |
| 211 | Meta-analytical prognostic accuracy of the Comprehensive Assessment of at Risk Mental States (CAARMS): The need for refined prediction. <i>European Psychiatry</i> , 2018, 49, 62-68. | 0.2 | 39 |
| 212 | Real World Implementation of a Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk of Psychosis in Clinical Routine: Study Protocol. <i>Frontiers in Psychiatry</i> , 2019, 10, 109. | 2.6 | 39 |
| 213 | Effect of acute tryptophan depletion on pre-frontal engagement. <i>Psychopharmacology</i> , 2006, 187, 486-497. | 3.1 | 38 |
| 214 | Structural Network Disorganization in Subjects at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw110. | 4.3 | 38 |
| 215 | European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019, 29, 1301-1311. | 0.7 | 38 |
| 216 | Modulation of neural response to happy and sad faces by acute tryptophan depletion. <i>Psychopharmacology</i> , 2007, 193, 31-44. | 3.1 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Are we really mapping psychosis risk? Neuroanatomical signature of affective disorders in subjects at ultra high risk. <i>Psychological Medicine</i> , 2014, 44, 3491-3501. | 4.5 | 37 |
| 218 | Identifying children and adolescents at ultra high risk of psychosis in Italian neuropsychiatry services: a feasibility study. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 91-106. | 4.7 | 37 |
| 219 | Neurobiological Models of Self-Disorders in Early Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, 874-880. | 4.3 | 36 |
| 220 | Semistructured Interview for Bipolar At Risk States (SIBARS). <i>Psychiatry Research</i> , 2018, 264, 302-309. | 3.3 | 36 |
| 221 | Using Natural Language Processing on Electronic Health Records to Enhance Detection and Prediction of Psychosis Risk. <i>Schizophrenia Bulletin</i> , 2021, 47, 405-414. | 4.3 | 36 |
| 222 | Dysfunctional insular connectivity during reward prediction in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 367-376. | 2.4 | 36 |
| 223 | Anti-depressive Therapies After Heart Transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2006, 25, 785-793. | 0.6 | 35 |
| 224 | Relationship Between Gyrfication and Functional Connectivity of the Prefrontal Cortex in Subjects at High Genetic Risk of Schizophrenia. <i>Current Pharmaceutical Design</i> , 2012, 18, 434-442. | 1.9 | 35 |
| 225 | Outreach and support in South-London (OASIS) 2001â€”2020: Twenty years of early detection, prognosis and preventive care for young people at risk of psychosis. <i>European Neuropsychopharmacology</i> , 2020, 39, 111-122. | 0.7 | 35 |
| 226 | Suicide, self-harm and thoughts of suicide or self-harm in infectious disease epidemics: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e32. | 3.9 | 35 |
| 227 | Anterior cingulate pathology in the prodromal stage of schizophrenia. <i>NeuroImage</i> , 2008, 39, 553-554. | 4.2 | 34 |
| 228 | Glutamate and Psychosis Risk. <i>Current Pharmaceutical Design</i> , 2012, 18, 466-478. | 1.9 | 34 |
| 229 | Third-generation neuroimaging in early schizophrenia: Translating research evidence into clinical utility. <i>British Journal of Psychiatry</i> , 2012, 200, 270-272. | 2.8 | 34 |
| 230 | Longitudinal alterations in motivational salience processing in ultra-high-risk subjects for psychosis. <i>Psychological Medicine</i> , 2017, 47, 243-254. | 4.5 | 34 |
| 231 | Unmet needs in patients with brief psychotic disorders: Too ill for clinical high risk services and not ill enough for first episode services. <i>European Psychiatry</i> , 2019, 57, 26-32. | 0.2 | 34 |
| 232 | Gray Matter Volumetric Abnormalities Associated with the Onset of Psychosis. <i>Frontiers in Psychiatry</i> , 2012, 3, 101. | 2.6 | 33 |
| 233 | The gut-microbiome as a target for the treatment of schizophrenia: A systematic review and meta-analysis of randomised controlled trials of add-on strategies. <i>Schizophrenia Research</i> , 2021, 234, 58-70. | 2.0 | 33 |
| 234 | Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376. | 4.1 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | Depression After Lung Transplantation: Causes and Treatment. <i>Lung</i> , 2007, 185, 55-65. | 3.3 | 32 |
| 236 | Orbitofrontal response to drug-related stimuli after heroin administration. <i>Addiction Biology</i> , 2015, 20, 570-579. | 2.6 | 32 |
| 237 | Age-related brain structural alterations as an intermediate phenotype of psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 307-319. | 2.4 | 32 |
| 238 | Long term outcomes of acute and transient psychotic disorders: The missed opportunity of preventive interventions. <i>European Psychiatry</i> , 2018, 52, 126-133. | 0.2 | 32 |
| 239 | Learning from COVID-19 pandemic in northern Italy: Impact on mental health and clinical care. <i>Journal of Affective Disorders</i> , 2020, 275, 78-79. | 4.1 | 32 |
| 240 | Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021, 90, 632-642. | 1.3 | 32 |
| 241 | The Relationship of Developmental Changes in White Matter to the Onset of Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 422-433. | 1.9 | 30 |
| 242 | A systematic review and meta-analysis of mental health service use in people who report psychotic experiences. <i>Microbial Biotechnology</i> , 2018, 12, 275-285. | 1.7 | 30 |
| 243 | Real-world implementation of precision psychiatry: Transdiagnostic risk calculator for the automatic detection of individuals at-risk of psychosis. <i>Schizophrenia Research</i> , 2021, 227, 52-60. | 2.0 | 30 |
| 244 | Associations between mental and physical conditions in children and adolescents: An umbrella review. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 137, 104662. | 6.1 | 30 |
| 245 | Genetic Vulnerability to Affective Psychopathology in Childhood: A Combined Voxel-Based Morphometry and Functional Magnetic Resonance Imaging Study. <i>Biological Psychiatry</i> , 2009, 66, 231-237. | 1.3 | 29 |
| 246 | TRANSD recommendations: improving transdiagnostic research in psychiatry. <i>World Psychiatry</i> , 2019, 18, 361-362. | 10.4 | 29 |
| 247 | Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345. | 2.6 | 29 |
| 248 | Real-world long-term outcomes in individuals at clinical risk for psychosis: The case for extending duration of care. <i>EClinicalMedicine</i> , 2020, 28, 100578. | 7.1 | 29 |
| 249 | Prevalence of Individuals at Clinical High-Risk of Psychosis in the General Population and Clinical Samples: Systematic Review and Meta-Analysis. <i>Brain Sciences</i> , 2021, 11, 1544. | 2.3 | 29 |
| 250 | Global population attributable fraction of potentially modifiable risk factors for mental disorders: a meta-umbrella systematic review. <i>Molecular Psychiatry</i> , 2022, 27, 3510-3519. | 7.9 | 29 |
| 251 | Conceptual issues in psychiatric neuroimaging. <i>Current Opinion in Psychiatry</i> , 2006, 19, 608-612. | 6.3 | 28 |
| 252 | Cognitive Remediation in the Early Course of Schizophrenia: A Critical Review. <i>Current Pharmaceutical Design</i> , 2012, 18, 534-541. | 1.9 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Polyunsaturated fatty acids in emerging psychosis: a safer alternative?. <i>Microbial Biotechnology</i> , 2014, 8, 199-208. | 1.7 | 28 |
| 254 | Medial frontal gyrus alterations in schizophrenia: Relationship with duration of illness and executive dysfunction. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 103-110. | 1.8 | 28 |
| 255 | Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17. | 2.0 | 28 |
| 256 | The prevalence, odds and predictors of lifespan comorbid eating disorder among people with a primary diagnosis of bipolar disorders, and vice-versa: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 280, 409-431. | 4.1 | 28 |
| 257 | Universal and Selective Interventions to Prevent Poor Mental Health Outcomes in Young People: Systematic Review and Meta-analysis. <i>Harvard Review of Psychiatry</i> , 2021, 29, 196-215. | 2.1 | 28 |
| 258 | Natural Language Processing markers in first episode psychosis and people at clinical high-risk. <i>Translational Psychiatry</i> , 2021, 11, 630. | 4.8 | 28 |
| 259 | Why are psychiatric imaging methods clinically unreliable? Conclusions and practical guidelines for authors, editors and reviewers. <i>Behavioral and Brain Functions</i> , 2012, 8, 46. | 3.3 | 27 |
| 260 | Risk and protective factors for anxiety and obsessive-compulsive disorders: an umbrella review of systematic reviews and meta-analyses. <i>Psychological Medicine</i> , 2020, 50, 1300-1315. | 4.5 | 27 |
| 261 | Brain Diffusion Changes in Emerging Psychosis and the Impact of State-Dependent Psychopathology. <i>NeuroSignals</i> , 2015, 23, 71-83. | 0.9 | 26 |
| 262 | Intensive community outreach for those at ultra high risk of psychosis: dilution, not solution. <i>Lancet Psychiatry</i> , 2016, 3, 18. | 7.4 | 26 |
| 263 | Diagnostic and Prognostic Significance of DSM-5 Attenuated Psychosis Syndrome in Services for Individuals at Ultra High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 264-275. | 4.3 | 26 |
| 264 | Oxytocin modulates hippocampal perfusion in people at clinical high risk for psychosis. <i>Neuropsychopharmacology</i> , 2019, 44, 1300-1309. | 5.4 | 26 |
| 265 | Clinical outcomes in individuals at clinical high risk of psychosis who do not transition to psychosis: a meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e9. | 3.9 | 26 |
| 266 | Episodic Memory Dysfunction in Individuals at High-Risk of Psychosis: A Systematic Review of Neuropsychological and Neurofunctional Studies. <i>Current Pharmaceutical Design</i> , 2012, 18, 443-458. | 1.9 | 25 |
| 267 | Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. <i>EClinicalMedicine</i> , 2021, 36, 100909. | 7.1 | 25 |
| 268 | Pan-London Network for Psychosis-Prevention (PNP). <i>Frontiers in Psychiatry</i> , 2019, 10, 707. | 2.6 | 24 |
| 269 | Diagnosis, prognosis, and treatment of brief psychotic episodes: a review and research agenda. <i>Lancet Psychiatry</i> , 2022, 9, 72-83. | 7.4 | 24 |
| 270 | Effect of image analysis software on neurofunctional activation during processing of emotional human faces. <i>Journal of Clinical Neuroscience</i> , 2010, 17, 311-314. | 1.5 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Unmet needs for treatment in 102 individuals with brief and limited intermittent psychotic symptoms (BLIPS): implications for current clinical recommendations. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e67. | 3.9 | 23 |
| 272 | Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021, 294, 957-970. | 4.1 | 23 |
| 273 | Integrating the negative psychotic symptoms in the high risk criteria for the prediction of psychosis. <i>Medical Hypotheses</i> , 2007, 69, 959-960. | 1.5 | 22 |
| 274 | The Hype Cycle of the Clinical High Risk State for Psychosis: The Need of a Refined Approach. <i>Schizophrenia Bulletin</i> , 2018, 44, 250-253. | 4.3 | 22 |
| 275 | The collaborative outcomes study on health and functioning during infection times in adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2022, 299, 393-407. | 4.1 | 22 |
| 276 | Systematic Review and Meta-analysis: Efficacy of Pharmacological Interventions for Irritability and Emotional Dysregulation in Autism Spectrum Disorder and Predictors of Response. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2023, 62, 151-168. | 0.5 | 22 |
| 277 | Potential therapeutical effects of cannabidiol in children with pharmaco-resistant epilepsy. <i>Medical Hypotheses</i> , 2007, 68, 920-921. | 1.5 | 21 |
| 278 | Economic Impact of Early Detection and Early Intervention of Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 592-595. | 1.9 | 21 |
| 279 | Clinical-learning versus machine-learning for transdiagnostic prediction of psychosis onset in individuals at-risk. <i>Translational Psychiatry</i> , 2019, 9, 259. | 4.8 | 21 |
| 280 | Cingulate Volume Abnormalities in Emerging Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 495-504. | 1.9 | 21 |
| 281 | Differential expression of MicroRNAs in Alzheimer's disease: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2022, 27, 2405-2413. | 7.9 | 21 |
| 282 | Truman signs and vulnerability to psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 168-168. | 2.8 | 20 |
| 283 | Lifestyles and Cardiovascular Risk in Individuals With Functional Psychoses. <i>Perspectives in Psychiatric Care</i> , 2009, 45, 87-99. | 1.9 | 20 |
| 284 | The Ultra High Risk Approach to Define Psychosis Risk. <i>Current Pharmaceutical Design</i> , 2012, 18, 346-350. | 1.9 | 20 |
| 285 | Gender differences in clinical presentation and illicit substance use during first episode psychosis: a natural language processing, electronic case register study. <i>BMJ Open</i> , 2021, 11, e042949. | 1.9 | 20 |
| 286 | A systematic review and meta-analysis of structural and functional brain alterations in individuals with genetic and clinical high-risk for psychosis and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 117, 110540. | 4.8 | 20 |
| 287 | Reliability and Validity of the Comprehensive Assessment of the at Risk Mental State, Italian Version (CAARMS-I). <i>Current Pharmaceutical Design</i> , 2012, 18, 386-391. | 1.9 | 19 |
| 288 | Formal thought disorder in people at ultra-high risk of psychosis. <i>BJPsych Open</i> , 2017, 3, 165-170. | 0.7 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | Implementation of a Real-Time Psychosis Risk Detection and Alerting System Based on Electronic Health Records using CogStack. <i>Journal of Visualized Experiments</i> , 2020, , . | 0.3 | 19 |
| 290 | Association between autism spectrum disorder and inflammatory bowel disease: A systematic review and meta-analysis. <i>Autism Research</i> , 2022, 15, 340-352. | 3.8 | 19 |
| 291 | Striatal molecular alterations in HD gene carriers: a systematic review and meta-analysis of PET studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 185-196. | 1.9 | 18 |
| 292 | Proportion and predictors of remission and recovery in first-episode psychosis: Systematic review and meta-analysis. <i>European Psychiatry</i> , 2021, 64, e69. | 0.2 | 18 |
| 293 | Getting Old With a New Heart: Impact of Age on Depression and Quality of Life in Long-term Heart Transplant Recipients. <i>Journal of Heart and Lung Transplantation</i> , 2007, 26, 544-548. | 0.6 | 17 |
| 294 | Neural correlates of movement generation in the "at-risk mental state"™. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 295-301. | 4.5 | 17 |
| 295 | A Case of a College Student Presenting With Mild Mental Health Problems. <i>JAMA Psychiatry</i> , 2018, 75, 1298. | 11.0 | 17 |
| 296 | Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. <i>Psychological Medicine</i> , 2021, 51, 147-157. | 4.5 | 17 |
| 297 | Viewpoint European COVID-19 exit strategy for people with severe mental disorders: Too little, but not yet too late. <i>Brain, Behavior, and Immunity</i> , 2021, 94, 15-17. | 4.1 | 17 |
| 298 | Polyunsaturated Fatty Acids in Emerging Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 576-591. | 1.9 | 16 |
| 299 | Transdiagnostic Individualized Clinically Based Risk Calculator for the Detection of Individuals at Risk and the Prediction of Psychosis: Model Refinement Including Nonlinear Effects of Age. <i>Frontiers in Psychiatry</i> , 2019, 10, 313. | 2.6 | 16 |
| 300 | Intranasal oxytocin increases heart-rate variability in men at clinical high risk for psychosis: a proof-of-concept study. <i>Translational Psychiatry</i> , 2020, 10, 227. | 4.8 | 16 |
| 301 | Association between mental disorders and somatic conditions: protocol for an umbrella review. <i>Evidence-Based Mental Health</i> , 2020, 23, 135-139. | 4.5 | 16 |
| 302 | E-Clinical High Risk for Psychosis: Viewpoint on Potential of Digital Innovations for Preventive Psychiatry. <i>JMIR Mental Health</i> , 2019, 6, e14581. | 3.3 | 16 |
| 303 | The effects of antipsychotics on brain structure: what have we learnt from structural imaging of schizophrenia?. <i>Psychological Medicine</i> , 2009, 39, 1781-1782. | 4.5 | 15 |
| 304 | Franco Basaglia (1924-1980): Three Decades (1979-2009) as a Bridge Between the Italian and Brazilian Mental Health Reform. <i>International Journal of Social Psychiatry</i> , 2011, 57, 100-103. | 3.1 | 15 |
| 305 | Neighbourhood deprivation is positively associated with detection of the ultra-high risk (UHR) state for psychosis in South East London. <i>Schizophrenia Research</i> , 2018, 192, 371-376. | 2.0 | 15 |
| 306 | Transdiagnostic individualized clinically-based risk calculator for the automatic detection of individuals at-risk and the prediction of psychosis: external replication in 2,430,333 US patients. <i>Translational Psychiatry</i> , 2020, 10, 364. | 4.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. <i>Schizophrenia Research</i> , 2021, 232, 98-106. | 2.0 | 15 |
| 308 | Longitudinal Course of Depressive, Anxiety, and Posttraumatic Stress Disorder Symptoms After Heart Surgery: A Meta-Analysis of 94 Studies. <i>Psychosomatic Medicine</i> , 2021, 83, 85-93. | 2.0 | 15 |
| 309 | Second Life virtual world: A heaven for autistic people?. <i>Medical Hypotheses</i> , 2008, 71, 980-981. | 1.5 | 14 |
| 310 | Superior temporal gray and white matter changes in schizophrenia or antipsychotic related effects?. <i>Schizophrenia Research</i> , 2009, 113, 109-110. | 2.0 | 14 |
| 311 | The Enduring Search for the Koplik Spots of Psychosis. <i>JAMA Psychiatry</i> , 2015, 72, 863. | 11.0 | 14 |
| 312 | Psychiatric and neuropsychiatric syndromes and COVID-19 – Authors' reply. <i>Lancet Psychiatry</i> , 2020, 7, 664-665. | 7.4 | 14 |
| 313 | Risk and protective factors for mental disorders with onset in childhood/adolescence: An umbrella review of published meta-analyses of observational longitudinal studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 120, 565-573. | 6.1 | 14 |
| 314 | Risk and protective factors for cannabis, cocaine, and opioid use disorders: An umbrella review of meta-analyses of observational studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 126, 243-251. | 6.1 | 14 |
| 315 | Public health primary prevention implemented by clinical high-risk services for psychosis. <i>Translational Psychiatry</i> , 2022, 12, 43. | 4.8 | 14 |
| 316 | Understanding source monitoring subtypes and their relation to psychosis: a systematic review and meta-analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 162-171. | 1.8 | 14 |
| 317 | Dysbindin modulates brain function during visual processing in children. <i>NeuroImage</i> , 2010, 49, 817-822. | 4.2 | 13 |
| 318 | Hippocampal volume correlates with attenuated negative psychotic symptoms irrespective of antidepressant medication. <i>NeuroImage: Clinical</i> , 2015, 8, 230-237. | 2.7 | 13 |
| 319 | Prevalence and implications of Truman symptoms in subjects at ultra high risk for psychosis. <i>Psychiatry Research</i> , 2016, 238, 270-276. | 3.3 | 13 |
| 320 | An initial investigation of abnormal bodily phenomena in subjects at ultra high risk for psychosis: Their prevalence and clinical implications. <i>Comprehensive Psychiatry</i> , 2016, 66, 39-45. | 3.1 | 13 |
| 321 | Development and Validation of a Dynamic Risk Prediction Model to Forecast Psychosis Onset in Patients at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2019, 46, 252-260. | 4.3 | 13 |
| 322 | Risk and Protective Factors for Personality Disorders: An Umbrella Review of Published Meta-Analyses of Case-Control and Cohort Studies. <i>Frontiers in Psychiatry</i> , 2021, 12, 679379. | 2.6 | 13 |
| 323 | Prognostic accuracy and clinical utility of psychometric instruments for individuals at clinical high-risk of psychosis: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2022, 27, 3670-3678. | 7.9 | 13 |
| 324 | Effects of Antipsychotics on Dentate Gyrus Stem Cell Proliferation and Survival in Animal Models: A Critical Update. <i>Neural Plasticity</i> , 2012, 2012, 1-12. | 2.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 325 | Genetic Vulnerability to Psychosis and Cortical Function: Epistatic Effects between DAAO and G72. <i>Current Pharmaceutical Design</i> , 2012, 18, 510-517. | 1.9 | 12 |
| 326 | Neuroimaging and Resilience Factors - Staging of the At-risk Mental State?. <i>Current Pharmaceutical Design</i> , 2012, 18, 416-421. | 1.9 | 12 |
| 327 | White matter pathology "an endophenotype for bipolar disorder?. <i>BMC Psychiatry</i> , 2012, 12, 138. | 2.6 | 12 |
| 328 | Negative Psychosis Prevention Trials. <i>JAMA Psychiatry</i> , 2017, 74, 651. | 11.0 | 12 |
| 329 | World/self ambivalence: A shared mechanism in different subsets of psychotic experiences? Linking symptoms with resting-state fMRI. <i>Psychiatry Research - Neuroimaging</i> , 2020, 299, 111068. | 1.8 | 12 |
| 330 | Prognostic Accuracy of DSM-5 Attenuated Psychosis Syndrome in Adolescents: Prospective Real-World 5-Year Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1663-1673. | 4.3 | 12 |
| 331 | The Vulnerability to Schizophrenia Mainstream Research Paradigms and Phenomenological Directions. <i>Current Pharmaceutical Design</i> , 2012, 18, 338-345. | 1.9 | 11 |
| 332 | The impact of delivering <sc>GP</sc> training on the clinical high risk and first-episode psychosis on referrals and pathways to care. <i>Microbial Biotechnology</i> , 2015, 9, 459-466. | 1.7 | 11 |
| 333 | Sensory gating deficits in the attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2015, 161, 277-282. | 2.0 | 11 |
| 334 | The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. <i>Psychiatry Research</i> , 2019, 272, 618-627. | 3.3 | 11 |
| 335 | Real-world digital implementation of the Psychosis Polyrisk Score (PPS): A pilot feasibility study. <i>Schizophrenia Research</i> , 2020, 226, 176-183. | 2.0 | 11 |
| 336 | Real-World Clinical Outcomes Two Years After Transition to Psychosis in Individuals at Clinical High Risk: Electronic Health Record Cohort Study. <i>Schizophrenia Bulletin</i> , 2020, 46, 1114-1125. | 4.3 | 11 |
| 337 | Evaluation of variability in individual response to treatments in the clinical high-risk state for psychosis: A meta-analysis. <i>Schizophrenia Research</i> , 2021, 227, 20-27. | 2.0 | 11 |
| 338 | Egas Moniz (1875-1955), the father of psychosurgery. <i>British Journal of Psychiatry</i> , 2008, 193, 50-50. | 2.8 | 10 |
| 339 | Ethical Implications for Clinical Practice and Future Research in "At Risk" Individuals. <i>Current Pharmaceutical Design</i> , 2012, 18, 606-612. | 1.9 | 10 |
| 340 | Impact on the Onset of Psychosis of a Polygenic Schizophrenia-Related Risk Score and Changes in White Matter Volume. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 1201-1214. | 1.6 | 10 |
| 341 | Association of antidepressants with brain morphology in early stages of psychosis: an imaging genomics approach. <i>Scientific Reports</i> , 2019, 9, 8516. | 3.3 | 10 |
| 342 | Aripiprazole monotherapy as transdiagnostic intervention for the treatment of mental disorders: An umbrella review according to TRANSD criteria. <i>European Neuropsychopharmacology</i> , 2020, 41, 16-27. | 0.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Acute oxytocin effects in inferring others' beliefs and social emotions in people at clinical high risk for psychosis. <i>Translational Psychiatry</i> , 2020, 10, 203. | 4.8 | 10 |
| 344 | Third external replication of an individualised transdiagnostic prediction model for the automatic detection of individuals at risk of psychosis using electronic health records. <i>Schizophrenia Research</i> , 2021, 228, 403-409. | 2.0 | 10 |
| 345 | Structural Brain Volumes of Individuals at Clinical High Risk for Psychosis: A Meta-analysis. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 147-152. | 2.2 | 10 |
| 346 | Heterogeneity in the Assessment of the At-Risk Mental State for Psychosis. <i>Psychiatric Services</i> , 2008, 59, 813-813. | 2.0 | 10 |
| 347 | Real-World Implementation of Precision Psychiatry: A Systematic Review of Barriers and Facilitators. <i>Brain Sciences</i> , 2022, 12, 934. | 2.3 | 10 |
| 348 | Franco Basaglia, 1924-1980. <i>American Journal of Psychiatry</i> , 2008, 165, 968-968. | 7.2 | 9 |
| 349 | Johann Cristian Reil on the 200th anniversary of the first description of the insula (1809). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 1409-1409. | 1.9 | 9 |
| 350 | Neurophysiological response to emotional faces with increasing intensity of fear: A skin conductance response study. <i>Journal of Clinical Neuroscience</i> , 2009, 16, 981-982. | 1.5 | 9 |
| 351 | Philosophical Issues in the Prodromal Phase of Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 596-605. | 1.9 | 9 |
| 352 | Predictive power of attenuated psychosis syndrome: Is it really low? The case of mild cognitive impairment. <i>Schizophrenia Research</i> , 2012, 135, 192-193. | 2.0 | 9 |
| 353 | Neuropsychopharmacology of auditory hallucinations: insights from pharmacological functional MRI and perspectives for future research. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 23-36. | 2.8 | 9 |
| 354 | Short clinically-based prediction model to forecast transition to psychosis in individuals at clinical high risk state. <i>European Psychiatry</i> , 2019, 58, 72-79. | 0.2 | 9 |
| 355 | Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110. | 4.3 | 9 |
| 356 | Development of a probability calculator for psychosis risk in children, adolescents, and young adults. <i>Psychological Medicine</i> , 2022, 52, 3159-3167. | 4.5 | 9 |
| 357 | Promoting good mental health in the whole population: The new frontier. <i>European Neuropsychopharmacology</i> , 2022, 55, 8-10. | 0.7 | 9 |
| 358 | Higher levels of mental wellbeing predict lower risk of common mental disorders in the Danish general population. <i>Mental Health and Prevention</i> , 2022, 26, 200233. | 1.3 | 9 |
| 359 | Maurice Merleau-Ponty and the 'Embodied Subjectivity' (1908-1961). <i>Medical Anthropology Quarterly</i> , 2009, 23, 91-93. | 1.4 | 8 |
| 360 | Basic Self-Disturbances Related to Reduced Anterior Cingulate Volume in Subjects at Ultra-High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 254. | 2.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 361 | Neurochemical effects of oxytocin in people at clinical high risk for psychosis. <i>European Neuropsychopharmacology</i> , 2019, 29, 601-615. | 0.7 | 8 |
| 362 | Early Intervention Services for First Episode of Psychosis in South London and the Maudsley (SLaM): 20 Years of Care and Research for Young People. <i>Frontiers in Psychiatry</i> , 2020, 11, 577110. | 2.6 | 8 |
| 363 | Developing and Validating an Individualized Clinical Prediction Model to Forecast Psychotic Recurrence in Acute and Transient Psychotic Disorders: Electronic Health Record Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1695-1705. | 4.3 | 8 |
| 364 | Why Is Psychiatric Imaging Clinically Unreliable? Epistemological Perspectives in Clinical Neuroscience. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 320-321. | 8.8 | 7 |
| 365 | Abnormal thalamic glutamate and liability to psychosis: State or trait marker?. <i>Schizophrenia Research</i> , 2009, 115, 94-95. | 2.0 | 7 |
| 366 | Neurophysiological Alterations in the Prepsychotic Phases. <i>Current Pharmaceutical Design</i> , 2012, 18, 479-485. | 1.9 | 7 |
| 367 | Cannabis Abuse and Vulnerability to Psychosis: Targeting Preventive Services. <i>Current Pharmaceutical Design</i> , 2012, 18, 542-549. | 1.9 | 7 |
| 368 | People meeting ultra high risk for psychosis criteria in the community. <i>World Psychiatry</i> , 2017, 16, 322-323. | 10.4 | 7 |
| 369 | Pattern of activation during delayed matching to sample task predicts functional outcome in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 181, 86-93. | 2.0 | 7 |
| 370 | Towards a framework for good outcome in people at clinical high risk for psychosis: A Delphi consensus study. <i>Schizophrenia Research</i> , 2019, 208, 209-216. | 2.0 | 7 |
| 371 | DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 568982. | 2.6 | 7 |
| 372 | Genetic Variation and Autism: A Field Synopsis and Systematic Meta-Analysis. <i>Brain Sciences</i> , 2020, 10, 692. | 2.3 | 7 |
| 373 | Transition to psychosis in randomized clinical trials of individuals at clinical high risk of psychosis compared to observational cohorts: a systematic review and meta-analysis. <i>European Psychiatry</i> , 2021, 64, e51. | 0.2 | 7 |
| 374 | Suicide, self-harm and thoughts of suicide or self-harm in infectious disease epidemics: a systematic review and meta-analysis – CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, . | 3.9 | 7 |
| 375 | A Pilot Study on Covid and Autism: Prevalence, Clinical Presentation and Vaccine Side Effects. <i>Brain Sciences</i> , 2021, 11, 860. | 2.3 | 7 |
| 376 | Transcriptional biomarkers of response to pharmacological treatments in severe mental disorders: A systematic review. <i>European Neuropsychopharmacology</i> , 2022, 55, 112-157. | 0.7 | 7 |
| 377 | Psychosis and substance abuse increase the COVID-19 mortality risk. <i>Psychological Medicine</i> , 2023, 53, 4236-4244. | 4.5 | 7 |
| 378 | Examining the variability of neurocognitive functioning in individuals at clinical high risk for psychosis: a meta-analysis. <i>Translational Psychiatry</i> , 2022, 12, 198. | 4.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 379 | Marfan syndrome and liability to psychosis. <i>Medical Hypotheses</i> , 2007, 68, 1173-1174. | 1.5 | 6 |
| 380 | One Century of Allgemeine Psychopathologie (1913 to 2013) by Karl Jaspers. <i>Schizophrenia Bulletin</i> , 2013, 39, 268-269. | 4.3 | 6 |
| 381 | The Provision of Education and Employment Support At the Outreach and Support in South London (OASIS) Service for People at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 799. | 2.6 | 6 |
| 382 | Methodological Biases in CBT Trialâ€”Commentary: Modular Cognitive-Behavioral Therapy for Affective Symptoms in Young Individuals at Ultra-High Risk of First Episode of Psychosis: Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 394. | 2.6 | 6 |
| 383 | Risk and protective factors for alcohol and tobacco related disorders: An umbrella review of observational studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 121, 20-28. | 6.1 | 6 |
| 384 | Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatr a Y Salud Mental</i> , 2021, 14, 50-64. | 1.8 | 6 |
| 385 | Early intervention in psychosis during the COVID-19 pandemic: Maudsley recommendations. <i>European Neuropsychopharmacology</i> , 2021, 47, 130-135. | 0.7 | 6 |
| 386 | Linking autism, regression and Landauâ€”Kleffner syndrome: Integrative role of nerve growth factor. <i>Medical Hypotheses</i> , 2007, 68, 1178-1179. | 1.5 | 5 |
| 387 | Multimodal functional imaging investigation before and after the onset of psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 579. | 2.1 | 5 |
| 388 | Examining serviceâ€”user perspectives for the development of a good outcome checklist for individuals at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 606-615. | 1.7 | 5 |
| 389 | Assessment of Psychotic Symptoms in Individuals Exposed to Very High or Extreme Altitude: A Field Study. <i>High Altitude Medicine and Biology</i> , 2021, 22, 369-378. | 0.9 | 5 |
| 390 | Lack of robust metaâ€”analytic evidence to favour cognitive behavioural therapy for prevention of psychosis. <i>World Psychiatry</i> , 2021, 20, 443-444. | 10.4 | 5 |
| 391 | Clinical outcomes in brief psychotic episodes: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, . | 3.9 | 5 |
| 392 | Focusing on Comorbidityâ€”A Novel Meta-Analytic Approach and Protocol to Disentangle the Specific Neuroanatomy of Co-occurring Mental Disorders. <i>Frontiers in Psychiatry</i> , 2021, 12, 807839. | 2.6 | 5 |
| 393 | Development of the Korea-Polyenvironmental Risk Score for Psychosis. <i>Psychiatry Investigation</i> , 2022, 19, 197-206. | 1.6 | 5 |
| 394 | Environmental risk factors, protective factors, and biomarkers for postpartum depressive symptoms: an umbrella review. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 140, 104761. | 6.1 | 5 |
| 395 | Can acute tryptophan depletion modulate brain function in absence of behavioural effects?. <i>Medical Hypotheses</i> , 2007, 68, 722. | 1.5 | 4 |
| 396 | Insular pathology in the at-risk mental state. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 254-255. | 3.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Julius Wagner-Jauregg, 1857â€“1940. <i>American Journal of Psychiatry</i> , 2009, 166, 409-409. | 7.2 | 4 |
| 398 | Distinct Effects of D9-tetrahydrocannabinol and Cannabidiol on Neural Activation During Emotional Processing. <i>European Psychiatry</i> , 2009, 24, . | 0.2 | 4 |
| 399 | Predicting the development of schizophrenia. <i>British Journal of Psychiatry</i> , 2012, 200, 254-255. | 2.8 | 4 |
| 400 | Prison and Community Populations at Ultra-High Risk of Psychosis: Differences and Challenges for Service Provision. <i>Psychiatric Services</i> , 2016, 67, 990-995. | 2.0 | 4 |
| 401 | The Psychosis High-Risk State. <i>Key Issues in Mental Health</i> , 2016, , 55-68. | 0.6 | 4 |
| 402 | Proportion of young people in the general population consulting general practitioners: Potential for mental health screening and prevention. <i>Microbial Biotechnology</i> , 2020, 14, 631-635. | 1.7 | 4 |
| 403 | T97. REAL WORLD IMPLEMENTATION OF A TRANSDIAGNOSTIC RISK CALCULATOR FOR THE AUTOMATIC DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN CLINICAL ROUTINE. <i>Schizophrenia Bulletin</i> , 2020, 46, S268-S268. | 4.3 | 4 |
| 404 | Towards standardising the assessment of good outcome in people at clinical high risk for psychosis: A collaborative approach. <i>Schizophrenia Research</i> , 2020, 223, 361-362. | 2.0 | 4 |
| 405 | New Electronic Health Records Screening Tools to Improve Detection of Emerging Psychosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 698406. | 2.6 | 4 |
| 406 | ITALian Partnership for Psychosis Prevention (ITAPP): improving the mental health of young people. <i>European Psychiatry</i> , 2021, 64, 1-21. | 0.2 | 4 |
| 407 | Impact of data extraction errors in meta-analyses on the association between depression and peripheral inflammatory biomarkers: an umbrella review. <i>Psychological Medicine</i> , 2023, 53, 2017-2030. | 4.5 | 4 |
| 408 | Roger Keith â€œSydâ€•Barrett (1946â€“2006). <i>American Journal of Psychiatry</i> , 2007, 164, 1028-1028. | 7.2 | 3 |
| 409 | Imaging Genomics â€“ An integrative approach to understand the biological susceptibility for schizophrenia. <i>Medical Hypotheses</i> , 2007, 68, 1426. | 1.5 | 3 |
| 410 | Quetiapine as a first-choice agent in subjects at high-risk to psychosis?. <i>Medical Hypotheses</i> , 2007, 69, 230. | 1.5 | 3 |
| 411 | Love and brain: From mereological fallacy to â€œfolkâ€•neuroimaging. <i>Psychiatry Research - Neuroimaging</i> , 2007, 154, 285-286. | 1.8 | 3 |
| 412 | Albert Hofmann, the Father of LSD (1906–2008). <i>Neuropsychobiology</i> , 2008, 58, 53-54. | 1.9 | 3 |
| 413 | Brain Damage. <i>Academic Medicine</i> , 2008, 83, 742. | 1.6 | 3 |
| 414 | From Brentano to mirror neurons: Bridging phenomenology and clinical neuroscience. <i>Psychiatry Research - Neuroimaging</i> , 2010, 183, 245-246. | 1.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Letter to the Editor: Mind the translation gap: problems in the implementation of early intervention services. <i>Psychological Medicine</i> , 2010, 40, 171-172. | 4.5 | 3 |
| 416 | Biochemical Markers of Impending Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 505-509. | 1.9 | 3 |
| 417 | Gray matter pathology of hippocampus – A specific endophenotype for schizophrenia?. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 273-274. | 1.8 | 3 |
| 418 | Psychosocial Intervention Without Antipsychotic Medication for Brief Psychotic Episodes?. <i>Schizophrenia Bulletin Open</i> , 2020, 1, . | 1.7 | 3 |
| 419 | The case for improved transdiagnostic detection of first-episode psychosis: Electronic health record cohort study. <i>Schizophrenia Research</i> , 2021, 228, 547-554. | 2.0 | 3 |
| 420 | Early detection of bipolar disorders and treatment recommendations for help-seeking adolescents and young adults: Findings of the Early Detection and Intervention Center Dresden. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 23. | 2.2 | 3 |
| 421 | Manifesto for an ECNP Neuromodulation Thematic Working Group (TWG): Non-invasive brain stimulation as a new Super-subspecialty. <i>European Neuropsychopharmacology</i> , 2021, 52, 72-83. | 0.7 | 3 |
| 422 | Pseudohallucinations Versus True Hallucinations in Prodromal Psychosis. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1056-1057. | 2.2 | 3 |
| 423 | Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 201-219. | 2.2 | 3 |
| 424 | Commentary. <i>Academic Medicine</i> , 2007, 82, 1109. | 1.6 | 2 |
| 425 | Anxiety and depression after lung transplantation: Mirtazapine as a first-choice agent?. <i>Journal of Psychosomatic Research</i> , 2007, 62, 101. | 2.6 | 2 |
| 426 | Memantine as a neuroprotective agent in early phases of psychosis. <i>Medical Hypotheses</i> , 2007, 68, 459-460. | 1.5 | 2 |
| 427 | Can neuroimaging reduce social stigma in schizophrenia?. <i>Medical Hypotheses</i> , 2007, 69, 457. | 1.5 | 2 |
| 428 | Uncovering the neural correlates of the ketogenic diet: The contribution of functional neuroimaging. <i>Medical Hypotheses</i> , 2007, 69, 705-706. | 1.5 | 2 |
| 429 | Targeting the effects of omega-3 and omega-6 fatty acid supplementation on schizophrenic spectrum disorders: Role of neuroimaging. <i>Medical Hypotheses</i> , 2007, 69, 466-467. | 1.5 | 2 |
| 430 | Pooling of data in psychiatric neuroimaging: A bridge towards clinical neuroimaging?. <i>European Psychiatry</i> , 2007, 22, 265-265. | 0.2 | 2 |
| 431 | Differential Diagnosis Between the Early Onset of Schizophrenia and Bipolar Disorder: Potential Role of Neuroimaging. <i>CNS Spectrums</i> , 2008, 13, 363-364. | 1.2 | 2 |
| 432 | Bupropion and Panic Disorder: Case Report and Review of the Literature. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, E47-E50. | 1.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 433 | Editorial [Prodromal Psychosis: Diagnosis and Treatment (Executive Guest Editor: Paolo Fusar-Poli)]. <i>Current Pharmaceutical Design</i> , 2012, 18, 337-337. | 1.9 | 2 |
| 434 | Response to Spencer et al. Letter. <i>American Journal of Psychiatry</i> , 2012, 169, 666-666. | 7.2 | 2 |
| 435 | A General Approach for Combining Voxel-Based Meta-Analyses Conducted in Different Neuroimaging Modalities. <i>Current Medicinal Chemistry</i> , 2013, 20, 462-466. | 2.4 | 2 |
| 436 | Emergency department and early detection of adolescents and young adults at risk of developing mental disorders: an exploratory study. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2020, 23, 459. | 0.8 | 2 |
| 437 | Antipsychotics and Attenuated Psychosis Syndrome: Transdiagnostic assessment and discontinuation strategies. <i>Schizophrenia Research</i> , 2022, 243, 402-404. | 2.0 | 2 |
| 438 | OUP accepted manuscript. <i>Schizophrenia Bulletin</i> , 2021, , . | 4.3 | 2 |
| 439 | Establishing a business case for setting up early detection services for preventing psychosis. <i>BJPsych Bulletin</i> , 2023, 47, 156-165. | 1.1 | 2 |
| 440 | Associating Violence With Schizophrenia—Risks and Biases. <i>JAMA Psychiatry</i> , 2022, 79, 738. | 11.0 | 2 |
| 441 | Is a DNA sequence variation of the gene protocadherin Y a possible explanation for the sixfold higher risk to develop schizophrenia in moroccan males?. <i>Medical Hypotheses</i> , 2007, 69, 694. | 1.5 | 1 |
| 442 | DOPAMINERGIC MODULATION OF PREFRONTAL FUNCTIONING IN SUBJECTS AT CLINICAL RISK FOR PSYCHOSIS: A COMBINED PET-fMRI STUDY. <i>Schizophrenia Research</i> , 2008, 102, 30. | 2.0 | 1 |
| 443 | Successful antidepressive treatment with mirtazapine following lung transplantation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1745-1746. | 4.8 | 1 |
| 444 | Albert Hofmann. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 484. | 1.4 | 1 |
| 445 | Can neuroimaging prove that schizophrenia is a brain disease? A radical hypothesis. <i>Medical Hypotheses</i> , 2009, 73, 855-856. | 1.5 | 1 |
| 446 | P.3.02 Opposite neural effects of the main psychoactive ingredients of cannabis —implications for therapeutics. <i>European Neuropsychopharmacology</i> , 2009, 19, S63-S64. | 0.7 | 1 |
| 447 | Development of a Self-Administered Questionnaire to Detect Psychosis at High Altitude: The HAPSY Questionnaire. <i>High Altitude Medicine and Biology</i> , 2019, 20, 352-360. | 0.9 | 1 |
| 448 | Neuroimaging and the At-Risk Mental State. , 2019, , 219-265. | | 1 |
| 449 | Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2021, 14, 50-64. | 0.3 | 1 |
| 450 | Relapse prevention in schizophrenia. <i>Lancet Psychiatry</i> , 2022, 9, e13. | 7.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 451 | No Meta-analytic Effect of Age on Probability of Developing Psychosis in Individuals at Clinical High Risk. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, , . | 0.5 | 1 |
| 452 | Identifying Electroencephalography Biomarkers in Individuals at Clinical High Risk for Psychosis in an International Multi-Site Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 828376. | 2.6 | 1 |
| 453 | Perceived Family Functioning Profile in Adolescents at Clinical High Risk for Psychosis: Rigidity as a Possible Preventive Target. <i>Frontiers in Psychiatry</i> , 2022, 13, 861201. | 2.6 | 1 |
| 454 | Associations of presenting symptoms and subsequent adverse clinical outcomes in people with unipolar depression: a prospective natural language processing (NLP), transdiagnostic, network analysis of electronic health record (EHR) data. <i>BMJ Open</i> , 2022, 12, e056541. | 1.9 | 1 |
| 455 | Clinical high at-risk mental state in young subjects accessing a mental disorder prevention service in Italy. <i>Psychiatry Research</i> , 2022, 316, 114710. | 3.3 | 1 |
| 456 | P.3.d.013 Correlation between acute atypical antipsychotic treatment and cognitive functioning in first episode psychosis. <i>European Neuropsychopharmacology</i> , 2006, 16, S436. | 0.7 | 0 |
| 457 | Socioeconomic provisions for specialist training in Italy and the UK: integrating the differences. <i>Postgraduate Medical Journal</i> , 2006, 82, 810-812. | 1.8 | 0 |
| 458 | Paired associate learning in subjects at risk for psychosis: fMRI study. <i>European Psychiatry</i> , 2007, 22, S314. | 0.2 | 0 |
| 459 | NEURAL CORRELATES OF VERBAL EPISODIC MEMORY IN THE AT RISK MENTAL STATE. <i>Schizophrenia Research</i> , 2008, 102, 29-30. | 2.0 | 0 |
| 460 | P.3.21 Delta-9-tetrahydrocannabinol modulates activity in parahippocampal cortex and ventral striatum during memory processing. <i>European Neuropsychopharmacology</i> , 2008, 18, s80. | 0.7 | 0 |
| 461 | P.1.e.020 Effects of cannabis ingredients in the temporal cortex â€œ neural basis for potential antipsychotic effect of cannabidiol. <i>European Neuropsychopharmacology</i> , 2008, 18, S270-S271. | 0.7 | 0 |
| 462 | Opposite Neural Effects of the Main Psychoactive Ingredients of Cannabis- Neural Basis for Potential Therapeutic Effects of Cannabidiol. <i>European Psychiatry</i> , 2009, 24, . | 0.2 | 0 |
| 463 | Editorial [Hot Topic: Perspectives in Psychopharmacological Neuroimaging (Executive Editor: Paolo) Tj ETQq1 1 0.784314 rgBT /Overl 1.9 | 1.9 | 0 |
| 464 | Comment on â€œSchizophrenia, brain disease and meta-analyses: Integrating the pieces and testing Fusar-Poliâ€™s hypothesisâ€• <i>Medical Hypotheses</i> , 2010, 74, 395-396. | 1.5 | 0 |
| 465 | P.3.019 A meta-analysis of neuroimaging predictors of transition to psychosis. <i>European Neuropsychopharmacology</i> , 2010, 20, S78. | 0.7 | 0 |
| 466 | Sabina Spielrein. <i>American Journal of Psychiatry</i> , 2012, 169, 21-21. | 7.2 | 0 |
| 467 | Presynaptic dopamine alterations in schizophrenia: Functional or structural defect?. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 271-272. | 1.8 | 0 |
| 468 | Poster #184 CANNABIS USE IN PATIENTS AT CLINICAL HIGH RISK OF PSYCHOSIS: IMPACT ON PRODROMAL SYMPTOMS AND TRANSITION TO PSYCHOSIS â€œ A SYSTEMATIC REVIEW. <i>Schizophrenia Research</i> , 2012, 136, S347. | 2.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 469 | THALAMIC GLUTAMATE LEVELS AS A PREDICTOR OF CORTICAL RESPONSE DURING EXECUTIVE FUNCTIONING IN SUBJECTS AT HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S34. | 2.0 | 0 |
| 470 | ALTERATIONS IN BRAIN STRUCTURE, FUNCTION AND CHEMISTRY PRIOR TO THE ONSET OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S55. | 2.0 | 0 |
| 471 | Long-Chain Omega-3 Fatty Acids and Psychotic Disorders. , 2013, , 149-178. | | 0 |
| 472 | THE PSYCHOSIS HIGH RISK STATE: IS IT VALID?. <i>Schizophrenia Research</i> , 2014, 153, S23-S24. | 2.0 | 0 |
| 473 | Gray Matter Reductions in Cortical Midline Structures Related to Basic Self Disturbances in People at "ultra High Risk" for Psychosis. <i>European Psychiatry</i> , 2015, 30, 297. | 0.2 | 0 |
| 474 | Authors' reply. <i>British Journal of Psychiatry</i> , 2016, 208, 197-198. | 2.8 | 0 |
| 475 | 34.2 IMPROVING THE DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN SECONDARY MENTAL HEALTH CARE. <i>Schizophrenia Bulletin</i> , 2018, 44, S56-S57. | 4.3 | 0 |
| 476 | T122. UNMET NEEDS IN PATIENTS WITH ACUTE TRANSIENT PSYCHOTIC DISORDERS (ATPD): ANALYSIS OF PATHWAYS TO CARE: AN 8 YEARS FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S162-S163. | 4.3 | 0 |
| 477 | S126. GOOD OUTCOME IN INDIVIDUALS AT ULTRA-HIGH RISK (UHR) OF DEVELOPING PSYCHOSIS: A DELPHI STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S374-S374. | 4.3 | 0 |
| 478 | Response to the commentary by Buoli et al., EURPSY-D-18-00265. <i>European Psychiatry</i> , 2018, 54, 100-101. | 0.2 | 0 |
| 479 | 34. IMPROVING THE DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S55-S56. | 4.3 | 0 |
| 480 | F256. CAN WE REDUCE THE DURATION OF UNTREATED PSYCHOSIS?. <i>Schizophrenia Bulletin</i> , 2018, 44, S323-S323. | 4.3 | 0 |
| 481 | S149. EFFECTS OF INTRANASAL OXYTOCIN ON RESTING CEREBRAL BLOOD FLOW IN PEOPLE AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S383-S383. | 4.3 | 0 |
| 482 | Specialized services for individuals at clinical high risk for psychosis target simultaneously adolescents and young adults. <i>International Journal of Technology Assessment in Health Care</i> , 2019, 35, 408-409. | 0.5 | 0 |
| 483 | SSRIs and autism: interpreting an umbrella review " Authors' reply. <i>Lancet Psychiatry</i> , the, 2019, 6, 893-894. | 7.4 | 0 |
| 484 | Research Perspectives for Neuroimaging of Schizophrenia Spectrum Disorders. , 2019, , 303-325. | | 0 |
| 485 | Neuroimaging and the Longitudinal Course of Schizophrenia. , 2019, , 183-218. | | 0 |
| 486 | F94. EFFECTS OF OXYTOCIN ON NEUROCHEMICAL METABOLITES IN PSYCHOSIS RISK. <i>Schizophrenia Bulletin</i> , 2019, 45, S289-S290. | 4.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178. | 4.3 | 0 |
| 488 | T109. TRAVERSING THE TRANSDIAGNOSTIC GAP BETWEEN DEPRESSION, MANIA AND PSYCHOSIS WITH NATURAL LANGUAGE PROCESSING. <i>Schizophrenia Bulletin</i> , 2020, 46, S272-S273. | 4.3 | 0 |
| 489 | S154. TOBACCO SMOKING AND CLINICAL HIGH RISK: A SYSTEMATIC REVIEW AND META-ANALYSIS OF THE EVIDENCE. <i>Schizophrenia Bulletin</i> , 2020, 46, S94-S95. | 4.3 | 0 |
| 490 | T127. GENDER DIFFERENCES IN CLINICAL PRESENTATION AND ILLICIT SUBSTANCE USE DURING FIRST EPISODE PSYCHOSIS: AN ELECTRONIC CASE REGISTER NATURAL LANGUAGE PROCESSING ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S278-S279. | 4.3 | 0 |
| 491 | Acute Tryptophan Depletion and Suicidality. <i>Journal of Psychophysiology</i> , 2007, 21, 72-73. | 0.7 | 0 |
| 492 | Editorial. <i>Current Pharmaceutical Design</i> , 2012, , . | 1.9 | 0 |
| 493 | P.0178 Transition to psychosis in adolescents at clinical high risk for psychosis: a meta-analysis. <i>European Neuropsychopharmacology</i> , 2021, 53, S129-S130. | 0.7 | 0 |