Paolo Fusar-Poli

List of Publications by Citations

Source: https://exaly.com/author-pdf/8896038/paolo-fusar-poli-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

467 papers

26,396 citations

84 h-index

148 g-index

518 ext. papers

32,728 ext. citations

6.1 avg, IF

7.55 L-index

| # | Paper | IF | Citations |
|-----|---|---------------|-----------|
| 467 | Psychiatric and neuropsychiatric presentations associated with severe coronavirus infections: a systematic review and meta-analysis with comparison to the COVID-19 pandemic. <i>Lancet Psychiatry,the</i> , 2020 , 7, 611-627 | 23.3 | 1004 |
| 466 | Predicting psychosis: meta-analysis of transition outcomes in individuals at high clinical risk. <i>Archives of General Psychiatry</i> , 2012 , 69, 220-9 | | 983 |
| 465 | The psychosis high-risk state: a comprehensive state-of-the-art review. <i>JAMA Psychiatry</i> , 2013 , 70, 107- | 20 4.5 | 965 |
| 464 | Functional atlas of emotional faces processing: a voxel-based meta-analysis of 105 functional magnetic resonance imaging studies. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 418-32 | 4.5 | 859 |
| 463 | Opposite effects of delta-9-tetrahydrocannabinol and cannabidiol on human brain function and psychopathology. <i>Neuropsychopharmacology</i> , 2010 , 35, 764-74 | 8.7 | 481 |
| 462 | Cognitive functioning in prodromal psychosis: a meta-analysis. <i>Archives of General Psychiatry</i> , 2012 , 69, 562-71 | | 454 |
| 461 | Comorbid depressive and anxiety disorders in 509 individuals with an at-risk mental state: impact on psychopathology and transition to psychosis. <i>Schizophrenia Bulletin</i> , 2014 , 40, 120-31 | 1.3 | 402 |
| 460 | Treatments of Negative Symptoms in Schizophrenia: Meta-Analysis of 168 Randomized Placebo-Controlled Trials. <i>Schizophrenia Bulletin</i> , 2015 , 41, 892-9 | 1.3 | 359 |
| 459 | Progressive brain changes in schizophrenia related to antipsychotic treatment? A meta-analysis of longitudinal MRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 1680-91 | 9 | 356 |
| 458 | Distinct effects of {delta}9-tetrahydrocannabinol and cannabidiol on neural activation during emotional processing. <i>Archives of General Psychiatry</i> , 2009 , 66, 95-105 | | 331 |
| 457 | Neural basis of anxiolytic effects of cannabidiol (CBD) in generalized social anxiety disorder: a preliminary report. <i>Journal of Psychopharmacology</i> , 2011 , 25, 121-30 | 4.6 | 304 |
| 456 | Cannabis and anxiety: a critical review of the evidence. <i>Human Psychopharmacology</i> , 2009 , 24, 515-23 | 2.3 | 303 |
| 455 | Altering the course of schizophrenia: progress and perspectives. <i>Nature Reviews Drug Discovery</i> , 2016 , 15, 485-515 | 64.1 | 284 |
| 454 | Publication and other reporting biases in cognitive sciences: detection, prevalence, and prevention. <i>Trends in Cognitive Sciences</i> , 2014 , 18, 235-41 | 14 | 277 |
| 453 | Neuroanatomy of vulnerability to psychosis: a voxel-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 1175-85 | 9 | 275 |
| 452 | Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk: A Meta-analytical Stratification. <i>JAMA Psychiatry</i> , 2016 , 73, 113-20 | 14.5 | 270 |
| 451 | Structural and functional imaging studies in chronic cannabis users: a systematic review of adolescent and adult findings. <i>PLoS ONE</i> , 2013 , 8, e55821 | 3.7 | 260 |

(2015-2020)

| 450 | Impact of coronavirus syndromes on physical and mental health of health care workers: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020 , 275, 48-57 | 6.6 | 251 |
|-----|---|------|-----|
| 449 | Neuroimaging predictors of transition to psychosisa systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 34, 1207-22 | 9 | 249 |
| 448 | Improving outcomes of first-episode psychosis: an overview. World Psychiatry, 2017, 16, 251-265 | 14.4 | 247 |
| 447 | Neurofunctional correlates of vulnerability to psychosis: a systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2007 , 31, 465-84 | 9 | 244 |
| 446 | What causes psychosis? An umbrella review of risk and protective factors. <i>World Psychiatry</i> , 2018 , 17, 49-66 | 14.4 | 239 |
| 445 | Multimodal meta-analysis of structural and functional brain changes in first episode psychosis and the effects of antipsychotic medication. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 2325-33 | 9 | 220 |
| 444 | Effects of cannabis on neurocognitive functioning: recent advances, neurodevelopmental influences, and sex differences. <i>Neuropsychology Review</i> , 2013 , 23, 117-37 | 7.7 | 218 |
| 443 | Neuroanatomical maps of psychosis onset: voxel-wise meta-analysis of antipsychotic-naive VBM studies. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1297-307 | 1.3 | 211 |
| 442 | Abnormal frontostriatal interactions in people with prodromal signs of psychosis: a multimodal imaging study. <i>Archives of General Psychiatry</i> , 2010 , 67, 683-91 | | 205 |
| 441 | Modulation of mediotemporal and ventrostriatal function in humans by Delta9-tetrahydrocannabinol: a neural basis for the effects of Cannabis sativa on learning and psychosis. <i>Archives of General Psychiatry</i> , 2009 , 66, 442-51 | | 199 |
| 440 | Ventral Striatal Activation During Reward Processing in Psychosis: A Neurofunctional Meta-Analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 1243-51 | 14.5 | 194 |
| 439 | Anisotropic kernels for coordinate-based meta-analyses of neuroimaging studies. <i>Frontiers in Psychiatry</i> , 2014 , 5, 13 | 5 | 192 |
| 438 | The effects of antipsychotics on the brain: what have we learnt from structural imaging of schizophrenia?a systematic review. <i>Current Pharmaceutical Design</i> , 2009 , 15, 2535-49 | 3.3 | 182 |
| 437 | Disorder, not just state of risk: meta-analysis of functioning and quality of life in people at high risk of psychosis. <i>British Journal of Psychiatry</i> , 2015 , 207, 198-206 | 5.4 | 180 |
| 436 | Striatal presynaptic dopamine in schizophrenia, part II: meta-analysis of [(18)F/(11)C]-DOPA PET studies. <i>Schizophrenia Bulletin</i> , 2013 , 39, 33-42 | 1.3 | 179 |
| 435 | Abnormal prefrontal activation directly related to pre-synaptic striatal dopamine dysfunction in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2011 , 16, 67-75 | 15.1 | 175 |
| 434 | Deconstructing vulnerability for psychosis: Meta-analysis of environmental risk factors for psychosis in subjects at ultra high-risk. <i>European Psychiatry</i> , 2017 , 40, 65-75 | 6 | 172 |
| 433 | At risk or not at risk? A meta-analysis of the prognostic accuracy of psychometric interviews for psychosis prediction. <i>World Psychiatry</i> , 2015 , 14, 322-32 | 14.4 | 172 |

| 432 | White matter alterations in early stages of schizophrenia: a systematic review of diffusion tensor imaging studies. <i>Journal of Neuroimaging</i> , 2014 , 24, 101-10 | 2.8 | 166 |
|-----|--|------|-----|
| 431 | Neuroimaging in cannabis use: a systematic review of the literature. <i>Psychological Medicine</i> , 2010 , 40, 383-98 | 6.9 | 166 |
| 430 | Induction of psychosis by B -tetrahydrocannabinol reflects modulation of prefrontal and striatal function during attentional salience processing. <i>Archives of General Psychiatry</i> , 2012 , 69, 27-36 | | 165 |
| 429 | Dopaminergic basis of salience dysregulation in psychosis. <i>Trends in Neurosciences</i> , 2014 , 37, 85-94 | 13.3 | 162 |
| 428 | Superior temporal lobe dysfunction and frontotemporal dysconnectivity in subjects at risk of psychosis and in first-episode psychosis. <i>Human Brain Mapping</i> , 2009 , 30, 4129-37 | 5.9 | 159 |
| 427 | Neural basis of Delta-9-tetrahydrocannabinol and cannabidiol: effects during response inhibition. <i>Biological Psychiatry</i> , 2008 , 64, 966-73 | 7.9 | 159 |
| 426 | Outreach and support in south London (OASIS), 2001-2011: ten years of early diagnosis and treatment for young individuals at high clinical risk for psychosis. <i>European Psychiatry</i> , 2013 , 28, 315-26 | 6 | 153 |
| 425 | Laterality effect on emotional faces processing: ALE meta-analysis of evidence. <i>Neuroscience Letters</i> , 2009 , 452, 262-7 | 3.3 | 151 |
| 424 | Development and Validation of a Clinically Based Risk Calculator for the Transdiagnostic Prediction of Psychosis. <i>JAMA Psychiatry</i> , 2017 , 74, 493-500 | 14.5 | 150 |
| 423 | Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. <i>Psychological Medicine</i> , 2014 , 44, 17-24 | 6.9 | 149 |
| 422 | AntipsychoticsPeffects on blood levels of cytokines in schizophrenia: a meta-analysis. <i>Schizophrenia Research</i> , 2013 , 151, 43-7 | 3.6 | 148 |
| 421 | The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 732-43 | 1.3 | 144 |
| 420 | Prevention of Psychosis: Advances in Detection, Prognosis, and Intervention. <i>JAMA Psychiatry</i> , 2020 , 77, 755-765 | 14.5 | 143 |
| 419 | At risk for schizophrenic or affective psychoses? A meta-analysis of DSM/ICD diagnostic outcomes in individuals at high clinical risk. <i>Schizophrenia Bulletin</i> , 2013 , 39, 923-32 | 1.3 | 143 |
| 418 | Striatal dopamine transporter alterations in ADHD: pathophysiology or adaptation to psychostimulants? A meta-analysis. <i>American Journal of Psychiatry</i> , 2012 , 169, 264-72 | 11.9 | 143 |
| 417 | Ten simple rules for conducting umbrella reviews. <i>Evidence-Based Mental Health</i> , 2018 , 21, 95-100 | 11.1 | 135 |
| 416 | Co-occurring mental and substance abuse disorders: a review on the potential predictors and clinical outcomes. <i>Psychiatry Research</i> , 2011 , 186, 159-64 | 9.9 | 135 |
| 415 | Lack of evidence to favor specific preventive interventions in psychosis: a network meta-analysis. <i>World Psychiatry</i> , 2018 , 17, 196-209 | 14.4 | 134 |

(2015-2015)

| 414 | Neurophysiological effects of acute oxytocin administration: systematic review and meta-analysis of placebo-controlled imaging studies. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, E1-22 | 4.5 | 131 |
|-----|--|-----------------|-----|
| 413 | Brain structural abnormalities at the onset of schizophrenia and bipolar disorder: a meta-analysis of controlled magnetic resonance imaging studies. <i>Current Pharmaceutical Design</i> , 2012 , 18, 486-94 | 3.3 | 129 |
| 412 | Neural correlates of executive function and working memory in the Pat-risk mental state? <i>British Journal of Psychiatry</i> , 2009 , 194, 25-33 | 5.4 | 128 |
| 411 | The Clinical High-Risk State for Psychosis (CHR-P), Version II. Schizophrenia Bulletin, 2017, 43, 44-47 | 1.3 | 125 |
| 410 | Transdiagnostic psychiatry: a systematic review. World Psychiatry, 2019 , 18, 192-207 | 14.4 | 123 |
| 409 | Basic symptoms and the prediction of first-episode psychosis. <i>Current Pharmaceutical Design</i> , 2012 , 18, 351-7 | 3.3 | 121 |
| 408 | Functional neuroimaging in schizophrenia: diagnosis and drug discovery. <i>Trends in Pharmacological Sciences</i> , 2008 , 29, 91-8 | 13.2 | 120 |
| 407 | Prognosis of Brief Psychotic Episodes: A Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 211-20 | 14.5 | 119 |
| 406 | Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. <i>Molecular Psychiatry</i> , 2021 , | 15.1 | 116 |
| 405 | Prevalence of self-reported childhood abuse in psychosis: a meta-analysis of retrospective studies. <i>Psychiatry Research</i> , 2013 , 210, 8-15 | 9.9 | 113 |
| 404 | Prevalence and Psychosocial Correlates of Mental Health Outcomes Among Chinese College Students During the Coronavirus Disease (COVID-19) Pandemic. <i>Frontiers in Psychiatry</i> , 2020 , 11, 803 | 5 | 111 |
| 403 | Modulation of effective connectivity during emotional processing by Delta 9-tetrahydrocannabinol and cannabidiol. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 421-32 | 5.8 | 109 |
| 402 | Diagnostic Stability of ICD/DSM First Episode Psychosis Diagnoses: Meta-analysis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1395-1406 | 1.3 | 106 |
| 401 | Thalamic glutamate levels as a predictor of cortical response during executive functioning in subjects at high risk for psychosis. <i>Archives of General Psychiatry</i> , 2011 , 68, 881-90 | | 106 |
| 400 | Oligodendroglial alterations and the role of microglia in white matter injury: relevance to schizophrenia. <i>Developmental Neuroscience</i> , 2013 , 35, 102-29 | 2.2 | 101 |
| 399 | Modulation of auditory and visual processing by delta-9-tetrahydrocannabinol and cannabidiol: an FMRI study. <i>Neuropsychopharmacology</i> , 2011 , 36, 1340-8 | 8.7 | 101 |
| 398 | Attenuated psychosis syndrome: ready for DSM-5.1?. Annual Review of Clinical Psychology, 2014, 10, 15 | 5-292 .5 | 99 |
| 397 | BDNF Val66Met polymorphism and hippocampal volume in neuropsychiatric disorders: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 55, 107-18 | 9 | 98 |

| 396 | The Science of Prognosis in Psychiatry: A Review. <i>JAMA Psychiatry</i> , 2018 , 75, 1289-1297 | 14.5 | 97 |
|-----|--|------|----|
| 395 | Moving beyond transition outcomes: meta-analysis of remission rates in individuals at high clinical risk for psychosis. <i>Psychiatry Research</i> , 2013 , 209, 266-72 | 9.9 | 96 |
| 394 | Reduced mismatch negativity predates the onset of psychosis. <i>Schizophrenia Research</i> , 2012 , 134, 42-8 | 3.6 | 95 |
| 393 | Transition to psychosis associated with prefrontal and subcortical dysfunction in ultra high-risk individuals. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1268-76 | 1.3 | 95 |
| 392 | Mapping vulnerability to bipolar disorder: a systematic review and meta-analysis of neuroimaging studies. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 170-84 | 4.5 | 94 |
| 391 | Peripheral oxytocin and vasopressin: Biomarkers of psychiatric disorders? A comprehensive systematic review and preliminary meta-analysis. <i>Psychiatry Research</i> , 2016 , 241, 207-20 | 9.9 | 93 |
| 390 | Diagnostic and Prognostic Significance of Brief Limited Intermittent Psychotic Symptoms (BLIPS) in Individuals at Ultra High Risk. <i>Schizophrenia Bulletin</i> , 2017 , 43, 48-56 | 1.3 | 91 |
| 389 | Persistence or recurrence of non-psychotic comorbid mental disorders associated with 6-year poor functional outcomes in patients at ultra high risk for psychosis. <i>Journal of Affective Disorders</i> , 2016 , 203, 101-110 | 6.6 | 91 |
| 388 | Striatal presynaptic dopamine in schizophrenia, Part I: meta-analysis of dopamine active transporter (DAT) density. <i>Schizophrenia Bulletin</i> , 2013 , 39, 22-32 | 1.3 | 90 |
| 387 | Potential Reporting Bias in Neuroimaging Studies of Sex Differences. <i>Scientific Reports</i> , 2018 , 8, 6082 | 4.9 | 88 |
| 386 | Why are help-seeking subjects at ultra-high risk for psychosis help-seeking?. <i>Psychiatry Research</i> , 2015 , 228, 808-15 | 9.9 | 87 |
| 385 | Deconstructing Pretest Risk Enrichment to Optimize Prediction of Psychosis in Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016 , 73, 1260-1267 | 14.5 | 87 |
| 384 | Eicosapentaenoic acid interventions in schizophrenia: meta-analysis of randomized, placebo-controlled studies. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 179-85 | 1.7 | 87 |
| 383 | Multimodal voxel-based meta-analysis of structural and functional magnetic resonance imaging studies in those at elevated genetic risk of developing schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 221, 69-77 | 2.9 | 83 |
| 382 | Long-term validity of the At Risk Mental State (ARMS) for predicting psychotic and non-psychotic mental disorders. <i>European Psychiatry</i> , 2017 , 42, 49-54 | 6 | 82 |
| 381 | The phenomenology and neurobiology of delusion formation during psychosis onset: Jaspers, Truman symptoms, and aberrant salience. <i>Schizophrenia Bulletin</i> , 2013 , 39, 278-86 | 1.3 | 82 |
| 380 | Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. <i>Psychological Medicine</i> , 2013 , 43, 2311-25 | 6.9 | 82 |
| 379 | Improving Prognostic Accuracy in Subjects at Clinical High Risk for Psychosis: Systematic Review of Predictive Models and Meta-analytical Sequential Testing Simulation. <i>Schizophrenia Bulletin</i> , 2017 , 43, 375-388 | 1.3 | 82 |

| 378 | Potential reporting bias in fMRI studies of the brain. PLoS ONE, 2013, 8, e70104 | 3.7 | 80 |
|-----|---|------|----|
| 377 | Altered brain function directly related to structural abnormalities in people at ultra high risk of psychosis: longitudinal VBM-fMRI study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 190-8 | 5.2 | 79 |
| 376 | Environmental risk factors and biomarkers for autism spectrum disorder: an umbrella review of the evidence. <i>Lancet Psychiatry,the</i> , 2019 , 6, 590-600 | 23.3 | 78 |
| 375 | F94. EFFECTS OF OXYTOCIN ON NEUROCHEMICAL METABOLITES IN PSYCHOSIS RISK. Schizophrenia Bulletin, 2019 , 45, S289-S290 | 1.3 | 78 |
| 374 | O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S177-S178 | 1.3 | 78 |
| 373 | 34. IMPROVING THE DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S55-S56 | 1.3 | 78 |
| 372 | F256. CAN WE REDUCE THE DURATION OF UNTREATED PSYCHOSIS?. <i>Schizophrenia Bulletin</i> , 2018 , 44, S323-S323 | 1.3 | 78 |
| 371 | S149. EFFECTS OF INTRANASAL OXYTOCIN ON RESTING CEREBRAL BLOOD FLOW IN PEOPLE AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S383-S383 | 1.3 | 78 |
| 370 | T109. TRAVERSING THE TRANSDIAGNOSTIC GAP BETWEEN DEPRESSION, MANIA AND PSYCHOSIS WITH NATURAL LANGUAGE PROCESSING. <i>Schizophrenia Bulletin</i> , 2020 , 46, S272-S273 | 1.3 | 78 |
| 369 | S154. TOBACCO SMOKING AND CLINICAL HIGH RISK: A SYSTEMATIC REVIEW AND META-ANALYSIS OF THE EVIDENCE. <i>Schizophrenia Bulletin</i> , 2020 , 46, S94-S95 | 1.3 | 78 |
| 368 | T127. GENDER DIFFERENCES IN CLINICAL PRESENTATION AND ILLICIT SUBSTANCE USE DURING FIRST EPISODE PSYCHOSIS: AN ELECTRONIC CASE REGISTER NATURAL LANGUAGE PROCESSING ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S278-S279 | 1.3 | 78 |
| 367 | 34.2 IMPROVING THE DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN SECONDARY MENTAL HEALTH CARE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S56-S57 | 1.3 | 78 |
| 366 | T122. UNMET NEEDS IN PATIENTS WITH ACUTE TRANSIENT PSYCHOTIC DISORDERS (ATPD): ANALYSIS OF PATHWAYS TO CARE: AN 8 YEARS FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S162-S163 | 1.3 | 78 |
| 365 | S126. GOOD OUTCOME IN INDIVIDUALS AT ULTRA-HIGH RISK (UHR) OF DEVELOPING PSYCHOSIS: A DELPHI STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S374-S374 | 1.3 | 78 |
| 364 | Social dysfunction predicts two years clinical outcome in people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2010 , 44, 294-301 | 5.2 | 77 |
| 363 | Can antidepressants prevent psychosis?. <i>Lancet, The</i> , 2007 , 370, 1746-8 | 40 | 77 |
| 362 | Psychopathological symptoms in child and adolescent migraine and tension-type headache: a meta-analysis. <i>Cephalalgia</i> , 2013 , 33, 112-22 | 6.1 | 76 |
| 361 | Whither the attenuated psychosis syndrome?. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1130-4 | 1.3 | 74 |

| 360 | Towards a Standard Psychometric Diagnostic Interview for Subjects at Ultra High Risk of Psychosis: CAARMS versus SIPS. <i>Psychiatry Journal</i> , 2016 , 2016, 7146341 | 2.4 | 74 |
|-----|--|------|----|
| 359 | Affective temperamental profiles are associated with white matter hyperintensity and suicidal risk in patients with mood disorders. <i>Journal of Affective Disorders</i> , 2011 , 129, 47-55 | 6.6 | 73 |
| 358 | Association of Antidepressant Use With Adverse Health Outcomes: A Systematic Umbrella Review. JAMA Psychiatry, 2019 , 76, 1241-1255 | 14.5 | 72 |
| 357 | Is cannabis neurotoxic for the healthy brain? A meta-analytical review of structural brain alterations in non-psychotic users. <i>Psychiatry and Clinical Neurosciences</i> , 2013 , 67, 483-92 | 6.2 | 72 |
| 356 | Brain connectivity abnormalities predating the onset of psychosis: correlation with the effect of medication. <i>JAMA Psychiatry</i> , 2013 , 70, 903-12 | 14.5 | 72 |
| 355 | Prenatal and perinatal risk and protective factors for psychosis: a systematic review and meta-analysis. <i>Lancet Psychiatry,the</i> , 2020 , 7, 399-410 | 23.3 | 69 |
| 354 | Can We Reduce the Duration of Untreated Psychosis? A Systematic Review and Meta-Analysis of Controlled Interventional Studies. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1362-1372 | 1.3 | 68 |
| 353 | Tracking cerebral white matter changes across the lifespan: insights from diffusion tensor imaging studies. <i>Journal of Neural Transmission</i> , 2013 , 120, 1369-95 | 4.3 | 68 |
| 352 | Efficacy and safety of second-generation long-acting injections in schizophrenia: a meta-analysis of randomized-controlled trials. <i>International Clinical Psychopharmacology</i> , 2013 , 28, 57-66 | 2.2 | 67 |
| 351 | Efficacy and Acceptability of Interventions for Attenuated Positive Psychotic Symptoms in Individuals at Clinical High Risk of Psychosis: A Network Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2018 , 9, 187 | 5 | 64 |
| 350 | Neuroanatomical markers of genetic liability to psychosis and first episode psychosis: a voxelwise meta-analytical comparison. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 219-28 | 3.8 | 63 |
| 349 | What Causes the Onset of Psychosis in Individuals at Clinical High Risk? A Meta-analysis of Risk and Protective Factors. <i>Schizophrenia Bulletin</i> , 2020 , 46, 110-120 | 1.3 | 63 |
| 348 | Cannabidiol as a potential treatment for psychosis. European Neuropsychopharmacology, 2014 , 24, 51-6 | 41.2 | 62 |
| 347 | Ten years of "extended" life: quality of life among heart transplantation survivors. <i>Transplantation</i> , 2004 , 78, 257-63 | 1.8 | 62 |
| 346 | Serotonin transporter in ParkinsonB disease: A meta-analysis of positron emission tomography studies. <i>Annals of Neurology</i> , 2017 , 81, 171-180 | 9.4 | 60 |
| 345 | Cannabis use and transition to psychosis in people at ultra-high risk. <i>Psychological Medicine</i> , 2014 , 44, 2503-12 | 6.9 | 60 |
| 344 | Altered prefrontal and hippocampal function during verbal encoding and recognition in people with prodromal symptoms of psychosis. <i>Schizophrenia Bulletin</i> , 2011 , 37, 746-56 | 1.3 | 60 |
| 343 | Speed of Psychosis Progression in People at Ultra-High Clinical Risk: A Complementary Meta-analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 622-3 | 14.5 | 58 |

(2021-2012)

| 342 | Mapping prodromal psychosis: a critical review of neuroimaging studies. <i>European Psychiatry</i> , 2012 , 27, 181-91 | 6 | 58 |
|-----|---|------|----|
| 341 | Spatial working memory in individuals at high risk for psychosis: longitudinal fMRI study. <i>Schizophrenia Research</i> , 2010 , 123, 45-52 | 3.6 | 58 |
| 340 | Safety of 80 antidepressants, antipsychotics, anti-attention-deficit/hyperactivity medications and mood stabilizers in children and adolescents with psychiatric disorders: a large scale systematic meta-review of 78 adverse effects. <i>World Psychiatry</i> , 2020 , 19, 214-232 | 14.4 | 57 |
| 339 | Abnormal relationship between medial temporal lobe and subcortical dopamine function in people with an ultra high risk for psychosis. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1040-9 | 1.3 | 56 |
| 338 | Duration of untreated psychosis and need for admission in patients who engage with mental health services in the prodromal phase. <i>British Journal of Psychiatry</i> , 2015 , 207, 130-134 | 5.4 | 54 |
| 337 | Agomelatine, a novel intriguing antidepressant option enhancing neuroplasticity: a critical review. World Journal of Biological Psychiatry, 2013 , 14, 412-31 | 3.8 | 54 |
| 336 | Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk and the Prediction of Psychosis: Second Replication in an Independent National Health Service Trust. <i>Schizophrenia Bulletin</i> , 2019 , 45, 562-570 | 1.3 | 53 |
| 335 | Integrated Mental Health Services for the Developmental Period (0 to 25 Years): A Critical Review of the Evidence. <i>Frontiers in Psychiatry</i> , 2019 , 10, 355 | 5 | 53 |
| 334 | Antidepressant, antipsychotic and psychological interventions in subjects at high clinical risk for psychosis: OASIS 6-year naturalistic study. <i>Psychological Medicine</i> , 2015 , 45, 1327-39 | 6.9 | 53 |
| 333 | Altered medial temporal activation related to local glutamate levels in subjects with prodromal signs of psychosis. <i>Biological Psychiatry</i> , 2011 , 69, 97-9 | 7.9 | 53 |
| 332 | Clinical Validity of DSM-5 Attenuated Psychosis Syndrome: Advances in Diagnosis, Prognosis, and Treatment. <i>JAMA Psychiatry</i> , 2020 , 77, 311-320 | 14.5 | 52 |
| 331 | Mental disorders and risk of COVID-19-related mortality, hospitalisation, and intensive care unit admission: a systematic review and meta-analysis. <i>Lancet Psychiatry,the</i> , 2021 , 8, 797-812 | 23.3 | 52 |
| 330 | Functional outcome in people at high risk for psychosis predicted by thalamic glutamate levels and prefronto-striatal activation. <i>Schizophrenia Bulletin</i> , 2015 , 41, 429-39 | 1.3 | 51 |
| 329 | Interpersonal sensitivity in the at-risk mental state for psychosis. <i>Psychological Medicine</i> , 2012 , 42, 1835 | -45) | 50 |
| 328 | Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , 2019 , 10, 764 | 5 | 50 |
| 327 | Evidence-based umbrella review of 162 peripheral biomarkers for major mental disorders. <i>Translational Psychiatry</i> , 2020 , 10, 152 | 8.6 | 48 |
| 326 | Should attenuated psychosis syndrome be included in DSM-5?. <i>Lancet, The</i> , 2012 , 379, 591-2 | 40 | 48 |
| 325 | Preventive psychiatry: a blueprint for improving the mental health of young people. <i>World Psychiatry</i> , 2021 , 20, 200-221 | 14.4 | 48 |

| 324 | Predicting the onset of psychosis in patients at clinical high risk: practical guide to probabilistic prognostic reasoning. <i>Evidence-Based Mental Health</i> , 2016 , 19, 10-5 | 11.1 | 48 |
|-----|---|------|----|
| 323 | Prefrontal function at presentation directly related to clinical outcome in people at ultrahigh risk of psychosis. <i>Schizophrenia Bulletin</i> , 2011 , 37, 189-98 | 1.3 | 46 |
| 322 | Depression and quality of life in patients living 10 to 18 years beyond heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2005 , 24, 2269-78 | 5.8 | 46 |
| 321 | Gray matter alterations related to P300 abnormalities in subjects at high risk for psychosis: longitudinal MRI-EEG study. <i>NeuroImage</i> , 2011 , 55, 320-8 | 7.9 | 45 |
| 320 | Duration of untreated prodromal symptoms and 12-month functional outcome of individuals at risk of psychosis. <i>British Journal of Psychiatry</i> , 2009 , 194, 181-2 | 5.4 | 45 |
| 319 | Imaging the neural effects of cannabinoids: current status and future opportunities for psychopharmacology. <i>Current Pharmaceutical Design</i> , 2009 , 15, 2603-14 | 3.3 | 45 |
| 318 | Disparities in cancer screening in people with mental illness across the world versus the general population: prevalence and comparative meta-analysis including 4 717 839 people. <i>Lancet Psychiatry,the</i> , 2020 , 7, 52-63 | 23.3 | 45 |
| 317 | Risk factors for posttraumatic stress disorder: An umbrella review of systematic reviews and meta-analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 107, 154-165 | 9 | 44 |
| 316 | Approaching a network connectivity-driven classification of the psychosis continuum: a selective review and suggestions for future research. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 1047 | 3.3 | 44 |
| 315 | Evidence of reporting biases in voxel-based morphometry (VBM) studies of psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2014 , 35, 3052-65 | 5.9 | 44 |
| 314 | Cannabis affects people differently: inter-subject variation in the psychotogenic effects of B-tetrahydrocannabinol: a functional magnetic resonance imaging study with healthy volunteers. Psychological Medicine, 2013, 43, 1255-67 | 6.9 | 44 |
| 313 | Lost in transition: setting the psychosis threshold in prodromal research. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 248-52 | 6.5 | 43 |
| 312 | PatientsPand cliniciansPattitude towards long-acting depot antipsychotics in subjects with a first episode of psychosis. <i>Therapeutic Advances in Psychopharmacology</i> , 2013 , 3, 89-99 | 4.9 | 43 |
| 311 | Voxel-wise meta-analysis of fMRI studies in patients at clinical high risk for psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 106-12 | 4.5 | 43 |
| 310 | From the prodrome to chronic schizophrenia: the neurobiology underlying psychotic symptoms and cognitive impairments. <i>Current Pharmaceutical Design</i> , 2012 , 18, 459-65 | 3.3 | 43 |
| 309 | Immigration, social environment and onset of psychotic disorders. <i>Current Pharmaceutical Design</i> , 2012 , 18, 518-26 | 3.3 | 43 |
| 308 | Neuroimaging and electrophysiological studies of the effects of acute tryptophan depletion: a systematic review of the literature. <i>Psychopharmacology</i> , 2006 , 188, 131-43 | 4.7 | 43 |
| 307 | Lithium Exposure During Pregnancy and the Postpartum Period: A Systematic Review and Meta-Analysis of Safety and Efficacy Outcomes. <i>American Journal of Psychiatry</i> , 2020 , 177, 76-92 | 11.9 | 43 |

(2015-2012)

| 306 | Insular volume abnormalities associated with different transition probabilities to psychosis. <i>Psychological Medicine</i> , 2012 , 42, 1613-25 | 6.9 | 42 |
|-----|---|------|----|
| 305 | Annual Research Review: Prevention of psychosis in adolescents - systematic review and meta-analysis of advances in detection, prognosis and intervention. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 657-673 | 7.9 | 42 |
| 304 | The impact of COVID-19 lockdown on child and adolescent mental health: systematic review. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1 | 5.5 | 42 |
| 303 | A general approach for combining voxel-based meta-analyses conducted in different neuroimaging modalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 462-6 | 4.3 | 41 |
| 302 | Using neuroimaging to help predict the onset of psychosis. <i>NeuroImage</i> , 2017 , 145, 209-217 | 7.9 | 40 |
| 301 | White matter alterations related to P300 abnormalities in individuals at high risk for psychosis: an MRI-EEG study. <i>Journal of Psychiatry and Neuroscience</i> , 2011 , 36, 239-48 | 4.5 | 40 |
| 300 | What is good mental health? A scoping review. European Neuropsychopharmacology, 2020, 31, 33-46 | 1.2 | 40 |
| 299 | Extending the Benefits of Indicated Prevention to Improve Outcomes of First-Episode Psychosis. JAMA Psychiatry, 2017 , 74, 667-668 | 14.5 | 39 |
| 298 | Predictors of functional outcome in individuals at high clinical risk for psychosis at six years follow-up. <i>Journal of Psychiatric Research</i> , 2015 , 65, 115-23 | 5.2 | 39 |
| 297 | Long-acting injectable antipsychotics in early psychosis: a literature review. <i>Microbial Biotechnology</i> , 2013 , 7, 247-54 | 3.3 | 39 |
| 296 | Determinants of quality of life in Marfan syndrome. <i>Psychosomatics</i> , 2008 , 49, 243-8 | 2.6 | 39 |
| 295 | Neuroimaging studies of the early stages of psychosis: a critical review. <i>European Psychiatry</i> , 2008 , 23, 237-44 | 6 | 39 |
| 294 | What Is an Attenuated Psychotic Symptom? On the Importance of the Context. <i>Schizophrenia Bulletin</i> , 2017 , 43, 687-692 | 1.3 | 39 |
| 293 | Modulation of motivational salience processing during the early stages of psychosis. <i>Schizophrenia Research</i> , 2015 , 166, 17-23 | 3.6 | 38 |
| 292 | Neural correlates of visuospatial working memory in the Pat-risk mental state? <i>Psychological Medicine</i> , 2010 , 40, 1987-99 | 6.9 | 38 |
| 291 | Effects of acute antipsychotic treatment on brain activation in first episode psychosis: an fMRI study. <i>European Neuropsychopharmacology</i> , 2007 , 17, 492-500 | 1.2 | 38 |
| 290 | Services for people at high risk improve outcomes in patients with first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 76-85 | 6.5 | 38 |
| 289 | Bullying victimisation and paranoid ideation in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2015 , 168, 68-73 | 3.6 | 37 |

| 288 | Gray matters!mapping the transition to psychosis. Schizophrenia Research, 2011, 133, 63-7 | 3.6 | 37 |
|-----|---|----------------|----|
| 287 | Implementing Precision Psychiatry: A Systematic Review of Individualized Prediction Models for Clinical Practice. <i>Schizophrenia Bulletin</i> , 2021 , 47, 284-297 | 1.3 | 37 |
| 286 | Antipsychotic use and risk of life-threatening medical events: umbrella review of observational studies. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 227-243 | 6.5 | 36 |
| 285 | Improving the Detection of Individuals at Clinical Risk for Psychosis in the Community, Primary and Secondary Care: An Integrated Evidence-Based Approach. <i>Frontiers in Psychiatry</i> , 2019 , 10, 774 | 5 | 36 |
| 284 | Effect of acute tryptophan depletion on pre-frontal engagement. <i>Psychopharmacology</i> , 2006 , 187, 486- | -9 4 .7 | 36 |
| 283 | Worldwide implementation of clinical services for the prevention of psychosis: The IEPA early intervention in mental health survey. <i>Microbial Biotechnology</i> , 2020 , 14, 741-750 | 3.3 | 35 |
| 282 | Neurofunctional maps of the Pmaternal brainPand the effects of oxytocin: a multimodal voxel-based meta-analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 733-51 | 6.2 | 35 |
| 281 | Why transition risk to psychosis is not declining at the OASIS ultra high risk service: The hidden role of stable pretest risk enrichment. <i>Schizophrenia Research</i> , 2018 , 192, 385-390 | 3.6 | 34 |
| 280 | Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441 | 1.3 | 34 |
| 279 | Why ultra high risk criteria for psychosis prediction do not work well outside clinical samples and what to do about it. <i>World Psychiatry</i> , 2017 , 16, 212-213 | 14.4 | 33 |
| 278 | Forty years of structural imaging in psychosis: promises and truth. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 207-24 | 6.5 | 33 |
| 277 | Multimodal functional and structural imaging investigations in psychosis research. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262 Suppl 2, S97-106 | 5.1 | 33 |
| 276 | Gray matter volumetric abnormalities associated with the onset of psychosis. <i>Frontiers in Psychiatry</i> , 2012 , 3, 101 | 5 | 33 |
| 275 | Anterior cingulate pathology in the prodromal stage of schizophrenia. <i>NeuroImage</i> , 2008 , 39, 553-4 | 7.9 | 33 |
| 274 | Paul Eugen Bleuler and the birth of schizophrenia (1908). American Journal of Psychiatry, 2008, 165, 140 | 07 11.9 | 33 |
| 273 | Altered activation and connectivity in a hippocampal-basal ganglia-midbrain circuit during salience processing in subjects at ultra high risk for psychosis. <i>Translational Psychiatry</i> , 2017 , 7, e1245 | 8.6 | 32 |
| 272 | Cannabis abuse and brain morphology in schizophrenia: a review of the available evidence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 3-13 | 5.1 | 32 |
| 271 | Abnormal effective connectivity and psychopathological symptoms in the psychosis high-risk state. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 239-48 | 4.5 | 32 |

| 270 | Glutamate and psychosis risk. Current Pharmaceutical Design, 2012, 18, 466-78 | 3.3 | 32 |
|-----|--|----------------|----|
| 269 | Can we detect psychotic-like experiences in the general population?. <i>Current Pharmaceutical Design</i> , 2012 , 18, 376-85 | 3.3 | 32 |
| 268 | Diagnostic validity of ICD-10 acute and transient psychotic disorders and DSM-5 brief psychotic disorder. <i>European Psychiatry</i> , 2017 , 45, 104-113 | 6 | 31 |
| 267 | Neurobiological Models of Self-Disorders in Early Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016 , 42, 874-8 | 01.3 | 31 |
| 266 | Are we really mapping psychosis risk? Neuroanatomical signature of affective disorders in subjects at ultra high risk. <i>Psychological Medicine</i> , 2014 , 44, 3491-501 | 6.9 | 31 |
| 265 | Structural Network Disorganization in Subjects at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 583-591 | 1.3 | 31 |
| 264 | Identifying children and adolescents at ultra high risk of psychosis in Italian neuropsychiatry services: a feasibility study. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 91-106 | 5.5 | 30 |
| 263 | A General Approach for Combining Voxel-Based Meta-Analyses Conducted in Different Neuroimaging Modalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 462-466 | 4.3 | 30 |
| 262 | Probability of Transition to Psychosis in Individuals at Clinical High Risk: An Updated Meta-analysis. JAMA Psychiatry, 2021 , 78, 970-978 | 14.5 | 30 |
| 261 | Real World Implementation of a Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk of Psychosis in Clinical Routine: Study Protocol. <i>Frontiers in Psychiatry</i> , 2019 , 10, 109 | 5 | 29 |
| 260 | Meta-analytical prognostic accuracy of the Comprehensive Assessment of at Risk Mental States (CAARMS): The need for refined prediction. <i>European Psychiatry</i> , 2018 , 49, 62-68 | 6 | 29 |
| 259 | Relationship between gyrification and functional connectivity of the prefrontal cortex in subjects at high genetic risk of schizophrenia. <i>Current Pharmaceutical Design</i> , 2012 , 18, 434-42 | 3.3 | 29 |
| 258 | Modulation of neural response to happy and sad faces by acute tryptophan depletion. <i>Psychopharmacology</i> , 2007 , 193, 31-44 | 4.7 | 29 |
| 257 | Psychosis Polyrisk Score (PPS) for the Detection of Individuals At-Risk and the Prediction of Their Outcomes. <i>Frontiers in Psychiatry</i> , 2019 , 10, 174 | 5 | 28 |
| 256 | Functional brain networks before the onset of psychosis: A prospective fMRI study with graph theoretical analysis. <i>NeuroImage: Clinical</i> , 2012 , 1, 91-8 | 5.3 | 28 |
| 255 | Severe mental illness and European COVID-19 vaccination strategies. <i>Lancet Psychiatry,the</i> , 2021 , 8, 356 | 5-235 9 | 28 |
| 254 | The relationship of developmental changes in white matter to the onset of psychosis. <i>Current Pharmaceutical Design</i> , 2012 , 18, 422-33 | 3.3 | 26 |
| 253 | Genetic vulnerability to affective psychopathology in childhood: a combined voxel-based morphometry and functional magnetic resonance imaging study. <i>Biological Psychiatry</i> , 2009 , 66, 231-7 | 7.9 | 26 |

| 252 | Depression after lung transplantation: causes and treatment. <i>Lung</i> , 2007 , 185, 55-65 | 2.9 | 26 |
|-----|--|------|----|
| 251 | Longitudinal alterations in motivational salience processing in ultra-high-risk subjects for psychosis. <i>Psychological Medicine</i> , 2017 , 47, 243-254 | 6.9 | 25 |
| 250 | Unmet needs in patients with brief psychotic disorders: Too ill for clinical high risk services and not ill enough for first episode services. <i>European Psychiatry</i> , 2019 , 57, 26-32 | 6 | 25 |
| 249 | Gamma band oscillations in the early phase of psychosis: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 90, 381-399 | 9 | 25 |
| 248 | Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. <i>Lancet Psychiatry,the</i> , 2020 , 7, 955-970 | 23.3 | 25 |
| 247 | Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020 , 41, 28-39 | 1.2 | 25 |
| 246 | Long term outcomes of acute and transient psychotic disorders: The missed opportunity of preventive interventions. <i>European Psychiatry</i> , 2018 , 52, 126-133 | 6 | 25 |
| 245 | Neurocognitive Functioning in Individuals at Clinical High Risk for Psychosis: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , | 14.5 | 25 |
| 244 | Intensive community outreach for those at ultra high risk of psychosis: dilution, not solution. <i>Lancet Psychiatry,the</i> , 2016 , 3, 18 | 23.3 | 24 |
| 243 | Orbitofrontal response to drug-related stimuli after heroin administration. <i>Addiction Biology</i> , 2015 , 20, 570-9 | 4.6 | 24 |
| 242 | Cognitive remediation in the early course of schizophrenia: a critical review. <i>Current Pharmaceutical Design</i> , 2012 , 18, 534-41 | 3.3 | 24 |
| 241 | Polyunsaturated fatty acids in emerging psychosis: a safer alternative?. <i>Microbial Biotechnology</i> , 2014 , 8, 199-208 | 3.3 | 23 |
| 240 | Anti-depressive therapies after heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2006 , 25, 785-93 | 5.8 | 23 |
| 239 | Dysfunctional insular connectivity during reward prediction in patients with first-episode psychosis. Journal of Psychiatry and Neuroscience, 2016 , 41, 367-376 | 4.5 | 23 |
| 238 | European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-1 | 31.7 | 22 |
| 237 | Semistructured Interview for Bipolar At Risk States (SIBARS). <i>Psychiatry Research</i> , 2018 , 264, 302-309 | 9.9 | 22 |
| 236 | Diagnostic and Prognostic Significance of DSM-5 Attenuated Psychosis Syndrome in Services for Individuals at Ultra High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 264-275 | 1.3 | 21 |
| 235 | Effect of image analysis software on neurofunctional activation during processing of emotional human faces. <i>Journal of Clinical Neuroscience</i> , 2010 , 17, 311-4 | 2.2 | 21 |

| 234 | Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021 , 20, 417-436 | 14.4 | 21 | |
|-----|--|------|----|--|
| 233 | Establishing a clinical service to prevent psychosis: What, how and when? Systematic review. <i>Translational Psychiatry</i> , 2021 , 11, 43 | 8.6 | 21 | |
| 232 | Brain Diffusion Changes in Emerging Psychosis and the Impact of State-Dependent Psychopathology. <i>NeuroSignals</i> , 2015 , 23, 71-83 | 1.9 | 20 | |
| 231 | Episodic memory dysfunction in individuals at high-risk of psychosis: a systematic review of neuropsychological and neurofunctional studies. <i>Current Pharmaceutical Design</i> , 2012 , 18, 443-58 | 3.3 | 20 | |
| 230 | Integrating the negative psychotic symptoms in the high risk criteria for the prediction of psychosis. <i>Medical Hypotheses</i> , 2007 , 69, 959-60 | 3.8 | 20 | |
| 229 | Learning from COVID-19 pandemic in northen italy: Impact on mental health and clinical care. <i>Journal of Affective Disorders</i> , 2020 , 275, 78-79 | 6.6 | 19 | |
| 228 | TRANSD recommendations: improving transdiagnostic research in psychiatry. <i>World Psychiatry</i> , 2019 , 18, 361-362 | 14.4 | 19 | |
| 227 | Age-related brain structural alterations as an intermediate phenotype of psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 307-319 | 4.5 | 19 | |
| 226 | Economic impact of early detection and early intervention of psychosis. <i>Current Pharmaceutical Design</i> , 2012 , 18, 592-5 | 3.3 | 19 | |
| 225 | The ultra high risk approach to define psychosis risk. Current Pharmaceutical Design, 2012, 18, 346-50 | 3.3 | 19 | |
| 224 | Unmet needs for treatment in 102 individuals with brief and limited intermittent psychotic symptoms (BLIPS): implications for current clinical recommendations. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e67 | 5.1 | 19 | |
| 223 | Meta-analysis of Voxel-Based Neuroimaging Studies using Seed-based d Mapping with Permutation of Subject Images (SDM-PSI). <i>Journal of Visualized Experiments</i> , 2019 , | 1.6 | 19 | |
| 222 | Real-world implementation of precision psychiatry: Transdiagnostic risk calculator for the automatic detection of individuals at-risk of psychosis. <i>Schizophrenia Research</i> , 2021 , 227, 52-60 | 3.6 | 19 | |
| 221 | Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 345 | 5 | 18 | |
| 220 | Lifestyles and cardiovascular risk in individuals with functional psychoses. <i>Perspectives in Psychiatric Care</i> , 2009 , 45, 87-99 | 2.2 | 18 | |
| 219 | Potential therapeutical effects of cannabidiol in children with pharmacoresistant epilepsy. <i>Medical Hypotheses</i> , 2007 , 68, 920-1 | 3.8 | 18 | |
| 218 | Conceptual issues in psychiatric neuroimaging. Current Opinion in Psychiatry, 2006, 19, 608-12 | 4.9 | 18 | |
| 217 | Oxytocin modulates hippocampal perfusion in people at clinical high risk for psychosis. Neuropsychopharmacology, 2019 , 44, 1300-1309 | 8.7 | 17 | |

| 216 | Dynamic ElecTronic hEalth reCord deTection (DETECT) of individuals at risk of a first episode of psychosis: a case-control development and validation study. <i>The Lancet Digital Health</i> , 2020 , 2, e229-e2 | 3 ⁵ 4·4 | 17 |
|-------------|---|--------------------|----|
| 215 | Clinical-learning versus machine-learning for transdiagnostic prediction of psychosis onset in individuals at-risk. <i>Translational Psychiatry</i> , 2019 , 9, 259 | 8.6 | 17 |
| 214 | Medial frontal gyrus alterations in schizophrenia: relationship with duration of illness and executive dysfunction. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 103-10 | 2.9 | 17 |
| 213 | Neural correlates of movement generation in the At-risk mental state? <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 295-301 | 6.5 | 17 |
| 212 | Cingulate volume abnormalities in emerging psychosis. Current Pharmaceutical Design, 2012, 18, 495-50 | 043.3 | 17 |
| 211 | Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis: An ENIGMA Working Group Mega-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 753-766 | 14.5 | 17 |
| 21 0 | Pan-London Network for Psychosis-Prevention (PNP). Frontiers in Psychiatry, 2019, 10, 707 | 5 | 17 |
| 209 | Risk and protective factors for anxiety and obsessive-compulsive disorders: an umbrella review of systematic reviews and meta-analyses. <i>Psychological Medicine</i> , 2020 , 50, 1300-1315 | 6.9 | 17 |
| 208 | Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021 , 227, 10-17 | 3.6 | 17 |
| 207 | A systematic review and meta-analysis of mental health service use in people who report psychotic experiences. <i>Microbial Biotechnology</i> , 2018 , 12, 275-285 | 3.3 | 17 |
| 206 | The Hype Cycle of the Clinical High Risk State for Psychosis: The Need of a Refined Approach. <i>Schizophrenia Bulletin</i> , 2018 , 44, 250-253 | 1.3 | 16 |
| 205 | Striatal molecular alterations in HD gene carriers: a systematic review and meta-analysis of PET studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 185-196 | 5.5 | 16 |
| 204 | Getting old with a new heart: impact of age on depression and quality of life in long-term heart transplant recipients. <i>Journal of Heart and Lung Transplantation</i> , 2007 , 26, 544-8 | 5.8 | 16 |
| 203 | Risk factors for eating disorders: an umbrella review of published meta-analyses. <i>Revista Brasileira De Psiquiatria</i> , 2021 , 43, 314-323 | 2.6 | 16 |
| 202 | Transdiagnostic Individualized Clinically Based Risk Calculator for the Detection of Individuals at Risk and the Prediction of Psychosis: Model Refinement Including Nonlinear Effects of Age. <i>Frontiers in Psychiatry</i> , 2019 , 10, 313 | 5 | 15 |
| 201 | Polyunsaturated fatty acids in emerging psychosis. Current Pharmaceutical Design, 2012, 18, 576-91 | 3.3 | 15 |
| 200 | FirumanPsigns and vulnerability to psychosis. British Journal of Psychiatry, 2008, 193, 168 | 5.4 | 15 |
| 199 | Olfactory and gustatory dysfunctions in SARS-CoV-2 infection: A systematic review. <i>Brain, Behavior,</i> & Immunity - Health, 2021 , 15, 100268 | 5.1 | 15 |

(2008-2020)

| 198 | Real-world long-term outcomes in individuals at clinical risk for psychosis: The case for extending duration of care. <i>EClinicalMedicine</i> , 2020 , 28, 100578 | 11.3 | 14 |
|-----|---|-------------------|----|
| 197 | Using Natural Language Processing on Electronic Health Records to Enhance Detection and Prediction of Psychosis Risk. <i>Schizophrenia Bulletin</i> , 2021 , 47, 405-414 | 1.3 | 14 |
| 196 | Superior temporal gray and white matter changes in schizophrenia or antipsychotic related effects?. <i>Schizophrenia Research</i> , 2009 , 113, 109-10 | 3.6 | 13 |
| 195 | A Case of a College Student Presenting With Mild Mental Health Problems. <i>JAMA Psychiatry</i> , 2018 , 75, 1298-1299 | 14.5 | 13 |
| 194 | Dysbindin modulates brain function during visual processing in children. <i>NeuroImage</i> , 2010 , 49, 817-22 | 7.9 | 12 |
| 193 | The effects of antipsychotics on brain structure: what have we learnt from structural imaging of schizophrenia?. <i>Psychological Medicine</i> , 2009 , 39, 1781-2 | 6.9 | 12 |
| 192 | Reliability and validity of the Comprehensive Assessment of the At Risk Mental State, Italian version (CAARMS-I). <i>Current Pharmaceutical Design</i> , 2012 , 18, 386-91 | 3.3 | 12 |
| 191 | Outreach and support in South-London (OASIS) 2001-2020: Twenty years of early detection, prognosis and preventive care for young people at risk of psychosis. <i>European Neuropsychopharmacology</i> , 2020 , 39, 111-122 | 1.2 | 12 |
| 190 | Efficacy and acceptability of pharmacological, psychosocial, and brain stimulation interventions in children and adolescents with mental disorders: an umbrella review. <i>World Psychiatry</i> , 2021 , 20, 244-27. | 5 ^{14.4} | 12 |
| 189 | Peripheral levels of C-reactive protein, tumor necrosis factor-∏interleukin-6, and interleukin-1□ across the mood spectrum in bipolar disorder: A meta-analysis of mean differences and variability. <i>Brain, Behavior, and Immunity</i> , 2021 , 97, 193-203 | 16.6 | 12 |
| 188 | Formal thought disorder in people at ultra-high risk of psychosis. BJPsych Open, 2017, 3, 165-170 | 5 | 11 |
| 187 | White matter pathologyan endophenotype for bipolar disorder?. <i>BMC Psychiatry</i> , 2012 , 12, 138 | 4.2 | 11 |
| 186 | Neuroimaging and resilience factorsstaging of the at-risk mental state?. <i>Current Pharmaceutical Design</i> , 2012 , 18, 416-21 | 3.3 | 11 |
| 185 | Viewpoint European COVID-19 exit strategy for people with severe mental disorders: Too little, but not yet too late. <i>Brain, Behavior, and Immunity</i> , 2021 , 94, 15-17 | 16.6 | 11 |
| 184 | Implementation of a Real-Time Psychosis Risk Detection and Alerting System Based on Electronic Health Records using CogStack. <i>Journal of Visualized Experiments</i> , 2020 , | 1.6 | 10 |
| 183 | Neighbourhood deprivation is positively associated with detection of the ultra-high risk (UHR) state for psychosis in South East London. <i>Schizophrenia Research</i> , 2018 , 192, 371-376 | 3.6 | 10 |
| 182 | Development and Validation of a Dynamic Risk Prediction Model to Forecast Psychosis Onset in Patients at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2020 , 46, 252-260 | 1.3 | 10 |
| 181 | Second Life virtual world: a heaven for autistic people?. <i>Medical Hypotheses</i> , 2008 , 71, 980-1 | 3.8 | 10 |

| 180 | Association between mental disorders and somatic conditions: protocol for an umbrella review. <i>Evidence-Based Mental Health</i> , 2020 , 23, 135-139 | 11.1 | 10 |
|-----|--|-------------------|----|
| 179 | The gut-microbiome as a target for the treatment of schizophrenia: A systematic review and meta-analysis of randomised controlled trials of add-on strategies. <i>Schizophrenia Research</i> , 2021 , 234, 1-13 | 3.6 | 10 |
| 178 | Prevalence and implications of Truman symptoms in subjects at ultra high risk for psychosis. <i>Psychiatry Research</i> , 2016 , 238, 270-276 | 9.9 | 9 |
| 177 | Sensory gating deficits in the attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2015 , 161, 277-8. | 2 3.6 | 9 |
| 176 | Predictive power of attenuated psychosis syndrome: is it really low? The case of mild cognitive impairment. <i>Schizophrenia Research</i> , 2012 , 135, 192-3 | 3.6 | 9 |
| 175 | Franco Basaglia (19241980): three decades (19792009) as a bridge between the Italian and Brazilian mental health reform. <i>International Journal of Social Psychiatry</i> , 2011 , 57, 100-3 | 8.5 | 9 |
| 174 | Effects of antipsychotics on dentate gyrus stem cell proliferation and survival in animal models: a critical update. <i>Neural Plasticity</i> , 2012 , 2012, 832757 | 3.3 | 9 |
| 173 | Genetic vulnerability to psychosis and cortical function: epistatic effects between DAAO and G72. <i>Current Pharmaceutical Design</i> , 2012 , 18, 510-7 | 3.3 | 9 |
| 172 | Ethical implications for clinical practice and future research in "at risk" individuals. <i>Current Pharmaceutical Design</i> , 2012 , 18, 606-12 | 3.3 | 9 |
| 171 | Neurophysiological response to emotional faces with increasing intensity of fear: a skin conductance response study. <i>Journal of Clinical Neuroscience</i> , 2009 , 16, 981-2 | 2.2 | 9 |
| 170 | A large scale meta-analytic atlas of mental health problems prevalence during the COVID-19 early pandemic <i>Journal of Medical Virology</i> , 2021 , | 19.7 | 9 |
| 169 | E-Clinical High Risk for Psychosis: Viewpoint on Potential of Digital Innovations for Preventive Psychiatry. <i>JMIR Mental Health</i> , 2019 , 6, e14581 | 6 | 9 |
| 168 | Real-World Clinical Outcomes Two Years After Transition to Psychosis in Individuals at Clinical High Risk: Electronic Health Record Cohort Study. <i>Schizophrenia Bulletin</i> , 2020 , | 1.3 | 9 |
| 167 | Suicide, self-harm and thoughts of suicide or self-harm in infectious disease epidemics: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e32 | 5.1 | 9 |
| 166 | Negative Psychosis Prevention Trials. <i>JAMA Psychiatry</i> , 2017 , 74, 651 | 14.5 | 8 |
| 165 | An initial investigation of abnormal bodily phenomena in subjects at ultra high risk for psychosis: Their prevalence and clinical implications. <i>Comprehensive Psychiatry</i> , 2016 , 66, 39-45 | 7.3 | 8 |
| 164 | The impact of delivering GP training on the clinical high risk and first-episode psychosis on referrals and pathways to care. <i>Microbial Biotechnology</i> , 2015 , 9, 459-66 | 3.3 | 8 |
| 163 | Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. <i>EClinicalMedicine</i> , 2021 , 36, 10090 | 9 ^{11.3} | 8 |

| 162 | Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021 , 90, 632-642 | 7.9 | 8 |
|-----|---|-------|---|
| 161 | The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. <i>Psychiatry Research</i> , 2019 , 272, 618-627 | 9.9 | 8 |
| 160 | Disparities in Screening and Treatment of Cardiovascular Diseases in Patients With Mental Disorders Across the World: Systematic Review and Meta-Analysis of 47 Observational Studies. <i>American Journal of Psychiatry</i> , 2021 , 178, 793-803 | 11.9 | 8 |
| 159 | Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970 | 6.6 | 8 |
| 158 | Short clinically-based prediction model to forecast transition to psychosis in individuals at clinical high risk state. <i>European Psychiatry</i> , 2019 , 58, 72-79 | 6 | 7 |
| 157 | Hippocampal volume correlates with attenuated negative psychotic symptoms irrespective of antidepressant medication. <i>NeuroImage: Clinical</i> , 2015 , 8, 230-7 | 5.3 | 7 |
| 156 | Basic Self-Disturbances Related to Reduced Anterior Cingulate Volume in Subjects at Ultra-High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 254 | 5 | 7 |
| 155 | Pattern of activation during delayed matching to sample task predicts functional outcome in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2017 , 181, 86-93 | 3.6 | 7 |
| 154 | Neuropsychopharmacology of auditory hallucinations: insights from pharmacological functional MRI and perspectives for future research. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 23-36 | 4.3 | 7 |
| 153 | The vulnerability to schizophrenia mainstream research paradigms and phenomenological directions. <i>Current Pharmaceutical Design</i> , 2012 , 18, 338-45 | 3.3 | 7 |
| 152 | Egas Moniz (1875-1955), the father of psychosurgery. British Journal of Psychiatry, 2008, 193, 50 | 5.4 | 7 |
| 151 | Aripiprazole monotherapy as transdiagnostic intervention for the treatment of mental disorders: An umbrella review according to TRANSD criteria. <i>European Neuropsychopharmacology</i> , 2020 , 41, 16-27 | 1.2 | 7 |
| 150 | Transdiagnostic individualized clinically-based risk calculator for the automatic detection of individuals at-risk and the prediction of psychosis: external replication in 2,430,333 US patients. Translational Psychiatry, 2020, 10, 364 | 8.6 | 7 |
| 149 | Lower speech connectedness linked to incidence of psychosis in people at clinical high risk. <i>Schizophrenia Research</i> , 2021 , 228, 493-501 | 3.6 | 7 |
| 148 | Association of antidepressants with brain morphology in early stages of psychosis: an imaging genomics approach. <i>Scientific Reports</i> , 2019 , 9, 8516 | 4.9 | 6 |
| 147 | Towards a framework for good outcome in people at clinical high risk for psychosis: A Delphi consensus study. <i>Schizophrenia Research</i> , 2019 , 208, 209-216 | 3.6 | 6 |
| 146 | Impact on the Onset of Psychosis of a Polygenic Schizophrenia-Related Risk Score and Changes in White Matter Volume. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 1201-1214 | 3.9 | 6 |
| 145 | People meeting ultra high risk for psychosis criteria in the community. World Psychiatry, 2017, 16, 322-3 | 234.4 | 6 |

| 144 | Why is psychiatric imaging clinically unreliable? Epistemological perspectives in clinical neuroscience. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 320-1 | 9.4 | 6 |
|-----|---|---------|---|
| 143 | Johann Cristian Reil on the 200th anniversary of the first description of the insula (1809). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009 , 80, 1409 | 5.5 | 6 |
| 142 | Neurophysiological alterations in the prepsychotic phases. Current Pharmaceutical Design, 2012, 18, 479 | 9-38-35 | 6 |
| 141 | Philosophical issues in the prodromal phase of psychosis. Current Pharmaceutical Design, 2012, 18, 596- | 69.5 | 6 |
| 140 | Abnormal thalamic glutamate and liability to psychosis: state or trait marker?. <i>Schizophrenia Research</i> , 2009 , 115, 94-5 | 3.6 | 6 |
| 139 | Franco Basaglia, 1924-1980. American Journal of Psychiatry, 2008 , 165, 968 | 11.9 | 6 |
| 138 | Association between autism spectrum disorder and inflammatory bowel disease: A systematic review and meta-analysis <i>Autism Research</i> , 2021 , | 5.1 | 6 |
| 137 | Psychiatric and neuropsychiatric syndromes and COVID-19 - AuthorsPreply. <i>Lancet Psychiatry,the</i> , 2020 , 7, 664-665 | 23.3 | 6 |
| 136 | Real-world digital implementation of the Psychosis Polyrisk Score (PPS): A pilot feasibility study. <i>Schizophrenia Research</i> , 2020 , 226, 176-183 | 3.6 | 6 |
| 135 | Gender differences in clinical presentation and illicit substance use during first episode psychosis: a natural language processing, electronic case register study. <i>BMJ Open</i> , 2021 , 11, e042949 | 3 | 6 |
| 134 | Risk and protective factors for mental disorders with onset in childhood/adolescence: An umbrella review of published meta-analyses of observational longitudinal studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 120, 565-573 | 9 | 6 |
| 133 | One century of Allgemeine Psychopathologie (1913 to 2013) by Karl Jaspers. <i>Schizophrenia Bulletin</i> , 2013 , 39, 268-9 | 1.3 | 5 |
| 132 | Marfan syndrome and liability to psychosis. <i>Medical Hypotheses</i> , 2007 , 68, 1173-4 | 3.8 | 5 |
| 131 | Representation and Outcomes of Individuals With Schizophrenia Seen in Everyday Practice Who Are Ineligible for Randomized Clinical Trials <i>JAMA Psychiatry</i> , 2022 , | 14.5 | 5 |
| 130 | Methodological Biases in CBT Trial-Commentary: Modular Cognitive-Behavioral Therapy for Affective Symptoms in Young Individuals at Ultra-High Risk of First Episode of Psychosis: Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2020 , 11, 394 | 5 | 5 |
| 129 | Universal and Selective Interventions to Prevent Poor Mental Health Outcomes in Young People: Systematic Review and Meta-analysis. <i>Harvard Review of Psychiatry</i> , 2021 , 29, 196-215 | 4.1 | 5 |
| 128 | The prevalence, odds and predictors of lifespan comorbid eating disorder among people with a primary diagnosis of bipolar disorders, and vice-versa: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021 , 280, 409-431 | 6.6 | 5 |
| 127 | Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. <i>Psychological Medicine</i> , 2021 , 51, 147-157 | 6.9 | 5 |

(2009-2021)

| 126 | Third external replication of an individualised transdiagnostic prediction model for the automatic detection of individuals at risk of psychosis using electronic health records. <i>Schizophrenia Research</i> , 2021 , 228, 403-409 | 3.6 | 5 |
|-----|--|------|---|
| 125 | Neurochemical effects of oxytocin in people at clinical high risk for psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 601-615 | 1.2 | 4 |
| 124 | World/self ambivalence: A shared mechanism in different subsets of psychotic experiences? Linking symptoms with resting-state fMRI. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 299, 111068 | 2.9 | 4 |
| 123 | The Provision of Education and Employment Support At the Outreach and Support in South London (OASIS) Service for People at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 799 | 5 | 4 |
| 122 | Julius Wagner-Jauregg, 1857-1940. American Journal of Psychiatry, 2009 , 166, 409 | 11.9 | 4 |
| 121 | Predicting the development of schizophrenia. <i>British Journal of Psychiatry</i> , 2012 , 200, 254-5; author reply 255 | 5.4 | 4 |
| 120 | Cannabis abuse and vulnerability to psychosis: targeting preventive services. <i>Current Pharmaceutical Design</i> , 2012 , 18, 542-9 | 3.3 | 4 |
| 119 | Multimodal functional imaging investigation before and after the onset of psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 579-81 | 5.8 | 4 |
| 118 | Heterogeneity in the assessment of the at-risk mental state for psychosis. <i>Psychiatric Services</i> , 2008 , 59, 813 | 3.3 | 4 |
| 117 | Prevalence of Individuals at Clinical High-Risk of Psychosis in the General Population and Clinical Samples: Systematic Review and Meta-Analysis. <i>Brain Sciences</i> , 2021 , 11, | 3.4 | 4 |
| 116 | Longitudinal Course of Depressive, Anxiety, and Posttraumatic Stress Disorder Symptoms After Heart Surgery: A Meta-Analysis of 94 Studies. <i>Psychosomatic Medicine</i> , 2021 , 83, 85-93 | 3.7 | 4 |
| 115 | Proportion of young people in the general population consulting general practitioners: Potential for mental health screening and prevention. <i>Microbial Biotechnology</i> , 2020 , 14, 631-635 | 3.3 | 4 |
| 114 | Intranasal oxytocin increases heart-rate variability in men at clinical high risk for psychosis: a proof-of-concept study. <i>Translational Psychiatry</i> , 2020 , 10, 227 | 8.6 | 4 |
| 113 | Prognostic Accuracy of DSM-5 Attenuated Psychosis Syndrome in Adolescents: Prospective Real-World 5-Year Cohort Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1663-1673 | 1.3 | 4 |
| 112 | Evaluation of variability in individual response to treatments in the clinical high-risk state for psychosis: A meta-analysis. <i>Schizophrenia Research</i> , 2021 , 227, 20-27 | 3.6 | 4 |
| 111 | Associations between mental and physical conditions in children and adolescents: An umbrella review <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 137, 104662 | 9 | 4 |
| 110 | Mind the translation gap: problems in the implementation of early intervention services. <i>Psychological Medicine</i> , 2010 , 40, 171-2 | 6.9 | 3 |
| 109 | Maurice Merleau-Ponty and the "embodied subjectivity" (1908-61). <i>Medical Anthropology Quarterly</i> , 2009 , 23, 91-3 | 2.5 | 3 |

| 108 | Biochemical markers of impending psychosis. Current Pharmaceutical Design, 2012, 18, 505-9 | 3.3 | 3 |
|-----|---|------|---|
| 107 | Medicine and the arts. Brain Damage by Pink Floyd (1973). Commentary. <i>Academic Medicine</i> , 2008 , 83, 742-3 | 3.9 | 3 |
| 106 | Love and brain: from mereological fallacy to "folk" neuroimaging. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 154, 285-6 | 2.9 | 3 |
| 105 | Insular pathology in the at-risk mental state. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 254-5 | 5.1 | 3 |
| 104 | Can acute tryptophan depletion modulate brain function in absence of behavioural effects?. <i>Medical Hypotheses</i> , 2007 , 68, 722 | 3.8 | 3 |
| 103 | Linking autism, regression and Landau-Kleffner syndrome: integrative role of nerve growth factor. <i>Medical Hypotheses</i> , 2007 , 68, 1178-9 | 3.8 | 3 |
| 102 | Imaging Genomics - An integrative approach to understand the biological susceptibility for schizophrenia. <i>Medical Hypotheses</i> , 2007 , 68, 1426 | 3.8 | 3 |
| 101 | Quetiapine as a first-choice agent in subjects at high-risk to psychosis?. <i>Medical Hypotheses</i> , 2007 , 69, 230 | 3.8 | 3 |
| 100 | Diagnosis, prognosis, and treatment of brief psychotic episodes: a review and research agenda. <i>Lancet Psychiatry,the</i> , 2021 , | 23.3 | 3 |
| 99 | Promoting good mental health in the whole population: The new frontier. <i>European Neuropsychopharmacology</i> , 2021 , 55, 8-10 | 1.2 | 3 |
| 98 | T97. REAL WORLD IMPLEMENTATION OF A TRANSDIAGNOSTIC RISK CALCULATOR FOR THE AUTOMATIC DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN CLINICAL ROUTINE. <i>Schizophrenia Bulletin</i> , 2020 , 46, S268-S268 | 1.3 | 3 |
| 97 | DSM-5 Attenuated Psychosis Syndrome in Adolescents Hospitalized With Non-psychotic Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020 , 11, 568982 | 5 | 3 |
| 96 | Genetic Variation and Autism: A Field Synopsis and Systematic Meta-Analysis. <i>Brain Sciences</i> , 2020 , 10, | 3.4 | 3 |
| 95 | Early intervention in psychosis during the COVID-19 pandemic: Maudsley recommendations. <i>European Neuropsychopharmacology</i> , 2021 , 47, 130-135 | 1.2 | 3 |
| 94 | Examining service-user perspectives for the development of a good outcome checklist for individuals at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 606-615 | 3.3 | 3 |
| 93 | Risk and protective factors for cannabis, cocaine, and opioid use disorders: An umbrella review of meta-analyses of observational studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 126, 243-251 | 9 | 3 |
| 92 | Risk and Protective Factors for Personality Disorders: An Umbrella Review of Published Meta-Analyses of Case-Control and Cohort Studies. <i>Frontiers in Psychiatry</i> , 2021 , 12, 679379 | 5 | 3 |
| 91 | Development of a probability calculator for psychosis risk in children, adolescents, and young adults. <i>Psychological Medicine</i> , 2021 , 1-9 | 6.9 | 3 |

(2021-2022)

| 90 | The lived experience of psychosis: a bottom-up review co-written by experts by experience and academics <i>World Psychiatry</i> , 2022 , 21, 168-188 | 14.4 | 3 |
|----|---|------|---|
| 89 | Acute oxytocin effects in inferring othersPbeliefs and social emotions in people at clinical high risk for psychosis. <i>Translational Psychiatry</i> , 2020 , 10, 203 | 8.6 | 2 |
| 88 | Gray matter pathology of hippocampus - a specific endophenotype for schizophrenia?. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 273-4 | 2.9 | 2 |
| 87 | A General Approach for Combining Voxel-Based Meta-Analyses Conducted in Different Neuroimaging Modalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 462-466 | 4.3 | 2 |
| 86 | Response to Spencer et al. Letter. American Journal of Psychiatry, 2012, 169, 666-666 | 11.9 | 2 |
| 85 | Distinct Effects of D9-tetrahydrocannabinol and Cannabidiol on Neural Activation During Emotional Processing. <i>European Psychiatry</i> , 2009 , 24, 1-1 | 6 | 2 |
| 84 | From Brentano to mirror neurons: bridging phenomenology and clinical neuroscience. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 245-6 | 2.9 | 2 |
| 83 | Roger Keith "Syd" Barrett (1946-2006). American Journal of Psychiatry, 2007, 164, 1028 | 11.9 | 2 |
| 82 | Medicine and the arts. Two allegories of love by Agnolo di Cosimo di Mariano "Bronzino" and Bartels, et al. Commentary. <i>Academic Medicine</i> , 2007 , 82, 1108-9 | 3.9 | 2 |
| 81 | Can neuroimaging reduce social stigma in schizophrenia?. <i>Medical Hypotheses</i> , 2007 , 69, 457 | 3.8 | 2 |
| 80 | Pooling of data in psychiatric neuroimaging: a bridge towards clinical neuroimaging?. <i>European Psychiatry</i> , 2007 , 22, 265 | 6 | 2 |
| 79 | Proportion and predictors of remission and recovery in first-episode psychosis: Systematic review and meta-analysis. <i>European Psychiatry</i> , 2021 , 64, e69 | 6 | 2 |
| 78 | Transcriptional biomarkers of response to pharmacological treatments in severe mental disorders: A systematic review <i>European Neuropsychopharmacology</i> , 2022 , 55, 112-157 | 1.2 | 2 |
| 77 | Psychosocial Intervention Without Antipsychotic Medication for Brief Psychotic Episodes?. <i>Schizophrenia Bulletin Open</i> , 2020 , 1, | 2.2 | 2 |
| 76 | Early Intervention Services for First Episode of Psychosis in South London and the Maudsley (SLaM): 20 Years of Care and Research for Young People. <i>Frontiers in Psychiatry</i> , 2020 , 11, 577110 | 5 | 2 |
| 75 | The Collaborative Outcomes study on Health and Functioning during Infection Times in Adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic <i>Journal of Affective Disorders</i> , 2021 , 299, 393-393 | 6.6 | 2 |
| 74 | Prison and Community Populations at Ultra-High Risk of Psychosis: Differences and Challenges for Service Provision. <i>Psychiatric Services</i> , 2016 , 67, 990-5 | 3.3 | 2 |
| 73 | Risk and protective factors for alcohol and tobacco related disorders: An umbrella review of observational studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 121, 20-28 | 9 | 2 |

| 72 | Suicide, self-harm and thoughts of suicide or self-harm in infectious disease epidemics: a systematic review and meta-analysis ICORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, | 5.1 | 2 |
|----|---|--------------|---|
| 71 | Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , | 1.3 | 2 |
| 70 | Lack of robust meta-analytic evidence to favour cognitive behavioural therapy for prevention of psychosis. <i>World Psychiatry</i> , 2021 , 20, 443-444 | 14.4 | 2 |
| 69 | Clinical prediction models in psychiatry: a systematic review of two decades of progress and challenges <i>Molecular Psychiatry</i> , 2022 , | 15.1 | 2 |
| 68 | Neuroimaging and the At-Risk Mental State 2019 , 219-265 | | 1 |
| 67 | The Psychosis High-Risk State. <i>Key Issues in Mental Health</i> ,55-68 | | 1 |
| 66 | Bupropion and panic disorder: case report and review of the literature. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011 , 23, E47-50 | 2.7 | 1 |
| 65 | P.3.02 Opposite neural effects of the main psychoactive ingredients of cannabis Implications for therapeutics. <i>European Neuropsychopharmacology</i> , 2009 , 19, S63-S64 | 1.2 | 1 |
| 64 | Albert Hofmann, the father of LSD (1906-2008). Neuropsychobiology, 2008, 58, 53-4 | 4 | 1 |
| 63 | Successful antidepressive treatment with mirtazapine following lung transplantation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1745-6 | 5.5 | 1 |
| 62 | Differential diagnosis between the early onset of schizophrenia and bipolar disorder: potential role of neuroimaging. <i>CNS Spectrums</i> , 2008 , 13, 363-4 | 1.8 | 1 |
| 61 | Anxiety and depression after lung transplantation: Mirtazapine as a first-choice agent?. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 101 | 4.1 | 1 |
| 60 | Memantine as a neuroprotective agent in early phases of psychosis. <i>Medical Hypotheses</i> , 2007 , 68, 459-6 | 69 .8 | 1 |
| 59 | Uncovering the neural correlates of the ketogenic diet: the contribution of functional neuroimaging. <i>Medical Hypotheses</i> , 2007 , 69, 705-6 | 3.8 | 1 |
| 58 | Targeting the effects of omega-3 and omega-6 fatty acid supplementation on schizophrenic spectrum disorders: role of neuroimaging. <i>Medical Hypotheses</i> , 2007 , 69, 466-7 | 3.8 | 1 |
| 57 | Is a DNA sequence variation of the gene protocadherin Y a possible explanation for the sixfold higher risk to develop schizophrenia in Moroccan males?. <i>Medical Hypotheses</i> , 2007 , 69, 694 | 3.8 | 1 |
| 56 | Focusing on Comorbidity-A Novel Meta-Analytic Approach and Protocol to Disentangle the Specific Neuroanatomy of Co-occurring Mental Disorders <i>Frontiers in Psychiatry</i> , 2021 , 12, 807839 | 5 | 1 |
| 55 | Public health primary prevention implemented by clinical high-risk services for psychosis <i>Translational Psychiatry</i> , 2022 , 12, 43 | 8.6 | 1 |

| 54 | Clinical outcomes in individuals at clinical high risk of psychosis who do not transition to psychosis: a meta-analysis <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e9 | 5.1 | 1 |
|----|---|------|---|
| 53 | Overoptimistic Literature and Methodological Biases Favoring Cognitive Behavioral Therapy for the Prevention of Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , | 1.3 | 1 |
| 52 | Mapping Prodromal Psychosis 2011 , 445-471 | | 1 |
| 51 | Emergency department and early detection of adolescents and young adults at risk of developing mental disorders: an exploratory study. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2020 , 23, 459 | 0.9 | 1 |
| 50 | Towards standardising the assessment of good outcome in people at clinical high risk for psychosis: A collaborative approach. <i>Schizophrenia Research</i> , 2020 , 223, 361-362 | 3.6 | 1 |
| 49 | Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. <i>Schizophrenia Research</i> , 2021 , 232, 98-106 | 3.6 | 1 |
| 48 | Antipsychotics and Attenuated Psychosis Syndrome: Transdiagnostic assessment and discontinuation strategies. <i>Schizophrenia Research</i> , 2021 , | 3.6 | 1 |
| 47 | A Pilot Study on Covid and Autism: Prevalence, Clinical Presentation and Vaccine Side Effects. <i>Brain Sciences</i> , 2021 , 11, | 3.4 | 1 |
| 46 | New Electronic Health Records Screening Tools to Improve Detection of Emerging Psychosis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 698406 | 5 | 1 |
| 45 | The case for improved transdiagnostic detection of first-episode psychosis: Electronic health record cohort study. <i>Schizophrenia Research</i> , 2021 , 228, 547-554 | 3.6 | 1 |
| 44 | Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatr Y Salud Mental</i> , 2021 , 14, 50-64 | 2.7 | 1 |
| 43 | Transition to psychosis in randomized clinical trials of individuals at clinical high risk of psychosis compared to observational cohorts: a systematic review and meta-analysis. <i>European Psychiatry</i> , 2021 , 64, e51 | 6 | 1 |
| 42 | ITAlian partnership for psychosis prevention (ITAPP): Improving the mental health of young people. <i>European Psychiatry</i> , 2021 , 64, e62 | 6 | 1 |
| 41 | Structural brain volumes of individuals at clinical high risk for psychosis: a meta-analysis. <i>Biological Psychiatry Global Open Science</i> , 2021 , | | 1 |
| 40 | Assessing psychosis risk using quantitative markers of disorganised speech | | 1 |
| 39 | Establishing a business case for setting up early detection services for preventing psychosis <i>BJPsych Bulletin</i> , 2022 , 1-10 | 1.2 | 1 |
| 38 | Differential expression of MicroRNAs in Alzheimerß disease: a systematic review and meta-analysis <i>Molecular Psychiatry</i> , 2022 , | 15.1 | 1 |
| 37 | Higher levels of mental wellbeing predict lower risk of common mental disorders in the Danish general population. <i>Mental Health and Prevention</i> , 2022 , 26, 200233 | 2.3 | 1 |

| 36 | No Meta-analytic Effect of age on Probability of Developing Psychosis in Individuals at Clinical High Risk for Psychosis <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , | 7.2 | 1 |
|----|--|--------------------|---|
| 35 | Identifying Electroencephalography Biomarkers in Individuals at Clinical High Risk for Psychosis in an International Multi-Site Study <i>Frontiers in Psychiatry</i> , 2022 , 13, 828376 | 5 | 1 |
| 34 | Development of a Self-Administered Questionnaire to Detect Psychosis at High Altitude: The HAPSY Questionnaire. <i>High Altitude Medicine and Biology</i> , 2019 , 20, 352-360 | 1.9 | O |
| 33 | Impact of data extraction errors in meta-analyses on the association between depression and peripheral inflammatory biomarkers: an umbrella review. <i>Psychological Medicine</i> , 2021 , 1-14 | 6.9 | O |
| 32 | Developing and Validating an Individualized Clinical Prediction Model to Forecast Psychotic Recurrence in Acute and Transient Psychotic Disorders: Electronic Health Record Cohort Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1695-1705 | 1.3 | O |
| 31 | Early detection of bipolar disorders and treatment recommendations for help-seeking adolescents and young adults: Findings of the Early Detection and Intervention Center Dresden. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 23 | 5.4 | O |
| 30 | A systematic review and meta-analysis of structural and functional brain alterations in individuals with genetic and clinical high-risk for psychosis and bipolar disorder <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 110540 | 5.5 | 0 |
| 29 | Relapse prevention in schizophrenia Lancet Psychiatry,the, 2022 , 9, e13 | 23.3 | О |
| 28 | Natural Language Processing markers in first episode psychosis and people at clinical high-risk <i>Translational Psychiatry</i> , 2021 , 11, 630 | 8.6 | O |
| 27 | Psychosis and Substance Abuse increase the COVID-19 mortality risk <i>Psychological Medicine</i> , 2022 , 1-23 | 3 6.9 | О |
| 26 | Examining the variability of neurocognitive functioning in individuals at clinical high risk for psychosis: a meta-analysis <i>Translational Psychiatry</i> , 2022 , 12, 198 | 8.6 | O |
| 25 | Associations of presenting symptoms and subsequent adverse clinical outcomes in people with unipolar depression: a prospective natural language processing (NLP), transdiagnostic, network analysis of electronic health record (EHR) data <i>BMJ Open</i> , 2022 , 12, e056541 | 3 | O |
| 24 | Prognostic accuracy and clinical utility of psychometric instruments for individuals at clinical high-risk of psychosis: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , | 15.1 | О |
| 23 | Research Perspectives for Neuroimaging of Schizophrenia Spectrum Disorders 2019 , 303-325 | | |
| 22 | Neuroimaging and the Longitudinal Course of Schizophrenia 2019 , 183-218 | | |
| 21 | Specialized services for individuals at clinical high risk for psychosis target simultaneously adolescents and young adults. <i>International Journal of Technology Assessment in Health Care</i> , 2019 , 35, 408-409 | 1.8 | |
| 20 | SSRIs and autism: interpreting an umbrella review - AuthorsPreply. Lancet Psychiatry, the, 2019 , 6, 893-89 | 9 4 3.3 | |
| 19 | Presynaptic dopamine alterations in schizophrenia: functional or structural defect?. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 271-2 | 2.9 | |

Long-Chain Omega-3 Fatty Acids and Psychotic Disorders **2013**, 149-178

| 17 | Comment on "schizophrenia, brain disease and meta-analyses: integrating the pieces and testing Fusar-Poliß hypothesis". <i>Medical Hypotheses</i> , 2010 , 74, 395-6 | 3.8 |
|----|--|--------------------|
| 16 | P.3.019 A meta-analysis of neuroimaging predictors of transition to psychosis. <i>European Neuropsychopharmacology</i> , 2010 , 20, S78 | 1.2 |
| 15 | Images in psychiatry. Sabina Spielrein. American Journal of Psychiatry, 2012, 169, 21 | 11.9 |
| 14 | Can neuroimaging prove that schizophrenia is a brain disease? A radical hypothesis. <i>Medical Hypotheses</i> , 2009 , 73, 855-6 | 3.8 |
| 13 | Opposite Neural Effects of the Main Psychoactive Ingredients of Cannabis- Neural Basis for Potential Therapeutic Effects of Cannabidiol. <i>European Psychiatry</i> , 2009 , 24, 1-1 | 6 |
| 12 | NEURAL CORRELATES OF VERBAL EPISODIC MEMORY IN THE AT RISK MENTAL STATE. Schizophrenia Research, 2008 , 102, 29-30 | 3.6 |
| 11 | P.3.21 Delta-9-tetrahydrocannabinol modulates activity in parahippocampal cortex and ventral striatum during memory processing. <i>European Neuropsychopharmacology</i> , 2008 , 18, s80 | 1.2 |
| 10 | P.1.e.020 Effects of cannabis ingredients in the temporal cortex [heural basis for potential antipsychotic effect of cannabidiol. <i>European Neuropsychopharmacology</i> , 2008 , 18, S270-S271 | 1.2 |
| 9 | Socioeconomic provisions for specialist training in Italy and the UK: integrating the differences. <i>Postgraduate Medical Journal</i> , 2006 , 82, 810-2 | 2 |
| 8 | Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe <i>Neuropsychiatric Disease and Treatment</i> , 2022 , 18, 20 | 1 -2 19 |
| 7 | Acute Tryptophan Depletion and Suicidality. <i>Journal of Psychophysiology</i> , 2007 , 21, 72-73 | 1 |
| 6 | Early Intervention in Psychosis299-306 | |
| 5 | AuthorsPreply. British Journal of Psychiatry, 2016 , 208, 197-8 | 5.4 |
| 4 | Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatr Y Salud Mental (English Edition)</i> , 2021 , 14, 50-64 | 0.2 |
| 3 | Manifesto for an ECNP Neuromodulation Thematic Working Group (TWG): Non-invasive brain stimulation as a new Super-subspecialty. <i>European Neuropsychopharmacology</i> , 2021 , 52, 72-83 | 1.2 |
| 2 | P.0178 Transition to psychosis in adolescents at clinical high risk for psychosis: a meta-analysis. <i>European Neuropsychopharmacology</i> , 2021 , 53, S129-S130 | 1.2 |
| 1 | Perceived Family Functioning Profile in Adolescents at Clinical High Risk for Psychosis: Rigidity as a Possible Preventive Target <i>Frontiers in Psychiatry</i> , 2022 , 13, 861201 | 5 |