

# Meeyoung O Min

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8896991/meeyoung-o-min-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66  
papers

1,815  
citations

24  
h-index

41  
g-index

70  
ext. papers

2,123  
ext. citations

3.7  
avg, IF

4.31  
L-index

#	Paper	IF	Citations
66	Preschool blood lead levels, language competency, and substance use in adolescence. <i>Environmental Research</i> , <b>2021</b> , 112273	7.9	
65	Prenatal Substance Exposure and Developmental Trajectories of Internalizing Symptoms: Toddlerhood to Preadolescence. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 218, 108411	4.9	1
64	Association of fatty acid ethyl esters in meconium with behavior during childhood. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 218, 108437	4.9	0
63	Fatty acid ethyl esters in meconium and substance use in adolescence. <i>Neurotoxicology and Teratology</i> , <b>2021</b> , 83, 106946	3.9	1
62	Profiles of individual assets and mental health symptoms in at-risk early adolescents. <i>Journal of Adolescence</i> , <b>2019</b> , 75, 1-11	3.4	3
61	Individual assets and problem behaviors in at-risk adolescents: A longitudinal cross-lagged analysis. <i>Journal of Adolescence</i> , <b>2018</b> , 64, 52-61	3.4	2
60	Factor Structure of the Urban Hassles Index. <i>Research on Social Work Practice</i> , <b>2018</b> , 28, 741-750	1.4	2
59	Blood lead levels and longitudinal language outcomes in children from 4 to 12 years. <i>Journal of Communication Disorders</i> , <b>2018</b> , 71, 85-96	1.9	5
58	Prenatal and concurrent cocaine, alcohol, marijuana, and tobacco effects on adolescent cognition and attention. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 191, 37-44	4.9	9
57	Developmental trajectories of externalizing behavior from ages 4 to 12: Prenatal cocaine exposure and adolescent correlates. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 192, 223-232	4.9	10
56	The association of prenatal cocaine exposure, externalizing behavior and adolescent substance use. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 176, 33-43	4.9	11
55	Association of prenatal cocaine exposure, childhood maltreatment, and responses to stress in adolescence. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 177, 93-100	4.9	10
54	Formal and Informal Concrete Support and Discharge Disposition among Women in Substance Abuse Treatment in the U.S. <i>Chongsin Pogon Kwa Sahoe Saop</i> , <b>2017</b> , 45, 144-169	1.5	1
53	In Utero Exposure to Nicotine, Cocaine, and Amphetamines <b>2016</b> , 51-76		2
52	Personal Network Structure and Substance Use in Women by 12 Months Post Treatment Intake. <i>Journal of Substance Abuse Treatment</i> , <b>2016</b> , 62, 55-61	4.2	23
51	Motor delays in MDMA (ecstasy) exposed infants persist to 2 years. <i>Neurotoxicology and Teratology</i> , <b>2016</b> , 54, 22-8	3.9	17
50	Pathways to adolescent sexual risk behaviors: Effects of prenatal cocaine exposure. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 161, 284-91	4.9	12

49	Violence Exposure and Early Substance Use in High-Risk Adolescents. <i>Journal of Social Work Practice in the Addictions</i> , <b>2016</b> , 16, 46-71	0.9	12
48	Executive function in children with prenatal cocaine exposure (12-15years). <i>Neurotoxicology and Teratology</i> , <b>2016</b> , 57, 79-86	3.9	12
47	Effects of prenatal cocaine exposure on early sexual behavior: Gender difference in externalizing behavior as a mediator. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 153, 59-65	4.9	18
46	Personal network recovery enablers and relapse risks for women with substance dependence. <i>Qualitative Health Research</i> , <b>2015</b> , 25, 371-85	3.9	34
45	Association of fatty acid ethyl esters in meconium and cognitive development during childhood and adolescence. <i>Journal of Pediatrics</i> , <b>2015</b> , 166, 1042-7	3.6	18
44	The Effects of Organizational Culture on Mental Health Service Engagement of Transition Age Youth. <i>Journal of Behavioral Health Services and Research</i> , <b>2015</b> , 42, 466-85	1.7	2
43	Personal networks of women in residential and outpatient substance abuse treatment. <i>Addiction Research and Theory</i> , <b>2015</b> , 23, 404-412	2.6	4
42	Factors associated with trajectories of women's quality of life and association with substance use 12 months post-treatment. <i>Addiction Science &amp; Clinical Practice</i> , <b>2015</b> , 10, A47	4.1	78
41	Prenatal cocaine exposure and child outcomes: a conference report based on a prospective study from Cleveland. <i>Human Psychopharmacology</i> , <b>2015</b> , 30, 285-9	2.3	12
40	Developmental outcomes of 3,4-methylenedioxymethamphetamine (ecstasy)-exposed infants in the UK. <i>Human Psychopharmacology</i> , <b>2015</b> , 30, 290-4	2.3	12
39	Impact of trauma symptomatology on personal networks among substance using women. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 142, 277-82	4.9	11
38	Externalizing behavior and substance use related problems at 15 years in prenatally cocaine exposed adolescents. <i>Journal of Adolescence</i> , <b>2014</b> , 37, 269-79	3.4	41
37	Self-reported adolescent behavioral adjustment: effects of prenatal cocaine exposure. <i>Journal of Adolescent Health</i> , <b>2014</b> , 55, 167-74	5.8	29
36	Effects of prenatal cocaine/polydrug exposure on substance use by age 15. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 134, 201-210	4.9	43
35	Predictors of loneliness of clubhouse members. <i>Psychiatric Rehabilitation Journal</i> , <b>2014</b> , 37, 51-4	2.4	13
34	MDMA and heightened cortisol: a neurohormonal perspective on the pregnancy outcomes of mothers used 'Ecstasy' during pregnancy. <i>Human Psychopharmacology</i> , <b>2014</b> , 29, 1-7	2.3	9
33	Psychiatric profiles of mothers who take Ecstasy/MDMA during pregnancy: reduced depression 1 year after giving birth and quitting Ecstasy. <i>Journal of Psychopharmacology</i> , <b>2014</b> , 28, 55-61	4.6	11
32	Comparison of 12-year-old children with prenatal exposure to cocaine and non-exposed controls on caregiver ratings of executive function. <i>Journal of Youth and Adolescence</i> , <b>2014</b> , 43, 53-69	4.5	17

31	Changes in personal networks of women in residential and outpatient substance abuse treatment. <i>Journal of Substance Abuse Treatment</i> , <b>2013</b> , 45, 325-34	4.2	23
30	Pathways linking childhood maltreatment and adult physical health. <i>Child Abuse and Neglect</i> , <b>2013</b> , 37, 361-73	4.3	52
29	Family Social Networks and Recovery From Severe Mental Illness of Clubhouse Members. <i>Journal of Family Social Work</i> , <b>2013</b> , 16, 274-296	1.1	8
28	Language outcomes at 12 years for children exposed prenatally to cocaine. <i>Journal of Speech, Language, and Hearing Research</i> , <b>2013</b> , 56, 1662-76	2.8	16
27	Mediating links between maternal childhood trauma and preadolescent behavioral adjustment. <i>Journal of Interpersonal Violence</i> , <b>2013</b> , 28, 831-51	2.2	40
26	Impact of Dual Disorders, Trauma, and Social Support on Quality of Life Among Women in Treatment for Substance Dependence. <i>Journal of Dual Diagnosis</i> , <b>2013</b> , 9, 61-71	2.4	19
25	Neurobehavioral outcomes of infants exposed to MDMA (Ecstasy) and other recreational drugs during pregnancy. <i>Neurotoxicology and Teratology</i> , <b>2012</b> , 34, 303-10	3.9	39
24	Prospective patterns and correlates of quality of life among women in substance abuse treatment. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 124, 242-9	4.9	44
23	Cocaine use during pregnancy and health outcome after 10 years. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 126, 71-9	4.9	7
22	One-year outcomes of prenatal exposure to MDMA and other recreational drugs. <i>Pediatrics</i> , <b>2012</b> , 130, 407-13	7.4	39
21	Substance Abuse Treatment Stage and Personal Networks of Women in Substance Abuse Treatment. <i>Journal of the Society for Social Work and Research</i> , <b>2012</b> , 3, 65-79	1.2	20
20	The effects of prenatal cocaine on language development at 10 years of age. <i>Neurotoxicology and Teratology</i> , <b>2011</b> , 33, 17-24	3.9	36
19	Caregiver and self-report of mental health symptoms in 9-year old children with prenatal cocaine exposure. <i>Neurotoxicology and Teratology</i> , <b>2011</b> , 33, 582-91	3.9	27
18	During pregnancy, recreational drug-using women stop taking ecstasy (3,4-methylenedioxy-N-methylamphetamine) and reduce alcohol consumption, but continue to smoke tobacco and cannabis: initial findings from the Development and Infancy Study. <i>Journal of Psychopharmacology</i> , <b>2010</b> , 24, 1403-10	4.6	67
17	Longitudinal predictors of maternal stress and coping after very low-birth-weight birth. <i>JAMA Pediatrics</i> , <b>2010</b> , 164, 518-24		61
16	Cognitive development and low-level lead exposure in poly-drug exposed children. <i>Neurotoxicology and Teratology</i> , <b>2009</b> , 31, 225-31	3.9	39
15	Prenatal cocaine exposure: drug and environmental effects at 9 years. <i>Journal of Pediatrics</i> , <b>2008</b> , 153, 105-11	3.6	88
14	The association of prenatal cocaine use and childhood trauma with psychological symptoms over 6 years. <i>Archives of Women's Mental Health</i> , <b>2008</b> , 11, 181-92	5	11

13	Impact of childhood abuse and neglect on substance abuse and psychological distress in adulthood. <i>Journal of Traumatic Stress</i> , <b>2007</b> , 20, 833-44	3.8	83
12	Parenting very low birth weight children at school age: maternal stress and coping. <i>Journal of Pediatrics</i> , <b>2007</b> , 151, 463-9	3.6	61
11	Developmental sequelae in preterm infants having a diagnosis of bronchopulmonary dysplasia: analysis using a severity-based classification system. <i>JAMA Pediatrics</i> , <b>2007</b> , 161, 1082-7		89
10	Mental health outcomes of cocaine-exposed children at 6 years of age. <i>Journal of Pediatric Psychology</i> , <b>2006</b> , 31, 85-97	3.2	106
9	Factor structure of coping: two studies of mothers with high levels of life stress. <i>Psychological Assessment</i> , <b>2006</b> , 18, 278-88	5.3	9
8	Cognitive Outcomes of Preschool Children With Prenatal Cocaine Exposure. <i>Obstetrical and Gynecological Survey</i> , <b>2005</b> , 60, 23-24	2.4	2
7	Predictors of psychiatric hospitalization for adults with co-occurring substance and mental disorders as compared to adults with mental illness only. <i>Psychiatric Rehabilitation Journal</i> , <b>2005</b> , 29, 114-21	2.4	6
6	Prenatal cocaine exposure and infant cognition. <i>Research in Social and Administrative Pharmacy</i> , <b>2005</b> , 28, 431-444	2.9	27
5	Supplemental private health insurance and depressive symptoms in older married couples. <i>International Journal of Aging and Human Development</i> , <b>2005</b> , 61, 293-312	1.8	3
4	Cognitive outcomes of preschool children with prenatal cocaine exposure. <i>JAMA - Journal of the American Medical Association</i> , <b>2004</b> , 291, 2448-56	27.4	159
3	Four-year language outcomes of children exposed to cocaine in utero. <i>Neurotoxicology and Teratology</i> , <b>2004</b> , 26, 617-27	3.9	75
2	Children prenatally exposed to cocaine: developmental outcomes and environmental risks at seven years of age. <i>Journal of Developmental and Behavioral Pediatrics</i> , <b>2004</b> , 25, 83-90	2.4	65
1	The Impact of Mobile Crisis Services on the Use of Community-Based Mental Health Services. <i>Research on Social Work Practice</i> , <b>2002</b> , 12, 731-751	1.4	6