## Takenori Onaga

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/889825/publications.pdf Version: 2024-02-01



TAKENORI ONACA

#	Article	IF	CITATIONS
1	Multiple regulation of peptide YY secretion in the digestive tract. Peptides, 2002, 23, 279-290.	2.4	111
2	Tachykinin: recent developments and novel roles in health and disease. Biomolecular Concepts, 2014, 5, 225-243.	2.2	45
3	Pituitary adenylate cyclase-activating polypeptide (PACAP) induces duodenal phasic contractions via the vagal cholinergic nerves in sheep. Regulatory Peptides, 1998, 77, 69-76.	1.9	18
4	Intraduodenal cholecystokinin octapeptide (CCK-8) can stimulate pancreatic secretion in the calf. International Journal of Gastrointestinal Cancer, 1995, 17, 271-278.	0.4	16
5	Effect of L364â€^718 on interdigestive pancreatic exocrine secretion and gastroduodenal motility in conscious sheep. Regulatory Peptides, 1997, 68, 139-146.	1.9	16
6	Regional distribution and plasma concentration of peptide YY in sheep. Peptides, 2000, 21, 655-667.	2.4	16
7	Assessment of Testicular Corticosterone Biosynthesis in Adult Male Rats. PLoS ONE, 2015, 10, e0117795.	2.5	15
8	Characterization of feline cytochrome P450 2B6. Xenobiotica, 2017, 47, 93-102.	1.1	14
9	Role of endogenous CCK in regulation of interdigestive pancreatic exocrine secretion in sheep (Ovis) Tj ETQq1	1 0.784314 0.6	4 rgBT /Overlo
10	Effect of nitric oxide synthase inhibitors on the temporal coordination of duodenal contractions and pancreatic exocrine secretion in sheep. Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2000, 170, 469-479.	1.5	12
11	Cholecystokinin does not act on the efferent pathway of cholinergic and adrenergic nerves to inhibit ruminal contractions in sheep (Ovis aries). Comparative Biochemistry and Physiology A, Comparative Physiology, 1995, 111, 51-58.	0.6	10
12	Effects of intravenous infusions of cholecystokinin (CCK)-8 on exocrine and endocrine pancreatic secretion in conscious sheep. Comparative Biochemistry and Physiology A, Comparative Physiology, 1995, 111, 133-138.	0.6	10
13	Role of peptide YY in regulation of duodenal motility during the interdigestive period in sheep. Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 1997, 167, 352-360.	1.5	9
14	Effects of proglumide on cholecystokinin-8-induced exocrine and endocrine pancreatic responses in conscious sheep. Comparative Biochemistry and Physiology A, Comparative Physiology, 1997, 118, 759-764.	0.6	6
15	Localization and secretion of epidermal growth factor in the parotid gland and its intragastric kinetics in sheep. Life Sciences, 2006, 79, 1616-1629.	4.3	6
16	The effect of PGE <sub>2</sub> on glucose absorption and net movement of water and electrolytes in the jejunal loop in sheep. Journal of Animal Physiology and Animal Nutrition, 1995, 74, 185-193.	2.2	5
17	Effects of nitric oxide donor and nitric oxide synthase inhibitor on ruminal contractions in conscious sheep. Research in Veterinary Science, 2001, 71, 189-195.	1.9	5
18	Role of tachykinin and neurokinin receptors in the regulation of ovine omasal contractions. Regulatory Peptides, 2012, 173, 64-73.	1.9	5

TAKENORI ONAGA

#	Article	IF	CITATIONS
19	Identification and functional characterization of novel feline cytochrome P450 2A. Xenobiotica, 2015, 45, 503-510.	1.1	5
20	Role of neurotensin in the regulation of gastric motility in healthy conscious sheep. Small Ruminant Research, 2019, 172, 31-41.	1.2	5
21	Role of nitrergic nerves in the regulation of motility of the omasum and abomasum in healthy sheep (Ovis aries). Veterinary Research Communications, 2009, 33, 33-48.	1.6	4
22	Role of tachykinins and neurokinin receptor subtypes in the regulation of motility of the forestomach and abomasum in conscious sheep. Neuropeptides, 2013, 47, 9-18.	2.2	4
23	Localization of CCK-1R in the omasum and role of CCK in the regulation of omasal contractions in sheep. Domestic Animal Endocrinology, 2008, 35, 231-244.	1.6	2
24	Effects of xenin-25 on insulin and glucagon secretions in healthy conscious sheep. Domestic Animal Endocrinology, 2021, 77, 106635.	1.6	2
25	Preliminary Research on the Excretion of Urinary 8-Hydroxyguanosine (8-OHdG) as a Marker of Protozoan Parasites Infection in Captive Western Lowland Gorillas ( <i>Gorilla gorilla gorilla</i> ). Japanese Journal of Zoo and Wildlife Medicine, 2009, 14, 77-80.	0.2	2
26	Loperamide does not affect the prostaglandin E <sub>2</sub> (PGE <sub>2</sub> )â€induced antiâ€absorptive effect on glucose in the small intestinal loop of sheep. Journal of Animal Physiology and Animal Nutrition, 1996, 76, 80-89.	2.2	1
27	Effect of intravenous infusion of proglumide on ruminal motility in conscious sheep (Ovis aries). Veterinary Research Communications, 2007, 31, 1021-1036.	1.6	1
28	Messenger RNA expression and localization of xenin in the gastrointestinal tract in sheep. Domestic Animal Endocrinology, 2021, 74, 106523.	1.6	1
29	Comparison of the effects of secretagogues on the net movement of electrolyte and glucose absorption in the proximal and middle small intestine of sheep. Journal of Animal Physiology and Animal Nutrition, 1996, 76, 160-169.	2.2	0
30	An Examination of Parasitic Infection and Cortisol Measurement with Feces from Captive Apes Kept in a Zoological Garden. Japanese Journal of Zoo and Wildlife Medicine, 2018, 23, 27-31.	0.2	0