

# Ko Noguchi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8898763/ko-noguchi-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97  
papers

4,166  
citations

41  
h-index

62  
g-index

104  
ext. papers

4,817  
ext. citations

5.4  
avg. IF

5.6  
L-index

#	Paper	IF	Citations
97	Low N level increases the susceptibility of PSI to photoinhibition induced by short repetitive flashes in leaves of different rice varieties.. <i>Physiologia Plantarum</i> , <b>2022</b> , e13644	4.6	0
96	Manganese toxicity disrupts indole acetic acid homeostasis and suppresses the CO assimilation reaction in rice leaves. <i>Scientific Reports</i> , <b>2021</b> , 11, 20922	4.9	1
95	Theoretical analysis of a temperature-dependent model of respiratory O consumption using the kinetics of the cytochrome and alternative pathways. <i>New Phytologist</i> , <b>2021</b> , 229, 1810-1821	9.8	2
94	Effects of root morphology, respiration and carboxylate exudation on carbon economy in two non-mycorrhizal lupines under phosphorus deficiency. <i>Plant, Cell and Environment</i> , <b>2021</b> , 44, 598-612	8.4	3
93	Temperature-dependent fasciation mutants provide a link between mitochondrial RNA processing and lateral root morphogenesis. <i>ELife</i> , <b>2021</b> , 10,	8.9	3
92	Photochemistry of Photosystems II and I in Rice Plants Grown under Different N Levels at Normal and High Temperature. <i>Plant and Cell Physiology</i> , <b>2021</b> , 62, 1121-1130	4.9	4
91	P700 oxidation suppresses the production of reactive oxygen species in photosystem I. <i>Advances in Botanical Research</i> , <b>2020</b> , 96, 151-176	2.2	11
90	Rare Neurologic Disease-Associated Mutations of AIMP1 are Related with Inhibitory Neuronal Differentiation Which is Reversed by Ibuprofen. <i>Medicines (Basel, Switzerland)</i> , <b>2020</b> , 7,	4.1	4
89	Inhibition of mitochondrial complex I by the novel compound FSL0260 enhances high salinity-stress tolerance in <i>Arabidopsis thaliana</i> . <i>Scientific Reports</i> , <b>2020</b> , 10, 8691	4.9	6
88	Tolerant mechanisms to O deficiency under submergence conditions in plants. <i>Journal of Plant Research</i> , <b>2020</b> , 133, 343-371	2.6	13
87	Atmospheric CO Concentration and N Availability Affect the Balance of the Two Photosystems in Mature Leaves of Rice Plants Grown at a Free-Air CO Enrichment Site. <i>Frontiers in Plant Science</i> , <b>2020</b> , 11, 786	6.2	2
86	Induction of Terminal Oxidases of Electron Transport Chain in Broccoli Heads under Controlled Atmosphere Storage. <i>Foods</i> , <b>2020</b> , 9,	4.9	3
85	Phosphorus toxicity disrupts Rubisco activation and reactive oxygen species defence systems by phytic acid accumulation in leaves. <i>Plant, Cell and Environment</i> , <b>2020</b> , 43, 2033-2053	8.4	7
84	The Mitochondrial Respiratory Chain Maintains the Photosynthetic Electron Flow in <i>Arabidopsis thaliana</i> Leaves under High-Light Stress. <i>Plant and Cell Physiology</i> , <b>2020</b> , 61, 283-295	4.9	9
83	Confirmation of mesophyll signals controlling stomatal responses by a newly devised transplanting method. <i>Functional Plant Biology</i> , <b>2019</b> , 46, 467-481	2.7	9
82	Oxalate contents in leaves of two rice cultivars grown at a free-air CO2 enrichment (FACE) site. <i>Plant Production Science</i> , <b>2019</b> , 22, 407-411	2.4	9
81	Mitochondrial AOX Supports Redox Balance of Photosynthetic Electron Transport, Primary Metabolite Balance, and Growth in under High Light. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	10

80	Effects of instantaneous and growth CO levels and abscisic acid on stomatal and mesophyll conductances. <i>Plant, Cell and Environment</i> , <b>2019</b> , 42, 1257-1269	8.4	17
79	Effects of Elevated Atmospheric CO <sub>2</sub> on Respiratory Rates in Mature Leaves of Two Rice Cultivars Grown at a Free-Air CO <sub>2</sub> Enrichment Site and Analyses of the Underlying Mechanisms. <i>Plant and Cell Physiology</i> , <b>2018</b> , 59, 637-649	4.9	8
78	Influence of a Modified Atmosphere on the Induction and Activity of Respiratory Enzymes in Broccoli Florets during the Early Stage of Postharvest Storage. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 8538-8543	5.7	15
77	Arabidopsis Phosphatidic Acid Phosphohydrolases Are Essential for Growth under Nitrogen-Depleted Conditions. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 1847	6.2	3
76	Local Anesthetics and Antipsychotic Phenothiazines Interact Nonspecifically with Membranes and Inhibit Hexose Transporters in Yeast. <i>Genetics</i> , <b>2016</b> , 202, 997-1012	4	8
75	Mitochondrial Alternative Pathway-Associated Photoprotection of Photosystem II is Related to the Photorespiratory Pathway. <i>Plant and Cell Physiology</i> , <b>2016</b> , 57, 1426-1431	4.9	29
74	Modeling Leaf Gas Exchange. <i>Advances in Photosynthesis and Respiration</i> , <b>2016</b> , 61-100	1.7	16
73	Impaired Cyclic Electron Flow around Photosystem I Disturbs High-Light Respiratory Metabolism. <i>Plant Physiology</i> , <b>2016</b> , 172, 2176-2189	6.6	14
72	NDH-Mediated Cyclic Electron Flow Around Photosystem I is Crucial for C <sub>4</sub> Photosynthesis. <i>Plant and Cell Physiology</i> , <b>2016</b> , 57, 2020-2028	4.9	22
71	Effects of Elevated Atmospheric CO <sub>2</sub> on Primary Metabolite Levels in Arabidopsis thaliana Col-0 Leaves: An Examination of Metabolome Data. <i>Plant and Cell Physiology</i> , <b>2015</b> , 56, 2069-78	4.9	21
70	Mesophyll conductance decreases in the wild type but not in an ABA-deficient mutant (aba1) of Nicotiana glauca under drought conditions. <i>Plant, Cell and Environment</i> , <b>2015</b> , 38, 388-98	8.4	50
69	Tetracaine, a local anesthetic, preferentially induces translational inhibition with processing body formation rather than phosphorylation of eIF2 $\alpha$ in yeast. <i>Current Genetics</i> , <b>2015</b> , 61, 43-53	2.9	4
68	Homeostasis of the temperature sensitivity of respiration over a range of growth temperatures indicated by a modified Arrhenius model. <i>New Phytologist</i> , <b>2015</b> , 207, 34-42	9.8	17
67	Comparison of the response to phosphorus deficiency in two lupin species, Lupinus albus and L. angustifolius, with contrasting root morphology. <i>Plant, Cell and Environment</i> , <b>2015</b> , 38, 399-410	8.4	21
66	Roles of the cyclic electron flow around PSI (CEF-PSI) and O <sub>2</sub> -dependent alternative pathways in regulation of the photosynthetic electron flow in short-term fluctuating light in Arabidopsis thaliana. <i>Plant and Cell Physiology</i> , <b>2014</b> , 55, 990-1004	4.9	148
65	Effects of elevated CO <sub>2</sub> on levels of primary metabolites and transcripts of genes encoding respiratory enzymes and their diurnal patterns in Arabidopsis thaliana: possible relationships with respiratory rates. <i>Plant and Cell Physiology</i> , <b>2014</b> , 55, 341-57	4.9	63
64	Overexpression of plasma membrane H <sup>+</sup> -ATPase in guard cells promotes light-induced stomatal opening and enhances plant growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 533-8	11.5	134
63	High CO <sub>2</sub> triggers preferential root growth of Arabidopsis thaliana via two distinct systems under low pH and low N stresses. <i>Plant and Cell Physiology</i> , <b>2014</b> , 55, 269-80	4.9	48

62	Functional linkage between N acquisition strategies and aeration capacities of hydrophytes for efficient oxygen consumption in roots. <i>Physiologia Plantarum</i> , <b>2013</b> , 147, 135-46	4.6	6
61	Systematic exploration of thioredoxin target proteins in plant mitochondria. <i>Plant and Cell Physiology</i> , <b>2013</b> , 54, 875-92	4.9	98
60	Photosynthesis of root chloroplasts developed in Arabidopsis lines overexpressing GOLDEN2-LIKE transcription factors. <i>Plant and Cell Physiology</i> , <b>2013</b> , 54, 1365-77	4.9	54
59	Apoplastic mesophyll signals induce rapid stomatal responses to CO <sub>2</sub> in <i>Commelina communis</i> . <i>New Phytologist</i> , <b>2013</b> , 199, 395-406	9.8	60
58	Rice MPR25 encodes a pentatricopeptide repeat protein and is essential for RNA editing of nad5 transcripts in mitochondria. <i>Plant Journal</i> , <b>2012</b> , 72, 450-60	6.9	63
57	Cost and benefit of the repair of photodamaged photosystem II in spinach leaves: roles of acclimation to growth light. <i>Photosynthesis Research</i> , <b>2012</b> , 113, 165-80	3.7	28
56	Optimum leaf size predicted by a novel leaf energy balance model incorporating dependencies of photosynthesis on light and temperature. <i>Ecological Research</i> , <b>2012</b> , 27, 333-346	1.9	25
55	Nitrate addition alleviates ammonium toxicity without lessening ammonium accumulation, organic acid depletion and inorganic cation depletion in <i>Arabidopsis thaliana</i> shoots. <i>Plant and Cell Physiology</i> , <b>2012</b> , 53, 577-91	4.9	108
54	Interaction Between Chloroplasts and Mitochondria: Activity, Function, and Regulation of the Mitochondrial Respiratory System during Photosynthesis <b>2011</b> , 383-409		11
53	Distinct responses of the mitochondrial respiratory chain to long- and short-term high-light environments in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , <b>2011</b> , 34, 618-28	8.4	59
52	Physiological impact of mitochondrial alternative oxidase on photosynthesis and growth in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , <b>2011</b> , 34, 1890-9	8.4	46
51	Two CLE genes are induced by phosphate in roots of <i>Lotus japonicus</i> . <i>Journal of Plant Research</i> , <b>2011</b> , 124, 155-63	2.6	32
50	Patterns of photoassimilate translocation to reproductive shoots from adjacent shoots in <i>Camellia sasanqua</i> by manipulation of sink-source balance between the shoots. <i>Journal of Plant Research</i> , <b>2011</b> , 124, 131-6	2.6	6
49	Evidence for a nitrate-independent function of the nitrate sensor NRT1.1 in <i>Arabidopsis thaliana</i> . <i>Journal of Plant Research</i> , <b>2011</b> , 124, 425-30	2.6	31
48	Integrative response of plant mitochondrial electron transport chain to nitrogen source. <i>Plant Cell Reports</i> , <b>2011</b> , 30, 195-204	5.1	21
47	Mutation of NRT1.1 enhances ammonium/low pH-tolerance in <i>Arabidopsis thaliana</i> . <i>Plant Signaling and Behavior</i> , <b>2011</b> , 6, 706-8	2.5	11
46	How and why does mitochondrial respiratory chain respond to light?. <i>Plant Signaling and Behavior</i> , <b>2011</b> , 6, 864-6	2.5	14
45	Photosynthesis-dependent and -independent responses of stomata to blue, red and green monochromatic light: differences between the normally oriented and inverted leaves of sunflower. <i>Plant and Cell Physiology</i> , <b>2011</b> , 52, 479-89	4.9	40

44	Ammonium-dependent respiratory increase is dependent on the cytochrome pathway in <i>Arabidopsis thaliana</i> shoots. <i>Plant, Cell and Environment</i> , <b>2010</b> , 33, 1888-97	8.4	42
43	Effects of AOX1a deficiency on plant growth, gene expression of respiratory components and metabolic profile under low-nitrogen stress in <i>Arabidopsis thaliana</i> . <i>Plant and Cell Physiology</i> , <b>2010</b> , 51, 810-22	4.9	45
42	Simultaneous determination of in vivo plastoquinone and ubiquinone redox states by HPLC-based analysis. <i>Plant and Cell Physiology</i> , <b>2010</b> , 51, 836-41	4.9	32
41	Phenotypic plasticity in photosynthetic temperature acclimation among crop species with different cold tolerances. <i>Plant Physiology</i> , <b>2010</b> , 152, 388-99	6.6	129
40	Effect of nitrogen nutrition on the carbohydrate repression of photosynthesis in leaves of <i>Phaseolus vulgaris</i> L. <i>Journal of Plant Research</i> , <b>2010</b> , 123, 371-9	2.6	32
39	Differential gene expression profiles of the mitochondrial respiratory components in illuminated <i>Arabidopsis</i> leaves. <i>Plant and Cell Physiology</i> , <b>2009</b> , 50, 1449-62	4.9	74
38	Cold-tolerant crop species have greater temperature homeostasis of leaf respiration and photosynthesis than cold-sensitive species. <i>Plant and Cell Physiology</i> , <b>2009</b> , 50, 203-15	4.9	77
37	Maintenance mechanisms of the pipe model relationship and Leonardo da Vinci's rule in the branching architecture of <i>Acer rufinerve</i> trees. <i>Journal of Plant Research</i> , <b>2009</b> , 122, 41-52	2.6	17
36	Effect of growth temperature and total non-structural carbohydrate accumulation on growth coefficient in <i>Petunia x hybrida</i> petals. <i>Physiologia Plantarum</i> , <b>2008</b> , 134, 293-302	4.6	9
35	The lack of alternative oxidase at low temperature leads to a disruption of the balance in carbon and nitrogen metabolism, and to an up-regulation of antioxidant defence systems in <i>Arabidopsis thaliana</i> leaves. <i>Plant, Cell and Environment</i> , <b>2008</b> , 31, 1190-202	8.4	108
34	Distinct light responses of the adaxial and abaxial stomata in intact leaves of <i>Helianthus annuus</i> L. <i>Plant, Cell and Environment</i> , <b>2008</b> , 31, 1307-16	8.4	43
33	The chloroplast avoidance response decreases internal conductance to CO <sub>2</sub> diffusion in <i>Arabidopsis thaliana</i> leaves. <i>Plant, Cell and Environment</i> , <b>2008</b> , 31, 1688-700	8.4	117
32	Interaction between photosynthesis and respiration in illuminated leaves. <i>Mitochondrion</i> , <b>2008</b> , 8, 87-99	4.9	242
31	The role of electron transport in determining the temperature dependence of the photosynthetic rate in spinach leaves grown at contrasting temperatures. <i>Plant and Cell Physiology</i> , <b>2008</b> , 49, 583-91	4.9	48
30	Relationships between quantum yield for CO <sub>2</sub> assimilation, activity of key enzymes and CO <sub>2</sub> leakiness in <i>Amaranthus cruentus</i> , a C <sub>4</sub> dicot, grown in high or low light. <i>Plant and Cell Physiology</i> , <b>2008</b> , 49, 19-29	4.9	59
29	Influence of chloroplastic photo-oxidative stress on mitochondrial alternative oxidase capacity and respiratory properties: a case study with <i>Arabidopsis</i> yellow variegated 2. <i>Plant and Cell Physiology</i> , <b>2008</b> , 49, 592-603	4.9	62
28	Manipulation of light and CO <sub>2</sub> environments of the primary leaves of bean ( <i>Phaseolus vulgaris</i> L.) affects photosynthesis in both the primary and the first trifoliate leaves: involvement of systemic regulation. <i>Plant, Cell and Environment</i> , <b>2008</b> , 31, 50-61	8.4	26
27	Functional Analysis of Mitochondrial Respiratory Chain as a Dissipation System of Excess Light Energy <b>2008</b> , 1071-1074		

26	Light Dependences Of The Co2 Leakiness, Quantum Yield Of Co2 Fixation And Activation State Of Key Enzymes In A C4 Plant, <i>Amaranthus Cruentus</i> , Grown In High- And Low-Light <b>2008</b> , 841-844		
25	Increase in respiratory cost at high growth temperature is attributed to high protein turnover cost in <i>Petunia x hybrida</i> petals. <i>Plant, Cell and Environment</i> , <b>2007</b> , 30, 1269-83	8.4	46
24	The rice nuclear gene, VIRESCENT 2, is essential for chloroplast development and encodes a novel type of guanylate kinase targeted to plastids and mitochondria. <i>Plant Journal</i> , <b>2007</b> , 52, 512-27	6.9	96
23	Up-regulation of mitochondrial alternative oxidase concomitant with chloroplast over-reduction by excess light. <i>Plant and Cell Physiology</i> , <b>2007</b> , 48, 606-14	4.9	167
22	Effects of polyploidy on photosynthetic properties and anatomy in leaves of <i>Phlox drummondii</i> . <i>Functional Plant Biology</i> , <b>2007</b> , 34, 673-682	2.7	52
21	Mechanical and ecophysiological significance of the form of a young <i>Acer rufinerve</i> tree: vertical gradient in branch mechanical properties. <i>Tree Physiology</i> , <b>2006</b> , 26, 1549-58	4.2	10
20	Effects of internal conductance on the temperature dependence of the photosynthetic rate in spinach leaves from contrasting growth temperatures. <i>Plant and Cell Physiology</i> , <b>2006</b> , 47, 1069-80	4.9	127
19	Effects of carbohydrate accumulation on photosynthesis differ between sink and source leaves of <i>Phaseolus vulgaris</i> L. <i>Plant and Cell Physiology</i> , <b>2006</b> , 47, 644-52	4.9	78
18	Distinct roles of the cytochrome pathway and alternative oxidase in leaf photosynthesis. <i>Plant and Cell Physiology</i> , <b>2006</b> , 47, 22-31	4.9	99
17	Effects of growth light and nitrogen nutrition on the organization of the photosynthetic apparatus in leaves of a C4 plant, <i>Amaranthus cruentus</i> . <i>Plant, Cell and Environment</i> , <b>2006</b> , 29, 691-700	8.4	60
16	Responses of spinach leaf mitochondria to low N availability. <i>Plant, Cell and Environment</i> , <b>2006</b> , 29, 710-8.4	8.4	59
15	Effects of Rubisco kinetics and Rubisco activation state on the temperature dependence of the photosynthetic rate in spinach leaves from contrasting growth temperatures. <i>Plant, Cell and Environment</i> , <b>2006</b> , 29, 1659-70	8.4	145
14	Temperature acclimation of photosynthesis in spinach leaves: analyses of photosynthetic components and temperature dependencies of photosynthetic partial reactions. <i>Plant, Cell and Environment</i> , <b>2005</b> , 28, 536-547	8.4	191
13	Response of mitochondria to light intensity in the leaves of sun and shade species. <i>Plant, Cell and Environment</i> , <b>2005</b> , 28, 760-771	8.4	73
12	Dependency of branch diameter growth in young <i>Acer</i> trees on light availability and shoot elongation. <i>Tree Physiology</i> , <b>2005</b> , 25, 39-48	4.2	15
11	Effects of Light Intensity and Carbohydrate Status on Leaf and Root Respiration <b>2005</b> , 63-83		17
10	Maintenance of growth rate at low temperature in rice and wheat cultivars with a high degree of respiratory homeostasis is associated with a high efficiency of respiratory ATP production. <i>Plant and Cell Physiology</i> , <b>2004</b> , 45, 1015-22	4.9	41
9	Effect of respiratory homeostasis on plant growth in cultivars of wheat and rice. <i>Plant, Cell and Environment</i> , <b>2004</b> , 27, 853-862	8.4	57

8	Differential Analyses of the Effects of the Light Environment on Development of Deciduous Trees: Basic Studies for Tree Growth Modeling. <i>Ecological Studies</i> , <b>2002</b> , 187-200	1.1	2
7	Acclimation of leaf respiratory properties in <i>Alocasia odora</i> following reciprocal transfers of plants between high- and low-light environments. <i>Plant, Cell and Environment</i> , <b>2001</b> , 24, 831-839	8.4	41
6	Costs of protein turnover and carbohydrate export in leaves of sun and shade species. <i>Functional Plant Biology</i> , <b>2001</b> , 28, 37	2.7	14
5	Activities of the cyanide-resistant respiratory pathway in leaves of sun and shade species. <i>Functional Plant Biology</i> , <b>2001</b> , 28, 27	2.7	15
4	The cause of PSI photoinhibition at low temperatures in leaves of <i>Cucumis sativus</i> , a chilling-sensitive plant. <i>Physiologia Plantarum</i> , <b>1998</b> , 103, 295-303	4.6	63
3	Different regulation of leaf respiration between <i>Spinacia oleracea</i> , a sun species, and <i>Alocasia odora</i> , a shade species. <i>Physiologia Plantarum</i> , <b>1997</b> , 101, 1-7	4.6	46
2	Different regulation of leaf respiration between <i>Spinacia oleracea</i> , a sun species, and <i>Alocasia odora</i> , a shade species. <i>Physiologia Plantarum</i> , <b>1997</b> , 101, 1-7	4.6	5
1	Acclimation of Respiratory Properties of Leaves of <i>Spinacia oleracea</i> L., a Sun Species, and of <i>Alocasia macrorrhiza</i> (L.) G. Don., a Shade Species, to Changes in Growth Irradiance. <i>Plant and Cell Physiology</i> , <b>1996</b> , 37, 377-384	4.9	38