Gal Grenouillet

List of Publications by Citations

Source: https://exaly.com/author-pdf/8898767/gael-grenouillet-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 3,601 31 59 g-index

71 4,501 6.3 5.71 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
71	Uncertainty in ensemble forecasting of species distribution. <i>Global Change Biology</i> , 2010 , 16, 1145-1157	11.4	437
70	How many dimensions are needed to accurately assess functional diversity? A pragmatic approach for assessing the quality of functional spaces. <i>Global Ecology and Biogeography</i> , 2015 , 24, 728-740	6.1	222
69	Decomposing functional Ediversity reveals that low functional Ediversity is driven by low functional turnover in European fish assemblages. <i>Global Ecology and Biogeography</i> , 2013 , 22, 671-681	6.1	222
68	Climate-induced changes in the distribution of freshwater fish: observed and predicted trends. <i>Freshwater Biology</i> , 2013 , 58, 625-639	3.1	213
67	Ensemble modelling of species distribution: the effects of geographical and environmental ranges. <i>Ecography</i> , 2011 , 34, 9-17	6.5	197
66	Climate change hastens the turnover of stream fish assemblages. <i>Global Change Biology</i> , 2008 , 14, 2232	:-2248	186
65	Do stream fish track climate change? Assessing distribution shifts in recent decades. <i>Ecography</i> , 2013 , 36, 1236-1246	6.5	140
64	Toward a loss of functional diversity in stream fish assemblages under climate change. <i>Global Change Biology</i> , 2013 , 19, 387-400	11.4	130
63	Species better track climate warming in the oceans than on land. <i>Nature Ecology and Evolution</i> , 2020 , 4, 1044-1059	12.3	121
62	Functional homogenization exceeds taxonomic homogenization among European fish assemblages. <i>Global Ecology and Biogeography</i> , 2014 , 23, 1450-1460	6.1	92
61	Global imprint of historical connectivity on freshwater fish biodiversity. <i>Ecology Letters</i> , 2014 , 17, 1130-	40 o	88
60	Contrasted impacts of climate change on stream fish assemblages along an environmental gradient. <i>Diversity and Distributions</i> , 2009 , 15, 613-626	5	81
59	Abundance and species richness as a function of food resources and vegetation structure: juvenile fish assemblages in rivers. <i>Ecography</i> , 2002 , 25, 641-650	6.5	76
58	Unlocking biodiversity and conservation studies in high-diversity environments using environmental DNA (eDNA): A test with Guianese freshwater fishes. <i>Molecular Ecology Resources</i> , 2019 , 19, 27-46	8.4	74
57	Non-native species disrupt the worldwide patterns of freshwater fish body size: implications for Bergmann'd rule. <i>Ecology Letters</i> , 2010 , 13, 421-31	10	73
56	A scenario for impacts of water availability loss due to climate change on riverine fish extinction rates. <i>Journal of Applied Ecology</i> , 2013 , 50, 1105-1115	5.8	63
55	Climate Change and the Future of Freshwater Biodiversity in Europe: A Primer for Policy-Makers. <i>Freshwater Reviews: A Journal of the Freshwater Biological Association</i> , 2009 , 2, 103-130		62

(2016-2016)

54	Evidence of Water Quality Degradation in Lower Mekong Basin Revealed by Self-Organizing Map. <i>PLoS ONE</i> , 2016 , 11, e0145527	3.7	59	
53	POPULATION DYNAMICS OF MOTTLED SCULPIN (PISCES) IN A VARIABLE ENVIRONMENT: INFORMATION THEORETIC APPROACHES. <i>Ecological Monographs</i> , 2006 , 76, 217-234	9	55	
52	Evidence of indiscriminate fishing effects in one of the world\(\mathbb{d} \) largest inland fisheries. Scientific Reports, 2018, 8, 8947	4.9	52	
51	Species distribution modelling and imperfect detection: comparing occupancy versus consensus methods. <i>Diversity and Distributions</i> , 2013 , 19, 996-1007	5	48	
50	Species traits and phylogenetic conservatism of climate-induced range shifts in stream fishes. <i>Nature Communications</i> , 2014 , 5, 5023	17.4	46	
49	Small-scale gold mining erodes fish assemblage structure in small neotropical streams. <i>Biodiversity and Conservation</i> , 2011 , 20, 1013-1026	3.4	42	
48	Non-native species led to marked shifts in functional diversity of the world freshwater fish faunas. <i>Ecology Letters</i> , 2018 , 21, 1649-1659	10	42	
47	Stream fish assemblages and basin land cover in a river network. <i>Science of the Total Environment</i> , 2006 , 365, 140-53	10.2	40	
46	Host characteristics and environmental factors differentially drive the burden and pathogenicity of an ectoparasite: a multilevel causal analysis. <i>Journal of Animal Ecology</i> , 2011 , 80, 657-67	4.7	39	
45	Species contribute differently to the taxonomic, functional, and phylogenetic alpha and beta diversity of freshwater fish communities. <i>Diversity and Distributions</i> , 2014 , 20, 1235-1244	5	38	
44	Evidence that elevated water temperature affects the reproductive physiology of the European bullhead Cottus gobio. <i>Fish Physiology and Biochemistry</i> , 2012 , 38, 389-99	2.7	37	
43	Drainage network position and historical connectivity explain global patterns in freshwater fishesU range size. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 13434-13439	11.5	35	
42	Drivers of freshwater fish colonisations and extirpations under climate change. <i>Ecography</i> , 2015 , 38, 510-519	6.5	31	
41	Regional vs local drivers of phylogenetic and species diversity in stream fish communities. <i>Freshwater Biology</i> , 2014 , 59, 450-462	3.1	31	
40	Concomitant impacts of climate change, fragmentation and non-native species have led to reorganization of fish communities since the 1980s. <i>Global Ecology and Biogeography</i> , 2018 , 27, 213-222	6.1	31	
39	Illuminating geographical patterns in species trange shifts. <i>Global Change Biology</i> , 2014 , 20, 3080-91	11.4	29	
38	Influence of small-scale gold mining on French Guiana streams: Are diatom assemblages valid disturbance sensors?. <i>Ecological Indicators</i> , 2012 , 14, 100-106	5.8	28	
37	Taxonomic and functional diversity patterns reveal different processes shaping European and Amazonian stream fish assemblages. <i>Journal of Biogeography</i> , 2016 , 43, 1832-1843	4.1	26	

36	Distribution shifts of freshwater fish under a variable climate: comparing climatic, bioclimatic and biotic velocities. <i>Diversity and Distributions</i> , 2015 , 21, 1014-1026	5	26
35	Toward an ecological understanding of a flood-pulse system lake in a tropical ecosystem: Food web structure and ecosystem health. <i>Ecological Modelling</i> , 2016 , 323, 1-11	3	24
34	Large-scale patterns of fish diversity and assemblage structure in the longest tropical river in Asia. <i>Ecology of Freshwater Fish</i> , 2017 , 26, 575-585	2.1	24
33	Indirect effect of temperature on fish population abundances through phenological changes. <i>PLoS ONE</i> , 2017 , 12, e0175735	3.7	24
32	Spatial synchrony in stream fish populations: influence of species traits. <i>Ecography</i> , 2014 , 37, 960-968	6.5	19
31	Intra- and interspecific differences in nutrient recycling by European freshwater fish. <i>Freshwater Biology</i> , 2012 , 57, 2330-2341	3.1	19
30	Spatio-temporal patterns of fish assemblages in coastal West African rivers: a self-organizing map approach. <i>Aquatic Living Resources</i> , 2006 , 19, 361-370	1.5	19
29	Environmental determinants of fish community structure in gravel pit lakes. <i>Ecology of Freshwater Fish</i> , 2016 , 25, 412-421	2.1	19
28	Natural abiotic factors more than anthropogenic perturbation shape the invasion of Eastern Mosquitofish (Gambusia holbrooki). <i>Freshwater Science</i> , 2015 , 34, 965-974	2	17
27	Behavioral response of juvenile rainbow trout exposed to an herbicide mixture. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 112, 15-21	7	17
26	Increased taxonomic and functional similarity does not increase the trophic similarity of communities. <i>Global Ecology and Biogeography</i> , 2016 , 25, 46-54	6.1	16
25	Spatial range shape drives the grain size effects in species distribution models. <i>Ecography</i> , 2013 , 36, 77	8 <i>4</i> 7. § 7	15
24	Combining genetic and demographic data for prioritizing conservation actions: insights from a threatened fish species. <i>Ecology and Evolution</i> , 2013 , 3, 2696-710	2.8	14
23	Spatial mismatch in morphological, ecological and phylogenetic diversity, in historical and contemporary European freshwater fish faunas. <i>Ecography</i> , 2018 , 41, 1665-1674	6.5	13
22	Spatial and temporal variation in fish community structure and diversity in the largest tropical flood-pulse system of South-East Asia. <i>Ecology of Freshwater Fish</i> , 2018 , 27, 1087-1100	2.1	12
21	Species range shifts in response to climate change and human pressure for the world' largest amphibian. <i>Science of the Total Environment</i> , 2020 , 735, 139543	10.2	11
20	Interactions between species attributes explain population dynamics in stream fishes under changing climate. <i>Ecosphere</i> , 2018 , 9, e02061	3.1	11
19	Dealing with noisy absences to optimize species distribution models: an iterative ensemble modelling approach. <i>PLoS ONE</i> , 2012 , 7, e49508	3.7	11

18	Fish assemblage responses to flow seasonality and predictability in a tropical flood pulse system. <i>Ecosphere</i> , 2018 , 9, e02366	3.1	10
17	Community disassembly under global change: Evidence in favor of the stress-dominance hypothesis. <i>Global Change Biology</i> , 2018 , 24, 4417-4427	11.4	10
16	Phenotypic variation as an indicator of pesticide stress in gudgeon: Accounting for confounding factors in the wild. <i>Science of the Total Environment</i> , 2015 , 538, 733-42	10.2	9
15	Measurements of spatial population synchrony: influence of time series transformations. <i>Oecologia</i> , 2015 , 179, 15-28	2.9	9
14	Modeling the impact of landscape types on the distribution of stream fish species. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2009 , 66, 484-495	2.4	9
13	The iterative ensemble modelling approach increases the accuracy of fish distribution models. <i>Ecography</i> , 2015 , 38, 213-220	6.5	8
12	Climate interacts with anthropogenic drivers to determine extirpation dynamics. <i>Ecography</i> , 2016 , 39, 1008-1016	6.5	8
11	Spatial patterns and determinants of trait dispersion in freshwater fish assemblages across Europe. <i>Global Ecology and Biogeography</i> , 2019 , 28, 826-838	6.1	7
10	A new freshwater biodiversity indicator based on fish community assemblages. <i>PLoS ONE</i> , 2013 , 8, e80	9687	7
9	PCR-free shotgun sequencing of the stone loach mitochondrial genome (Barbatula barbatula). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016 , 27, 4211-4212	1.3	5
8	Spatial pattern and determinants of global invasion risk of an invasive species, sharpbelly Hemiculter leucisculus (Basilesky, 1855). <i>Science of the Total Environment</i> , 2020 , 711, 134661	10.2	5
7	Fish Community Responses to Human-Induced Stresses in the Lower Mekong Basin. <i>Water</i> (Switzerland), 2020 , 12, 3522	3	4
6	Effects of an anti-salt intrusion dam on tropical fish assemblages. <i>Marine and Freshwater Research</i> , 2010 , 61, 288	2.2	4
5	Impact of seasonal hydrological variation on tropical fish assemblages: abrupt shift following an extreme flood event. <i>Ecosphere</i> , 2020 , 11, e03303	3.1	3
4	Responses of spawning thermal suitability to climate change and hydropower operation for typical fishes below the Three Gorges Dam. <i>Ecological Indicators</i> , 2021 , 121, 107186	5.8	3
3	Reply to: <code>\Plooding</code> is a key driver of the Tonle Sap dai fishery in CambodiaU <i>Scientific Reports</i> , 2021 , 11, 3815	4.9	2
2	Comment on "Forest microclimate dynamics drive plant responses to warming". Science, 2020, 370,	33.3	1
1	Phylogenetic signal and evolutionary relationships among traits of inland fishes along elevational and longitudinal gradients. <i>Freshwater Biology</i> , 2022 , 67, 912-925	3.1	O