Huey-Jen Jenny Su

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8899573/publications.pdf

Version: 2024-02-01

107 papers 5,130 citations

34 h-index 91828 69 g-index

108 all docs

108 docs citations

108 times ranked 6546 citing authors

#	Article	IF	CITATIONS
1	Stable C and N isotopes of PM2.5 and size-segregated particles emitted from incense stick and cigarette burning. Environmental Research, 2022, 212, 113346.	3.7	2
2	Estimations of infiltration factors of diurnal PM _{2.5} and heavy metals in children's bedrooms. Indoor Air, 2022, 32, .	2.0	5
3	Changes in Ambient Bacterial Community in Northern Taiwan during Long-Range Transport: Asian Dust Storm and Frontal Pollution. Atmosphere, 2022, 13, 841.	1.0	2
4	Ambient viral and bacterial distribution during long-range transport in Northern Taiwan. Environmental Pollution, 2021, 270, 116231.	3.7	5
5	Residential green space structures are associated with a lower risk of bipolar disorder: A nationwide population-based study in Taiwan. Environmental Pollution, 2021, 283, 115864.	3.7	7
6	Associations among phthalate exposure, DNA methylation of TSLP, and childhood allergy. Clinical Epigenetics, 2021, 13, 76.	1.8	12
7	Influence of Indoor Temperature Exposure on Emergency Department Visits Due to Infectious and Non-Infectious Respiratory Diseases for Older People. International Journal of Environmental Research and Public Health, 2021, 18, 5273.	1.2	6
8	Incorporating land-use regression into machine learning algorithms in estimating the spatial-temporal variation of carbon monoxide in Taiwan. Environmental Modelling and Software, 2021, 139, 104996.	1.9	21
9	Using land-use machine learning models to estimate daily NO2 concentration variations in Taiwan. Journal of Cleaner Production, 2021, 317, 128411.	4.6	21
10	Is green space exposure beneficial in a developing country?. Landscape and Urban Planning, 2021, 215, 104226.	3.4	6
11	The Effect of Surrounding Greenness on Type 2 Diabetes Mellitus: A Nationwide Population-Based Cohort in Taiwan. International Journal of Environmental Research and Public Health, 2021, 18, 267.	1.2	15
12	A hybrid kriging/land-use regression model with Asian culture-specific sources to assess NO2 spatial-temporal variations. Environmental Pollution, 2020, 259, 113875.	3.7	46
13	COVID-19 reveals the systemic nature of urban health globally. Cities and Health, 2020, , 1-5.	1.6	12
14	Development of Hourly Indoor PM2.5 Concentration Prediction Model: The Role of Outdoor Air, Ventilation, Building Characteristic, and Human Activity. International Journal of Environmental Research and Public Health, 2020, 17, 5906.	1.2	11
15	Chemical and stable isotopic characteristics of PM2.5 emitted from Chinese cooking. Environmental Pollution, 2020, 267, 115577.	3.7	12
16	Cumulative effect of indoor temperature on cardiovascular disease–related emergency department visits among older adults in Taiwan. Science of the Total Environment, 2020, 731, 138958.	3.9	15
17	Linkage between residential green spaces and allergic rhinitis among Asian children (case study:) Tj ETQq1 1 0.78	84314 rgBT 3.4	$ _{15}^{ m Overlock} _{15}^{ m I}$
18	New land use regression model to estimate atmospheric temperature and heat island intensity in Taiwan. Theoretical and Applied Climatology, 2020, 141, 1451-1459.	1.3	6

#	Article	IF	CITATIONS
19	Global greenness in relation to reducing the burden of cardiovascular diseases: ischemic heart disease and stroke. Environmental Research Letters, 2020, 15, 124003.	2.2	21
20	Application of a stable carbon isotope for identifying Broussonetia papyrifera pollen. Environmental Science and Pollution Research, 2019, 26, 27353-27361.	2.7	1
21	Temporal and spatial variations in IAQ and its association with building characteristics and human activities in tropical and subtropical areas. Building and Environment, 2019, 163, 106249.	3.0	20
22	Association Between Surrounding Greenness and Schizophrenia: A Taiwanese Cohort Study. International Journal of Environmental Research and Public Health, 2019, 16, 1415.	1.2	14
23	Pollen of Broussonetia papyrifera: An emerging aeroallergen associated with allergic illness in Taiwan. Science of the Total Environment, 2019, 657, 804-810.	3.9	10
24	Hepatocellular carcinoma–related cyclin D1 is selectively regulated by autophagy degradation system. Hepatology, 2018, 68, 141-154.	3.6	84
25	Development of an efficient viral aerosol collector for higher sampling flow rate. Environmental Science and Pollution Research, 2018, 25, 3884-3893.	2.7	7
26	Contribution of Indoor- and Outdoor-Generated Fine and Coarse Particles to Indoor Air in Taiwanese Hospitals. Aerosol and Air Quality Research, 2018, 18, 3234-3242.	0.9	1
27	Higher moisture content is associated with greater emissions of DEHP from PVC wallpaper. Environmental Research, 2017, 152, 1-6.	3.7	29
28	Long-term allergen exposure induces adipose tissue inflammation and circulatory system injury. Cellular Immunology, 2016, 303, 34-42.	1.4	2
29	Fine Particle Pollution, Alanine Transaminase, and Liver Cancer: A Taiwanese Prospective Cohort Study (REVEAL-HBV). Journal of the National Cancer Institute, 2016, 108, .	3.0	113
30	Association between indoor air pollutant exposure and blood pressure and heart rate in subjects according to body mass index. Science of the Total Environment, 2016, 539, 271-276.	3.9	31
31	Abdominal Obesity and Insulin Resistance in People Exposed to Moderate-to-High Levels of Dioxin. PLoS ONE, 2016, 11, e0145818.	1.1	28
32	Climate Variability and Human Health in Southeast Asia: A Taiwan Study. Advances in Asian Human-Environmental Research, 2016, , 237-242.	0.7	0
33	The association between the incidence of mumps and meteorological parameters in Taiwan. Human Vaccines and Immunotherapeutics, 2015, 11, 1406-1412.	1.4	26
34	Indoor air quality varies with ventilation types and working areas in hospitals. Building and Environment, 2015, 85, 190-195.	3.0	113
35	Linking Student Performance in Massachusetts Elementary Schools with the "Greenness―of School Surroundings Using Remote Sensing. PLoS ONE, 2014, 9, e108548.	1.1	141
36	Precipitation Increases the Occurrence of Sporadic Legionnaires' Disease in Taiwan. PLoS ONE, 2014, 9, e114337.	1.1	11

#	Article	IF	CITATIONS
37	Allergen exposure induces adipose tissue inflammation and insulin resistance. International Immunopharmacology, 2014, 23, 104-112.	1.7	3
38	Allostatic Load Model Associated with Indoor Environmental Quality and Sick Building Syndrome among Office Workers. PLoS ONE, 2014, 9, e95791.	1.1	21
39	When Are We Most Vulnerable to Temperature Variations in a Day?. PLoS ONE, 2014, 9, e113195.	1.1	6
40	A positive relationship between ambient temperature and bipolar disorder identified using a national cohort of psychiatric inpatients. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 295-302.	1.6	19
41	Allergen exposure induces inflammation and affects adiponectin levels in adipose tissue. Toxicology Letters, 2013, 223, 88-95.	0.4	4
42	Relationship between heat index and mortality of 6 major cities in Taiwan. Science of the Total Environment, 2013, 442, 275-281.	3.9	46
43	Hyperuricemia After Exposure to Polychlorinated Dibenzo-P-Dioxins and Dibenzofurans Near a Highly Contaminated Area. Epidemiology, 2013, 24, 582-589.	1.2	20
44	Effects of Vitamin C and E Intake on Peak Expiratory Flow Rate of Asthmatic Children Exposed to Atmospheric Particulate Matter. Archives of Environmental and Occupational Health, 2013, 68, 80-86.	0.7	7
45	Feeding Bottles Usage and the Prevalence of Childhood Allergy and Asthma. Clinical and Developmental Immunology, 2012, 2012, 1-8.	3.3	9
46	Effects of Extreme Precipitation to the Distribution of Infectious Diseases in Taiwan, 1994–2008. PLoS ONE, 2012, 7, e34651.	1.1	108
47	Airborne fungi and bacteria in child daycare centers and the effectiveness of weak acid hypochlorous water on controlling microbes. Journal of Environmental Monitoring, 2012, 14, 2692.	2.1	12
48	Paternal Heredity and Housing Characteristics Affect Childhood Asthma and Allergy Morbidity. Archives of Environmental and Occupational Health, 2012, 67, 155-162.	0.7	9
49	Predicted risk of childhood allergy, asthma, and reported symptoms using measured phthalate exposure in dust and urine. Indoor Air, 2012, 22, 186-199.	2.0	172
50	Effects of essential oils on the formation of formaldehyde and secondary organic aerosols in an aromatherapy environment. Building and Environment, 2012, 57, 120-125.	3.0	34
51	The Association between Enterovirus 71 Infections and Meteorological Parameters in Taiwan. PLoS ONE, 2012, 7, e46845.	1.1	69
52	Developing a water literacy. Current Opinion in Environmental Sustainability, 2011, 3, 517-519.	3.1	9
53	Extreme Precipitation and Public Health Consequences in Taiwan. Global Bioethics, 2011, 24, 107-108.	0.5	0
54	Extreme Precipitation and Climate-related Infectious Diseases in Taiwan (1994–2008). Epidemiology, 2011, 22, S20-S21.	1.2	2

#	Article	IF	CITATIONS
55	Predicting the risk of cardiovascular disease in people exposed to moderate to high levels of dioxin. Journal of Hazardous Materials, 2011, 198, 317-322.	6.5	5
56	Changes in profiles of airborne fungi in flooded homes in southern Taiwan after Typhoon Morakot. Science of the Total Environment, 2011, 409, 1677-1682.	3.9	27
57	Relationship between mean daily ambient temperature range and hospital admissions for schizophrenia: Results from a national cohort of psychiatric inpatients. Science of the Total Environment, 2011, 410-411, 41-46.	3.9	51
58	Simultaneous exposure of non-diabetics to high levels of dioxins and mercury increases their risk of insulin resistance. Journal of Hazardous Materials, 2011, 185, 749-755.	6.5	70
59	Cardiovascular mortality during heat and cold events: determinants of regional vulnerability in Taiwan. Occupational and Environmental Medicine, 2011, 68, 525-530.	1.3	37
60	Dioxin Exposure and Insulin Resistance in Taiwanese Living Near a Highly Contaminated Area. Epidemiology, 2010, 21, 56-61.	1.2	37
61	Early-life or lifetime sun exposure, sun reaction, and the risk of squamous cell carcinoma in an Asian population. Cancer Causes and Control, 2010, 21, 771-776.	0.8	16
62	Examining non-stationary effects of social determinants on cardiovascular mortality after cold surges in Taiwan. Science of the Total Environment, 2010, 408, 2042-2049.	3.9	50
63	A dose-dependent relationship between the severity of visible mold growth and IgE levels of pre-school-aged resident children in Taiwan. Indoor Air, 2010, 20, 392-398.	2.0	15
64	Sustainability of higher education institutions in Taiwan. International Journal of Sustainability in Higher Education, 2010, 11, 163-172.	1.6	24
65	Higher temperature and urbanization affect the spatial patterns of dengue fever transmission in subtropical Taiwan. Science of the Total Environment, 2009, 407, 2224-2233.	3.9	218
66	Cold surge: A sudden and spatially varying threat to health?. Science of the Total Environment, 2009, 407, 3421-3424.	3.9	29
67	Climate variability of cold surge and its impact on the air quality of Taiwan. Climatic Change, 2009, 94, 457-471.	1.7	14
68	Evaluation of background persistent organic pollutant levels in human from Taiwan: Polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls. Environment International, 2009, 35, 33-42.	4.8	28
69	Diseases Caused by Enterovirus 71 Infection. Pediatric Infectious Disease Journal, 2009, 28, 904-910.	1.1	129
70	Traffic-Related Air Pollution, Climate, and Prevalence of Eczema in Taiwanese School Children. Journal of Investigative Dermatology, 2008, 128, 2412-2420.	0.3	107
71	Cognitive function and blood methylmercury in adults living near a deserted chloralkali factory. Environmental Research, 2008, 108, 334-339.	3.7	34
72	An Internet-Based Interactive Telemonitoring System for Improving Childhood Asthma Outcomes in Taiwan. Telemedicine Journal and E-Health, 2007, 13, 257-268.	1.6	130

#	Article	IF	Citations
73	Weather as an effective predictor for occurrence of dengue fever in Taiwan. Acta Tropica, 2007, 103, 50-57.	0.9	206
74	Association between tofu intake and serum polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) in the elderly Taiwanese. Environment International, 2007, 33, 265-271.	4.8	9
75	Role of ventilation in airborne transmission of infectious agents in the built environment? a multidisciplinary systematic review. Indoor Air, 2007, 17, 2-18.	2.0	822
76	The effects of evaporating essential oils on indoor air quality. Atmospheric Environment, 2007, 41, 1230-1236.	1.9	89
77	Fatty Liver and Hepatic Function for Residents with Markedly High Serum PCDD/Fs Levels in Taiwan. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2006, 69, 367-380.	1.1	33
78	Interactive Effects Between CYP1A1 Genotypes and Environmental Polychlorinated Dibenzo-p-Dioxins and Dibenzofurans Exposures on Liver Function Profile. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2006, 69, 269-281.	1.1	1
79	Patterns of serum PCDD/Fs affected by vegetarian regime and consumption of local food for residents living near municipal waste incinerators from Taiwan. Environment International, 2006, 32, 650-655.	4.8	11
80	Home Exposures, Parental Atopy, and Occurrence of Asthma Symptoms in Adulthood in Southern Taiwan. Chest, 2006, 129, 300-308.	0.4	30
81	Biochemistry examinations and health disorder evaluation of Taiwanese living near incinerators and with low serum PCDD/Fs levels. Science of the Total Environment, 2006, 366, 538-548.	3.9	31
82	Changing microbial concentrations are associated with ventilation performance in Taiwan's air-conditioned office buildings. Indoor Air, 2005, 15, 19-26.	2.0	61
83	Profile of PCDD/F levels in serum of general Taiwanese between different gender, age and smoking status. Science of the Total Environment, 2005, 337, 31-43.	3.9	51
84	Interaction between environmental tobacco smoke and arsenic methylation ability on the risk of bladder cancer. Cancer Causes and Control, 2005, 16, 75-81.	0.8	57
85	Domestic Exposure to Fungi and Total Serum IgE Levels in Asthmatic Children. Mediators of Inflammation, 2005, 2005, 167-170.	1.4	11
86	New Phenylpropane and Anti-inflammatory Diterpene Derivatives from Amentotaxus formosana. Planta Medica, 2005, 71, 344-348.	0.7	9
87	Increased levels of ambient fungal spores in Taiwan are associated with dust events from China. Atmospheric Environment, 2004, 38, 4879-4886.	1.9	108
88	The topical application of 2,3,7,8-tetrachlorodibenzo-p-dioxin lacks skin tumor-promoting potency but induces hepatic injury and tumor necrosis factor-α expression in ICR male mice. Food and Chemical Toxicology, 2004, 42, 1217-1225.	1.8	7
89	Arsenic methylation and bladder cancer risk in Taiwan. Cancer Causes and Control, 2003, 14, 303-310.	0.8	219
90	Effects of changing risk factors on increasing asthma prevalence in southern Taiwan. Paediatric and Perinatal Epidemiology, 2003, 17, 3-9.	0.8	19

#	Article	IF	Citations
91	Risk assessment of formaldehyde in typical office buildings in Taiwan. Indoor Air, 2003, 13, 359-363.	2.0	37
92	Associations between dietary intake and serum polychlorinated dibenzo-p-dioxin and dibenzofuran (PCDD/F) levels in Taiwanese. Environmental Research, 2003, 91, 172-178.	3.7	48
93	Roles of Genotypes of Î ² 2-Adrenergic Receptor in the Relationship Between Eosinophil Counts and Lung Function in Taiwanese Adolescents. Journal of Asthma, 2003, 40, 265-272.	0.9	13
94	Genetic Polymorphism inp53Codon 72 and Skin Cancer in Southwestern Taiwan. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2003, 38, 201-211.	0.9	28
95	Arsenic Methylation and Skin Cancer Risk in Southwestern Taiwan. Journal of Occupational and Environmental Medicine, 2003, 45, 241-248.	0.9	214
96	Levels of House Dust Mite-Specific IgE and Cockroach-Specific IgE and Their Association With Lower Pulmonary Function in Taiwanese Children. Chest, 2002, 121, 347-353.	0.4	29
97	Airborne Fungi and Endotoxin Concentrations in Different Areas within Textile Plants in Taiwan: A 3-Year Study. Environmental Research, 2002, 89, 58-65.	3.7	34
98	Distribution variations of multi allergens at asthmatic children's homes. Science of the Total Environment, 2002, 289, 249-254.	3.9	9
99	The seasonal distribution of bioaerosols in municipal landfill sites: a 3-yr study. Atmospheric Environment, 2002, 36, 4385-4395.	1.9	83
100	The association between tumor necrosis factor, HLA-DR alleles, and IgE-mediated asthma in Taiwanese adolescents. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 831-834.	2.7	34
101	Exposure Assessment of Indoor Allergens, Endotoxin, and Airborne Fungi for Homes in Southern Taiwan. Environmental Research, 2001, 85, 135-144.	3.7	107
102	School type, stress and sport-related injuries in middle school students in central Taiwan. Safety Science, 2001, 39, 137-144.	2.6	4
103	Exposure of Workers to Airborne Microorganisms in Open-Air Swine Houses. Applied and Environmental Microbiology, 2001, 67, 155-161.	1.4	116
104	Fungal Exposure of Children at Homes and Schools: A Health Perspective. Archives of Environmental Health, 2001, 56, 144-149.	0.4	29
105	Different cell death mechanisms and gene expression in human cells induced by pentachlorophenol and its major metabolite, tetrachlorohydroquinone. Chemico-Biological Interactions, 2000, 128, 173-188.	1.7	41
106	A Comparison of Sampling Media for Environmental Viable Fungi Collected in a Hospital Environment. Environmental Research, 2000, 82, 253-257.	3.7	64
107	Susceptibility of endothelial cells to bovine herpesvirus type 4 (BHV-4). Journal of Virological Methods, 1997, 63, 219-225.	1.0	24