
Kyo Seon Hwang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8899680/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical application of serological Alzheimer's disease diagnosis using a highly sensitive biosensor with hydrogel-enhanced dielectrophoretic force. Biosensors and Bioelectronics, 2022, 195, 113668.	10.1	6
2	Nanoparticle-based multiplex biosensor utilising dual dielectrophoretic forces for clinical diagnosis of Alzheimer's disease. Sensors and Actuators B: Chemical, 2022, 355, 131288.	7.8	9
3	A Hybrid Zeolite Membrane-Based Breakthrough for Simultaneous CO ₂ Capture and CH ₄ Upgrading from Biogas. ACS Applied Materials & Interfaces, 2022, 14, 2893-2907.	8.0	11
4	Multiplex SNP Genotyping Using SWITCH: Sequenceâ€Specific Nanoparticle with Interpretative Toeholdâ€Mediated Sequence Decoding in Hydrogel. Small, 2022, 18, e2105538.	10.0	7
5	Surface Functionalization of Enzyme-Coronated Gold Nanoparticles with an Erythrocyte Membrane for Highly Selective Glucose Assays. Analytical Chemistry, 2022, 94, 6473-6481.	6.5	6
6	Scalable Functionalization of Polyaniline-Grafted rGO Field-Effect Transistors for a Highly Sensitive Enzymatic Acetylcholine Biosensor. Biosensors, 2022, 12, 279.	4.7	8
7	Nanoelectrokinetic-assisted lateral flow assay for COVID-19 antibody test. Biosensors and Bioelectronics, 2022, 212, 114385.	10.1	21
8	Plasmonic nanoparticle amyloid corona for screening AÎ ² oligomeric aggregate-degrading drugs. Nature Communications, 2021, 12, 639.	12.8	17
9	Technological advances in electrochemical biosensors for the detection of disease biomarkers. Biomedical Engineering Letters, 2021, 11, 309-334.	4.1	33
10	Graphene-based electronic textile sheet for highly sensitive detection of NO2 and NH3. Sensors and Actuators B: Chemical, 2021, 345, 130361.	7.8	21
11	Association Between Plasma Amyloid-β and Neuropsychological Performance in Patients With Cognitive Decline. Frontiers in Aging Neuroscience, 2021, 13, 736937.	3.4	10
12	Screening for cerebral amyloid angiopathy based on serological biomarkers analysis using a dielectrophoretic force-driven biosensor platform. Lab on A Chip, 2021, 21, 4557-4565.	6.0	4
13	Highly sensitive three-dimensional interdigitated microelectrode biosensors embedded with porosity tunable hydrogel for detecting proteins. Sensors and Actuators B: Chemical, 2020, 302, 127190.	7.8	13
14	Electrochemically metal-doped reduced graphene oxide films: Properties and applications. Journal of Materials Science and Technology, 2020, 40, 72-80.	10.7	8
15	Longitudinal profiling of oligomeric Aβ in human nasal discharge reflecting cognitive decline in probable Alzheimer's disease. Scientific Reports, 2020, 10, 11234.	3.3	25
16	Multiplexed femtomolar detection of Alzheimer's disease biomarkers in biofluids using a reduced graphene oxide field-effect transistor. Biosensors and Bioelectronics, 2020, 167, 112505.	10.1	54
17	Gold nanoparticles assisted sensitivity improvement of interdigitated microelectrodes biosensor for amyloid-β detection in plasma sample. Sensors and Actuators B: Chemical, 2020, 308, 127710.	7.8	21
18	Highly selective reduced graphene oxide (rGO) sensor based on a peptide aptamer receptor for detecting explosives. Scientific Reports, 2019, 9, 10297.	3.3	43

#	Article	IF	CITATIONS
19	Electrokinetic Size-Based Spatial Separation of Micro/Nanospheres Using Paper-Based 3D Origami Preconcentrator. Analytical Chemistry, 2019, 91, 10744-10749.	6.5	14
20	Highly Sensitive Micropatterned Interdigitated Electrodes for Enhancing the Concentration Effect Based on Dielectrophoresis. Sensors, 2019, 19, 4152.	3.8	7
21	Electrically-doped CVD-graphene transparent electrodes: application in 365 nm light-emitting diodes. Nanoscale Horizons, 2019, 4, 610-618.	8.0	16
22	Comparative analyses of plasma amyloid- $\hat{1}^2$ levels in heterogeneous and monomerized states by interdigitated microelectrode sensor system. Science Advances, 2019, 5, eaav1388.	10.3	34
23	Dielectrophoresis-based filtration effect and detection of amyloid beta in plasma for Alzheimer's disease diagnosis. Biosensors and Bioelectronics, 2019, 128, 166-175.	10.1	18
24	IGZO-based electrolyte-gated field-effect transistor for in situ biological sensing platform. Sensors and Actuators B: Chemical, 2018, 262, 876-883.	7.8	37
25	High-ionic-strength pre-concentration via ion concentration polarization for blood-based biofluids. Sensors and Actuators B: Chemical, 2018, 268, 485-493.	7.8	31
26	Adhesive Leaf Created by a Corona Discharge. Scientific Reports, 2018, 8, 1737.	3.3	2
27	Identifying DNA mismatches at single-nucleotide resolution by probing individual surface potentials of DNA-capped nanoparticles. Nanoscale, 2018, 10, 538-547.	5.6	11
28	A Simple Separation Method of the Protein and Polystyrene Bead-Labeled Protein for Enhancing the Performance of Fluorescent Sensor. Journal of Analytical Methods in Chemistry, 2018, 2018, 1-7.	1.6	0
29	Toward Exosome-Based Neuronal Diagnostic Devices. Micromachines, 2018, 9, 634.	2.9	20
30	Amyloid Beta Detection by Faradaic Electrochemical Impedance Spectroscopy Using Interdigitated Microelectrodes. Sensors, 2018, 18, 426.	3.8	30
31	Multifunctionalized Reduced Graphene Oxide Biosensors for Simultaneous Monitoring of Structural Changes in Amyloid-β 40. Sensors, 2018, 18, 1738.	3.8	12
32	Graphene-based enzyme-modified field-effect transistor biosensor for monitoring drug effects in Alzheimer's disease treatment. Sensors and Actuators B: Chemical, 2018, 272, 448-458.	7.8	56
33	Battery operated preconcentration-assisted lateral flow assay. Lab on A Chip, 2017, 17, 2451-2458.	6.0	43
34	Nanoelectrical characterization of amyloid-β42 aggregates via Kelvin probe force microscopy. Macromolecular Research, 2017, 25, 1187-1191.	2.4	8
35	A highly sensitive plasma-based amyloid-β detection system through medium-changing and noise cancellation system for early diagnosis of the Alzheimer's disease. Scientific Reports, 2017, 7, 8882.	3.3	41
36	An Enhanced Platform to Analyse Low-Affinity Amyloid β Protein by Integration of Electrical Detection and Preconcentrator. Scientific Reports, 2017, 7, 14303.	3.3	17

#	Article	IF	CITATIONS
37	Structural Evolution of Li _{<i>x</i>} Ni _{<i>y</i>} Mn _{<i>z</i>} Co _{1-y-z} O ₂ Cathode Materials during High-Rate Charge and Discharge. Journal of Physical Chemistry Letters, 2017, 8, 5758-5763.	4.6	27
38	Enhancing surface functionality of reduced graphene oxide biosensors by oxygen plasma treatment for Alzheimer's disease diagnosis. Biosensors and Bioelectronics, 2017, 92, 610-617.	10.1	70
39	Enhancing the Responsivity of Uncooled Infrared Detectors Using Plasmonics for High-Performance Infrared Spectroscopy. Sensors, 2017, 17, 908.	3.8	11
40	Study of Alzheimer's Disease-Related Biophysical Kinetics with a Microslit-Embedded Cantilever Sensor in a Liquid Environment. Sensors, 2017, 17, 1819.	3.8	3
41	Analytical calculation and fabrication of FET-embedded capacitive micromachined ultrasonic transducer. , 2017, , .		0
42	Microfluidic paper-based biomolecule preconcentrator based on ion concentration polarization. Lab on A Chip, 2016, 16, 2219-2227.	6.0	87
43	Kelvin probe force microscopy of DNA-capped nanoparticles for single-nucleotide polymorphism detection. Nanoscale, 2016, 8, 13537-13544.	5.6	15
44	Sensitivity Enhancement of Bead-based Electrochemical Impedance Spectroscopy (BEIS) biosensor by electric field-focusing in microwells. Biosensors and Bioelectronics, 2016, 85, 16-24.	10.1	28
45	Sensitivity improvement of an electrical sensor achieved by control of biomolecules based on the negative dielectrophoretic force. Biosensors and Bioelectronics, 2016, 85, 977-985.	10.1	30
46	Simple and Highly Sensitive Molecular Diagnosis of Zika Virus by Lateral Flow Assays. Analytical Chemistry, 2016, 88, 12272-12278.	6.5	73
47	Ultra-sensitive detection of brain-derived neurotrophic factor (BDNF) in the brain of freely moving mice using an interdigitated microelectrode (IME) biosensor. Scientific Reports, 2016, 6, 33694.	3.3	24
48	Wafer-scale high-resolution patterning of reduced graphene oxide films for detection of low concentration biomarkers in plasma. Scientific Reports, 2016, 6, 31276.	3.3	26
49	A Micro-Preconcentrator Combined Olfactory Sensing System with a Micromechanical Cantilever Sensor for Detecting 2,4-Dinitrotoluene Gas Vapor. Sensors, 2015, 15, 18167-18177.	3.8	18
50	Dependence of Impedance Measurement Sensitivity of Cell Growth on Sensing Area of Circular Interdigitated Electrode. Journal of Nanoscience and Nanotechnology, 2015, 15, 7886-7890.	0.9	3
51	Selective nanomanipulation of fluorescent polystyrene nano-beads and single quantum dots at gold nanostructures based on the AC-dielectrophoretic force. Nanoscale, 2015, 7, 20277-20283.	5.6	9
52	A Micro-Fabricated Force Sensor Using an All Thin Film Piezoelectric Active Sensor. Sensors, 2014, 14, 22199-22207.	3.8	48
53	Rapid discrimination of DNA strands using an opto-calorimetric microcantilever sensor. Lab on A Chip, 2014, 14, 4659-4664.	6.0	7
54	Piezoelectric layer embedded-microdiaphragm sensors for the determination of blood viscosity and density. Applied Physics Letters, 2014, 105, .	3.3	19

#	Article	IF	CITATIONS
55	Fabrication and characterization of piezoelectric driven microdiaphragm resonating sensor for a biosensing application. Journal of Electroceramics, 2014, 32, 383-389.	2.0	3
56	Supercritical alcohols as solvents and reducing agents for the synthesis of reduced graphene oxide. Carbon, 2013, 64, 207-218.	10.3	86
57	Tb0.3Dy0.7Fe1.9/PbZr0.52Ti0.48O3Micro-Bridge on SiNxThin Film for Low Frequency Magnetic Sensing Applications. Japanese Journal of Applied Physics, 2013, 52, 10MC10.	1.5	0
58	Ultra-sensitive magnetoelectric microcantilever at a low frequency. Applied Physics Letters, 2012, 101, .	3.3	13
59	Effects of water molecules on binding kinetics of peptide receptor on a piezoelectric microcantilever. Applied Physics Letters, 2012, 101, .	3.3	4
60	Fabrication and characterization of PZT (lead zirconate titanate) bridge-shaped resonator for mass sensing application. Journal of Electroceramics, 2012, 29, 225-234.	2.0	6
61	Multifunctionalized Cantilever Systems for Electronic Nose Applications. Analytical Chemistry, 2012, 84, 8240-8245.	6.5	24
62	Analysis of DNA hybridization regarding the conformation of molecular layer with piezoelectric microcantilevers. Lab on A Chip, 2011, 11, 63-69.	6.0	25
63	Peptide receptor-based selective dinitrotoluene detection using a microcantilever sensor. Biosensors and Bioelectronics, 2011, 30, 249-254.	10.1	32
64	Direct Electrical Measurement of Protein–Water Interactions and Temperature Dependence Using Piezoelectric Microcantilevers. Advanced Materials, 2011, 23, 2920-2923.	21.0	11
65	Anomalous resonant frequency changes in piezoelectric microcantilevers by monolayer formation of Au films. Applied Physics Letters, 2011, 99, 143701.	3.3	6
66	Quantification of disease marker in undiluted serum using an actuating layer-embedded microcantilever. Journal of Applied Physics, 2009, 105, 102017.	2.5	11
67	Detection of Hepatitis B Virus (HBV) DNA at femtomolar concentrations using a silica nanoparticle-enhanced microcantilever sensor. Biosensors and Bioelectronics, 2009, 25, 130-135.	10.1	83
68	Micro- and Nanocantilever Devices and Systems for Biomolecule Detection. Annual Review of Analytical Chemistry, 2009, 2, 77-98.	5.4	113
69	Sensitivity enhancement of a dynamic mode microcantilever by stress inducer and mass inducer to detect PSA at low picogram levels. Lab on A Chip, 2009, 9, 2683.	6.0	42
70	Nanomechanical microcantilever operated in vibration modes with use of RNA aptamer as receptor molecules for label-free detection of HCV helicase. Biosensors and Bioelectronics, 2007, 23, 459-465.	10.1	57
71	Development of a peptide inhibitor-based cantilever sensor assay for cyclic adenosine monophosphate-dependent protein kinase. Analytica Chimica Acta, 2007, 585, 344-349.	5.4	16
72	Detection of the Au thin-layer in the Hz per picogram regime based on the microcantilevers. Sensors and Actuators A: Physical, 2007, 135, 857-862.	4.1	29

#	Article	IF	CITATIONS
73	Dominant surface stress driven by biomolecular interactions in the dynamical response of nanomechanical microcantilevers. Applied Physics Letters, 2006, 89, 173905.	3.3	70
74	Immunoassay of prostate-specific antigen (PSA) using resonant frequency shift of piezoelectric nanomechanical microcantilever. Biosensors and Bioelectronics, 2005, 20, 2157-2162.	10.1	188
75	Microstructure and Adhesion of Au Deposited on Parylene-c Substrate With Surface Modification for Potential Immunoassay Application. IEEE Transactions on Plasma Science, 2004, 32, 505-509.	1.3	14
76	In-situ quantitative analysis of a prostate-specific antigen (PSA) using a nanomechanical PZT cantilever. Lab on A Chip, 2004, 4, 547.	6.0	154
77	Label free novel electrical detection using micromachined PZT monolithic thin film cantilever for the detection of C-reactive protein. Biosensors and Bioelectronics, 2004, 20, 269-275.	10.1	125