

Manja Schubert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8900655/publications.pdf>

Version: 2024-02-01

20
papers

1,277
citations

567281

15
h-index

794594

19
g-index

25
all docs

25
docs citations

25
times ranked

2184
citing authors

#	ARTICLE	IF	CITATIONS
1	A method for differentiating human induced pluripotent stem cells toward functional cardiomyocytes in 96-well microplates. <i>Scientific Reports</i> , 2020, 10, 18498.	3.3	30
2	Localization of CDR2L and CDR2 in paraneoplastic cerebellar degeneration. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 2231-2242.	3.7	13
3	Reply to "CDR2 and CDR2L Yo Antigens in Paraneoplastic Cerebellar Degeneration". <i>Annals of Neurology</i> , 2020, 88, 429-429.	5.3	0
4	CDR2L Is the Major Yo Antibody Target in Paraneoplastic Cerebellar Degeneration. <i>Annals of Neurology</i> , 2019, 86, 316-321.	5.3	43
5	Paraneoplastic cerebellar degeneration: Yo antibody alters mitochondrial calcium buffering capacity. <i>Neuropathology and Applied Neurobiology</i> , 2019, 45, 141-156.	3.2	19
6	Paraneoplastic CDR2 and CDR2L antibodies affect Purkinje cell calcium homeostasis. <i>Acta Neuropathologica</i> , 2014, 128, 835-852.	7.7	51
7	Paraneoplastic cerebellar degeneration: Auto-antibodies cause damage to Purkinje cells by changing the calcium homeostasis. <i>Journal of Neuroimmunology</i> , 2014, 275, 38-39.	2.3	0
8	A Novel, Diffusely Infiltrative Xenograft Model of Human Anaplastic Oligodendroglioma with Mutations in FUBP1, CIC, and IDH1. <i>PLoS ONE</i> , 2013, 8, e59773.	2.5	39
9	Balancing Arc Synthesis, mRNA Decay, and Proteasomal Degradation. <i>Journal of Biological Chemistry</i> , 2012, 287, 22354-22366.	3.4	68
10	The Arc of synaptic memory. <i>Experimental Brain Research</i> , 2010, 200, 125-140.	1.5	416
11	Improved Learning and Memory in Aged Mice Deficient in Amyloid β -Degrading Neutral Endopeptidase. <i>PLoS ONE</i> , 2009, 4, e4590.	2.5	30
12	SAP97 and CASK mediate sorting of NMDA receptors through a previously unknown secretory pathway. <i>Nature Neuroscience</i> , 2009, 12, 1011-1019.	14.8	184
13	Activation of Kainate GLUK5 Transmission Rescues Kindling-Induced Impairment of LTP in the Rat Lateral Amygdala. <i>Neuropsychopharmacology</i> , 2008, 33, 2524-2535.	5.4	13
14	Gender-dependent ATPA-induced changes in long-term potentiation in the rat lateral amygdala. <i>FASEB Journal</i> , 2008, 22, 1268-1274.	0.5	2
15	Input-specific long-term potentiation in the rat lateral amygdala of horizontal slices. <i>Neurobiology of Learning and Memory</i> , 2006, 85, 272-282.	1.9	23
16	Alcohol Withdrawal and Conditioning. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 453-464.	2.4	32
17	Kindling-induced changes in plasticity of the rat amygdala and hippocampus. <i>Learning and Memory</i> , 2005, 12, 520-526.	1.3	72
18	Angiotensin-(1-7) enhances LTP in the hippocampus through the G-protein-coupled receptor Mas. <i>Molecular and Cellular Neurosciences</i> , 2005, 29, 427-435.	2.2	104

#	ARTICLE	IF	CITATIONS
19	Repeated Ethanol Exposure and Withdrawal Impairs Human Fear Conditioning and Depresses Long-Term Potentiation in Rat Amygdala and Hippocampus. <i>Biological Psychiatry</i> , 2005, 58, 392-400.	1.3	106
20	Long-term depression in horizontal slices of the rat lateral amygdala. <i>Synapse</i> , 2004, 53, 141-150.	1.2	24